

Date/Time: 2024-02-22 17:06:50.424 +0000  
End time: 2024-02-22 17:07:12.369 +0000  
OS Version: macOS 14.3.1 (Build 23D60)  
Architecture: x86\_64h  
Report Version: 44  
Incident Identifier: 0B844DF5-D850-4B55-AADD-E7227F511E97

Data Source: Stackshots  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Shared Cache: BCEA684D-09B6-39FB-B838-6E592B2422C5 slid base address 0x7ff834321000, slide 0x34321000 (DriverKit)

Command: MIDITranslatorPro  
Path: /Applications/Bome MIDI Translator Pro.app/Contents/MacOS/MIDITranslatorPro  
Identifier: com.bome.miditranslator.pro  
Version: 1.9.1 (1.9.1.1060)  
Team ID: SWQLJ53D4Z  
Is First Party: No  
Architecture: x86\_64  
Parent: launchd [1]  
PID: 986  
Time Since Fork: 161s

Event: hang  
Duration: 21.95s  
Duration Sampled: 2.40s (process was unresponsive for 20 seconds before sampling)  
Steps: 24 (100ms sampling interval)

Hardware model: MacBookAir8,1  
Active cpus: 4  
HW page size: 4096  
VM page size: 4096

Time Since Boot: 749s  
Time Awake Since Boot: 749s  
Time Since Wake: n/a (machine hasn't slept)

Fan speed: 2670 rpm  
Total CPU Time: 3.061s (6.2G cycles, 4.5G instructions, 1.37c/i)  
Advisory levels: Battery -> 3, User -> 2, ThermalPressure -> 0, Combined -> 2

Free disk space: 59.32 GB/112.71 GB, low space threshold 3072 MB  
Vnodes Available: 81.36% (107470/132096, 70345 allocated)

Launchd throttled processes:

gui/501/com.apple.DiagnosticsReporter throttled after exit(): throttled  
samples 1-24

Preferred User Language: en-GB

Country Code: GB

OS Cryptex File Extents: 1

-----  
Timeline format: stacks are sorted chronologically  
Use -i and -heavy to re-report with count sorting  
-----

Heaviest stack for the main thread of the target process:

24 start + 1942 (dyld + 25478) [0x7ff80bada386]  
24 main + 69 (MIDITranslatorPro + 10341) [0x1095a6865]  
24 launch + 4101 (MIDITranslatorPro + 14757) [0x1095a79a5]  
24 JLI\_Launch + 1357 (libjli.dylib + 10429) [0x1096268bd]  
24 CreateExecutionEnvironment + 386 (libjli.dylib + 28386) [0x10962aee2]  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082]  
24 \_\_CFRunLoopRun + 919 (CoreFoundation + 502241) [0x7ff80bf3f9e1]  
24 \_\_CFRunLoopDoSources0 + 215 (CoreFoundation + 507236)  
[0x7ff80bf40d64]  
24 \_\_CFRunLoopDoSource0 + 157 (CoreFoundation + 507801)  
[0x7ff80bf40f99]  
24  
\_\_CFRUNLOOP\_IS\_CALLING\_OUT\_TO\_A\_SOURCE0\_PERFORM\_FUNCTION\_\_ + 17 (CoreFoundation + 507895) [0x7ff80bf40ff7]  
24 ??? (Foundation + 510821) [0x7ff80cefab65]  
24 +[ThreadUtilities invokeBlockCopy:] + 15 (libosxapp.dylib + 24655)  
[0x10992204f]  
24 +[AWTStarter starter:headless:] + 496 (libawt\_lwawt.dylib + 456272)  
[0x10ba3e650]  
24 +[NSApplicationAWT runAWTLoopWithApp:] + 169 (libosxapp.dylib + 17273) [0x109920379]  
24 -[NSApplication run] + 603 (AppKit + 197042) [0x7ff80f5411b2]  
24 -[NSApplicationAWT  
nextEventMatchingMask:untilDate:inMode:dequeue:] + 122 (libosxapp.dylib + 17834) [0x1099205aa]

24 -[NSApplication(NSEventRouting)  
\_nextEventMatchingEventMask:untilDate:inMode:dequeue:] + 1304 (AppKit +  
9734148) [0x7ff80fe59804]  
24 \_DPSNextEvent + 880 (AppKit + 257081) [0x7ff80f54fc39]  
24 \_BlockUntilNextEventMatchingListInModeWithFilter + 66 (HIToolbox +  
197937) [0x7ff816831531]  
24 ReceiveNextEventCommon + 201 (HIToolbox + 198166)  
[0x7ff816831616]  
24 RunCurrentEventLoopInMode + 292 (HIToolbox + 199129)  
[0x7ff8168319d9]  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082]  
24 \_\_CFRunLoopRun + 2700 (CoreFoundation + 504022) [0x7ff80bf400d6]  
24 \_\_CFRunLoopDoSource1 + 534 (CoreFoundation + 509022)  
[0x7ff80bf4145e]  
24  
\_\_CFRUNLOOP\_IS\_CALLING\_OUT\_TO\_A\_SOURCE1\_PERFORM\_FUNCTIO  
N\_\_ + 41 (CoreFoundation + 509223) [0x7ff80bf41527]  
24 ??? (HIServices + 41827) [0x7ff81228f363]  
24 ??? (HIServices + 312263) [0x7ff8122d13c7]  
24 ??? (HIServices + 168456) [0x7ff8122ae208]  
24 CopyAttributeValue + 139 (AppKit + 5039623) [0x7ff80f9df607]  
24 CopyAppKitUIElementAttributeValueNoCatch + 96 (AppKit + 5052660)  
[0x7ff80f9e28f4]  
24 -[NSApplication(NSApplicationAccessibility)  
\_accessibilityValueForAttribute:clientError:] + 49 (AppKit + 5314720)  
[0x7ff80fa228a0]  
24 -[NSObject(NSAccessibilityInternal)  
\_accessibilityValueForAttribute:clientError:] + 330 (AppKit + 5029797)  
[0x7ff80f9dcfa5]  
24 \_NSAccessibilityEntryPointValueForAttribute + 168 (AppKit + 3100114)  
[0x7ff80f805dd2]  
24 NSAccessibilityPerformEntryPointObject + 16 (AppKit + 7958431)  
[0x7ff80fca7f9f]  
24 \_\_\_NSAccessibilityEntryPointValueForAttribute\_block\_invoke.856 + 1478  
(AppKit + 7976758) [0x7ff80fcac736]  
24 -[NSAccessibilityAttributeAccessorInfo getAttributeValue:forObject:] + 58  
(AppKit + 849982) [0x7ff80f5e083e]  
24 NSAccessibilityGetObjectValueForAttribute + 2756 (AppKit + 853904)  
[0x7ff80f5e1790]  
24 NSAccessibilityGetObjectForAttributeUsingLegacyAPI + 337 (AppKit +  
856131) [0x7ff80f5e2043]  
24 -[NSWindow(NSWindowAccessibility) accessibilityFocusedUIElement] +  
105 (AppKit + 13006106) [0x7ff81017851a]

```

24 -[AWTView accessibilityFocusedUIElement] + 153 (libawt_lwawt.dylib +
41417) [0x10b9d91c9]
24 -[CommonComponentAccessibility accessibilityFocusedUIElement] +
647 (libawt_lwawt.dylib + 326743) [0x10ba1ec57]
24 jni_CallStaticObjectMethod + 395 (libjvm.dylib + 6425467)
[0x10c444b7b]
24 jni_invoke_static(JNIEnv*, JavaValue*, _jobject*, JNICallType,
_jmethodID*, JNI_ArgumentPusher*, JavaThread*) + 448 (libjvm.dylib +
6422896) [0x10c444170]
24 JavaCalls::call_helper(JavaValue*, methodHandle const&,
JavaCallArguments*, JavaThread*) + 692 (libjvm.dylib + 5948740)
[0x10c3d0544]
24 ??? [0x1145fbcc6]
24 ??? [0x114603166]
24 ??? [0x114603166]
24 ??? [0x114603166]
24 ??? [0x114603362]
24 ??? [0x114603362]
24 <patched truncated backtrace>
24 ??? [0x114603362]
24 ??? [0x114607980]
24 Java_sun_lwawt_macosx_LWCToolkit_doAWTRunLoopImpl + 334
(libawt_lwawt.dylib + 459518) [0x10ba3f2fe]
24 ??? (Foundation + 377873) [0x7ff80ceda411]
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)
[0x7ff80bf3f082]
21 __CFRunLoopRun + 1371 (CoreFoundation + 502693) [0x7ff80bf3fba5]
21 __CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)
[0x7ff80bf41135]
21 mach_msg + 19 (libsystem_kernel.dylib + 7455) [0x7ff80be25d1f]
21 mach_msg_overwrite + 653 (libsystem_kernel.dylib + 35682)
[0x7ff80be2cb62]
21 mach_msg2_trap + 10 (libsystem_kernel.dylib + 6702) [0x7ff80be25a2e]
*21 ipc_mqueue_receive_continue + 0 (kernel + 1269696)
[0xfffff8000415fc0]

```

```

Process:      MIDITranslatorPro (Bome MIDI Translator Pro) [986]
UUID:        DE12F0F6-983E-36C5-A0CD-18BC6A222346
Path:        /Applications/Bome MIDI Translator Pro.app/Contents/MacOS/
MIDITranslatorPro
Identifier:   com.bome.miditranslator.pro
Version:     1.9.1 (1.9.1.1060)
Team ID:     SWQLJ53D4Z

```

Is First Party: No  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Footprint: 268.18 MB  
Time Since Fork: 161s  
Num samples: 24 (1-24)  
CPU Time: 0.204s (361.5M cycles, 495.5M instructions, 0.73c/i)  
Note: Unresponsive for 20 seconds before sampling  
Note: 3 idle work queue threads omitted

Thread 0x380f DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 47 (base 47) cpu time 0.144s (256.8M cycles, 468.6M  
instructions, 0.55c/i)

<process frontmost, thread QoS user interactive (requested user  
interactive), process unclamped, process received importance donation from  
WindowServer [154], process received importance donation from  
ViewBridgeAuxiliary [419], process received importance donation from  
DictationIM (Dictation) [506], process received importance donation from  
CursorUIViewService [508], IO tier 0>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 main + 69 (MIDITranslatorPro + 10341) [0x1095a6865] 1-24  
24 launch + 4101 (MIDITranslatorPro + 14757) [0x1095a79a5] 1-24  
24 JLI\_Launch + 1357 (libjli.dylib + 10429) [0x1096268bd] 1-24  
24 CreateExecutionEnvironment + 386 (libjli.dylib + 28386)  
[0x10962aee2] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 919 (CoreFoundation + 502241)  
[0x7ff80bf3f9e1] 1-24  
24 \_\_CFRunLoopDoSources0 + 215 (CoreFoundation + 507236)  
[0x7ff80bf40d64] 1-24  
24 \_\_CFRunLoopDoSource0 + 157 (CoreFoundation + 507801)  
[0x7ff80bf40f99] 1-24  
24  
\_\_CFRUNLOOP\_IS\_CALLING\_OUT\_TO\_A\_SOURCE0\_PERFORM\_FUNCTION\_\_ + 17 (CoreFoundation + 507895) [0x7ff80bf40ff7] 1-24  
24 ??? (Foundation + 510821) [0x7ff80cefab65] 1-24  
24 +[ThreadUtilities invokeBlockCopy:] + 15 (libosxapp.dylib +  
24655) [0x10992204f] 1-24  
24 +[AWTStarter starter:headless:] + 496 (libawt\_lwawt.dylib +  
456272) [0x10ba3e650] 1-24

24 +[NSApplicationAWT runAWTLoopWithApp:] + 169  
 (libosxapp.dylib + 17273) [0x109920379] 1-24  
 24 -[NSApplication run] + 603 (AppKit + 197042)  
 [0x7ff80f5411b2] 1-24  
 24 -[NSApplicationAWT  
 nextEventMatchingMask:untilDate:inMode:dequeue:] + 122 (libosxapp.dylib +  
 17834) [0x1099205aa] 1-24  
 24 -[NSApplication(NSEventRouting)  
 \_nextEventMatchingEventMask:untilDate:inMode:dequeue:] + 1304 (AppKit +  
 9734148) [0x7ff80fe59804] 1-24  
 24 \_DPSNextEvent + 880 (AppKit + 257081)  
 [0x7ff80f54fc39] 1-24  
 24  
 \_BlockUntilNextEventMatchingListInModeWithFilter + 66 (HIToolbox +  
 197937) [0x7ff816831531] 1-24  
 24 ReceiveNextEventCommon + 201 (HIToolbox +  
 198166) [0x7ff816831616] 1-24  
 24 RunCurrentEventLoopInMode + 292 (HIToolbox  
 + 199129) [0x7ff8168319d9] 1-24  
 24 CFRRunLoopRunSpecific + 557  
 (CoreFoundation + 499842) [0x7ff80bf3f082] 1-24  
 24 \_\_CFRunLoopRun + 2700 (CoreFoundation +  
 504022) [0x7ff80bf400d6] 1-24  
 24 \_\_CFRunLoopDoSource1 + 534  
 (CoreFoundation + 509022) [0x7ff80bf4145e] 1-24  
 24  
 \_\_CFRUNLOOP\_IS\_CALLING\_OUT\_TO\_A\_SOURCE1\_PERFORM\_FUNCTIO  
 N\_\_ + 41 (CoreFoundation + 509223) [0x7ff80bf41527] 1-24  
 24 ??? (HIServices + 41827)  
 [0x7ff81228f363] 1-24  
 24 ??? (HIServices + 312263)  
 [0x7ff8122d13c7] 1-24  
 24 ??? (HIServices + 168456)  
 [0x7ff8122ae208] 1-24  
 24 CopyAttributeValue + 139 (AppKit +  
 5039623) [0x7ff80f9df607] 1-24  
 24  
 CopyAppKitUIElementAttributeValueNoCatch + 96 (AppKit + 5052660)  
 [0x7ff80f9e28f4] 1-24  
 24 -  
 [NSApplication(NSApplicationAccessibility)  
 \_accessibilityValueForAttribute:clientError:] + 49 (AppKit + 5314720)  
 [0x7ff80fa228a0] 1-24  
 24 -

[NSObject(NSAccessibilityInternal) \_accessibilityValueForAttribute:clientError:]  
+ 330 (AppKit + 5029797) [0x7ff80f9dcfa5] 1-24  
24

\_NSAccessibilityEntryPointValueForAttribute + 168 (AppKit + 3100114)  
[0x7ff80f805dd2] 1-24  
24

NSAccessibilityPerformEntryPointObject + 16 (AppKit + 7958431)  
[0x7ff80fca7f9f] 1-24  
24

\_\_\_NSAccessibilityEntryPointValueForAttribute\_block\_invoke.856 + 1478  
(AppKit + 7976758) [0x7ff80fcac736] 1-24  
24 -

[NSAccessibilityAttributeAccessorInfo getAttributeValue:forObject:] + 58  
(AppKit + 849982) [0x7ff80f5e083e] 1-24  
24

NSAccessibilityGetObjectValueForAttribute + 2756 (AppKit + 853904)  
[0x7ff80f5e1790] 1-24  
24

NSAccessibilityGetObjectForAttributeUsingLegacyAPI + 337 (AppKit +  
856131) [0x7ff80f5e2043] 1-24  
24 -

[NSWindow(NSWindowAccessibility) accessibilityFocusedUIElement] + 105  
(AppKit + 13006106) [0x7ff81017851a] 1-24  
24 -[AWTView

accessibilityFocusedUIElement] + 153 (libawt\_lwawt.dylib + 41417)  
[0x10b9d91c9] 1-24  
24 -

[CommonComponentAccessibility accessibilityFocusedUIElement] + 647  
(libawt\_lwawt.dylib + 326743) [0x10ba1ec57] 1-24  
24

jni\_CallStaticObjectMethod + 395 (libjvm.dylib + 6425467) [0x10c444b7b]  
1-24  
24

jni\_invoke\_static(JNIEnv\*, JavaValue\*, \_jobject\*, JNICALL, \_jmethodID\*,  
JNI\_ArgumentPusher\*, JavaThread\*) + 448 (libjvm.dylib + 6422896)  
[0x10c444170] 1-24  
24

JavaCalls::call\_helper(JavaValue\*, methodHandle const&,  
JavaCallArguments\*, JavaThread\*) + 692 (libjvm.dylib + 5948740)  
[0x10c3d0544] 1-24  
24 ???

[0x1145fbcc6] 1-24  
24 ???

[0x114603166] 1-24

```

24 ???
[0x114603166] 1-24
24 ???
[0x114603166] 1-24
24 ???
[0x114603362] 1-24
24 ???
[0x114603362] 1-24
24 <patched
truncated backtrace> 1-24
24 ???
[0x114603362] 1-24
24 ???
[0x114607980] 1-24
24
Java_sun_lwawt_macosx_LWCToolkit_doAWTRunLoopImpl + 334
(libawt_lwawt.dylib + 459518) [0x10ba3f2fe] 1-24
24 ???
(Foundation + 377873) [0x7ff80ceda411] 1-24
24
CFRunLoopRunSpecific + 557 (CoreFoundation + 499842) [0x7ff80bf3f082]
1-24
1
__CFRunLoopRun + 1371 (CoreFoundation + 502693) [0x7ff80bf3fba5] 1
1
__CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)
[0x7ff80bf41135] 1
1
mach_msg + 19 (libsystem_kernel.dylib + 7455) [0x7ff80be25d1f] 1
1
mach_msg_overwrite + 653 (libsystem_kernel.dylib + 35682)
[0x7ff80be2cb62] 1
1
mach_msg2_trap + 10 (libsystem_kernel.dylib + 6702) [0x7ff80be25a2e] 1
*1 ipc_mqueue_receive_continue + 0 (kernel + 1269696) [0xfffff8000415fc0]
1
1
__CFRunLoopRun + 901 (CoreFoundation + 502223) [0x7ff80bf3f9cf] 2
1
__CFRunLoopDoBlocks + 269 (CoreFoundation + 506610) [0x7ff80bf40af2] 2
1
CFSetContainsValue + 62 (CoreFoundation + 263630) [0x7ff80bf055ce] 2
1

```



CFBasicHashGetCountOfKey + 112 (CoreFoundation + 145572)		
[0x7ff80bee88a4] 2		1
__CFBasicHashFindBucket_Linear + 338 (CoreFoundation + 1694802)		
[0x7ff80c062c52] 2		
1 CF_IS_OBJC + 1 (CoreFoundation + 1332921) [0x7ff80c00a6b9] (running)		
2		
		10
__CFRunLoopRun + 1371 (CoreFoundation + 502693) [0x7ff80bf3fba5] 3-12		
		10
__CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)		
[0x7ff80bf41135] 3-12		
		10
mach_msg + 19 (libsystem_kernel.dylib + 7455) [0x7ff80be25d1f] 3-12		
		10
mach_msg_overwrite + 653 (libsystem_kernel.dylib + 35682)		
[0x7ff80be2cb62] 3-12		
10 mach_msg2_trap + 10 (libsystem_kernel.dylib + 6702) [0x7ff80be25a2e]		
3-12		
*10 ipc_mqueue_receive_continue + 0 (kernel + 1269696)		
[0xfffff8000415fc0] 3-12		
		2
__CFRunLoopRun + 901 (CoreFoundation + 502223) [0x7ff80bf3f9cf] 13-14		
		2
__CFRunLoopDoBlocks + 269 (CoreFoundation + 506610) [0x7ff80bf40af2]		
13-14		
		2
CFSetContainsValue + 62 (CoreFoundation + 263630) [0x7ff80bf055ce] 13-14		
		2
CFBasicHashGetCountOfKey + 112 (CoreFoundation + 145572)		
[0x7ff80bee88a4] 13-14		
		1
__CFBasicHashFindBucket_Linear + 359 (CoreFoundation + 1694823)		
[0x7ff80c062c67] (running) 13		
		1
__CFBasicHashFindBucket_Linear + 63 (CoreFoundation + 1694527)		
[0x7ff80c062b3f] (running) 14		
		10
__CFRunLoopRun + 1371 (CoreFoundation + 502693) [0x7ff80bf3fba5] 15-24		
		10
__CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)		

[0x7ff80bf41135] 15-24 10  
 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 15-24 10  
 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
 [0x7ff80be2cb62] 15-24  
 10 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e]  
 15-24  
 \*10 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
 [0xfffff8000415fc0] 15-24

Thread 0x381c 24 samples (1-24) priority 31 (base 31)  
 <process frontmost, thread QoS default (requested default), process  
 unclamped, process received importance donation from WindowServer [154],  
 process received importance donation from ViewBridgeAuxiliary [419],  
 process received importance donation from DictationIM (Dictation) [506],  
 process received importance donation from CursorUIViewService [508], IO  
 tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
 1-24  
 24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
 [0x7ff80be65202] 1-24  
 24 apple\_main + 84 (libjli.dylib + 32372) [0x10962be74] 1-24  
 24 main + 69 (MIDITranslatorPro + 10341) [0x1095a6865] 1-24  
 24 launch + 4101 (MIDITranslatorPro + 14757) [0x1095a79a5] 1-24  
 24 JLI\_Launch + 7189 (libjli.dylib + 16261) [0x109627f85] 1-24  
 24 ContinueInNewThread + 160 (libjli.dylib + 25200) [0x10962a270]  
 1-24  
 24 CallJavaMainInNewThread + 186 (libjli.dylib + 30218)  
 [0x10962b60a] 1-24  
 24 \_\_unlock\_wait + 10 (libsystem\_kernel.dylib + 12770)  
 [0x7ff80be271e2] 1-24  
 \*24 ??? (kernel + 6796608) [0xfffff800095b540] (blocked by  
 turnstile waiting for MIDITranslatorPro (Bome MIDI Translator Pro) [986]  
 thread 0x383b) 1-24

Thread 0x383b 24 samples (1-24) priority 31 (base 31)  
 <process frontmost, thread QoS default (requested default, promote  
 default), process unclamped, process received importance donation from  
 WindowServer [154], process received importance donation from  
 ViewBridgeAuxiliary [419], process received importance donation from  
 DictationIM (Dictation) [506], process received importance donation from

CursorUIViewService [508], IO tier 0>

```
24 thread_start + 15 (libsystem_pthread.dylib + 7083) [0x7ff80be60bab]
1-24
24 _pthread_start + 99 (libsystem_pthread.dylib + 25090)
[0x7ff80be65202] 1-24
24 ThreadJavaMain + 9 (libjli.dylib + 30281) [0x10962b649] 1-24
24 JavaMain + 3119 (libjli.dylib + 20175) [0x109628ecf] 1-24
24 jni_DestroyJavaVM + 188 (libjvm.dylib + 6503932) [0x10c457dfc]
1-24
24 Threads::destroy_vm() + 90 (libjvm.dylib + 11462362)
[0x10c9126da] 1-24
24 Monitor::wait(unsigned long long) + 116 (libjvm.dylib + 9457732)
[0x10c729044] 1-24
24 PlatformMonitor::wait(unsigned long long) + 128 (libjvm.dylib +
9721520) [0x10c7696b0] 1-24
24 __psynch_cvwait + 10 (libsystem_kernel.dylib + 17870)
[0x7ff80be285ce] 1-24
*24 psynch_cvcontinue + 0 (com.apple.kec.pthread + 20777)
[0xfffff800307e129] 1-24
```

Thread 0x383d Thread name "Java: GC Thread#0" 24 samples (1-24)  
priority 31 (base 31)

<process frontmost, thread QoS default (requested default), process  
unclamped, process received importance donation from WindowServer [154],  
process received importance donation from ViewBridgeAuxiliary [419],  
process received importance donation from DictationIM (Dictation) [506],  
process received importance donation from CursorUIViewService [508], IO  
tier 0>

```
24 thread_start + 15 (libsystem_pthread.dylib + 7083) [0x7ff80be60bab]
1-24
24 _pthread_start + 99 (libsystem_pthread.dylib + 25090)
[0x7ff80be65202] 1-24
24 thread_native_entry(Thread*) + 327 (libjvm.dylib + 9688679)
[0x10c761667] 1-24
24 Thread::call_run() + 165 (libjvm.dylib + 11407909) [0x10c905225]
1-24
24 WorkerThread::run() + 72 (libjvm.dylib + 12234664) [0x10c9cefa8]
1-24
24 semaphore_wait_trap + 10 (libsystem_kernel.dylib + 6570)
[0x7ff80be259aa] 1-24
*24 ??? (kernel + 1663616) [0xfffff8000476280] 1-24
```

Thread 0x383f Thread name "Java: G1 Conc#0" 24 samples (1-24)  
priority 31 (base 31)

<process frontmost, thread QoS default (requested default), process unclamped, process received importance donation from WindowServer [154], process received importance donation from ViewBridgeAuxiliary [419], process received importance donation from DictationIM (Dictation) [506], process received importance donation from CursorUIViewService [508], IO tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab] 1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090) [0x7ff80be65202] 1-24

24 thread\_native\_entry(Thread\*) + 327 (libjvm.dylib + 9688679) [0x10c761667] 1-24

24 Thread::call\_run() + 165 (libjvm.dylib + 11407909) [0x10c905225] 1-24

24 WorkerThread::run() + 72 (libjvm.dylib + 12234664) [0x10c9cefa8] 1-24

24 semaphore\_wait\_trap + 10 (libsystem\_kernel.dylib + 6570) [0x7ff80be259aa] 1-24

\*24 ??? (kernel + 1663616) [0xfffff8000476280] 1-24

Thread 0x3843 Thread name "Java: VM Thread" 24 samples (1-24) priority 31 (base 31) cpu time 0.001s (1973.4K cycles, 381.4K instructions, 5.17c/i)

<process frontmost, thread QoS default (requested default), process unclamped, process received importance donation from WindowServer [154], process received importance donation from ViewBridgeAuxiliary [419], process received importance donation from DictationIM (Dictation) [506], process received importance donation from CursorUIViewService [508], IO tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab] 1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090) [0x7ff80be65202] 1-24

24 thread\_native\_entry(Thread\*) + 327 (libjvm.dylib + 9688679) [0x10c761667] 1-24

24 Thread::call\_run() + 165 (libjvm.dylib + 11407909) [0x10c905225] 1-24

20 VMThread::run() + 165 (libjvm.dylib + 12040693) [0x10c99f9f5] 1-20

20 VMThread::wait\_for\_operation() + 476 (libjvm.dylib + 12045068) [0x10c9a0b0c] 1-20

20 Monitor::wait\_without\_safepoint\_check(unsigned long long) + 38 (libjvm.dylib + 9457590) [0x10c728fb6] 1-20

20 PlatformMonitor::wait(unsigned long long) + 220 (libjvm.dylib + 9721612) [0x10c76970c] 1-20

```

    20 __psynch_cvwait + 10 (libsystem_kernel.dylib + 17870)
[0x7ff80be285ce] 1-20
    *20 psynch_cvcontinue + 0 (com.apple.kec.pthread + 20777)
[0xffffffff800307e129] 1-20
    <thread QoS default (promote default)>
    4 VMThread::run() + 186 (libjvm.dylib + 12040714) [0x10c99fa0a]
21-24
    4 VMThread::inner_execute(VM_Operation*) + 715 (libjvm.dylib +
12044123) [0x10c9a075b] 21-24
    4 VMThread::evaluate_operation(VM_Operation*) + 258 (libjvm.dylib
+ 12041538) [0x10c99fd42] 21-24
    4 VM_Operation::evaluate() + 213 (libjvm.dylib + 11969893)
[0x10c98e565] 21-24
    4 VM_Exit::doit() + 115 (libjvm.dylib + 11972915) [0x10c98f133]
21-24
    4 VM_Exit::wait_for_threads_in_native_to_block() + 159
(libjvm.dylib + 11972543) [0x10c98efbf] 21-24
    4 Monitor::wait_without_safepoint_check(unsigned long long)
+ 38 (libjvm.dylib + 9457590) [0x10c728fb6] 21-24
    4 PlatformMonitor::wait(unsigned long long) + 220
(libjvm.dylib + 9721612) [0x10c76970c] 21-24
    4 __psynch_cvwait + 10 (libsystem_kernel.dylib + 17870)
[0x7ff80be285ce] 21-24
    *4 psynch_cvcontinue + 0 (com.apple.kec.pthread + 20777)
[0xffffffff800307e129] 21-24

```

```

Thread 0x3845 Thread name "Java: Reference Handler" 24 samples
(1-24) priority 31 (base 31)
<process frontmost, thread QoS default (requested default), process
unclamped, process received importance donation from WindowServer [154],
process received importance donation from ViewBridgeAuxiliary [419],
process received importance donation from DictationIM (Dictation) [506],
process received importance donation from CursorUIViewService [508], IO
tier 0>
    24 thread_start + 15 (libsystem_pthread.dylib + 7083) [0x7ff80be60bab]
1-24
    24 _pthread_start + 99 (libsystem_pthread.dylib + 25090)
[0x7ff80be65202] 1-24
    24 thread_native_entry(Thread*) + 327 (libjvm.dylib + 9688679)
[0x10c761667] 1-24
    24 Thread::call_run() + 165 (libjvm.dylib + 11407909) [0x10c905225]
1-24
    24 JavaThread::thread_main_inner() + 156 (libjvm.dylib + 6022972)
[0x10c3e273c] 1-24

```

24 thread\_entry(JavaThread\*, JavaThread\*) + 152 (libjvm.dylib + 6744200) [0x10c492888] 1-24  
 24 JavaCalls::call\_virtual(JavaValue\*, Handle, Klass\*, Symbol\*, Symbol\*, JavaThread\*) + 99 (libjvm.dylib + 5944755) [0x10c3cf5b3] 1-24  
 24 JavaCalls::call\_virtual(JavaValue\*, Klass\*, Symbol\*, Symbol\*, JavaCallArguments\*, JavaThread\*) + 431 (libjvm.dylib + 5944559) [0x10c3cf4ef] 1-24  
 24 JavaCalls::call\_helper(JavaValue\*, methodHandle const&, JavaCallArguments\*, JavaThread\*) + 692 (libjvm.dylib + 5948740) [0x10c3d0544] 1-24  
 24 ??? [0x1145fbcc6] 1-24  
 24 ??? [0x114603362] 1-24  
 24 <patched truncated backtrace> 1-24  
 24 ??? [0x114603362] 1-24  
 24 ??? [0x114607980] 1-24  
 24 JVM\_WaitForReferencePendingList + 154 (libjvm.dylib + 6752954) [0x10c494aba] 1-24  
 24 Monitor::wait(unsigned long long) + 116 (libjvm.dylib + 9457732) [0x10c729044] 1-24  
 24 PlatformMonitor::wait(unsigned long long) + 128 (libjvm.dylib + 9721520) [0x10c7696b0] 1-24  
 24 \_\_psynch\_cvwait + 10 (libsystem\_kernel.dylib + 17870) [0x7ff80be285ce] 1-24  
 \*24 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777) [0xfffff800307e129] 1-24

Thread 0x3846 Thread name "Java: Finalizer" 24 samples (1-24)  
 priority 31 (base 31)  
 <process frontmost, thread QoS default (requested default), process unclamped, process received importance donation from WindowServer [154], process received importance donation from ViewBridgeAuxiliary [419], process received importance donation from DictationIM (Dictation) [506], process received importance donation from CursorUIViewService [508], IO tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab] 1-24  
 24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090) [0x7ff80be65202] 1-24  
 24 thread\_native\_entry(Thread\*) + 327 (libjvm.dylib + 9688679) [0x10c761667] 1-24  
 24 Thread::call\_run() + 165 (libjvm.dylib + 11407909) [0x10c905225] 1-24  
 24 JavaThread::thread\_main\_inner() + 156 (libjvm.dylib + 6022972) [0x10c3e273c] 1-24

```

    24 thread_entry(JavaThread*, JavaThread*) + 152 (libjvm.dylib +
6744200) [0x10c492888] 1-24
    24 JavaCalls::call_virtual(JavaValue*, Handle, Klass*, Symbol*,
Symbol*, JavaThread*) + 99 (libjvm.dylib + 5944755) [0x10c3cf5b3] 1-24
    24 JavaCalls::call_virtual(JavaValue*, Klass*, Symbol*, Symbol*,
JavaCallArguments*, JavaThread*) + 431 (libjvm.dylib + 5944559)
[0x10c3cf4ef] 1-24
    24 JavaCalls::call_helper(JavaValue*, methodHandle const&,
JavaCallArguments*, JavaThread*) + 692 (libjvm.dylib + 5948740)
[0x10c3d0544] 1-24
    24 ??? [0x1145fbcc6] 1-24
    24 ??? [0x114603166] 1-24
    24 <patched truncated backtrace> 1-24
    24 ??? [0x114603166] 1-24
    24 ??? [0x114603362] 1-24
    24 ??? [0x10d48c35c] 1-24
    24 ??? [0x114c37ce1] 1-24
    24 JVM_MonitorWait + 420 (libjvm.dylib + 6667444)
[0x10c47fcb4] 1-24
    24 ObjectSynchronizer::wait(Handle, long,
JavaThread*) + 246 (libjvm.dylib + 11145990) [0x10c8c5306] 1-24
    24 ObjectMonitor::wait(long, bool, JavaThread*) +
797 (libjvm.dylib + 9580381) [0x10c746f5d] 1-24
    24 PlatformEvent::park() + 139 (libjvm.dylib +
9718587) [0x10c768b3b] 1-24
    24 __psynch_cvwait + 10 (libsystem_kernel.dylib +
17870) [0x7ff80be285ce] 1-24
    *24 psynch_cvcontinue + 0
(com.apple.kec.pthread + 20777) [0xfffff800307e129] 1-24

```

Thread 0x3847 Thread name "Java: Signal Dispatcher" 24 samples (1-24) priority 31 (base 31) cpu time <0.001s (1843.7K cycles, 399.3K instructions, 4.62c/i)

<process frontmost, thread QoS default (requested default), process unclamped, process received importance donation from WindowServer [154], process received importance donation from ViewBridgeAuxiliary [419], process received importance donation from DictationIM (Dictation) [506], process received importance donation from CursorUIViewService [508], IO tier 0>

```

    24 thread_start + 15 (libsystem_pthread.dylib + 7083) [0x7ff80be60bab]
1-24
    24 _pthread_start + 99 (libsystem_pthread.dylib + 25090)
[0x7ff80be65202] 1-24
    24 thread_native_entry(Thread*) + 327 (libjvm.dylib + 9688679)

```

```

[0x10c761667] 1-24
    20 Thread::call_run() + 165 (libjvm.dylib + 11407909) [0x10c905225]
1-20
    20 JavaThread::thread_main_inner() + 156 (libjvm.dylib + 6022972)
[0x10c3e273c] 1-20
    20 signal_thread_entry(JavaThread*, JavaThread*) + 57 (libjvm.dylib +
9668665) [0x10c75c839] 1-20
    20 os::signal_wait() + 136 (libjvm.dylib + 10418216) [0x10c813828]
1-20
    20 semaphore_wait_trap + 10 (libsystem_kernel.dylib + 6570)
[0x7ff80be259aa] 1-20
    *20 ??? (kernel + 1663616) [0xfffff8000476280] 1-20
    4 Thread::call_run() + 174 (libjvm.dylib + 11407918) [0x10c90522e]
21-24
    4 JavaThread::post_run() + 18 (libjvm.dylib + 6023234) [0x10c3e2842]
21-24
    4 JavaThread::exit(bool, JavaThread::ExitType) + 1674 (libjvm.dylib +
6024970) [0x10c3e2f0a] 21-24
    4 Threads::remove(JavaThread*, bool) + 39 (libjvm.dylib +
11462071) [0x10c9125b7] 21-24
    4 Mutex::lock(Thread*) + 124 (libjvm.dylib + 9457100)
[0x10c728dcc] 21-24
    4 _pthread_mutex_firstfit_lock_slow + 217
(libsystem_pthread.dylib + 6387) [0x7ff80be608f3] 21-24
    4 __psynch_mutexwait + 10 (libsystem_kernel.dylib + 15690)
[0x7ff80be27d4a] 21-24
    *4 psynch_mtxcontinue + 0 (com.apple.kec.pthread + 10857)
[0xfffff800307ba69] (blocked by turnstile waiting for MIDITranslatorPro (Bome
MIDI Translator Pro) [986] thread 0x3843) 21-24

```

Thread 0x3848 Thread name "Java: Service Thread" 24 samples (1-24)  
priority 31 (base 31)

<process frontmost, thread QoS default (requested default), process  
unclamped, process received importance donation from WindowServer [154],  
process received importance donation from ViewBridgeAuxiliary [419],  
process received importance donation from DictationIM (Dictation) [506],  
process received importance donation from CursorUIViewService [508], IO  
tier 0>

```

24 thread_start + 15 (libsystem_pthread.dylib + 7083) [0x7ff80be60bab]
1-24
24 _pthread_start + 99 (libsystem_pthread.dylib + 25090)
[0x7ff80be65202] 1-24
24 thread_native_entry(Thread*) + 327 (libjvm.dylib + 9688679)
[0x10c761667] 1-24

```



24 Thread::call\_run() + 165 (libjvm.dylib + 11407909) [0x10c905225] 1-24  
24 JavaThread::thread\_main\_inner() + 156 (libjvm.dylib + 6022972) [0x10c3e273c] 1-24  
24 ServiceThread::service\_thread\_entry(JavaThread\*, JavaThread\*) + 476 (libjvm.dylib + 10316108) [0x10c7fa94c] 1-24  
24 Monitor::wait\_without\_safepoint\_check(unsigned long long) + 38 (libjvm.dylib + 9457590) [0x10c728fb6] 1-24  
24 PlatformMonitor::wait(unsigned long long) + 128 (libjvm.dylib + 9721520) [0x10c7696b0] 1-24  
24 \_\_psynch\_cvwait + 10 (libsystem\_kernel.dylib + 17870) [0x7ff80be285ce] 1-24  
\*24 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777) [0xfffff800307e129] 1-24

Thread 0x3849 Thread name "Java: Monitor Deflation Thread" 24 samples (1-24) priority 31 (base 31) cpu time <0.001s (455.8K cycles, 87.8K instructions, 5.19c/i)

<process frontmost, thread QoS default (requested default), process unclamped, process received importance donation from WindowServer [154], process received importance donation from ViewBridgeAuxiliary [419], process received importance donation from DictationIM (Dictation) [506], process received importance donation from CursorUIViewService [508], IO tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab] 1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090) [0x7ff80be65202] 1-24

24 thread\_native\_entry(Thread\*) + 327 (libjvm.dylib + 9688679) [0x10c761667] 1-24

24 Thread::call\_run() + 165 (libjvm.dylib + 11407909) [0x10c905225] 1-24

24 JavaThread::thread\_main\_inner() + 156 (libjvm.dylib + 6022972) [0x10c3e273c] 1-24

24

MonitorDeflationThread::monitor\_deflation\_thread\_entry(JavaThread\*, JavaThread\*) + 235 (libjvm.dylib + 9412731) [0x10c71e07b] 1-24

24 Monitor::wait\_without\_safepoint\_check(unsigned long long) + 38 (libjvm.dylib + 9457590) [0x10c728fb6] 1-24

24 PlatformMonitor::wait(unsigned long long) + 220 (libjvm.dylib + 9721612) [0x10c76970c] 1-24

24 \_\_psynch\_cvwait + 10 (libsystem\_kernel.dylib + 17870) [0x7ff80be285ce] 1-24

\*24 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777)

[0xfffff800307e129] 1-24

Thread 0x384a Thread name "Java: C2 CompilerThread0" 24 samples (1-24) priority 31 (base 31) cpu time <0.001s (64.8K cycles, 8.7K instructions, 7.44c/i)

<process frontmost, thread QoS default (requested default), process unclamped, process received importance donation from WindowServer [154], process received importance donation from ViewBridgeAuxiliary [419], process received importance donation from DictationIM (Dictation) [506], process received importance donation from CursorUIViewService [508], IO tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab] 1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090) [0x7ff80be65202] 1-24

24 thread\_native\_entry(Thread\*) + 327 (libjvm.dylib + 9688679) [0x10c761667] 1-24

24 Thread::call\_run() + 165 (libjvm.dylib + 11407909) [0x10c905225] 1-24

24 JavaThread::thread\_main\_inner() + 156 (libjvm.dylib + 6022972) [0x10c3e273c] 1-24

24 CompileBroker::compiler\_thread\_loop() + 766 (libjvm.dylib + 3751566) [0x10c1b7e8e] 1-24

24 CompileQueue::get(CompilerThread\*) + 950 (libjvm.dylib + 3737574) [0x10c1b47e6] 1-24

24 Monitor::wait(unsigned long long) + 116 (libjvm.dylib + 9457732) [0x10c729044] 1-24

24 PlatformMonitor::wait(unsigned long long) + 220 (libjvm.dylib + 9721612) [0x10c76970c] 1-24

24 \_\_psynch\_cvwait + 10 (libsystem\_kernel.dylib + 17870) [0x7ff80be285ce] 1-24

\*24 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777) [0xfffff800307e129] 1-24

Thread 0x384b Thread name "Java: C1 CompilerThread0" 24 samples (1-24) priority 31 (base 31) cpu time <0.001s (32.3K cycles, 8.7K instructions, 3.70c/i)

<process frontmost, thread QoS default (requested default), process unclamped, process received importance donation from WindowServer [154], process received importance donation from ViewBridgeAuxiliary [419], process received importance donation from DictationIM (Dictation) [506], process received importance donation from CursorUIViewService [508], IO tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]

1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090) [0x7ff80be65202] 1-24  
24 thread\_native\_entry(Thread\*) + 327 (libjvm.dylib + 9688679) [0x10c761667] 1-24  
24 Thread::call\_run() + 165 (libjvm.dylib + 11407909) [0x10c905225] 1-24  
24 JavaThread::thread\_main\_inner() + 156 (libjvm.dylib + 6022972) [0x10c3e273c] 1-24  
24 CompileBroker::compiler\_thread\_loop() + 766 (libjvm.dylib + 3751566) [0x10c1b7e8e] 1-24  
24 CompileQueue::get(CompilerThread\*) + 950 (libjvm.dylib + 3737574) [0x10c1b47e6] 1-24  
24 Monitor::wait(unsigned long long) + 116 (libjvm.dylib + 9457732) [0x10c729044] 1-24  
24 PlatformMonitor::wait(unsigned long long) + 220 (libjvm.dylib + 9721612) [0x10c76970c] 1-24  
24 \_\_psynch\_cvwait + 10 (libsystem\_kernel.dylib + 17870) [0x7ff80be285ce] 1-24  
\*24 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777) [0xfffff800307e129] 1-24

Thread 0x384c Thread name "Java: Notification Thread" 24 samples (1-24) priority 31 (base 31)  
<process frontmost, thread QoS default (requested default), process unclamped, process received importance donation from WindowServer [154], process received importance donation from ViewBridgeAuxiliary [419], process received importance donation from DictationIM (Dictation) [506], process received importance donation from CursorUIViewService [508], IO tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab] 1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090) [0x7ff80be65202] 1-24  
24 thread\_native\_entry(Thread\*) + 327 (libjvm.dylib + 9688679) [0x10c761667] 1-24  
24 Thread::call\_run() + 165 (libjvm.dylib + 11407909) [0x10c905225] 1-24  
24 JavaThread::thread\_main\_inner() + 156 (libjvm.dylib + 6022972) [0x10c3e273c] 1-24  
24 NotificationThread::notification\_thread\_entry(JavaThread\*, JavaThread\*) + 167 (libjvm.dylib + 9550279) [0x10c73f9c7] 1-24  
24 Monitor::wait\_without\_safepoint\_check(unsigned long long) + 38 (libjvm.dylib + 9457590) [0x10c728fb6] 1-24

24 PlatformMonitor::wait(unsigned long long) + 128 (libjvm.dylib + 9721520) [0x10c7696b0] 1-24

24 \_\_psynch\_cvwait + 10 (libsystem\_kernel.dylib + 17870) [0x7ff80be285ce] 1-24

\*24 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777) [0xfffff800307e129] 1-24

Thread 0x384d Thread name "Java: Common-Cleaner" 24 samples (1-24) priority 31 (base 31)

<process frontmost, thread QoS default (requested default), process unclamped, process received importance donation from WindowServer [154], process received importance donation from ViewBridgeAuxiliary [419], process received importance donation from DictationIM (Dictation) [506], process received importance donation from CursorUIViewService [508], IO tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab] 1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090) [0x7ff80be65202] 1-24

24 thread\_native\_entry(Thread\*) + 327 (libjvm.dylib + 9688679) [0x10c761667] 1-24

24 Thread::call\_run() + 165 (libjvm.dylib + 11407909) [0x10c905225] 1-24

24 JavaThread::thread\_main\_inner() + 156 (libjvm.dylib + 6022972) [0x10c3e273c] 1-24

24 thread\_entry(JavaThread\*, JavaThread\*) + 152 (libjvm.dylib + 6744200) [0x10c492888] 1-24

24 JavaCalls::call\_virtual(JavaValue\*, Handle, Klass\*, Symbol\*, Symbol\*, JavaThread\*) + 99 (libjvm.dylib + 5944755) [0x10c3cf5b3] 1-24

24 JavaCalls::call\_virtual(JavaValue\*, Klass\*, Symbol\*, Symbol\*, JavaCallArguments\*, JavaThread\*) + 431 (libjvm.dylib + 5944559) [0x10c3cf4ef] 1-24

24 JavaCalls::call\_helper(JavaValue\*, methodHandle const&, JavaCallArguments\*, JavaThread\*) + 692 (libjvm.dylib + 5948740) [0x10c3d0544] 1-24

24 ??? [0x1145fbcc6] 1-24

24 ??? [0x114603362] 1-24

24 ??? [0x114603362] 1-24

24 ??? [0x1146037ee] 1-24

24 ??? [0x10d70b1ec] 1-24

24 ??? [0x1146036c6] 1-24

24 <patched truncated backtrace> 1-24

24 ??? [0x10d6b752c] 1-24

24 ??? [0x114c764e3] 1-24

24 Unsafe\_Park(JNIEnv\_\*, \_jobject\*, unsigned char, long) + 336 (libjvm.dylib + 11633072) [0x10c93c1b0] 1-24  
24 Parker::park(bool, long) + 439 (libjvm.dylib + 9719959) [0x10c769097] 1-24  
24 \_\_psynch\_cvwait + 10 (libsystem\_kernel.dylib + 17870) [0x7ff80be285ce] 1-24  
\*24 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777) [0xffffffff800307e129] 1-24

Thread 0x38a0 Thread name "com.apple.NSEventThread" 24 samples (1-24) priority 47 (base 47) cpu time 0.022s (37.5M cycles, 9.9M instructions, 3.80c/i)

<process frontmost, thread QoS user interactive (requested user interactive), process unclamped, process received importance donation from WindowServer [154], process received importance donation from ViewBridgeAuxiliary [419], process received importance donation from DictationIM (Dictation) [506], process received importance donation from CursorUIWebViewService [508], IO tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab] 1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090) [0x7ff80be65202] 1-24

24 \_NSEventThread + 122 (UIKit + 1686188) [0x7ff80f6acaac] 1-24

24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842) [0x7ff80bf3f082] 1-24

9 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693) [0x7ff80bf3fba5] 1-9

9 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-9

9 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 1-9

9 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-9

9 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-9

\*9 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xffffffff8000415fc0] 1-9

1 \_\_CFRunLoopRun + 2700 (CoreFoundation + 504022) [0x7ff80bf400d6] 10

1 \_\_CFRunLoopDoSource1 + 534 (CoreFoundation + 509022) [0x7ff80bf4145e] 10

1  
\_\_CFRUNLOOP\_IS\_CALLING\_OUT\_TO\_A\_SOURCE1\_PERFORM\_FUNCTION\_\_ + 41 (CoreFoundation + 509223) [0x7ff80bf41527] 10

```

1  __CFMachPortPerform + 238 (CoreFoundation + 698492)
[0x7ff80bf6f87c] 10
    1  MessageHandler(__CFMachPort*, void*, long, void*) + 48
(HIToolbox + 243906) [0x7ff81683c8c2] 10
        1  PullEventsFromWindowServerOnConnection(unsigned int,
unsigned char, __CFMachPortBoost*) + 45 (HIToolbox + 244002)
[0x7ff81683c922] 10
            1  ??? (SkyLight + 1291995) [0x7ff8116016db] 10
                1  ??? (SkyLight + 3624250) [0x7ff81183ad3a] 10
                    1  ??? (SkyLight + 37521) [0x7ff8114cf291] 10
                        1  ??? (libsystem_malloc.dylib + 154700) [0x7ff80bca6c4c]
(running) 10
    14  __CFRunLoopRun + 1371 (CoreFoundation + 502693)
[0x7ff80bf3fba5] 11-24
        14  __CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)
[0x7ff80bf41135] 11-24
            14  mach_msg + 19 (libsystem_kernel.dylib + 7455) [0x7ff80be25d1f]
11-24
                14  mach_msg_overwrite + 653 (libsystem_kernel.dylib + 35682)
[0x7ff80be2cb62] 11-24
                    14  mach_msg2_trap + 10 (libsystem_kernel.dylib + 6702)
[0x7ff80be25a2e] 11-24
                        *14  ipc_mqueue_receive_continue + 0 (kernel + 1269696)
[0xfffff8000415fc0] 11-24

```

Thread 0x38b8 24 samples (1-24) priority 46 (base 46) cpu time <0.001s (110.4K cycles, 20.1K instructions, 5.49c/i)  
<process frontmost, process unclamped, process received importance donation from WindowServer [154], process received importance donation from ViewBridgeAuxiliary [419], process received importance donation from DictationIM (Dictation) [506], process received importance donation from CursorUIViewService [508], IO tier 0>

```

24  thread_start + 15 (libsystem_pthread.dylib + 7083) [0x7ff80be60bab]
1-24
    24  _pthread_start + 99 (libsystem_pthread.dylib + 25090)
[0x7ff80be65202] 1-24
        24  ??? (libmt.so + 876181) [0x12e904e95] 1-24
            24  ??? (libmt.so + 1189722) [0x12e95175a] 1-24
                24  ??? (libmt.so + 629294) [0x12e8c8a2e] 1-24
                    24  __psynch_cvwait + 10 (libsystem_kernel.dylib + 17870)
[0x7ff80be285ce] 1-24
                        *24  psynch_cvcontinue + 0 (com.apple.kec.pthread + 20777)
[0xfffff800307e129] 1-24

```

Thread 0x38b9 24 samples (1-24) priority 31 (base 31) cpu time <0.001s (57.1K cycles, 10.7K instructions, 5.36c/i)  
<process frontmost, process unclamped, process received importance donation from WindowServer [154], process received importance donation from ViewBridgeAuxiliary [419], process received importance donation from DictationIM (Dictation) [506], process received importance donation from CursorUIWebViewService [508], IO tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab] 1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090) [0x7ff80be65202] 1-24

24 ??? (libmt.so + 876181) [0x12e904e95] 1-24

24 ??? (libmt.so + 889184) [0x12e908160] 1-24

24 ??? (libmt.so + 629294) [0x12e8c8a2e] 1-24

24 \_\_psynch\_cvwait + 10 (libsystem\_kernel.dylib + 17870) [0x7ff80be285ce] 1-24

\*24 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777) [0xfffff800307e129] 1-24

Thread 0x38c7 Thread name "Java: Java2D Queue Flusher" 24 samples (1-24) priority 31 (base 31) cpu time 0.001s (2.0M cycles, 351.8K instructions, 5.82c/i)

<process frontmost, thread QoS default (requested default), process unclamped, process received importance donation from WindowServer [154], process received importance donation from ViewBridgeAuxiliary [419], process received importance donation from DictationIM (Dictation) [506], process received importance donation from CursorUIWebViewService [508], IO tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab] 1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090) [0x7ff80be65202] 1-24

24 thread\_native\_entry(Thread\*) + 327 (libjvm.dylib + 9688679) [0x10c761667] 1-24

24 Thread::call\_run() + 165 (libjvm.dylib + 11407909) [0x10c905225] 1-24

24 JavaThread::thread\_main\_inner() + 156 (libjvm.dylib + 6022972) [0x10c3e273c] 1-24

24 thread\_entry(JavaThread\*, JavaThread\*) + 152 (libjvm.dylib + 6744200) [0x10c492888] 1-24

24 JavaCalls::call\_virtual(JavaValue\*, Handle, Klass\*, Symbol\*, Symbol\*, JavaThread\*) + 99 (libjvm.dylib + 5944755) [0x10c3cf5b3] 1-24

24 JavaCalls::call\_virtual(JavaValue\*, Klass\*, Symbol\*, Symbol\*, JavaCallArguments\*, JavaThread\*) + 431 (libjvm.dylib + 5944559)

```

[0x10c3cf4ef] 1-24
    24 JavaCalls::call_helper(JavaValue*, methodHandle const&,
JavaCallArguments*, JavaThread*) + 692 (libjvm.dylib + 5948740)
[0x10c3d0544] 1-24
    24 ??? [0x1145fbcc6] 1-24
    24 ??? [0x114603362] 1-24
    24 <patched truncated backtrace> 1-24
    24 ??? [0x1146037ee] 1-24
    24 ??? [0x10d48c35c] 1-24
    24 ??? [0x114c37ce1] 1-24
    24 JVM_MonitorWait + 420 (libjvm.dylib + 6667444)
[0x10c47fcb4] 1-24
    24 ObjectSynchronizer::wait(Handle, long, JavaThread*)
+ 246 (libjvm.dylib + 11145990) [0x10c8c5306] 1-24
    20 ObjectMonitor::wait(long, bool, JavaThread*) + 716
(libjvm.dylib + 9580300) [0x10c746f0c] 1-20
    20 PlatformEvent::park_nanos(long) + 339
(libjvm.dylib + 9719107) [0x10c768d43] 1-20
    20 __psynch_cvwait + 10 (libsystem_kernel.dylib +
17870) [0x7ff80be285ce] 1-20
    *20 psynch_cvcontinue + 0 (com.apple.kec.pthread
+ 20777) [0xfffff800307e129] 1-20
    4 ObjectMonitor::wait(long, bool, JavaThread*) + 809
(libjvm.dylib + 9580393) [0x10c746f69] 21-24
    4 SafepointMechanism::process(JavaThread*, bool,
bool) + 109 (libjvm.dylib + 10293245) [0x10c7f4ffd] 21-24
    4 SafepointSynchronize::block(JavaThread*) + 119
(libjvm.dylib + 10284807) [0x10c7f2f07] 21-24
    4 GenericWaitBarrier::wait(int) + 71 (libjvm.dylib +
12089351) [0x10c9ab807] 21-24
    4 semaphore_wait_trap + 10
(libsystem_kernel.dylib + 6570) [0x7ff80be259aa] 21-24
    *4 ??? (kernel + 1663616) [0xfffff8000476280]
21-24

```

Thread 0x38c8 Thread name "Java: Java2D Disposer" 24 samples (1-24)  
priority 31 (base 31)

<process frontmost, thread QoS default (requested default), process  
unclamped, process received importance donation from WindowServer [154],  
process received importance donation from ViewBridgeAuxiliary [419],  
process received importance donation from DictationIM (Dictation) [506],  
process received importance donation from CursorUIViewService [508], IO  
tier 0>

```

24 thread_start + 15 (libsystem_pthread.dylib + 7083) [0x7ff80be60bab]

```



```

1-24
  24 _pthread_start + 99 (libsystem_pthread.dylib + 25090)
[0x7ff80be65202] 1-24
    24 thread_native_entry(Thread*) + 327 (libjvm.dylib + 9688679)
[0x10c761667] 1-24
      24 Thread::call_run() + 165 (libjvm.dylib + 11407909) [0x10c905225]
1-24
        24 JavaThread::thread_main_inner() + 156 (libjvm.dylib + 6022972)
[0x10c3e273c] 1-24
          24 thread_entry(JavaThread*, JavaThread*) + 152 (libjvm.dylib +
6744200) [0x10c492888] 1-24
            24 JavaCalls::call_virtual(JavaValue*, Handle, Klass*, Symbol*,
Symbol*, JavaThread*) + 99 (libjvm.dylib + 5944755) [0x10c3cf5b3] 1-24
              24 JavaCalls::call_virtual(JavaValue*, Klass*, Symbol*, Symbol*,
JavaCallArguments*, JavaThread*) + 431 (libjvm.dylib + 5944559)
[0x10c3cf4ef] 1-24
                24 JavaCalls::call_helper(JavaValue*, methodHandle const&,
JavaCallArguments*, JavaThread*) + 692 (libjvm.dylib + 5948740)
[0x10c3d0544] 1-24
                  24 ??? [0x1145fbcc6] 1-24
                    24 ??? [0x114603362] 1-24
                      24 ??? [0x1146037ee] 1-24
                        24 ??? [0x114603166] 1-24
                          24 <patched truncated backtrace> 1-24
                            24 ??? [0x114603166] 1-24
                              24 ??? [0x114603362] 1-24
                                24 ??? [0x10d631734] 1-24
                                  24 ??? [0x114c764e3] 1-24
                                    24 Unsafe_Park(JNIEnv*, _jobject*, unsigned char,
long) + 336 (libjvm.dylib + 11633072) [0x10c93c1b0] 1-24
                                      24 Parker::park(bool, long) + 460 (libjvm.dylib +
9719980) [0x10c7690ac] 1-24
                                        24 __psynch_cvwait + 10 (libsystem_kernel.dylib +
17870) [0x7ff80be285ce] 1-24
                                          *24 psynch_cvcontinue + 0
(com.apple.kec.pthread + 20777) [0xfffff800307e129] 1-24

```

```

Thread 0x38ca  24 samples (1-24)  priority 31 (base 31)
<process frontmost, process unclamped, process received importance
donation from WindowServer [154], process received importance donation
from ViewBridgeAuxiliary [419], process received importance donation from
DictationIM (Dictation) [506], process received importance donation from
CursorUIViewService [508], IO tier 0>

```

```

  24 thread_start + 15 (libsystem_pthread.dylib + 7083) [0x7ff80be60bab]

```

```

1-24
  24 _pthread_start + 99 (libsystem_pthread.dylib + 25090)
[0x7ff80be65202] 1-24
  24 ??? (libmt.so + 876181) [0x12e904e95] 1-24
  24 ??? (libmt.so + 872319) [0x12e903f7f] 1-24
  24 read + 10 (libsystem_kernel.dylib + 9362) [0x7ff80be26492] 1-24
  *24 hndl_unix_scall64 + 22 (kernel + 998838) [0xfffff80003d3db6]
1-24
  *24 unix_syscall64 + 477 (kernel + 7810589) [0xfffff8000a52e1d]
1-24
  *24 read + 280 (kernel + 6761992) [0xfffff8000952e08] 1-24
  *24 ??? (kernel + 6761562) [0xfffff8000952c5a] 1-24
  *24 ??? (kernel + 3517904) [0xfffff800063add0] 1-24
  *24 ??? (kernel + 3522459) [0xfffff800063bf9b] 1-24
  *24 apfs_fifospec_read + 31 (com.apple.filesystems.apfs +
541125) [0xfffff8002e5f1c5] 1-24
  *24 fifo_read + 197 (kernel + 3624389) [0xfffff8000654dc5]
1-24
  *24 soreceive + 2515 (kernel + 6978739)
[0xfffff8000987cb3] 1-24
  *24 sbwait + 266 (kernel + 7018810) [0xfffff800099193a]
1-24
  *24 ??? (kernel + 6623403) [0xfffff80009310ab] 1-24
  *24 lck_mtx_sleep + 97 (kernel + 1503265)
[0xfffff800044f021] 1-24
  *24 thread_block_reason + 240 (kernel + 1581040)
[0xfffff8000461ff0] 1-24
  *24 ??? (kernel + 1588870) [0xfffff8000463e86] 1-24
  *24 machine_switch_context + 215 (kernel +
2749095) [0xfffff800057f2a7] 1-24

```

Thread 0x38de Thread name "Java: GC Thread#1" 24 samples (1-24)  
priority 31 (base 31)

<process frontmost, thread QoS default (requested default), process  
unclamped, process received importance donation from WindowServer [154],  
process received importance donation from ViewBridgeAuxiliary [419],  
process received importance donation from DictationIM (Dictation) [506],  
process received importance donation from CursorUIViewService [508], IO  
tier 0>

```

  24 thread_start + 15 (libsystem_pthread.dylib + 7083) [0x7ff80be60bab]
1-24
  24 _pthread_start + 99 (libsystem_pthread.dylib + 25090)
[0x7ff80be65202] 1-24
  24 thread_native_entry(Thread*) + 327 (libjvm.dylib + 9688679)

```

[0x10c761667] 1-24  
24 Thread::call\_run() + 165 (libjvm.dylib + 11407909) [0x10c905225]  
1-24  
24 WorkerThread::run() + 72 (libjvm.dylib + 12234664) [0x10c9cefa8]  
1-24  
24 semaphore\_wait\_trap + 10 (libsystem\_kernel.dylib + 6570)  
[0x7ff80be259aa] 1-24  
\*24 ??? (kernel + 1663616) [0xfffff8000476280] 1-24

Thread 0x38df Thread name "Java: GC Thread#2" 24 samples (1-24)  
priority 31 (base 31)  
<process frontmost, thread QoS default (requested default), process unclamped, process received importance donation from WindowServer [154], process received importance donation from ViewBridgeAuxiliary [419], process received importance donation from DictationIM (Dictation) [506], process received importance donation from CursorUIViewControllerAnimated [508], IO tier 0>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 thread\_native\_entry(Thread\*) + 327 (libjvm.dylib + 9688679)  
[0x10c761667] 1-24  
24 Thread::call\_run() + 165 (libjvm.dylib + 11407909) [0x10c905225]  
1-24  
24 WorkerThread::run() + 72 (libjvm.dylib + 12234664) [0x10c9cefa8]  
1-24  
24 semaphore\_wait\_trap + 10 (libsystem\_kernel.dylib + 6570)  
[0x7ff80be259aa] 1-24  
\*24 ??? (kernel + 1663616) [0xfffff8000476280] 1-24

Thread 0x38e0 Thread name "Java: GC Thread#3" 24 samples (1-24)  
priority 31 (base 31)  
<process frontmost, thread QoS default (requested default), process unclamped, process received importance donation from WindowServer [154], process received importance donation from ViewBridgeAuxiliary [419], process received importance donation from DictationIM (Dictation) [506], process received importance donation from CursorUIViewControllerAnimated [508], IO tier 0>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 thread\_native\_entry(Thread\*) + 327 (libjvm.dylib + 9688679)

[0x10c761667] 1-24  
24 Thread::call\_run() + 165 (libjvm.dylib + 11407909) [0x10c905225]  
1-24  
24 WorkerThread::run() + 72 (libjvm.dylib + 12234664) [0x10c9cefa8]  
1-24  
24 semaphore\_wait\_trap + 10 (libsystem\_kernel.dylib + 6570)  
[0x7ff80be259aa] 1-24  
\*24 ??? (kernel + 1663616) [0xfffff8000476280] 1-24

Thread 0x38e8 Thread name "Java: TimerQueue" 24 samples (1-24)  
priority 31 (base 31)  
<process frontmost, thread QoS default (requested default), process  
unclamped, process received importance donation from WindowServer [154],  
process received importance donation from ViewBridgeAuxiliary [419],  
process received importance donation from DictationIM (Dictation) [506],  
process received importance donation from CursorUIViewService [508], IO  
tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24

24 thread\_native\_entry(Thread\*) + 327 (libjvm.dylib + 9688679)  
[0x10c761667] 1-24

24 Thread::call\_run() + 165 (libjvm.dylib + 11407909) [0x10c905225]  
1-24

24 JavaThread::thread\_main\_inner() + 156 (libjvm.dylib + 6022972)  
[0x10c3e273c] 1-24

24 thread\_entry(JavaThread\*, JavaThread\*) + 152 (libjvm.dylib +  
6744200) [0x10c492888] 1-24

24 JavaCalls::call\_virtual(JavaValue\*, Handle, Klass\*, Symbol\*,  
Symbol\*, JavaThread\*) + 99 (libjvm.dylib + 5944755) [0x10c3cf5b3] 1-24

24 JavaCalls::call\_virtual(JavaValue\*, Klass\*, Symbol\*, Symbol\*,  
JavaCallArguments\*, JavaThread\*) + 431 (libjvm.dylib + 5944559)  
[0x10c3cf4ef] 1-24

24 JavaCalls::call\_helper(JavaValue\*, methodHandle const&,  
JavaCallArguments\*, JavaThread\*) + 692 (libjvm.dylib + 5948740)  
[0x10c3d0544] 1-24

24 ??? [0x1145fbcc6] 1-24

24 ??? [0x114603362] 1-24

24 ??? [0x1146037ee] 1-24

24 ??? [0x114603166] 1-24

24 <patched truncated backtrace> 1-24

24 ??? [0x10d631734] 1-24

24 ??? [0x114c764e3] 1-24

24 Unsafe\_Park(JNIEnv\_\*, \_object\*, unsigned char, long) + 336 (libjvm.dylib + 11633072) [0x10c93c1b0] 1-24  
24 Parker::park(bool, long) + 460 (libjvm.dylib + 9719980) [0x10c7690ac] 1-24  
24 \_\_psynch\_cvwait + 10 (libsystem\_kernel.dylib + 17870) [0x7ff80be285ce] 1-24  
\*24 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777) [0xfffff800307e129] 1-24

Thread 0x38ee 24 samples (1-24) priority 16 (base 16)  
<process frontmost, process unclamped, process received importance donation from WindowServer [154], process received importance donation from ViewBridgeAuxiliary [419], process received importance donation from DictationIM (Dictation) [506], process received importance donation from CursorUIWebViewService [508], IO tier 0>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab] 1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090) [0x7ff80be65202] 1-24  
24 ??? (libmt.so + 876181) [0x12e904e95] 1-24  
24 ??? (libmt.so + 46679) [0x12e83a657] 1-24  
24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842) [0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693) [0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xfffff8000415fc0] 1-24

Thread 0x38ef 24 samples (1-24) priority 97 (base 97)  
<process frontmost, process unclamped, process received importance donation from WindowServer [154], process received importance donation from ViewBridgeAuxiliary [419], process received importance donation from DictationIM (Dictation) [506], process received importance donation from CursorUIWebViewService [508], IO tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
 1-24  
 24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
 [0x7ff80be65202] 1-24  
 24 CADeprecated::CAPThread::Entry(CADeprecated::CAPThread\*) + 77  
 (CoreMIDI + 264599) [0x7ff826818997] 1-24  
 24 CADeprecated::XThread::RunHelper(void\*) + 10 (CoreMIDI + 258018)  
 [0x7ff826816fe2] 1-24  
 24 MIDIProcess::MIDIInPortThread::Run() + 104 (CoreMIDI + 268632)  
 [0x7ff826819958] 1-24  
 24 XServerMachPort::ReceiveMessage(int&, void\*, int&) + 98  
 (CoreMIDI + 205080) [0x7ff82680a118] 1-24  
 24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
 1-24  
 24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
 [0x7ff80be2cb62] 1-24  
 24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
 [0x7ff80be25a2e] 1-24  
 \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
 [0xffffffff8000415fc0] 1-24

Thread 0x38f0 Thread name "caulk.messenger.shared:17" 24 samples  
 (1-24) priority 19 (base 19)  
 <process frontmost, thread QoS utility (requested utility), process  
 unclamped, process received importance donation from WindowServer [154],  
 process received importance donation from ViewBridgeAuxiliary [419],  
 process received importance donation from DictationIM (Dictation) [506],  
 process received importance donation from CursorUIViewService [508], IO  
 tier 1>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
 1-24  
 24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
 [0x7ff80be65202] 1-24  
 24 void\* caulk::thread\_proxy<std::\_\_1::tuple<caulk::thread::attributes,  
 void (caulk::concurrent::details::worker\_thread::\*)(),  
 std::\_\_1::tuple<caulk::concurrent::details::worker\_thread\*>>>(void\*) + 41  
 (caulk + 6332) [0x7ff81654d8bc] 1-24  
 24 caulk::concurrent::details::worker\_thread::run() + 30 (caulk + 7064)  
 [0x7ff81654db98] 1-24  
 24 semaphore\_wait\_trap + 10 (libsystem\_kernel.dylib + 6570)  
 [0x7ff80be259aa] 1-24  
 \*24 ??? (kernel + 1663616) [0xffffffff8000476280] 1-24

Thread 0x38f1 Thread name "caulk.messenger.shared:high" 24 samples

(1-24) priority 55 (base 55)  
<process frontmost, process unclamped, process received importance donation from WindowServer [154], process received importance donation from ViewBridgeAuxiliary [419], process received importance donation from DictationIM (Dictation) [506], process received importance donation from CursorUIViewService [508], IO tier 0>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab] 1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090) [0x7ff80be65202] 1-24  
24 void\* caulk::thread\_proxy<std::\_\_1::tuple<caulk::thread::attributes, void (caulk::concurrent::details::worker\_thread::\*)(), std::\_\_1::tuple<caulk::concurrent::details::worker\_thread\*>>>(void\*) + 41 (caulk + 6332) [0x7ff81654d8bc] 1-24  
24 caulk::concurrent::details::worker\_thread::run() + 30 (caulk + 7064) [0x7ff81654db98] 1-24  
24 semaphore\_wait\_trap + 10 (libsystem\_kernel.dylib + 6570) [0x7ff80be259aa] 1-24  
\*24 ??? (kernel + 1663616) [0xffffffff8000476280] 1-24

Thread 0x397b Thread name "Java: AWT-Shutdown" 24 samples (1-24) priority 31 (base 31)  
<process frontmost, thread QoS default (requested default), process unclamped, process received importance donation from WindowServer [154], process received importance donation from ViewBridgeAuxiliary [419], process received importance donation from DictationIM (Dictation) [506], process received importance donation from CursorUIViewService [508], IO tier 0>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab] 1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090) [0x7ff80be65202] 1-24  
24 thread\_native\_entry(Thread\*) + 327 (libjvm.dylib + 9688679) [0x10c761667] 1-24  
24 Thread::call\_run() + 165 (libjvm.dylib + 11407909) [0x10c905225] 1-24  
24 JavaThread::thread\_main\_inner() + 156 (libjvm.dylib + 6022972) [0x10c3e273c] 1-24  
24 thread\_entry(JavaThread\*, JavaThread\*) + 152 (libjvm.dylib + 6744200) [0x10c492888] 1-24  
24 JavaCalls::call\_virtual(JavaValue\*, Handle, Klass\*, Symbol\*, Symbol\*, JavaThread\*) + 99 (libjvm.dylib + 5944755) [0x10c3cf5b3] 1-24  
24 JavaCalls::call\_virtual(JavaValue\*, Klass\*, Symbol\*, Symbol\*, JavaCallArguments\*, JavaThread\*) + 431 (libjvm.dylib + 5944559)

```

[0x10c3cf4ef] 1-24
    24 JavaCalls::call_helper(JavaValue*, methodHandle const&,
JavaCallArguments*, JavaThread*) + 692 (libjvm.dylib + 5948740)
[0x10c3d0544] 1-24
    24 ??? [0x1145fbcc6] 1-24
    24 ??? [0x114603362] 1-24
    24 ??? [0x1146037ee] 1-24
    24 ??? [0x114603362] 1-24
    24 <patched truncated backtrace> 1-24
    24 ??? [0x10d48c35c] 1-24
    24 ??? [0x114c37ce1] 1-24
    24 JVM_MonitorWait + 420 (libjvm.dylib + 6667444)
[0x10c47fcb4] 1-24
    24 ObjectSynchronizer::wait(Handle, long,
JavaThread*) + 246 (libjvm.dylib + 11145990) [0x10c8c5306] 1-24
    24 ObjectMonitor::wait(long, bool, JavaThread*) +
797 (libjvm.dylib + 9580381) [0x10c746f5d] 1-24
    24 PlatformEvent::park() + 139 (libjvm.dylib +
9718587) [0x10c768b3b] 1-24
    24 __psynch_cvwait + 10 (libsystem_kernel.dylib +
17870) [0x7ff80be285ce] 1-24
    *24 psynch_cvcontinue + 0
(com.apple.kec.pthread + 20777) [0xfffff800307e129] 1-24

Thread 0x397c Thread name "Java: AWT-EventQueue-0" 24 samples
(1-24) priority 31 (base 31)
<process frontmost, thread QoS default (requested default), process
unclamped, process received importance donation from WindowServer [154],
process received importance donation from ViewBridgeAuxiliary [419],
process received importance donation from DictationIM (Dictation) [506],
process received importance donation from CursorUIViewService [508], IO
tier 0>
    24 thread_start + 15 (libsystem_pthread.dylib + 7083) [0x7ff80be60bab]
1-24
    24 _pthread_start + 99 (libsystem_pthread.dylib + 25090)
[0x7ff80be65202] 1-24
    24 thread_native_entry(Thread*) + 327 (libjvm.dylib + 9688679)
[0x10c761667] 1-24
    24 Thread::call_run() + 165 (libjvm.dylib + 11407909) [0x10c905225]
1-24
    24 JavaThread::thread_main_inner() + 156 (libjvm.dylib + 6022972)
[0x10c3e273c] 1-24
    24 thread_entry(JavaThread*, JavaThread*) + 152 (libjvm.dylib +
6744200) [0x10c492888] 1-24

```



```

    24 JavaCalls::call_virtual(JavaValue*, Handle, Klass*, Symbol*,
Symbol*, JavaThread*) + 99 (libjvm.dylib + 5944755) [0x10c3cf5b3] 1-24
    24 JavaCalls::call_virtual(JavaValue*, Klass*, Symbol*, Symbol*,
JavaCallArguments*, JavaThread*) + 431 (libjvm.dylib + 5944559)
[0x10c3cf4ef] 1-24
    24 JavaCalls::call_helper(JavaValue*, methodHandle const&,
JavaCallArguments*, JavaThread*) + 692 (libjvm.dylib + 5948740)
[0x10c3d0544] 1-24
    24 ??? [0x1145fbcc6] 1-24
    24 ??? [0x114603362] 1-24
    24 ??? [0x114603362] 1-24
    24 ??? [0x114603362] 1-24
    24 ??? [0x114603362] 1-24
    24 ??? [0x10d5d3d2c] 1-24
    24 ??? [0x114603362] 1-24
    24 ??? [0x11460323a] 1-24
    24 ??? [0x114603362] 1-24
    24 ??? [0x114603362] 1-24
    24 ??? [0x114603362] 1-24
    24 <patched truncated backtrace> 1-24
    24 ??? [0x114607980] 1-24
    24 ??? (libmt.so + 844347) [0x12e8fd23b] 1-24
    24 ??? (Foundation + 307967) [0x7ff80cec92ff]
1-24
    24 ??? (Foundation + 308762)
[0x7ff80cec961a] 1-24
    24 ??? (Foundation + 8384853)
[0x7ff80d67d155] 1-24
    24 __psynch_cvwait + 10
(libsystem_kernel.dylib + 17870) [0x7ff80be285ce] 1-24
    *24 psynch_cvcontinue + 0
(com.apple.kec.pthread + 20777) [0xffffffff800307e129] 1-24

```

Thread 0x383e Thread name "Java: G1 Main Marker" 20 samples (1-20)  
priority 31 (base 31)

<process frontmost, thread QoS default (requested default), process  
unclamped, process received importance donation from WindowServer [154],  
process received importance donation from ViewBridgeAuxiliary [419],  
process received importance donation from DictationIM (Dictation) [506],  
process received importance donation from CursorUIViewService [508], IO  
tier 0>

```

    20 thread_start + 15 (libsystem_pthread.dylib + 7083) [0x7ff80be60bab]
1-20

```

```

    20 _pthread_start + 99 (libsystem_pthread.dylib + 25090)

```

[0x7ff80be65202] 1-20  
20 thread\_native\_entry(Thread\*) + 327 (libjvm.dylib + 9688679)  
[0x10c761667] 1-20  
20 Thread::call\_run() + 165 (libjvm.dylib + 11407909) [0x10c905225]  
1-20  
20 ConcurrentGCThread::run() + 27 (libjvm.dylib + 3841515)  
[0x10c1cddeb] 1-20  
20 G1ConcurrentMarkThread::run\_service() + 144 (libjvm.dylib +  
4957792) [0x10c2de660] 1-20  
20 Monitor::wait\_without\_safepoint\_check(unsigned long long) + 38  
(libjvm.dylib + 9457590) [0x10c728fb6] 1-20  
20 PlatformMonitor::wait(unsigned long long) + 128 (libjvm.dylib +  
9721520) [0x10c7696b0] 1-20  
20 \_\_psynch\_cvwait + 10 (libsystem\_kernel.dylib + 17870)  
[0x7ff80be285ce] 1-20  
\*20 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777)  
[0xffffffff800307e129] 1-20

Thread 0x3840 Thread name "Java: G1 Refine#0" 20 samples (1-20)  
priority 31 (base 31)

<process frontmost, thread QoS default (requested default), process  
unclamped, process received importance donation from WindowServer [154],  
process received importance donation from ViewBridgeAuxiliary [419],  
process received importance donation from DictationIM (Dictation) [506],  
process received importance donation from CursorUIViewService [508], IO  
tier 0>

20 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-20

20 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-20

20 thread\_native\_entry(Thread\*) + 327 (libjvm.dylib + 9688679)  
[0x10c761667] 1-20

20 Thread::call\_run() + 165 (libjvm.dylib + 11407909) [0x10c905225]  
1-20

20 ConcurrentGCThread::run() + 27 (libjvm.dylib + 3841515)  
[0x10c1cddeb] 1-20

20 G1ConcurrentRefineThread::run\_service() + 48 (libjvm.dylib +  
4992192) [0x10c2e6cc0] 1-20

20

G1PrimaryConcurrentRefineThread::wait\_for\_completed\_buffers() + 74  
(libjvm.dylib + 4993898) [0x10c2e736a] 1-20

20 Monitor::wait\_without\_safepoint\_check(unsigned long long) +  
38 (libjvm.dylib + 9457590) [0x10c728fb6] 1-20

20 PlatformMonitor::wait(unsigned long long) + 128 (libjvm.dylib +

9721520) [0x10c7696b0] 1-20  
    20 \_\_psynch\_cvwait + 10 (libsystem\_kernel.dylib + 17870)  
[0x7ff80be285ce] 1-20  
    \*20 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777)  
[0xffffffff800307e129] 1-20

Thread 0x3841 Thread name "Java: G1 Service" 20 samples (1-20)  
priority 31 (base 31) cpu time <0.001s (103.4K cycles, 22.0K instructions,  
4.70c/i)

<process frontmost, thread QoS default (requested default), process  
unclamped, process received importance donation from WindowServer [154],  
process received importance donation from ViewBridgeAuxiliary [419],  
process received importance donation from DictationIM (Dictation) [506],  
process received importance donation from CursorUIViewService [508], IO  
tier 0>

20 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-20

20 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-20

20 thread\_native\_entry(Thread\*) + 327 (libjvm.dylib + 9688679)  
[0x10c761667] 1-20

20 Thread::call\_run() + 165 (libjvm.dylib + 11407909) [0x10c905225]  
1-20

20 ConcurrentGCThread::run() + 27 (libjvm.dylib + 3841515)  
[0x10c1cddeb] 1-20

20 G1ServiceThread::run\_service() + 48 (libjvm.dylib + 5280032)  
[0x10c32d120] 1-20

20 G1ServiceThread::wait\_for\_task() + 109 (libjvm.dylib + 5279341)  
[0x10c32ce6d] 1-20

20 Monitor::wait\_without\_safepoint\_check(unsigned long long) +  
38 (libjvm.dylib + 9457590) [0x10c728fb6] 1-20

20 PlatformMonitor::wait(unsigned long long) + 220 (libjvm.dylib +  
9721612) [0x10c76970c] 1-20

20 \_\_psynch\_cvwait + 10 (libsystem\_kernel.dylib + 17870)  
[0x7ff80be285ce] 1-20

\*20 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777)  
[0xffffffff800307e129] 1-20

Thread 0x3842 Thread name "Java: VM Periodic Task Thread" 20  
samples (1-20) priority 31 (base 31) cpu time 0.001s (2.1M cycles, 430.9K  
instructions, 4.91c/i)

<process frontmost, thread QoS default (requested default), process  
unclamped, process received importance donation from WindowServer [154],  
process received importance donation from ViewBridgeAuxiliary [419],

process received importance donation from DictationIM (Dictation) [506], process received importance donation from CursorUIViewService [508], IO tier 0>

20 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab] 1-20

20 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090) [0x7ff80be65202] 1-20

20 thread\_native\_entry(Thread\*) + 327 (libjvm.dylib + 9688679) [0x10c761667] 1-20

20 Thread::call\_run() + 165 (libjvm.dylib + 11407909) [0x10c905225] 1-20

20 WatcherThread::run() + 40 (libjvm.dylib + 9548824) [0x10c73f418] 1-20

20 WatcherThread::sleep() const + 126 (libjvm.dylib + 9548606) [0x10c73f33e] 1-20

20 Monitor::wait\_without\_safepoint\_check(unsigned long long) + 38 (libjvm.dylib + 9457590) [0x10c728fb6] 1-20

20 PlatformMonitor::wait(unsigned long long) + 220 (libjvm.dylib + 9721612) [0x10c76970c] 1-20

20 \_\_psynch\_cvwait + 10 (libsystem\_kernel.dylib + 17870) [0x7ff80be285ce] 1-20

\*20 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777) [0xfffff800307e129] 1-20

Thread 0x4005 Thread name "Java: SIGTERM handler" 4 samples (21-24) priority 31 (base 31) cpu time <0.001s (1761.0K cycles, 749.3K instructions, 2.35c/i)

<Thread not seen for 20 samples, process frontmost, thread QoS default (requested default), process unclamped, process received importance donation from WindowServer [154], process received importance donation from ViewBridgeAuxiliary [419], process received importance donation from DictationIM (Dictation) [506], process received importance donation from CursorUIViewService [508], IO tier 0>

4 <truncated backtrace> 21-24

4 ??? [0x1146037ee] 21-24

4 ??? [0x114603362] 21-24

4 ??? [0x114603362] 21-24

4 ??? [0x114603362] 21-24

4 ??? [0x114607980] 21-24

4 JVM\_Halt + 124 (libjvm.dylib + 6659868) [0x10c47df1c] 21-24

4 vm\_exit(int) + 143 (libjvm.dylib + 5937167) [0x10c3cd80f] 21-24

4 VMThread::execute(VM\_Operation\*) + 99 (libjvm.dylib + 12045251) [0x10c9a0bc3] 21-24

4 VMThread::wait\_until\_executed(VM\_Operation\*) + 426

(libjvm.dylib + 12043130) [0x10c9a037a] 21-24  
    4 Monitor::wait(unsigned long long) + 116 (libjvm.dylib + 9457732) [0x10c729044] 21-24  
        4 PlatformMonitor::wait(unsigned long long) + 128 (libjvm.dylib + 9721520) [0x10c7696b0] 21-24  
            4 \_\_psynch\_cvwait + 10 (libsystem\_kernel.dylib + 17870) [0x7ff80be285ce] 21-24  
                \*4 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777) [0xffffffff800307e129] 21-24

Thread 0x3e2e 1 sample (20) priority 47 (base 47) cpu time 0.003s (6.7M cycles, 1020.9K instructions, 6.53c/i)  
<Thread in another call tree for 19 samples, process frontmost, thread QoS user interactive (requested user interactive), process unclamped, process received importance donation from WindowServer [154], process received importance donation from ViewBridgeAuxiliary [419], process received importance donation from DictationIM (Dictation) [506], process received importance donation from CursorUIWebViewService [508], IO tier 0>  
    1 start\_wqthread + 15 (libsystem\_pthread.dylib + 7063) [0x7ff80be60b97] 20  
    1 \_\_workq\_kernreturn + 10 (libsystem\_kernel.dylib + 12626) [0x7ff80be27152] 20  
        \*1 hnd|\_unix\_scall64 + 22 (kernel + 998838) [0xffffffff80003d3db6] 20  
        \*1 unix\_syscall64 + 477 (kernel + 7810589) [0xffffffff8000a52e1d] 20  
        \*1 workq\_kernreturn + 1143 (kernel + 6226103) [0xffffffff80008d00b7] 20  
        \*1 ??? (kernel + 6209283) [0xffffffff80008cbf03] 20  
        \*1 ??? (kernel + 1864003) [0xffffffff80004a7143] (running) 20

Thread 0x3ebe 1 sample (20) priority 47 (base 47) cpu time 0.002s (5.5M cycles, 667.6K instructions, 8.23c/i)  
<Thread in another call tree for 19 samples, process frontmost, thread QoS user interactive (requested user interactive), process unclamped, process received importance donation from WindowServer [154], process received importance donation from ViewBridgeAuxiliary [419], process received importance donation from DictationIM (Dictation) [506], process received importance donation from CursorUIWebViewService [508], IO tier 0>  
    1 start\_wqthread + 15 (libsystem\_pthread.dylib + 7063) [0x7ff80be60b97] 20  
    1 \_\_workq\_kernreturn + 10 (libsystem\_kernel.dylib + 12626) [0x7ff80be27152] 20  
        \*1 call\_continuation + 35 (kernel + 995731) [0xffffffff80003d3193] 20  
        \*1 ml\_set\_interrupts\_enabled + 17 (kernel + 2741969) [0xffffffff800057d6d1] (running) 20

Binary Images:

0x1095a4000 - 0x1095abfff com.bome.miditranslator.pro 1.9.1 (1.9.1.1060) <DE12F0F6-983E-36C5-A0CD-18BC6A222346> /Applications/Bome MIDI Translator Pro.app/Contents/MacOS/MIDITranslatorPro

0x109624000 - 0x109633fff libjli.dylib (0) <F61AD5EF-846D-30E4-9436-46FD8F6122DE> /Applications/Bome MIDI Translator Pro.app/Contents/PlugIns/jdk-21.bome/Contents/Home/lib/libjli.dylib

0x10991c000 - 0x10993bfff libosxapp.dylib (0) <93DCA9EB-D8CB-3E0C-84D2-63E08F3FC6D5> /Applications/Bome MIDI Translator Pro.app/Contents/PlugIns/jdk-21.bome/Contents/Home/lib/libosxapp.dylib

0x10b9cf000 - 0x10bab2fff libawt\_lwawt.dylib (0) <CC0D0003-A927-3690-976E-06AC3BDDEE66> /Applications/Bome MIDI Translator Pro.app/Contents/PlugIns/jdk-21.bome/Contents/Home/lib/libawt\_lwawt.dylib

0x10be24000 - 0x10ccb3fff libjvm.dylib (0) <3E34518D-CCF4-3E66-BBCC-8A4A5D63FD1D> /Applications/Bome MIDI Translator Pro.app/Contents/PlugIns/jdk-21.bome/Contents/Home/lib/server/libjvm.dylib

0x12e82f000 - 0x12e9b6fff libmt.so <FCB12211-C2F1-30DC-B467-C610F9159CF6> /usr/local/lib/libmt.so

0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5) <01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld

0x7ff80bc81000 - 0x7ff80bcb9ff7 libsystem\_malloc.dylib (474.0.13) <09BE080A-B8B9-3E6A-B3B1-C0C4D5378D91> /usr/lib/system/libsystem\_malloc.dylib

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5) <3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/libsystem\_kernel.dylib

0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519) <0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/libsystem\_pthread.dylib

0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9 (2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation

0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303) <6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/Frameworks/Foundation.framework/Versions/C/Foundation

0x7ff80f511000 - 0x7ff81092fff6 com.apple.AppKit 6.9 (2487.40.107) <660B78D6-113F-3ABD-8969-A6CB84FFF752> /System/Library/Frameworks/AppKit.framework/Versions/C/AppKit

0x7ff8114c6000 - 0x7ff81191eff1 com.apple.SkyLight 1.600.0 (844.10.1) <44C36221-6308-3DF3-821F-755130080968> /System/

Library/PrivateFrameworks/SkyLight.framework/Versions/A/SkyLight  
0x7ff812285000 - 0x7ff8122e0ff8 com.apple.HIServices 1.22 (777)  
<07A2F3D1-7698-32EC-A5CB-A03D12D4E325> /System/Library/  
Frameworks/ApplicationServices.framework/Versions/A/Frameworks/  
HIServices.framework/Versions/A/HIServices  
0x7ff81654c000 - 0x7ff816571ff3 com.apple.audio.caulk 1.0 (149.1.3)  
<C24466B5-64EA-376F-BDA3-3CA1AD870FC4> /System/Library/  
PrivateFrameworks/caulk.framework/Versions/A/caulk  
0x7ff816801000 - 0x7ff816a9cff4 com.apple.HIToolbox 2.1.1 (1202)  
<4CD47F03-ED80-3F2A-BBDF-D7AF11CB4CCB> /System/Library/  
Frameworks/Carbon.framework/Versions/A/Frameworks/  
HIToolbox.framework/Versions/A/HIToolbox  
0x7ff8267d8000 - 0x7ff826863ffd com.apple.audio.midi.CoreMIDI 2.0  
(88) <AC5C030D-1AEE-33DB-A57F-6D7A23995987> /System/Library/  
Frameworks/CoreMIDI.framework/Versions/A/CoreMIDI  
\*0xffffffff80002e0000 - 0xffffffff8000cdfdff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel  
\*0xffffffff8002ddb000 - 0xffffffff8002f9cff com.apple.filesystems.apfs  
(2235.80.4.0.1) <CE13F364-BF8A-3955-BC8F-2ED75D98BBEE>  
com.apple.filesystems.apfs  
\*0xffffffff8003079000 - 0xffffffff8003081fff com.apple.kec.pthread (519)  
<07ED499F-25E6-3572-8464-FC4F7429D88C> com.apple.kec.pthread

Process: accountsd [380]  
UUID: 59311210-E87D-345D-95E4-6E09A8EA311D  
Path: /System/Library/Frameworks/Accounts.framework/Versions/A/  
Support/accountsd  
Codesigning ID: com.apple.accountsd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 5676 KB  
Time Since Fork: 750s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xa27 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination

```

clean, thread darwinbg, process darwinbg, IO tier 2>
  24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24
  24 ??? (accountsd + 13299) [0x1057923f3] 1-24
  24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24
  24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24
  24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)
[0x7ff80bf3f082] 1-24
  24 __CFRunLoopRun + 1371 (CoreFoundation + 502693)
[0x7ff80bf3fba5] 1-24
  24 __CFRunLoopServiceMachPort + 143 (CoreFoundation +
508213) [0x7ff80bf41135] 1-24
  24 mach_msg + 19 (libsystem_kernel.dylib + 7455)
[0x7ff80be25d1f] 1-24
  24 mach_msg_overwrite + 653 (libsystem_kernel.dylib + 35682)
[0x7ff80be2cb62] 1-24
  24 mach_msg2_trap + 10 (libsystem_kernel.dylib + 6702)
[0x7ff80be25a2e] 1-24
  *24 ipc_mqueue_receive_continue + 0 (kernel + 1269696)
[0xffffffff8000415fc0] 1-24

```

Binary Images:

```

  0x10578f000 - 0x10579afff accountsd (956)
<59311210-E87D-345D-95E4-6E09A8EA311D> /System/Library/
Frameworks/Accounts.framework/Versions/A/Support/accountsd
  0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld
  0x7ff80be24000 - 0x7ff80be5eff7 libsystem_kernel.dylib (10002.81.5)
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/
libsystem_kernel.dylib
  0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation
  0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/
Frameworks/Foundation.framework/Versions/C/Foundation
  *0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/
kernel

```

```

Process:      AccountSubscriber [721]
UUID:        686487E8-66FE-3A1E-BAF6-FAA1666A7470
Path:        /System/Library/PrivateFrameworks/
RemoteManagement.framework/XPCServices/AccountSubscriber.xpc/

```



Contents/MacOS/AccountSubscriber

Identifier: com.apple.remotemanagement.AccountSubscriber  
Version: ??? (2.0)  
Build Version: 92  
Project Name: RemoteManagement  
Source Version: 500025003007000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: remotemanagementd [694]  
UID: 277  
Sudden Term: Tracked (allows idle exit)  
Footprint: 3768 KB  
Time Since Fork: 613s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x1e44 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x105d14000 - ???  
com.apple.remotemanagement.AccountSubscriber (2.0)  
<686487E8-66FE-3A1E-BAF6-FAA1666A7470> /System/Library/  
PrivateFrameworks/RemoteManagement.framework/XPCServices/  
AccountSubscriber.xpc/Contents/MacOS/AccountSubscriber  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: AccountSubscriber [892]  
UUID: 686487E8-66FE-3A1E-BAF6-FAA1666A7470  
Path: /System/Library/PrivateFrameworks/  
RemoteManagement.framework/XPCServices/AccountSubscriber.xpc/  
Contents/MacOS/AccountSubscriber  
Identifier: com.apple.remotemanagement.AccountSubscriber  
Version: ??? (2.0)  
Build Version: 92  
Project Name: RemoteManagement  
Source Version: 500025003007000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: RemoteManagementAgent [880]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 4000 KB  
Time Since Fork: 400s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x2b4c 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

#### Binary Images:

0x104c9d000 - ???  
com.apple.remotemanagement.AccountSubscriber (2.0)  
<686487E8-66FE-3A1E-BAF6-FAA1666A7470> /System/Library/  
PrivateFrameworks/RemoteManagement.framework/XPCServices/  
AccountSubscriber.xpc/Contents/MacOS/AccountSubscriber  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)

<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: adid [496]  
UUID: E6D1B9E5-E0D9-3EE6-98A2-29A56E2B8775  
Path: /System/Library/PrivateFrameworks/CoreADI.framework/  
Versions/A/adid  
Codesigning ID: com.apple.adid  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 265  
Sudden Term: Tracked (allows idle exit)  
Footprint: 856 KB  
Time Since Fork: 732s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xee8 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (adid + 320220) [0x104c3d2dc] 1-24  
24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x104bef000 - 0x104ddefff adid (7.2)  
<E6D1B9E5-E0D9-3EE6-98A2-29A56E2B8775> /System/Library/  
PrivateFrameworks/CoreADI.framework/Versions/A/adid  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: adprivacyd [698]  
UUID: 921A9698-69D2-39A7-82BA-D4507B864152  
Path: /usr/libexec/adprivacyd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 2716 KB  
Time Since Fork: 635s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x1c23 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

Binary Images:  
0x10a8b5000 - ??? adprivacyd  
<921A9698-69D2-39A7-82BA-D4507B864152> /usr/libexec/adprivacyd  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/

libdispatch.dylib

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/

libsystem\_kernel.dylib

\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: AirPlayUIAgent [581]

UUID: 829E0C6C-72C0-307D-BD0B-464DA54ACFAB

Path: /System/Library/CoreServices/AirPlayUIAgent.app/Contents/  
MacOS/AirPlayUIAgent

Identifier: com.apple.AirPlayUIAgent

Version: 2.0 (755.3.1)

Build Version: 130

Project Name: AirPlay

Source Version: 755003001000000

Is First Party: Yes

Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64

Parent: launchd [1]

UID: 501

Sudden Term: Tracked

Footprint: 3176 KB

Time Since Fork: 705s

Num samples: 24 (1-24)

Note: 1 idle work queue thread omitted

Thread 0x140b DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 46 (base 46)

<thread QoS user interactive (requested user interactive), process sudden  
termination clean, IO tier 0>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24

24 NSApplicationMain + 816 (AppKit + 16833) [0x7ff80f5151c1] 1-24

24 -[NSApplication run] + 603 (AppKit + 197042) [0x7ff80f5411b2] 1-24

24 -[NSApplication(NSEventRouting)

\_nextEventMatchingEventMask:untilDate:inMode:dequeue:] + 1304 (AppKit +  
9734148) [0x7ff80fe59804] 1-24

24 \_DPSNextEvent + 880 (AppKit + 257081) [0x7ff80f54fc39] 1-24

24 \_BlockUntilNextEventMatchingListInModeWithFilter + 66

(HIToolbox + 197937) [0x7ff816831531] 1-24

24 ReceiveNextEventCommon + 665 (HIToolbox + 198630)

[0x7ff8168317e6] 1-24  
 24 RunCurrentEventLoopInMode + 292 (HIToolbox + 199129)  
 [0x7ff8168319d9] 1-24  
 24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
 [0x7ff80bf3f082] 1-24  
 24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
 [0x7ff80bf3fba5] 1-24  
 24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
 [0x7ff80bf41135] 1-24  
 24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
 [0x7ff80be25d1f] 1-24  
 24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
 [0x7ff80be2cb62] 1-24  
 24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
 [0x7ff80be25a2e] 1-24  
 \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
 [0xfffff8000415fc0] 1-24

Thread 0x142d Thread name "com.apple.NSEventThread" 24 samples  
 (1-24) priority 46 (base 46)

<thread QoS user interactive (requested user interactive), process sudden  
 termination clean, IO tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
 1-24  
 24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
 [0x7ff80be65202] 1-24  
 24 \_NSEventThread + 122 (UIKit + 1686188) [0x7ff80f6acaac] 1-24  
 24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
 [0x7ff80bf3f082] 1-24  
 24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
 [0x7ff80bf3fba5] 1-24  
 24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
 [0x7ff80bf41135] 1-24  
 24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
 1-24  
 24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
 [0x7ff80be2cb62] 1-24  
 24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
 [0x7ff80be25a2e] 1-24  
 \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
 [0xfffff8000415fc0] 1-24

Binary Images:

0x1060c0000 - ??? com.apple.AirPlayUIAgent 2.0 (755.3.1)

<829E0C6C-72C0-307D-BD0B-464DA54ACFAB> /System/Library/  
CoreServices/AirPlayUIAgent.app/Contents/MacOS/AirPlayUIAgent  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80f511000 - 0x7ff81092fff6 com.apple.AppKit 6.9 (2487.40.107)  
<660B78D6-113F-3ABD-8969-A6CB84FFF752> /System/Library/  
Frameworks/AppKit.framework/Versions/C/AppKit  
0x7ff816801000 - 0x7ff816a9cff4 com.apple.HIToolbox 2.1.1 (1202)  
<4CD47F03-ED80-3F2A-BBDF-D7AF11CB4CCB> /System/Library/  
Frameworks/Carbon.framework/Versions/A/Frameworks/  
HIToolbox.framework/Versions/A/HIToolbox  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: AirPlayXPCHelper [152]  
UUID: 8D32BE36-AA95-3FB1-804B-B773FE840D6F  
Path: /usr/libexec/AirPlayXPCHelper  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Footprint: 1516 KB  
Time Since Fork: 767s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x478 Thread name "caulk.messenger.shared:17" 24 samples  
(1-24) priority 19 (base 19)  
<thread QoS utility (requested utility), IO tier 1>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)

```
[0x7ff80be65202] 1-24
    24 void* caulk::thread_proxy<std::__1::tuple<caulk::thread::attributes,
void (caulk::concurrent::details::worker_thread::*),
std::__1::tuple<caulk::concurrent::details::worker_thread*>>>(void*) + 41
(caulk + 6332) [0x7ff81654d8bc] 1-24
    24 caulk::concurrent::details::worker_thread::run() + 30 (caulk + 7064)
[0x7ff81654db98] 1-24
    24 semaphore_wait_trap + 10 (libsystem_kernel.dylib + 6570)
[0x7ff80be259aa] 1-24
    *24 ??? (kernel + 1663616) [0xfffff8000476280] 1-24
```

```
Thread 0x479 Thread name "caulk.messenger.shared:high" 24 samples
(1-24) priority 55 (base 55)
```

```
<IO tier 0>
    24 thread_start + 15 (libsystem_pthread.dylib + 7083) [0x7ff80be60bab]
1-24
    24 _pthread_start + 99 (libsystem_pthread.dylib + 25090)
[0x7ff80be65202] 1-24
    24 void* caulk::thread_proxy<std::__1::tuple<caulk::thread::attributes,
void (caulk::concurrent::details::worker_thread::*),
std::__1::tuple<caulk::concurrent::details::worker_thread*>>>(void*) + 41
(caulk + 6332) [0x7ff81654d8bc] 1-24
    24 caulk::concurrent::details::worker_thread::run() + 30 (caulk + 7064)
[0x7ff81654db98] 1-24
    24 semaphore_wait_trap + 10 (libsystem_kernel.dylib + 6570)
[0x7ff80be259aa] 1-24
    *24 ??? (kernel + 1663616) [0xfffff8000476280] 1-24
```

```
Thread 0x494 24 samples (1-24) priority 31 (base 31)
<thread QoS default (requested default), IO tier 0>
```

```
    24 _dispatch_sig_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]
1-24
    24 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 30774)
[0x7ff80be2b836] 1-24
    *24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24
```

#### Binary Images:

```
    0x1085ee000 - ??? AirPlayXPCHelper
<8D32BE36-AA95-3FB1-804B-B773FE840D6F> /usr/libexec/
AirPlayXPCHelper
    0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/
libdispatch.dylib
    0x7ff80be24000 - 0x7ff80be5eff7 libsystem_kernel.dylib (10002.81.5)
```



<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
    0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
    0x7ff81654c000 - 0x7ff816571ff3 com.apple.audio.caulk 1.0 (149.1.3)  
<C24466B5-64EA-376F-BDA3-3CA1AD870FC4> /System/Library/  
PrivateFrameworks/caulk.framework/Versions/A/caulk  
    \*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process:    airportd [197]  
UUID:      718A8C15-F5F6-336D-A7E3-598497E23D09  
Path:      /usr/libexec/airportd  
Codesigning ID:  com.apple.airport.airportd  
Shared Cache:  812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture:  x86\_64  
Parent:      launchd [1]  
UID:        0  
Sudden Term:  Tracked  
Footprint:    3768 KB  
Time Since Fork: 764s  
Num samples:  24 (1-24)  
CPU Time:     0.026s (51.6M cycles, 24.8M instructions, 2.08c/i)  
Note:        8 idle work queue threads omitted

Thread 0x431  DispatchQueue "com.apple.main-thread"(1)  24 samples  
(1-24)  priority 31 (base 31)  cpu time 0.002s (4.4M cycles, 2.0M  
instructions, 2.17c/i)

<thread QoS default (requested default), process sudden termination dirty,  
process unclamped, process received importance donation from  
runningboardd [165], process received importance donation from sharingd  
[454], process received importance donation from ESA2 [608], IO tier 0>

24  start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24  ??? (airportd + 497513) [0x104656769] 1-24  
24  ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24  ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24  CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24  \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24

24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24  
\*2 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xfffff8000415fc0] 1-2  
<process dropped importance donation from runningboardd [165]>  
\*14 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xfffff8000415fc0] 3-16  
<process dropped importance donation from sharingd [454]>  
\*8 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xfffff8000415fc0] 17-24

Thread 0x3c1e DispatchQueue "com.apple.root.default-qos"(13) 24 samples (1-24) priority 31 (base 31) cpu time <0.001s (1143.5K cycles, 772.9K instructions, 1.48c/i)  
<thread QoS default (requested default), process sudden termination dirty, process unclamped, process received importance donation from runningboardd [165], process received importance donation from sharingd [454], process received importance donation from ESA2 [608], IO tier 0>  
24 start\_wqthread + 15 (libsystem\_pthread.dylib + 7063) [0x7ff80be60b97] 1-24  
24 \_pthread\_wqthread + 262 (libsystem\_pthread.dylib + 11270) [0x7ff80be61c06] 1-24  
24 \_dispatch\_worker\_thread2 + 152 (libdispatch.dylib + 77602) [0x7ff80bcccf22] 1-24  
24 \_dispatch\_root\_queue\_drain + 879 (libdispatch.dylib + 76189) [0x7ff80bcc99d] 1-24  
24 \_dispatch\_client\_callout + 8 (libdispatch.dylib + 13722) [0x7ff80bcbdf59a] 1-24  
24 \_dispatch\_call\_block\_and\_release + 12 (libdispatch.dylib + 8934) [0x7ff80bcbc2e6] 1-24  
24 ??? (airportd + 859437) [0x1046aed2d] 1-24  
24 ??? (airportd + 856142) [0x1046ae04e] 1-24  
24 ??? (airportd + 854590) [0x1046ada3e] 1-24  
24 \_dispatch\_semaphore\_wait\_slow + 58 (libdispatch.dylib + 16183) [0x7ff80bcbdf37] 1-24  
24 semaphore\_timedwait\_trap + 10 (libsystem\_kernel.dylib + 6594) [0x7ff80be259c2] 1-24  
\*2 ??? (kernel + 1663616) [0xfffff8000476280] 1-2

<process dropped importance donation from runningboardd [165]>

\*14 ??? (kernel + 1663616) [0xffffffff8000476280] 3-16

<process dropped importance donation from sharingd [454]>

\*8 ??? (kernel + 1663616) [0xffffffff8000476280] 17-24

Thread 0x38e6,0x3cc6 DispatchQueue "com.apple.wifi.en0.scan"(139)  
24 samples (1-24) priority 31 (base 31) cpu time 0.008s (16.8M cycles,  
7.4M instructions, 2.26c/i)

<Thread 0x38e6, thread QoS default (requested default, workloop servicer  
override default), process sudden termination dirty, process unclamped,  
process received importance donation from runningboardd [165], process  
received importance donation from sharingd [454], process received  
importance donation from ESA2 [608], IO tier 0>

24 start\_wqthread + 15 (libsystem\_pthread.dylib + 7063) [0x7ff80be60b97]  
1-24

24 \_pthread\_wqthread + 327 (libsystem\_pthread.dylib + 11335)  
[0x7ff80be61c47] 1-24

24 \_dispatch\_workloop\_worker\_thread + 451 (libdispatch.dylib + 78845)  
[0x7ff80bccd3fd] 1-24

24 \_dispatch\_root\_queue\_drain\_deferred\_wlh + 271 (libdispatch.dylib +  
80622) [0x7ff80bccdaee] 1-24

24 \_dispatch\_lane\_invoke + 377 (libdispatch.dylib + 41216)  
[0x7ff80bcc4100] 1-24

24 \_dispatch\_lane\_serial\_drain + 816 (libdispatch.dylib + 38504)  
[0x7ff80bcc3668] 1-24

24 \_dispatch\_client\_callout + 8 (libdispatch.dylib + 13722)  
[0x7ff80bcbd59a] 1-24

24 \_dispatch\_call\_block\_and\_release + 12 (libdispatch.dylib +  
8934) [0x7ff80bcbc2e6] 1-24

24 ??? (airportd + 851135) [0x1046accbf] 1-24

24 ??? (airportd + 92486) [0x1045f3946] 1-24

24 ??? (IO80211 + 31386) [0x7ffb26561a9a] 1-24

24 \_dispatch\_semaphore\_wait\_slow + 58 (libdispatch.dylib +  
16183) [0x7ff80bcbedf37] 1-24

24 semaphore\_timedwait\_trap + 10 (libsystem\_kernel.dylib +  
6594) [0x7ff80be259c2] 1-24

\*2 ??? (kernel + 1663616) [0xffffffff8000476280] 1-2

<process dropped importance donation from runningboardd [165]>

\*3 ??? (kernel + 1663616) [0xffffffff8000476280] 3-5

<Thread 0x3cc6>

\*11 ??? (kernel + 1663616) [0xffffffff8000476280] 6-16

<process dropped importance donation from sharingd [454]>

\*8 ??? (kernel + 1663616) [0xffffffff8000476280] 17-24

Thread 0x553 Thread name "com.apple.CFSocket.private" 24 samples  
(1-24) priority 31 (base 31)

<thread QoS default (requested default), process sudden termination dirty,  
process unclamped, process received importance donation from  
runningboardd [165], process received importance donation from sharingd  
[454], process received importance donation from ESA2 [608], IO tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24

24 \_\_select + 10 (libsystem\_kernel.dylib + 43294) [0x7ff80be2e91e] 1-24

\*2 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-2

<process dropped importance donation from runningboardd [165]>

\*14 ??? (kernel + 6623952) [0xffffffff80009312d0] 3-16

<process dropped importance donation from sharingd [454]>

\*8 ??? (kernel + 6623952) [0xffffffff80009312d0] 17-24

#### Binary Images:

0x1045dd000 - 0x104758fff airportd (18910.1)  
<718A8C15-F5F6-336D-A7E3-598497E23D09> /usr/libexec/airportd  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
0x7ffb2655a000 - 0x7ffb265b1fff com.apple.IO80211 1.0 (1)  
<623DA167-FD66-30B4-8A72-630DF32AA941> /System/Library/  
PrivateFrameworks/IO80211.framework/Versions/A/IO80211  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: akd [444]  
UUID: 26D00AFD-2E6A-38BB-A54E-800820AEB2DB  
Path: /System/Library/PrivateFrameworks/AuthKit.framework/  
Versions/A/Support/akd  
Codesigning ID: com.apple.akd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 3016 KB  
Time Since Fork: 743s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xc7c DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24

24 ??? (akd + 432467) [0x103119953] 1-24

24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24

24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24

24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24

24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0x116a Thread name "com.apple.NSURLConnectionLoader" 24  
samples (1-24) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
 1-24  
 24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
 [0x7ff80be65202] 1-24  
 24 ??? (Foundation + 349980) [0x7ff80ced371c] 1-24  
 24 ??? (CFNetwork + 2391509) [0x7ff81129fdd5] 1-24  
 24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
 [0x7ff80bf3f082] 1-24  
 24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
 [0x7ff80bf3fba5] 1-24  
 24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
 508213) [0x7ff80bf41135] 1-24  
 24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
 [0x7ff80be25d1f] 1-24  
 24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
 [0x7ff80be2cb62] 1-24  
 24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
 [0x7ff80be25a2e] 1-24  
 \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
 [0xfffff8000415fc0] 1-24

#### Binary Images:

0x1030b0000 - 0x10327bfff akd (466.7.14)  
 <26D00AFD-2E6A-38BB-A54E-800820AEB2DB> /System/Library/  
 PrivateFrameworks/AuthKit.framework/Versions/A/Support/akd  
 0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
 <01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
 0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
 <3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
 libsystem\_kernel.dylib  
 0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
 <0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
 libsystem\_pthread.dylib  
 0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
 (2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
 Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
 0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
 <6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
 Frameworks/Foundation.framework/Versions/C/Foundation  
 0x7ff811058000 - 0x7ff811406ff1 com.apple.CFNetwork 1.0  
 (1492.0.1) <2847065D-8C66-3A44-B26C-B2A51A2897FB> /System/Library/  
 Frameworks/CFNetwork.framework/Versions/A/CFNetwork  
 \*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
 <8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/

kernel

Process: amfid [104]  
UUID: 18AC599A-5C03-3111-92C8-AB43BEAD2101  
Path: /usr/libexec/amfid  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1224 KB  
Time Since Fork: 767s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x357 24 samples (1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:  
0x10393c000 - ??? amfid  
<18AC599A-5C03-3111-92C8-AB43BEAD2101> /usr/libexec/amfid  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: AMPArtworkAgent [919]  
UUID: 02D09AA6-C3AF-3659-8817-7193E4AB88E2  
Path: /System/Library/PrivateFrameworks/AMPLibrary.framework/  
Versions/A/Support/AMPArtworkAgent

Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64

Parent: launchd [1]

UID: 501

Sudden Term: Tracked (allows idle exit)

Footprint: 1540 KB

Time Since Fork: 343s

Num samples: 24 (1-24)

Note: 1 idle work queue thread omitted

Thread 0x2ed7 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x100ed5000 - ??? AMPArtworkAgent  
<02D09AA6-C3AF-3659-8817-7193E4AB88E2> /System/Library/PrivateFrameworks/AMPLibrary.framework/Versions/A/Support/AMPArtworkAgent  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/kernel

Process: AMPDeviceDiscoveryAgent [415]

UUID: 5E3928FB-1875-3C5E-83FA-B1B9F42173E1

Path: /System/Library/PrivateFrameworks/AMPDevices.framework/Versions/A/Support/AMPDeviceDiscoveryAgent

Codesigning ID: com.apple.AMPDeviceDiscoveryAgent

Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64



Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked  
Footprint: 1712 KB  
Time Since Fork: 747s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xb25 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (AMPDeviceDiscoveryAgent + 212177) [0x100043cd1] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0xb91 DispatchQueue "com.apple.root.default-qos"(13) 24  
samples (1-24) priority 0 (base 4)

<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>

24 start\_wqthread + 15 (libsystem\_pthread.dylib + 7063) [0x7ff80be60b97]  
1-24  
24 \_pthread\_wqthread + 262 (libsystem\_pthread.dylib + 11270)  
[0x7ff80be61c06] 1-24  
24 \_dispatch\_worker\_thread2 + 152 (libdispatch.dylib + 77602)  
[0x7ff80bcccf22] 1-24  
24 \_dispatch\_root\_queue\_drain + 879 (libdispatch.dylib + 76189)  
[0x7ff80bcc99d] 1-24  
24 \_dispatch\_client\_callout + 8 (libdispatch.dylib + 13722)

[0x7ff80bcbd59a] 1-24  
 24 \_\_thr\_AMRegisterForCallbacks + 474 (MobileDevice + 1745135)  
 [0x1010f60ef] 1-24  
 24 CFRunLoopRun + 40 (CoreFoundation + 1006446)  
 [0x7ff80bfbab6e] 1-24  
 24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
 [0x7ff80bf3f082] 1-24  
 24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
 [0x7ff80bf3fba5] 1-24  
 24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24  
 24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
 [0x7ff80be25d1f] 1-24  
 24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24  
 24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
 [0x7ff80be25a2e] 1-24  
 \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
 [0xfffff8000415fc0] 1-24

Thread 0xbaf Thread name "com.apple.CFSocket.private" 24 samples  
 (1-24) priority 4 (base 4)  
 <thread QoS background (requested default), process sudden termination  
 clean, thread darwinbg, process darwinbg, IO tier 2>  
 24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
 1-24  
 24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
 [0x7ff80be65202] 1-24  
 24 \_\_select + 10 (libsystem\_kernel.dylib + 43294) [0x7ff80be2e91e] 1-24  
 \*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

#### Binary Images:

0x100010000 - 0x10009bfff AMPDeviceDiscoveryAgent (1.4.3.27)  
 <5E3928FB-1875-3C5E-83FA-B1B9F42173E1> /System/Library/  
 PrivateFrameworks/AMPDevices.framework/Versions/A/Support/  
 AMPDeviceDiscoveryAgent  
 0x100f4c000 - 0x1012effff com.apple.mobiledevice 1643.60.2  
 (1643.60.2) <B154F796-49B5-352F-A276-D9FF7B6F4FA1> /Library/Apple/\*/  
 MobileDevice.framework/Versions/A/MobileDevice  
 0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
 <01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
 0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
 <C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
 libdispatch.dylib

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/  
Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: AMPLibraryAgent [916]  
UUID: 7B8BD960-9856-35B5-BF9A-1E71512D6E52  
Path: /System/Library/PrivateFrameworks/AMPLibrary.framework/  
Versions/A/Support/AMPLibraryAgent  
Codesigning ID: com.apple.AMPLibraryAgent  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 4296 KB  
Time Since Fork: 348s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x2e85 DispatchQueue "com.apple.main-thread"(1) Thread  
name "amplibraryd main" 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
dirty, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (AMPLibraryAgent + 2695519) [0x10500e15f] 1-24  
24 ??? (AMPLibraryAgent + 4624342) [0x1051e4fd6] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunLoopSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0x2e8a Thread name "CFRunLoopThread" 24 samples (1-24)  
priority 4 (base 4)

<thread QoS background (requested default), process sudden termination  
dirty, thread darwinbg, process darwinbg, IO tier 2>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24

24 ??? (AMPLibraryAgent + 1691038) [0x104f18d9e] 1-24

24 ??? (AMPLibraryAgent + 1686895) [0x104f17d6f] 1-24

24 CFRunLoopRun + 40 (CoreFoundation + 1006446)  
[0x7ff80bfbab6e] 1-24

24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24

24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0x2e9c Thread name "AMPLDCommandProcessor - CCP Worker  
Thread" 24 samples (1-24) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination  
dirty, thread darwinbg, process darwinbg, IO tier 2>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 ??? (AMPLibraryAgent + 1691038) [0x104f18d9e] 1-24  
24 ??? (AMPLibraryAgent + 1681102) [0x104f166ce] 1-24  
24 ??? (AMPLibraryAgent + 1666721) [0x104f12ea1] 1-24  
24 ??? (AMPLibraryAgent + 1666380) [0x104f12d4c] 1-24  
24 \_\_psynch\_cvwait + 10 (libsystem\_kernel.dylib + 17870)  
[0x7ff80be285ce] 1-24  
\*24 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777)  
[0xfffff800307e129] 1-24

Thread 0x2f20 Thread name "com.apple.NSURLConnectionLoader" 24  
samples (1-24) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination  
dirty, thread darwinbg, process darwinbg, IO tier 2>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 ??? (Foundation + 349980) [0x7ff80ced371c] 1-24  
24 ??? (CFNetwork + 2391509) [0x7ff81129fdd5] 1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

#### Binary Images:

0x104d7c000 - 0x105533fff AMPLibraryAgent (1.4.3.27)  
<7B8BD960-9856-35B5-BF9A-1E71512D6E52> /System/Library/  
PrivateFrameworks/AMPLibrary.framework/Versions/A/Support/  
AMPLibraryAgent  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)

<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
0x7ff811058000 - 0x7ff811406ff1 com.apple.CFNetwork 1.0  
(1492.0.1) <2847065D-8C66-3A44-B26C-B2A51A2897FB> /System/Library/  
Frameworks/CFNetwork.framework/Versions/A/CFNetwork  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel  
\*0xffffffff8003079000 - 0xffffffff8003081fff com.apple.kec.pthread (519)  
<07ED499F-25E6-3572-8464-FC4F7429D88C> com.apple.kec.pthread

Process: amsaccountsd [480]  
UUID: E6FF2DA0-94CD-3335-A371-4DABD50E6147  
Path: /System/Library/PrivateFrameworks/  
AppleMediaServices.framework/Versions/A/Resources/amsaccountsd  
Codesigning ID: com.apple.amsaccountsd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 3300 KB  
Time Since Fork: 737s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xdd5 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24

24 ??? (amsaccounts + 298075) [0x108fd7c5b] 1-24  
24 ??? (amsaccounts + 102349) [0x108fa7fcd] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x108f8f000 - 0x10906efff amsaccounts (7.3.4)  
<E6FF2DA0-94CD-3335-A371-4DABD50E6147> /System/Library/  
PrivateFrameworks/AppleMediaServices.framework/Versions/A/Resources/  
amsaccounts  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: amsengagementd [481]  
UUID: 98158BE0-B169-39CE-8226-27BBA03E8D46  
Path: /System/Library/PrivateFrameworks/  
AppleMediaServicesUI.framework/amsengagementd  
Codesigning ID: com.apple.amsengagementd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]

UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 3876 KB  
Time Since Fork: 737s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xddd DispatchQueue "com.apple.main-thread"(1) 24 samples (1-24) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (amsengagementd + 19531) [0x10f471c4b] 1-24  
24 ??? (amsengagementd + 1120517) [0x10f57e905] 1-24  
24 ??? (amsengagementd + 1120425) [0x10f57e8a9] 1-24  
24 ??? (amsengagementd + 1122830) [0x10f57f20e] 1-24  
24 ??? (amsengagementd + 1122942) [0x10f57f27e] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842) [0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693) [0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xfffff8000415fc0] 1-24

#### Binary Images:

0x10f46d000 - 0x10f64cfff amsengagementd (5.3.4)  
<98158BE0-B169-39CE-8226-27BBA03E8D46> /System/Library/PrivateFrameworks/AppleMediaServicesUI.framework/amsengagementd  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9 (2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation



\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: analyticsd [200]  
UUID: 4D1AF0E1-99B4-3322-8348-5DF965FCFA2F  
Path: /System/Library/PrivateFrameworks/CoreAnalytics.framework/  
Support/analyticsd  
Codesigning ID: com.apple.analyticsd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 263  
Sudden Term: Tracked (allows idle exit)  
Footprint: 2140 KB  
Time Since Fork: 764s  
Num samples: 24 (1-24)  
CPU Time: <0.001s (328.5K cycles, 108.3K instructions, 3.03c/i)  
Note: 1 idle work queue thread omitted

Thread 0x65d DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 31 (base 31)

<thread QoS default (requested default), process sudden termination dirty,  
process unclamped, process received importance donation from mds [115],  
process received importance donation from loginwindow [158], process  
received importance donation from ControlCenter (Control Center) [378],  
process received importance donation from identityservicesd [386], process  
received importance donation from heard [428], process received importance  
donation from sharingd [454], process received importance donation from  
imagent [461], process received importance donation from spindump [471],  
process received importance donation from knowledge-agent [475], process  
received importance donation from corespotlightd [510], process received  
importance donation from dataaccessd [707], IO tier 0>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24

24 ??? (analyticsd + 374140) [0x101f0357c] 1-24

24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24

24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24

24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)

[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x101ea8000 - 0x101fd3fff analyticsd (371.60.3)  
<4D1AF0E1-99B4-3322-8348-5DF965FCFA2F> /System/Library/  
PrivateFrameworks/CoreAnalytics.framework/Support/analyticsd  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: aned [550]  
UUID: 25A71F42-28AB-37D2-B312-F74760EA1957  
Path: /usr/libexec/aned  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 848 KB  
Time Since Fork: 714s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x12d6 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>

24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

Binary Images:

0x10a748000 - ??? aned  
<25A71F42-28AB-37D2-B312-F74760EA1957> /usr/libexec/aned  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: aneuserd [547]  
UUID: 3DDDF124-FF56-355B-9F06-01E2CBBE0A68  
Path: /usr/libexec/aneuserd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 296  
Sudden Term: Tracked (allows idle exit)  
Footprint: 864 KB  
Time Since Fork: 714s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x12dd 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

Binary Images:

0x1037f0000 - ??? aneuserd <3DDDF124-  
FF56-355B-9F06-01E2CBBE0A68> /usr/libexec/aneuserd  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: apfsd [239]  
UUID: 20B1AF50-F448-37D8-8FA8-71373641CE5F  
Path: /usr/libexec/apfsd  
Codesigning ID: com.apple.apfsd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Footprint: 656 KB  
Time Since Fork: 762s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x530 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 20 (base 20)  
<thread QoS utility (requested utility), timers tier 3 (coalesced), IO tier 1>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (apfsd + 54380) [0x10023c46c] 1-24  
24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 1-24

Binary Images:

0x10022f000 - 0x100256fff apfsd (2235.80.4.0.1)  
<20B1AF50-F448-37D8-8FA8-71373641CE5F> /usr/libexec/apfsd  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: APFSUserAgent [494]  
UUID: 6D82AE04-5DBE-3B05-B0EA-A7959F9DB82F  
Path: /System/Library/CoreServices/APFSUserAgent  
Codesigning ID: com.apple.APFSUserAgent  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 900 KB  
Time Since Fork: 732s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xed1 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (APFSUserAgent + 14237) [0x10ef9b79d] 1-24  
24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24

24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 1-24

Binary Images:

0x10ef98000 - 0x10efa3fff APFSUserAgent (2235.80.4.0.1)  
<6D82AE04-5DBE-3B05-B0EA-A7959F9DB82F> /System/Library/  
CoreServices/APFSUserAgent  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: appleaccountd [706]  
UUID: 049508CD-7243-3634-B8E2-237914DD59B9  
Path: /usr/libexec/appleaccountd  
Codesigning ID: com.apple.appleaccountd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 2080 KB  
Time Since Fork: 628s

Num samples: 24 (1-24)

Note: 1 idle work queue thread omitted

Thread 0x1ccb DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24

24 ??? (appleaccountd + 11620) [0x1063e7d64] 1-24

24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24

24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24

24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24

24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x1063e5000 - 0x106664fff appleaccountd (981.5.2)  
<049508CD-7243-3634-B8E2-237914DD59B9> /usr/libexec/appleaccountd

0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib

0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation

0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation

\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: AppleCredentialManagerDaemon [140]  
UUID: F0591638-1EA8-35A1-A82F-BD53F4F91807  
Path: /System/Library/PrivateFrameworks/  
AppleCredentialManager.framework/AppleCredentialManagerDaemon  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 764 KB  
Time Since Fork: 767s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x376 24 samples (1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

#### Binary Images:

0x10166f000 - ??? AppleCredentialManagerDaemon  
<F0591638-1EA8-35A1-A82F-BD53F4F91807> /System/Library/  
PrivateFrameworks/AppleCredentialManager.framework/  
AppleCredentialManagerDaemon  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: appleeventsd [340]  
UUID: EAB4B95A-DE58-3027-B0D7-43935E41D055  
Path: /System/Library/CoreServices/appleeventsd



Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64

Parent: launchd [1]

UID: 55

Sudden Term: Tracked (allows idle exit)

Footprint: 924 KB

Time Since Fork: 753s

Num samples: 24 (1-24)

Note: 2 idle work queue threads omitted

Thread 0x8dd 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
dirty, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x106f2c000 - ??? appleeventsd  
<EAB4B95A-DE58-3027-B0D7-43935E41D055> /System/Library/  
CoreServices/appleeventsd  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: AppSSOAgent [457]

UUID: 6D09BC61-5264-3292-BD91-30E7DBCD7CA5

Path: /System/Library/PrivateFrameworks/AppSSO.framework/  
Support/AppSSOAgent.app/Contents/MacOS/AppSSOAgent

Identifier: com.apple.AppSSOAgent

Version: 1.0 (1)

Build Version: 322

Project Name: AppSSO

Source Version: 384060002000000

Is First Party: Yes  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 6488 KB  
Time Since Fork: 741s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xcd9 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 46 (base 46)  
<thread QoS user interactive (requested user interactive), process sudden  
termination clean, IO tier 0>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (AppSSOAgent + 52311) [0x101b01c57] 1-24  
24 NSApplicationMain + 816 (AppKit + 16833) [0x7ff80f5151c1] 1-24  
24 -[NSApplication run] + 603 (AppKit + 197042) [0x7ff80f5411b2] 1-24  
24 -[NSApplication(NSEventRouting)  
\_nextEventMatchingEventMask:untilDate:inMode:dequeue:] + 1304 (AppKit +  
9734148) [0x7ff80fe59804] 1-24  
24 \_DPSNextEvent + 880 (AppKit + 257081) [0x7ff80f54fc39] 1-24  
24 \_BlockUntilNextEventMatchingListInModeWithFilter + 66  
(HIToolbox + 197937) [0x7ff816831531] 1-24  
24 ReceiveNextEventCommon + 665 (HIToolbox + 198630)  
[0x7ff8168317e6] 1-24  
24 RunCurrentEventLoopInMode + 292 (HIToolbox + 199129)  
[0x7ff8168319d9] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib +  
35682) [0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0xd1d Thread name "com.apple.NSEventThread" 24 samples  
 (1-24) priority 46 (base 46)  
 <thread QoS user interactive (requested user interactive), process sudden  
 termination clean, IO tier 0>  
 24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
 1-24  
 24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
 [0x7ff80be65202] 1-24  
 24 \_NSEventThread + 122 (AppKit + 1686188) [0x7ff80f6acaac] 1-24  
 24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
 [0x7ff80bf3f082] 1-24  
 24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
 [0x7ff80bf3fba5] 1-24  
 24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
 [0x7ff80bf41135] 1-24  
 24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
 1-24  
 24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
 [0x7ff80be2cb62] 1-24  
 24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
 [0x7ff80be25a2e] 1-24  
 \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
 [0xffffffff8000415fc0] 1-24

#### Binary Images:

0x101af5000 - 0x101b14fff com.apple.AppSSOAgent 1.0 (1)  
 <6D09BC61-5264-3292-BD91-30E7DBCD7CA5> /System/Library/  
 PrivateFrameworks/AppSSO.framework/Support/AppSSOAgent.app/  
 Contents/MacOS/AppSSOAgent  
 0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
 <01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
 0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
 <3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
 libsystem\_kernel.dylib  
 0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
 <0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
 libsystem\_pthread.dylib  
 0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
 (2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
 Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
 0x7ff80f511000 - 0x7ff81092fff6 com.apple.AppKit 6.9 (2487.40.107)  
 <660B78D6-113F-3ABD-8969-A6CB84FFF752> /System/Library/  
 Frameworks/AppKit.framework/Versions/C/AppKit

0x7ff816801000 - 0x7ff816a9cff4 com.apple.HIToolbox 2.1.1 (1202)  
<4CD47F03-ED80-3F2A-BBDF-D7AF11CB4CCB> /System/Library/  
Frameworks/Carbon.framework/Versions/A/Frameworks/  
HIToolbox.framework/Versions/A/HIToolbox  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: AppSSODaemon [460]  
UUID: 87C8D57A-150B-3290-B60A-51A500BBE041  
Path: /System/Library/PrivateFrameworks/AppSSO.framework/  
Support/AppSSODaemon  
Codesigning ID: com.apple.AppSSODaemon  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 2116 KB  
Time Since Fork: 741s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xcfd DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (AppSSODaemon + 10887) [0x108a8fa87] 1-24  
24 NSApplicationMain + 816 (AppKit + 16833) [0x7ff80f5151c1] 1-24  
24 -[NSApplication run] + 603 (AppKit + 197042) [0x7ff80f5411b2] 1-24  
24 -[NSApplication(NSEventRouting)  
\_nextEventMatchingEventMask:untilDate:inMode:dequeue:] + 1304 (AppKit +  
9734148) [0x7ff80fe59804] 1-24  
24 \_DPSNextEvent + 880 (AppKit + 257081) [0x7ff80f54fc39] 1-24  
24 \_BlockUntilNextEventMatchingListInModeWithFilter + 66  
(HIToolbox + 197937) [0x7ff816831531] 1-24  
24 ReceiveNextEventCommon + 665 (HIToolbox + 198630)  
[0x7ff8168317e6] 1-24  
24 RunCurrentEventLoopInMode + 292 (HIToolbox + 199129)  
[0x7ff8168319d9] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)

[0x7ff80bf3f082] 1-24  
    24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
    24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24  
    24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
    24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24  
    24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
    \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0x1743 Thread name "com.apple.NSEventThread" 24 samples  
(1-24) priority 4 (base 4)

<thread QoS background (requested user interactive), process sudden  
termination clean, thread darwinbg, process darwinbg, IO tier 2>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)

[0x7ff80be65202] 1-24

24 \_NSEventThread + 122 (AppKit + 1686188) [0x7ff80f6acaac] 1-24

24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)

[0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)

[0x7ff80bf3fba5] 1-24

24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)

[0x7ff80bf41135] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]

1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)

[0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)

[0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)

[0xfffff8000415fc0] 1-24

#### Binary Images:

0x108a8d000 - 0x108a98fff AppSSODaemon (384.60.2)  
<87C8D57A-150B-3290-B60A-51A500BBE041> /System/Library/  
PrivateFrameworks/AppSSO.framework/Support/AppSSODaemon

0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80f511000 - 0x7ff81092fff6 com.apple.AppKit 6.9 (2487.40.107)  
<660B78D6-113F-3ABD-8969-A6CB84FFF752> /System/Library/  
Frameworks/AppKit.framework/Versions/C/AppKit  
0x7ff816801000 - 0x7ff816a9cff4 com.apple.HIToolbox 2.1.1 (1202)  
<4CD47F03-ED80-3F2A-BBDF-D7AF11CB4CCB> /System/Library/  
Frameworks/Carbon.framework/Versions/A/Frameworks/  
HIToolbox.framework/Versions/A/HIToolbox  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: appstoreagent [549]  
UUID: D04CAE90-C33A-38FC-B7E1-6BC42643C149  
Path: /System/Library/PrivateFrameworks/  
AppStoreDaemon.framework/Support/appstoreagent  
Codesigning ID: com.apple.appstoreagent  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 4580 KB  
Time Since Fork: 714s  
Num samples: 24 (1-24)  
CPU Time: <0.001s (205.5K cycles, 61.6K instructions, 3.34c/i)  
Note: 2 idle work queue threads omitted

Thread 0x12b8 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (appstoreagent + 3119394) [0x108158922] 1-24

24 ??? (appstoreagent + 3889836) [0x108214aac] 1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0x14e7 Thread name "com.apple.NSURLConnectionLoader" 24  
samples (1-24) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24

24 ??? (Foundation + 349980) [0x7ff80ced371c] 1-24

24 ??? (CFNetwork + 2391509) [0x7ff81129fdd5] 1-24

24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24

24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x107e5f000 - 0x108392fff appstoreagent (10.3.4)  
<D04CAE90-C33A-38FC-B7E1-6BC42643C149> /System/Library/

PrivateFrameworks/AppStoreDaemon.framework/Support/appstoreagent  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
0x7ff811058000 - 0x7ff811406ff1 com.apple.CFNetwork 1.0  
(1492.0.1) <2847065D-8C66-3A44-B26C-B2A51A2897FB> /System/Library/  
Frameworks/CFNetwork.framework/Versions/A/CFNetwork  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process:        apsd [127]  
UUID:           8794C2B1-8836-3000-9F40-36DDF9886E63  
Path:           /System/Library/PrivateFrameworks/  
ApplePushService.framework/apsd  
Codesigning ID: com.apple.apsd  
Shared Cache:   812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture:   x86\_64  
Parent:         launchd [1]  
UID:            0  
Sudden Term:    Tracked  
Footprint:      3088 KB  
Time Since Fork: 767s  
Num samples:    24 (1-24)  
Note:           1 idle work queue thread omitted

Thread 0x2e5   DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24



24 ??? (apsd + 955601) [0x102c524d1] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0x932 24 samples (1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 ??? (Foundation + 349980) [0x7ff80ced371c] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0x988 Thread name "com.apple.NSURLConnectionLoader" 24

samples (1-24) priority 31 (base 31)

<thread QoS default (requested default), process sudden termination clean, IO tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab] 1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090) [0x7ff80be65202] 1-24

24 ??? (Foundation + 349980) [0x7ff80ced371c] 1-24

24 ??? (CFNetwork + 2391509) [0x7ff81129fdd5] 1-24

24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842) [0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693) [0x7ff80bf3fba5] 1-24

24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xfffff8000415fc0] 1-24

#### Binary Images:

0x102b69000 - 0x102d44fff apsd (971.400.31.1.1)  
<8794C2B1-8836-3000-9F40-36DDF9886E63> /System/Library/  
PrivateFrameworks/ApplePushService.framework/apsd

0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib

0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib

0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation

0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation

0x7ff811058000 - 0x7ff811406ff1 com.apple.CFNetwork 1.0  
(1492.0.1) <2847065D-8C66-3A44-B26C-B2A51A2897FB> /System/Library/

Frameworks/CFNetwork.framework/Versions/A/CFNetwork  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: ASConfigurationSubscriber [726]  
UUID: D64179C1-2AB2-34F4-9535-C951D5130832  
Path: /System/Library/PrivateFrameworks/  
RemoteManagement.framework/XPCServices/  
ASConfigurationSubscriber.xpc/Contents/MacOS/ASConfigurationSubscriber  
Identifier: com.apple.AuthenticationServices.ASConfigurationSubscriber  
Build Version: 7  
Project Name: AuthenticationServices  
Source Version: 7617002004011012  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: remotemanagementd [694]  
UID: 277  
Sudden Term: Tracked (allows idle exit)  
Footprint: 3984 KB  
Time Since Fork: 606s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x1e83 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

Binary Images:  
0x104543000 - ???  
com.apple.AuthenticationServices.ASConfigurationSubscriber  
<D64179C1-2AB2-34F4-9535-C951D5130832> /System/Library/  
PrivateFrameworks/RemoteManagement.framework/XPCServices/  
ASConfigurationSubscriber.xpc/Contents/MacOS/ASConfigurationSubscriber  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/

libdispatch.dylib

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/

libsystem\_kernel.dylib

\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: ASConfigurationSubscriber [896]  
UUID: D64179C1-2AB2-34F4-9535-C951D5130832  
Path: /System/Library/PrivateFrameworks/  
RemoteManagement.framework/XPCServices/  
ASConfigurationSubscriber.xpc/Contents/MacOS/ASConfigurationSubscriber  
Identifier: com.apple.AuthenticationServices.ASConfigurationSubscriber  
Build Version: 7  
Project Name: AuthenticationServices  
Source Version: 7617002004011012  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: RemoteManagementAgent [880]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 4032 KB  
Time Since Fork: 397s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x2b76 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x105a5f000 - ???  
com.apple.AuthenticationServices.ASConfigurationSubscriber  
<D64179C1-2AB2-34F4-9535-C951D5130832> /System/Library/  
PrivateFrameworks/RemoteManagement.framework/XPCServices/

ASConfigurationSubscriber.xpc/Contents/MacOS/ASConfigurationSubscriber  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: askpermissiond [579]  
UUID: 662999A9-A4FC-3CF2-8D13-374A7CAB2302  
Path: /System/Library/PrivateFrameworks/AskPermission.framework/  
Versions/A/Resources/askpermissiond  
Codesigning ID: com.apple.askpermissiond  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 2688 KB  
Time Since Fork: 705s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x1538 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (askpermissiond + 16758) [0x104752176] 1-24  
24 ??? (askpermissiond + 198773) [0x10477e875] 1-24  
24 ??? (askpermissiond + 199332) [0x10477eaa4] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x10474e000 - 0x104799fff askpermissiond (127.3.3)  
<662999A9-A4FC-3CF2-8D13-374A7CAB2302> /System/Library/  
PrivateFrameworks/AskPermission.framework/Versions/A/Resources/  
askpermissiond  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: aslmanager [157]  
UUID: 0903D407-18B2-3E37-AF57-990F21744DC4  
Path: /usr/sbin/aslmanager  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 428 KB  
Time Since Fork: 766s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x344 24 samples (1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination clean,  
IO tier 3>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24

24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

Binary Images:

0x10b3c6000 - ??? aslmanager  
<0903D407-18B2-3E37-AF57-990F21744DC4> /usr/sbin/aslmanager  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: ASPCarryLog [838]  
UUID: 8AADD56E-4C4C-3F29-9466-9C91DFD04358  
Path: /usr/libexec/ASPCarryLog  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 960 KB  
Time Since Fork: 436s  
Num samples: 24 (1-24)  
Note: 2 idle work queue threads omitted

Thread 0x2889 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

Binary Images:

0x10112b000 - ??? ASPCarryLog  
<8AADD56E-4C4C-3F29-9466-9C91DFD04358> /usr/libexec/ASPCarryLog

0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: AssetCache [529]  
UUID: 83222B34-623E-38BD-BBBC-226800DF755F  
Path: /usr/libexec/AssetCache/AssetCache  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 235  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1644 KB  
Time Since Fork: 726s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x10d7 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (AssetCache + 18331) [0x10e82e79b] 1-24  
24 ??? (AssetCache + 95761) [0x10e841611] 1-24  
24 ??? (AssetCache + 96732) [0x10e8419dc] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib +



35682) [0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x10e82a000 - 0x10ea0dfff AssetCache (247)  
<83222B34-623E-38BD-BBBC-226800DF755F> /usr/libexec/AssetCache/  
AssetCache  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: AssetCacheLocatorService [524]  
UUID: A405B9E4-0471-3135-80AC-857BEFEA2641  
Path: /System/Library/PrivateFrameworks/  
AssetCacheServices.framework/Versions/A/XPCServices/  
AssetCacheLocatorService.xpc/Contents/MacOS/AssetCacheLocatorService  
Identifier: com.apple.AssetCacheLocatorService  
Version: 131 (131)  
Build Version: 320  
Project Name: AssetCacheServices  
Source Version: 133000000000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1468 KB  
Time Since Fork: 726s

Num samples: 24 (1-24)

Note: 1 idle work queue thread omitted

Thread 0x10ab DispatchQueue "com.apple.main-thread"(1) 24 samples (1-24) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 main + 54 (AssetCacheLocatorService + 34612) [0x10407d734] 1-24  
24 ??? (AssetCacheLocatorService + 54539) [0x10408250b] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842) [0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693) [0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xfffff8000415fc0] 1-24

Thread 0x112c Thread name "com.apple.NSURLConnectionLoader" 24 samples (1-24) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab] 1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090) [0x7ff80be65202] 1-24  
24 ??? (Foundation + 349980) [0x7ff80ced371c] 1-24  
24 ??? (CFNetwork + 2391509) [0x7ff81129fdd5] 1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842) [0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693) [0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)

[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x104075000 - 0x1040bcfff  
com.apple.AssetCacheLocatorService 131 (131)  
<A405B9E4-0471-3135-80AC-857BEFEA2641> /System/Library/  
PrivateFrameworks/AssetCacheServices.framework/Versions/A/  
XPCServices/AssetCacheLocatorService.xpc/Contents/MacOS/  
AssetCacheLocatorService  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/  
Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
0x7ff811058000 - 0x7ff811406ff1 com.apple.CFNetwork 1.0  
(1492.0.1) <2847065D-8C66-3A44-B26C-B2A51A2897FB> /System/  
Library/Frameworks/CFNetwork.framework/Versions/A/CFNetwork  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: AssetCacheLocatorService [738]  
UUID: A405B9E4-0471-3135-80AC-857BEFEA2641  
Path: /System/Library/PrivateFrameworks/  
AssetCacheServices.framework/Versions/A/XPCServices/  
AssetCacheLocatorService.xpc/Contents/MacOS/AssetCacheLocatorService  
Identifier: com.apple.AssetCacheLocatorService  
Version: 131 (131)

Build Version: 320  
Project Name: AssetCacheServices  
Source Version: 1330000000000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 235  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1436 KB  
Time Since Fork: 570s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x2092 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 main + 54 (AssetCacheLocatorService + 34612) [0x100059734] 1-24  
24 ??? (AssetCacheLocatorService + 54539) [0x10005e50b] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0x20c4 Thread name "com.apple.NSURLConnectionLoader" 24  
samples (1-24) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
 [0x7ff80be65202] 1-24  
     24 ??? (Foundation + 349980) [0x7ff80ced371c] 1-24  
     24 ??? (CFNetwork + 2391509) [0x7ff81129fdd5] 1-24  
     24 CFRunLoopRunLoopSpecific + 557 (CoreFoundation + 499842)  
 [0x7ff80bf3f082] 1-24  
     24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
 [0x7ff80bf3fba5] 1-24  
     24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
 508213) [0x7ff80bf41135] 1-24  
     24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
 [0x7ff80be25d1f] 1-24  
     24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
 [0x7ff80be2cb62] 1-24  
     24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
 [0x7ff80be25a2e] 1-24  
     \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
 [0xfffff8000415fc0] 1-24

Binary Images:

0x100051000 - 0x100098fff  
 com.apple.AssetCacheLocatorService 131 (131)  
 <A405B9E4-0471-3135-80AC-857BEFEA2641> /System/Library/  
 PrivateFrameworks/AssetCacheServices.framework/Versions/A/  
 XPCServices/AssetCacheLocatorService.xpc/Contents/MacOS/  
 AssetCacheLocatorService  
 0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
 <01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
 0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
 <3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
 libsystem\_kernel.dylib  
 0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
 <0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
 libsystem\_pthread.dylib  
 0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
 (2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/  
 Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
 0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
 <6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
 Frameworks/Foundation.framework/Versions/C/Foundation  
 0x7ff811058000 - 0x7ff811406ff1 com.apple.CFNetwork 1.0  
 (1492.0.1) <2847065D-8C66-3A44-B26C-B2A51A2897FB> /System/  
 Library/Frameworks/CFNetwork.framework/Versions/A/CFNetwork  
 \*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)

<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: AssetCacheTetheratorService [548]  
UUID: 348E77EC-A7CA-36C5-9B80-4515DE01AE33  
Path: /System/Library/PrivateFrameworks/  
AssetCacheServicesExtensions.framework/Versions/A/XPCServices/  
AssetCacheTetheratorService.xpc/Contents/MacOS/  
AssetCacheTetheratorService  
Identifier: com.apple.AssetCacheTetheratorService  
Version: 131 (131)  
Build Version: 320  
Project Name: AssetCacheServices  
Source Version: 1330000000000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1140 KB  
Time Since Fork: 714s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x12d9 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:  
0x100d7f000 - ??? com.apple.AssetCacheTetheratorService  
131 (131) <348E77EC-A7CA-36C5-9B80-4515DE01AE33> /System/Library/  
PrivateFrameworks/AssetCacheServicesExtensions.framework/Versions/A/  
XPCServices/AssetCacheTetheratorService.xpc/Contents/MacOS/  
AssetCacheTetheratorService  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: assistant\_cdmd [513]  
UUID: BAC051C0-14FB-360A-933D-5BBB0F87BA88  
Path: /System/Library/PrivateFrameworks/  
ContinuousDialogManagerService.framework/assistant\_cdmd  
Codesigning ID: com.apple.assistant\_cdmd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 2204 KB  
Time Since Fork: 729s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xfc4 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (assistant\_cdmd + 32641) [0x101919f81] 1-24  
24 ??? (assistant\_cdmd + 35686) [0x10191ab66] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)

[0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)

[0xffffffff8000415fc0] 1-24

Binary Images:

0x101912000 - 0x101925fff assistant\_cdmd (3303.2.2)  
<BAC051C0-14FB-360A-933D-5BBB0F87BA88> /System/Library/  
PrivateFrameworks/ContinuousDialogManagerService.framework/  
assistant\_cdmd  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: assistant\_service [1013]  
UUID: AC55ACAC-D33C-3922-92E7-FCE36254E49B  
Path: /System/Library/PrivateFrameworks/  
AssistantServices.framework/Versions/A/Support/assistant\_service  
Codesigning ID: com.apple.assistant\_service  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 6684 KB  
Time Since Fork: 111s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x3b74 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination



```

clean, thread darwinbg, process darwinbg, IO tier 2>
  24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24
  24 ??? (assistant_service + 4701) [0x10048e25d] 1-24
  24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24
  24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24
  24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)
[0x7ff80bf3f082] 1-24
  24 __CFRunLoopRun + 1371 (CoreFoundation + 502693)
[0x7ff80bf3fba5] 1-24
  24 __CFRunLoopServiceMachPort + 143 (CoreFoundation +
508213) [0x7ff80bf41135] 1-24
  24 mach_msg + 19 (libsystem_kernel.dylib + 7455)
[0x7ff80be25d1f] 1-24
  24 mach_msg_overwrite + 653 (libsystem_kernel.dylib + 35682)
[0x7ff80be2cb62] 1-24
  24 mach_msg2_trap + 10 (libsystem_kernel.dylib + 6702)
[0x7ff80be25a2e] 1-24
  *24 ipc_mqueue_receive_continue + 0 (kernel + 1269696)
[0xfffff8000415fc0] 1-24

```

Binary Images:

```

  0x10048d000 - 0x1004a4fff assistant_service (3303.9.1)
<AC55ACAC-D33C-3922-92E7-FCE36254E49B> /System/Library/
PrivateFrameworks/AssistantServices.framework/Versions/A/Support/
assistant_service
  0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld
  0x7ff80be24000 - 0x7ff80be5eff7 libsystem_kernel.dylib (10002.81.5)
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/
libsystem_kernel.dylib
  0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation
  0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/
Frameworks/Foundation.framework/Versions/C/Foundation
  *0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/
kernel

```

```

Process:      assistantd [491]
UUID:        B028BF7E-005B-3D77-829C-F008C1A78F7F
Path:        /System/Library/PrivateFrameworks/

```

AssistantServices.framework/Versions/A/Support/assistantd  
Codesigning ID: com.apple.assistantd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 8512 KB  
Time Since Fork: 733s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xeac DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (assistantd + 1598724) [0x1050b5504] 1-24  
24 ??? (assistantd + 2084915) [0x10512c033] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0xfc1 Thread name "caulk.messenger.shared:17" 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested utility), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)

[0x7ff80be65202] 1-24  
24 void\* caulk::thread\_proxy<std::\_\_1::tuple<caulk::thread::attributes,  
void (caulk::concurrent::details::worker\_thread::\*),  
std::\_\_1::tuple<caulk::concurrent::details::worker\_thread\*>>>(void\*) + 41  
(caulk + 6332) [0x7ff81654d8bc] 1-24  
24 caulk::concurrent::details::worker\_thread::run() + 30 (caulk + 7064)  
[0x7ff81654db98] 1-24  
24 semaphore\_wait\_trap + 10 (libsystem\_kernel.dylib + 6570)  
[0x7ff80be259aa] 1-24  
\*24 ??? (kernel + 1663616) [0xfffff8000476280] 1-24

Thread 0xfc2 Thread name "caulk.messenger.shared:high" 24 samples  
(1-24) priority 4 (base 4)

<thread QoS background, process sudden termination clean, thread  
darwinbg, process darwinbg, IO tier 2>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24

24 void\* caulk::thread\_proxy<std::\_\_1::tuple<caulk::thread::attributes,  
void (caulk::concurrent::details::worker\_thread::\*),  
std::\_\_1::tuple<caulk::concurrent::details::worker\_thread\*>>>(void\*) + 41  
(caulk + 6332) [0x7ff81654d8bc] 1-24

24 caulk::concurrent::details::worker\_thread::run() + 30 (caulk + 7064)  
[0x7ff81654db98] 1-24

24 semaphore\_wait\_trap + 10 (libsystem\_kernel.dylib + 6570)  
[0x7ff80be259aa] 1-24

\*24 ??? (kernel + 1663616) [0xfffff8000476280] 1-24

#### Binary Images:

0x104f2f000 - 0x1055cefff assistantd (3303.9.1)  
<B028BF7E-005B-3D77-829C-F008C1A78F7F> /System/Library/  
PrivateFrameworks/AssistantServices.framework/Versions/A/Support/  
assistantd  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/

Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
0x7ff81654c000 - 0x7ff816571ff3 com.apple.audio.caulk 1.0 (149.1.3)  
<C24466B5-64EA-376F-BDA3-3CA1AD870FC4> /System/Library/  
PrivateFrameworks/caulk.framework/Versions/A/caulk  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: audioaccessoryd [533]  
UUID: 6A66E062-E012-3F19-BD9A-7AAA4C696C1C  
Path: /System/Library/CoreServices/audioaccessoryd  
Codesigning ID: com.apple.cloudpaired  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 2228 KB  
Time Since Fork: 723s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x1136 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (audioaccessoryd + 482538) [0x10f29ecea] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)

[0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)

[0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)

[0xffffffff8000415fc0] 1-24

Binary Images:

0x10f229000 - 0x10f414fff audioaccessoryd (471)  
<6A66E062-E012-3F19-BD9A-7AAA4C696C1C> /System/Library/  
CoreServices/audioaccessoryd  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: audioanalyticsd [542]

UUID: 5B5BACC1-9B4A-3062-B447-2A3E401E00D7

Path: /usr/libexec/audioanalyticsd

Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64

Parent: launchd [1]

UID: 0

Sudden Term: Tracked (allows idle exit)

Footprint: 1628 KB

Time Since Fork: 715s

Num samples: 24 (1-24)

Note: 1 idle work queue thread omitted

Thread 0x125f 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]

1-24

24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)

[0x7ff80be2b836] 1-24

\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Thread 0x1518 Thread name "caulk.messenger.shared:17" 24 samples  
(1-24) priority 4 (base 4)

<thread QoS background (requested utility), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24

24 void\* caulk::thread\_proxy<std::\_\_1::tuple<caulk::thread::attributes,  
void (caulk::concurrent::details::worker\_thread::\*),  
std::\_\_1::tuple<caulk::concurrent::details::worker\_thread\*>>>(void\*) + 41  
(caulk + 6332) [0x7ff81654d8bc] 1-24

24 caulk::concurrent::details::worker\_thread::run() + 30 (caulk + 7064)  
[0x7ff81654db98] 1-24

24 semaphore\_wait\_trap + 10 (libsystem\_kernel.dylib + 6570)  
[0x7ff80be259aa] 1-24

\*24 ??? (kernel + 1663616) [0xfffff8000476280] 1-24

Thread 0x1519 Thread name "caulk.messenger.shared:high" 24 samples  
(1-24) priority 4 (base 4)

<thread QoS background, process sudden termination clean, thread  
darwinbg, process darwinbg, IO tier 2>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24

24 void\* caulk::thread\_proxy<std::\_\_1::tuple<caulk::thread::attributes,  
void (caulk::concurrent::details::worker\_thread::\*),  
std::\_\_1::tuple<caulk::concurrent::details::worker\_thread\*>>>(void\*) + 41  
(caulk + 6332) [0x7ff81654d8bc] 1-24

24 caulk::concurrent::details::worker\_thread::run() + 30 (caulk + 7064)  
[0x7ff81654db98] 1-24

24 semaphore\_wait\_trap + 10 (libsystem\_kernel.dylib + 6570)  
[0x7ff80be259aa] 1-24

\*24 ??? (kernel + 1663616) [0xfffff8000476280] 1-24

Binary Images:

0x10d8d0000 - ??? audioanalyticd  
<5B5BACC1-9B4A-3062-B447-2A3E401E00D7> /usr/libexec/

audioanalyticd

0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff81654c000 - 0x7ff816571ff3 com.apple.audio.caulk 1.0 (149.1.3)  
<C24466B5-64EA-376F-BDA3-3CA1AD870FC4> /System/Library/  
PrivateFrameworks/caulk.framework/Versions/A/caulk  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: audioclocksyncd [246]  
UUID: D981CA57-7666-301B-AE03-1E80B88DD0E6  
Path: /usr/libexec/audioclocksyncd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 3576 KB  
Time Since Fork: 762s  
Num samples: 24 (1-24)  
CPU Time: 0.002s (4.2M cycles, 1107.3K instructions, 3.77c/i)  
Note: 2 idle work queue threads omitted

Thread 0x775 24 samples (1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination dirty,  
IO tier 0>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

Binary Images:

0x105c28000 - ??? audioclocksyncd

<D981CA57-7666-301B-AE03-1E80B88DD0E6> /usr/libexec/  
audioclocksyncd  
    0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
    0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
    \*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: AudioComponentRegistrar [235]  
UUID: 1ACD2DB4-6247-336B-BECD-787A0CC2DF72  
Path: /System/Library/Frameworks/AudioToolbox.framework/  
AudioComponentRegistrar  
Codesigning ID: com.apple.AudioComponentRegistrar  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 840 KB  
Time Since Fork: 762s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x4f6 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (AudioComponentRegistrar + 14604) [0x10b17e90c] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)



[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x10b17b000 - 0x10b186fff AudioComponentRegistrar (1387.4.2)  
<1ACD2DB4-6247-336B-BECD-787A0CC2DF72> /System/Library/  
Frameworks/AudioToolbox.framework/AudioComponentRegistrar  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: AudioComponentRegistrar [436]  
UUID: 1ACD2DB4-6247-336B-BECD-787A0CC2DF72  
Path: /System/Library/Frameworks/AudioToolbox.framework/  
AudioComponentRegistrar  
Codesigning ID: com.apple.AudioComponentRegistrar  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1100 KB  
Time Since Fork: 745s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xc12 DispatchQueue "com.apple.main-thread"(1) 24 samples (1-24) priority 4 (base 4)  
 <thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>  
 24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
 24 ??? (AudioComponentRegistrar + 14604) [0x10473e90c] 1-24  
 24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
 24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
 24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842) [0x7ff80bf3f082] 1-24  
 24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693) [0x7ff80bf3fba5] 1-24  
 24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24  
 24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 1-24  
 24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24  
 24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24  
 \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xffffffff8000415fc0] 1-24

Binary Images:

0x10473b000 - 0x104746fff AudioComponentRegistrar (1387.4.2) <1ACD2DB4-6247-336B-BECD-787A0CC2DF72> /System/Library/Frameworks/AudioToolbox.framework/AudioComponentRegistrar  
 0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5) <01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
 0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5) <3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/libsystem\_kernel.dylib  
 0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9 (2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
 0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303) <6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/Frameworks/Foundation.framework/Versions/C/Foundation  
 \*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5) <8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/kernel

Process: audiomxd [543]

UUID: AA535B6D-D87A-3039-9420-33849D6698C6  
Path: /usr/libexec/audiomxd  
Codesigning ID: com.apple.audiomxd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 294  
Sudden Term: Tracked (allows idle exit)  
Footprint: 3900 KB  
Time Since Fork: 715s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x125a DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 31 (base 31)

<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (audiomxd + 13074) [0x10e5b7312] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

#### Binary Images:

0x10e5b4000 - 0x10e5bffff audiomxd (1387.4.2)  
<AA535B6D-D87A-3039-9420-33849D6698C6> /usr/libexec/audiomxd  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/

libsystem\_kernel.dylib

0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9 (2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation

0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303) <6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/Frameworks/Foundation.framework/Versions/C/Foundation

\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5) <8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/kernel

Process: authd [231]

UUID: 61BA76B9-28DC-346E-A5EB-B65154D97678

Path: /System/Library/Frameworks/Security.framework/Versions/A/XPCServices/authd.xpc/Contents/MacOS/authd

Identifier: com.apple.authd

Version: 1.0 (61040.81.1)

Build Version: 1

Project Name: Security\_executables\_core

Source Version: 61040081001000000

Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64

Parent: launchd [1]

UID: 0

Sudden Term: Tracked (allows idle exit)

Footprint: 1400 KB

Time Since Fork: 762s

Num samples: 24 (1-24)

Note: 1 idle work queue thread omitted

Thread 0x53d DispatchQueue "com.apple.root.default-qos"(13) 24 samples (1-24) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination dirty, thread darwinbg, process darwinbg, IO tier 2>

24 start\_wqthread + 15 (libsystem\_pthread.dylib + 7063) [0x7ff80be60b97] 1-24

24 \_pthread\_wqthread + 262 (libsystem\_pthread.dylib + 11270) [0x7ff80be61c06] 1-24

24 \_dispatch\_worker\_thread2 + 152 (libdispatch.dylib + 77602) [0x7ff80bcccf22] 1-24

24 \_dispatch\_root\_queue\_drain + 879 (libdispatch.dylib + 76189) [0x7ff80bcc999d] 1-24

24 \_dispatch\_client\_callout + 8 (libdispatch.dylib + 13722)  
 [0x7ff80bcbcd59a] 1-24  
 24 \_dispatch\_call\_block\_and\_release + 12 (libdispatch.dylib + 8934)  
 [0x7ff80bcbcb2e6] 1-24  
 24 ??? (authd + 31983) [0x10029bcef] 1-24  
 24 ??? (libbsm.0.dylib + 3929) [0x7ff818174f59] 1-24  
 24 ??? (libsystem\_c.dylib + 192507) [0x7ff80bd32ffb] 1-24  
 24 ??? (libsystem\_c.dylib + 161783) [0x7ff80bd2b7f7] 1-24  
 24 ??? (libsystem\_c.dylib + 56336) [0x7ff80bd11c10] 1-24  
 24 \_\_read\_nocancel + 10 (libsystem\_kernel.dylib + 13082)  
 [0x7ff80be2731a] 1-24  
 \*24 hndl\_unix\_scall64 + 22 (kernel + 998838)  
 [0xfffff80003d3db6] 1-24  
 \*24 unix\_syscall64 + 477 (kernel + 7810589)  
 [0xfffff8000a52e1d] 1-24  
 \*24 read\_nocancel + 242 (kernel + 6761234)  
 [0xfffff8000952b12] 1-24  
 \*24 ??? (kernel + 6761562) [0xfffff8000952c5a] 1-24  
 \*24 ??? (kernel + 3517904) [0xfffff800063add0] 1-24  
 \*24 ??? (kernel + 3522459) [0xfffff800063bf9b] 1-24  
 \*24 spec\_read + 871 (kernel + 3629015)  
 [0xfffff8000655fd7] 1-24  
 \*24 ??? (kernel + 6182180) [0xfffff80008c5524] 1-24  
 \*24 ??? (kernel + 6623403) [0xfffff80009310ab]  
 1-24  
 \*24 lck\_mtx\_sleep + 97 (kernel + 1503265)  
 [0xfffff800044f021] 1-24  
 \*24 thread\_block\_reason + 240 (kernel +  
 1581040) [0xfffff8000461ff0] 1-24  
 \*24 ??? (kernel + 1588870) [0xfffff8000463e86]  
 1-24  
 \*24 machine\_switch\_context + 215 (kernel +  
 2749095) [0xfffff800057f2a7] 1-24

Thread 0x540 24 samples (1-24) priority 4 (base 4)  
 <thread QoS background (requested default), process sudden termination  
 dirty, thread darwinbg, process darwinbg, IO tier 2>  
 24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
 1-24  
 24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
 [0x7ff80be2b836] 1-24  
 \*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x100294000 - 0x1002d7fff com.apple.authd 1.0 (61040.81.1)  
<61BA76B9-28DC-346E-A5EB-B65154D97678> /System/Library/  
Frameworks/Security.framework/Versions/A/XPCServices/authd.xpc/  
Contents/MacOS/authd  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80bd04000 - 0x7ff80bd8bfff libsystem\_c.dylib (1583.60.2)  
<6F840A77-9F88-3DA8-83AC-98E4892282D0> /usr/lib/system/  
libsystem\_c.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff818174000 - 0x7ff818183fff libbsm.0.dylib (89)  
<8C7DB7F4-728C-39AF-AC1B-A235F4DE7933> /usr/lib/libbsm.0.dylib  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: autofsd [135]  
UUID: FD353A49-E8E9-358A-8721-16CCF1812E52  
Path: /usr/libexec/autofsd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked  
Footprint: 544 KB  
Time Since Fork: 767s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x7cc 24 samples (1-24) priority 20 (base 20)  
<thread QoS utility (requested default), process sudden termination clean,  
timers tier 3 (coalesced), IO tier 1>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24

\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x10dcd5000 - ??? autofsd <FD353A49-E8E9-358A-8721-16CCF1812E52> /usr/libexec/autofsd  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/kernel

Process: automountd [408]  
UUID: CF58FD60-F76B-3B53-B9A6-F2D498B82331  
Path: /usr/libexec/automountd  
Codesigning ID: com.apple.automountd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked  
Footprint: 860 KB  
Time Since Fork: 748s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xaf9 Thread name "cache cleanup" 24 samples (1-24) priority 31 (base 31)

<thread QoS default (requested default), process sudden termination clean, IO tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab] 1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090) [0x7ff80be65202] 1-24

24 ??? (automountd + 89807) [0x101fccecf] 1-24

24 \_\_psynch\_cvwait + 10 (libsystem\_kernel.dylib + 17870) [0x7ff80be285ce] 1-24

\*24 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777) [0xfffff800307e129] 1-24

Thread 0xafa Thread name "wait for flush indication" 24 samples (1-24)  
priority 31 (base 31)

<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24

24 ??? (automountd + 82531) [0x101fcb263] 1-24

24 \_\_ioctl + 10 (libsystem\_kernel.dylib + 20722) [0x7ff80be290f2] 1-24

\*24 hndl\_unix\_scall64 + 22 (kernel + 998838) [0xfffff80003d3db6] 1-24

\*24 unix\_syscall64 + 477 (kernel + 7810589) [0xfffff8000a52e1d] 1-24

\*24 ioctl + 1156 (kernel + 6766932) [0xfffff8000954154] 1-24

\*24 ??? (kernel + 6362852) [0xfffff80008f16e4] 1-24

\*24 ??? (kernel + 3519611) [0xfffff800063b47b] 1-24

\*24 VNOP\_IOCTL + 196 (kernel + 3574420) [0xfffff8000648a94]

1-24

\*24 spec\_ioctl + 152 (kernel + 3630808) [0xfffff80006566d8]

1-24

\*24 autofs\_ioctl + 450 (com.apple.filesystems.autofs + 9542)

[0xfffff7f95771546] 1-24

\*24 ??? (kernel + 6623403) [0xfffff80009310ab] 1-24

\*24 lck\_mtx\_sleep + 97 (kernel + 1503265)

[0xfffff800044f021] 1-24

\*24 thread\_block\_reason + 240 (kernel + 1581040)

[0xfffff8000461ff0] 1-24

\*24 ??? (kernel + 1588870) [0xfffff8000463e86] 1-24

\*24 machine\_switch\_context + 215 (kernel + 2749095)

[0xfffff800057f2a7] 1-24

Thread 0xb0c 24 samples (1-24) priority 31 (base 31)

<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>

24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24

24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24

\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x101fb7000 - 0x101fdafff automountd (312)

<CF58FD60-F76B-3B53-B9A6-F2D498B82331> /usr/libexec/automountd

0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)



<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
    0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
    0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
    \*0xffffffff7f9576f000 - 0xffffffff7f95778fff com.apple.filesystems.autofs (312)  
<06A383DF-0DBA-34F8-828D-E74CD8B45999>  
com.apple.filesystems.autofs  
    \*0xffffffff80002e0000 - 0xffffffff8000cdfdff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel  
    \*0xffffffff8003079000 - 0xffffffff8003081fff com.apple.kec.pthread (519)  
<07ED499F-25E6-3572-8464-FC4F7429D88C> com.apple.kec.pthread

Process:        avconferenced [482]  
UUID:          492FEDDE-BE85-351D-B40A-D31EE63BDA48  
Path:          /usr/libexec/avconferenced  
Codesigning ID: com.apple.avconferenced  
Shared Cache:  812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture:  x86\_64  
Parent:        launchd [1]  
UID:          501  
Sudden Term:   Tracked  
Footprint:     6628 KB  
Time Since Fork: 737s  
Num samples:   24 (1-24)  
Note:          1 idle work queue thread omitted

Thread 0xdf2  DispatchQueue "com.apple.main-thread"(1)  24 samples  
(1-24)  priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>  
  24  start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
  24  main + 203 (avconferenced + 14690) [0x104b7a962] 1-24  
  24  ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
  24  ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
  24  CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
  24  \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)

[0x7ff80bf3fba5] 1-24  
    24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24  
    24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
    24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
    24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
    \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0xe5b Thread name "caulk.messenger.shared:17" 24 samples (1-24) priority 19 (base 19)  
<thread QoS utility (requested utility), process sudden termination clean, IO tier 1>  
    24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab] 1-24  
    24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090) [0x7ff80be65202] 1-24  
    24 void\* caulk::thread\_proxy<std::\_\_1::tuple<caulk::thread::attributes, void (caulk::concurrent::details::worker\_thread::\*)(), std::\_\_1::tuple<caulk::concurrent::details::worker\_thread\*>>>(void\*) + 41 (caulk + 6332) [0x7ff81654d8bc] 1-24  
    24 caulk::concurrent::details::worker\_thread::run() + 30 (caulk + 7064) [0x7ff81654db98] 1-24  
    24 semaphore\_wait\_trap + 10 (libsystem\_kernel.dylib + 6570) [0x7ff80be259aa] 1-24  
    \*24 ??? (kernel + 1663616) [0xfffff8000476280] 1-24

Thread 0xe5c Thread name "caulk.messenger.shared:high" 24 samples (1-24) priority 55 (base 55)  
<process sudden termination clean, IO tier 0>  
    24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab] 1-24  
    24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090) [0x7ff80be65202] 1-24  
    24 void\* caulk::thread\_proxy<std::\_\_1::tuple<caulk::thread::attributes, void (caulk::concurrent::details::worker\_thread::\*)(), std::\_\_1::tuple<caulk::concurrent::details::worker\_thread\*>>>(void\*) + 41 (caulk + 6332) [0x7ff81654d8bc] 1-24  
    24 caulk::concurrent::details::worker\_thread::run() + 30 (caulk + 7064) [0x7ff81654db98] 1-24  
    24 semaphore\_wait\_trap + 10 (libsystem\_kernel.dylib + 6570)

[0x7ff80be259aa] 1-24

\*24 ??? (kernel + 1663616) [0xffffffff8000476280] 1-24

Binary Images:

0x104b77000 - 0x104b82fff avconferenced (2010.3.1)  
<492FEDDE-BE85-351D-B40A-D31EE63BDA48> /usr/libexec/  
avconferenced  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
0x7ff81654c000 - 0x7ff816571ff3 com.apple.audio.caulk 1.0 (149.1.3)  
<C24466B5-64EA-376F-BDA3-3CA1AD870FC4> /System/Library/  
PrivateFrameworks/caulk.framework/Versions/A/caulk  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: awdd [422]

UUID: A762ACB8-61CC-3E4B-95EA-55ECF012C5FB

Path: /System/Library/PrivateFrameworks/

WirelessDiagnostics.framework/Support/awdd

Codesigning ID: com.apple.awdd

Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64

Parent: launchd [1]

UID: 0

Sudden Term: Tracked (allows idle exit)

Footprint: 1080 KB

Time Since Fork: 746s

Num samples: 24 (1-24)

Note: 1 idle work queue thread omitted

Thread 0xba3 DispatchQueue "com.apple.main-thread"(1) 24 samples  
 (1-24) priority 4 (base 4)  
 <thread QoS background (requested default), process sudden termination  
 clean, thread darwinbg, process darwinbg, IO tier 2>  
 24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
 24 ??? (awdd + 27913) [0x103af1d09] 1-24  
 24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
 1-24  
 24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
 [0x7ff80bf3f082] 1-24  
 24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
 [0x7ff80bf3fba5] 1-24  
 24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
 [0x7ff80bf41135] 1-24  
 24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
 1-24  
 24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
 [0x7ff80be2cb62] 1-24  
 24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
 [0x7ff80be25a2e] 1-24  
 \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
 [0xfffff8000415fc0] 1-24

Binary Images:

0x103aeb000 - 0x103bd2fff awdd (994)  
 <A762ACB8-61CC-3E4B-95EA-55ECF012C5FB> /System/Library/  
 PrivateFrameworks/WirelessDiagnostics.framework/Support/awdd  
 0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
 <01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
 0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
 <3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
 libsystem\_kernel.dylib  
 0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
 (2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
 Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
 \*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
 <8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
 kernel

Process: axassetsd [573]  
 UUID: 8D02082B-BCCF-3EFB-A6BA-37EFE9F8246C  
 Path: /System/Library/PrivateFrameworks/AXAssetLoader.framework/

Support/axassetsd

Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64

Parent: launchd [1]

UID: 501

Sudden Term: Tracked (allows idle exit)

Footprint: 4488 KB

Time Since Fork: 705s

Num samples: 24 (1-24)

Note: 1 idle work queue thread omitted

Thread 0x1e20 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42] 1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774) [0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x1027a1000 - ??? axassetsd <8D02082B-BCCF-3EFB-A6BA-37EFE9F8246C> /System/Library/PrivateFrameworks/AXAssetLoader.framework/Support/axassetsd  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1) <C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5) <3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5) <8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/kernel

Process: backgroundassets.user [837]

UUID: EFF31128-F995-36FA-B380-80EEB381C004

Path: /usr/libexec/backgroundassets.user

Codesigning ID: com.apple.backgroundassets.user

Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64

Parent: launchd [1]

UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1108 KB  
Time Since Fork: 436s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x2876 DispatchQueue "com.apple.main-thread"(1) 24 samples (1-24) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (backgroundassets.user + 49088) [0x10e8d6fc0] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842) [0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693) [0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xfffff8000415fc0] 1-24

#### Binary Images:

0x10e8cb000 - 0x10e93afff backgroundassets.user (162.40.3)  
<EFF31128-F995-36FA-B380-80EEB381C004> /usr/libexec/  
backgroundassets.user  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/

Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: BackgroundTaskManagementAgent [366]  
UUID: 94907820-5CFA-3619-A598-9308C8610CCD  
Path: /System/Library/PrivateFrameworks/  
BackgroundTaskManagement.framework/Support/  
BackgroundTaskManagementAgent.app/Contents/MacOS/  
BackgroundTaskManagementAgent  
Identifier: com.apple.backgroundtaskmanagement.agent  
Version: 1.0 (1)  
Build Version: 25  
Project Name: SharedFileListSupport  
Source Version: 250013002006000  
Is First Party: Yes  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Footprint: 2492 KB  
Time Since Fork: 750s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x9e0 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), thread darwinbg, process  
darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (BackgroundTaskManagementAgent + 92786) [0x100c65a72] 1-24  
24 NSApplicationMain + 816 (AppKit + 16833) [0x7ff80f5151c1] 1-24  
24 -[NSApplication run] + 603 (AppKit + 197042) [0x7ff80f5411b2] 1-24  
24 -[NSApplication(NSEventRouting)  
\_nextEventMatchingEventMask:untilDate:inMode:dequeue:] + 1304 (AppKit +  
9734148) [0x7ff80fe59804] 1-24  
24 \_DPSNextEvent + 880 (AppKit + 257081) [0x7ff80f54fc39] 1-24  
24 \_BlockUntilNextEventMatchingListInModeWithFilter + 66  
(HIToolbox + 197937) [0x7ff816831531] 1-24  
24 ReceiveNextEventCommon + 665 (HIToolbox + 198630)  
[0x7ff8168317e6] 1-24  
24 RunCurrentEventLoopInMode + 292 (HIToolbox + 199129)  
[0x7ff8168319d9] 1-24

24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib +  
35682) [0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0xb1d Thread name "com.apple.NSEventThread" 24 samples  
(1-24) priority 4 (base 4)

<thread QoS background (requested user interactive), thread darwinbg,  
process darwinbg, IO tier 2>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24

24 \_NSEventThread + 122 (UIKit + 1686188) [0x7ff80f6acaac] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24

24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x100c4f000 - 0x100c7afff  
com.apple.backgroundtaskmanagement.agent 1.0 (1)  
<94907820-5CFA-3619-A598-9308C8610CCD> /System/Library/  
PrivateFrameworks/BackgroundTaskManagement.framework/Support/



BackgroundTaskManagementAgent.app/Contents/MacOS/  
BackgroundTaskManagementAgent  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/  
Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80f511000 - 0x7ff81092fff6 com.apple.AppKit 6.9 (2487.40.107)  
<660B78D6-113F-3ABD-8969-A6CB84FFF752> /System/Library/  
Frameworks/AppKit.framework/Versions/C/AppKit  
0x7ff816801000 - 0x7ff816a9cff4 com.apple.HIToolbox 2.1.1 (1202)  
<4CD47F03-ED80-3F2A-BBDF-D7AF11CB4CCB> /System/Library/  
Frameworks/Carbon.framework/Versions/A/Frameworks/  
HIToolbox.framework/Versions/A/HIToolbox  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: backgroundtaskmanagementd [277]  
UUID: FFEFB7AA-A485-39DA-95E3-A9593E17B5CF  
Path: /System/Library/PrivateFrameworks/  
BackgroundTaskManagement.framework/Versions/A/Resources/  
backgroundtaskmanagementd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1224 KB  
Time Since Fork: 759s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x6e3 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>

24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42] 1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774) [0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x105888000 - ??? backgroundtaskmanagementd  
<FFEFB7AA-A485-39DA-95E3-A9593E17B5CF> /System/Library/PrivateFrameworks/BackgroundTaskManagement.framework/Versions/A/Resources/backgroundtaskmanagementd  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/kernel

Process: backupd [232]  
UUID: F3BE6FE7-8A24-3893-B68D-F237DFB037F9  
Path: /System/Library/CoreServices/backupd.bundle/Contents/Resources/backupd  
Codesigning ID: com.apple.backupd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1312 KB  
Time Since Fork: 762s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x4ea DispatchQueue "com.apple.main-thread"(1) 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 3>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (backupd + 1284223) [0x10d1a187f] 1-24

24 ??? (libswift\_Concurrency.dylib + 232495) [0x7ffc228d5c2f] 1-24  
24 ??? (libswift\_Concurrency.dylib + 232547) [0x7ffc228d5c63] 1-24  
24 CFRRunLoopRun + 40 (CoreFoundation + 1006446)  
[0x7ff80bfbab6e] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x10d068000 - 0x10d2abfff backupd (2330.2)  
<F3BE6FE7-8A24-3893-B68D-F237DFB037F9> /System/Library/  
CoreServices/backupd.bundle/Contents/Resources/backupd  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ffc2289d000 - 0x7ffc228eafff libswift\_Concurrency.dylib  
(5.9.2.2.12) <8EAA65B2-AB93-3B30-8B6B-0150BAEB1BC2> /usr/lib/swift/  
libswift\_Concurrency.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: backupd-helper [280]  
UUID: A5D9B1E7-A8C2-3FB8-9042-D037EF506B5D  
Path: /System/Library/CoreServices/backupd.bundle/Contents/  
Resources/backupd-helper  
Codesigning ID: com.apple.backupd-helper

Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64

Parent: launchd [1]

UID: 0

Sudden Term: Tracked (allows idle exit)

Footprint: 972 KB

Time Since Fork: 758s

Num samples: 24 (1-24)

Note: 1 idle work queue thread omitted

Thread 0x6df DispatchQueue "com.apple.main-thread"(1) 24 samples (1-24) priority 4 (base 4)

<thread QoS background (requested background), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24

24 ??? (backupd-helper + 16857) [0x10d8041d9] 1-24

24 ??? (backupd-helper + 15234) [0x10d803b82] 1-24

24 CFRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e] 1-24

24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842) [0x7ff80bf3f082] 1-24

24 <patched truncated backtrace> 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693) [0x7ff80bf3fba5] 1-24

24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xfffff8000415fc0] 1-24

Binary Images:

0x10d800000 - 0x10d833fff backupd-helper (2330.2)  
<A5D9B1E7-A8C2-3FB8-9042-D037EF506B5D> /System/Library/CoreServices/backupd.bundle/Contents/Resources/backupd-helper

0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/

libsystem\_kernel.dylib

0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: betaenrollmentd [1021]  
UUID: 953BFA91-3560-3468-A1C2-BB4B278B2ADC  
Path: /usr/libexec/betaenrollmentd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 896 KB  
Time Since Fork: 95s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x3c50 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

Binary Images:

0x10b90d000 - ??? betaenrollmentd  
<953BFA91-3560-3468-A1C2-BB4B278B2ADC> /usr/libexec/  
betaenrollmentd  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/

kernel

Process: BiomeAgent [485]  
UUID: F15F6F09-DAD2-3E67-8C91-7DD409ED976B  
Path: /System/Library/PrivateFrameworks/BiomeStreams.framework/  
Support/BiomeAgent  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 3596 KB  
Time Since Fork: 735s  
Num samples: 24 (1-24)  
Note: 2 idle work queue threads omitted

Thread 0x16aa 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:  
0x100ca7000 - ??? BiomeAgent <F15F6F09-  
DAD2-3E67-8C91-7DD409ED976B> /System/Library/PrivateFrameworks/  
BiomeStreams.framework/Support/BiomeAgent  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: biomed [102]  
UUID: 9A6E28BD-326A-3CE5-AED5-594F25FFE9CB

Path: /System/Library/PrivateFrameworks/BiomeStreams.framework/  
Support/biomed  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 289  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1884 KB  
Time Since Fork: 767s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x64d 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x10eb7d000 - ??? biomed  
<9A6E28BD-326A-3CE5-AED5-594F25FFE9CB> /System/Library/  
PrivateFrameworks/BiomeStreams.framework/Support/biomed  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: biomesyncd [474]  
UUID: 53CD913C-AF79-3B42-AACA-2F588D284D89  
Path: /usr/libexec/biomesyncd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]

UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 2172 KB  
Time Since Fork: 738s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xe6d 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x101fd4000 - ??? biomesyncd  
<53CD913C-AF79-3B42-AACA-2F588D284D89> /usr/libexec/biomesyncd  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: biometrickitd [348]  
UUID: 68CEDC05-A747-38C1-8E67-0BC307864B1D  
Path: /usr/libexec/biometrickitd  
Codesigning ID: com.apple.biometrickitd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1736 KB  
Time Since Fork: 752s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted



Thread 0x92e DispatchQueue "com.apple.main-thread"(1) 24 samples  
 (1-24) priority 31 (base 31)  
 <thread QoS default (requested default), process sudden termination clean,  
 IO tier 0>  
 24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
 24 ??? (biometrickitd + 372406) [0x100236eb6] 1-24  
 24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
 24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
 24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
 [0x7ff80bf3f082] 1-24  
 24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
 [0x7ff80bf3fba5] 1-24  
 24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
 508213) [0x7ff80bf41135] 1-24  
 24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
 [0x7ff80be25d1f] 1-24  
 24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
 [0x7ff80be2cb62] 1-24  
 24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
 [0x7ff80be25a2e] 1-24  
 \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
 [0xfffff8000415fc0] 1-24

Binary Images:

0x1001dc000 - 0x100287fff biometrickitd (10143.60.2)  
 <68CEDC05-A747-38C1-8E67-0BC307864B1D> /usr/libexec/biometrickitd  
 0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
 <01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
 0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
 <3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
 libsystem\_kernel.dylib  
 0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
 (2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
 Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
 0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
 <6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
 Frameworks/Foundation.framework/Versions/C/Foundation  
 \*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
 <8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
 kernel

Process: bird [404]

UUID: EA0262A1-43CE-39C1-8BB5-A559EAE8A0DC  
Path: /System/Library/PrivateFrameworks/  
CloudDocsDaemon.framework/Versions/A/Support/bird  
Codesigning ID: com.apple.bird  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 4500 KB  
Time Since Fork: 748s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xabbb DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination clean,  
process unclamped, IO tier 0>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (bird + 12981) [0x10f2bd2b5] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

#### Binary Images:

0x10f2ba000 - 0x10f2c5fff bird (2461.80.8)  
<EA0262A1-43CE-39C1-8BB5-A559EAE8A0DC> /System/Library/  
PrivateFrameworks/CloudDocsDaemon.framework/Versions/A/Support/bird  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: BlueTool [322]  
UUID: 032759DB-2935-3A33-A1C0-F99D234F11A8  
Path: /usr/sbin/BlueTool  
Codesigning ID: com.apple.BlueTool  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 668 KB  
Time Since Fork: 755s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x80c DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (BlueTool + 171918) [0x104065f8e] 1-24  
24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]

1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x10403c000 - 0x104083fff BlueTool (173.2.3)  
<032759DB-2935-3A33-A1C0-F99D234F11A8> /usr/sbin/BlueTool  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: bluetoothd [148]  
UUID: 5FBF09E9-CB62-3039-956C-B0E2BE4F21BD  
Path: /usr/sbin/bluetoothd  
Codesigning ID: com.apple.bluetoothd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked  
Footprint: 3984 KB  
Time Since Fork: 767s  
Num samples: 24 (1-24)  
CPU Time: 0.013s (26.1M cycles, 12.2M instructions, 2.14c/i)  
Note: 5 idle work queue threads omitted

Thread 0x2fb DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 37 (base 37) cpu time <0.001s (209.0K cycles, 76.1K  
instructions, 2.75c/i)

<thread QoS user initiated (requested user initiated), process sudden

termination dirty, IO tier 0>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (bluetoothd + 199624) [0x10888ebc8] 1-24  
24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0x840 Thread name "StackLoop" 24 samples (1-24) priority 60  
(base 60) cpu time <0.001s (100.1K cycles, 17.2K instructions, 5.83c/i)  
<process sudden termination dirty, IO tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 ??? (bluetoothd + 689019) [0x10890637b] 1-24  
24 \_\_psynch\_cvwait + 10 (libsystem\_kernel.dylib + 17870)  
[0x7ff80be285ce] 1-24  
\*24 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777)  
[0xfffff800307e129] 1-24

Thread 0x858 Thread name "RxLoop" 24 samples (1-24) priority 63  
(base 63) cpu time <0.001s (1447.7K cycles, 383.5K instructions, 3.77c/i)  
<process sudden termination dirty, IO tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 \_\_select + 10 (libsystem\_kernel.dylib + 43294) [0x7ff80be2e91e] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Thread 0x886 Thread name "TxLoop" 24 samples (1-24) priority 63

(base 63)

```
<process sudden termination dirty, IO tier 0>
 24 thread_start + 15 (libsystem_pthread.dylib + 7083) [0x7ff80be60bab]
1-24
 24 _pthread_start + 99 (libsystem_pthread.dylib + 25090)
[0x7ff80be65202] 1-24
 24 ??? (bluetoothd + 1559651) [0x1089dac63] 1-24
 24 ??? (bluetoothd + 688004) [0x108905f84] 1-24
 24 __psynch_cvwait + 10 (libsystem_kernel.dylib + 17870)
[0x7ff80be285ce] 1-24
 *24 psynch_cvcontinue + 0 (com.apple.kec.pthread + 20777)
[0xfffff800307e129] 1-24
```

#### Binary Images:

```
0x10885e000 - 0x109195fff bluetoothd (173.2.3)
<5FBF09E9-CB62-3039-956C-B0E2BE4F21BD> /usr/sbin/bluetoothd
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld
0x7ff80be24000 - 0x7ff80be5eff7 libsystem_kernel.dylib (10002.81.5)
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/
libsystem_kernel.dylib
0x7ff80be5f000 - 0x7ff80be6afff libsystem_pthread.dylib (519)
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/
libsystem_pthread.dylib
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation
*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/
kernel
*0xfffff8003079000 - 0xfffff8003081fff com.apple.kec.pthread (519)
<07ED499F-25E6-3572-8464-FC4F7429D88C> com.apple.kec.pthread
```

```
Process:      bluetoothuserd [466]
UUID:        ED59CBA8-8E00-3B6E-92BA-53A7C70234F2
Path:        /usr/libexec/bluetoothuserd
Codesigning ID: com.apple.bluetoothuserd
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)
Architecture: x86_64
Parent:      launchd [1]
UID:         501
Sudden Term: Tracked (allows idle exit)
```

Footprint: 2080 KB  
Time Since Fork: 740s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xd51 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 20 (base 20)  
<thread QoS utility (requested utility), process sudden termination clean,  
timers tier 3 (coalesced), IO tier 1>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (bluetoothuserd + 255888) [0x10e66a790] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x10e62c000 - 0x10e6abfff bluetoothuserd (173.2.3)  
<ED59CBA8-8E00-3B6E-92BA-53A7C70234F2> /usr/libexec/  
bluetoothuserd  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)

<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: bootinstalld [342]  
UUID: 99779DC1-0610-35C5-9C31-DB8CB5FACF7A  
Path: /usr/libexec/bootinstalld  
Codesigning ID: com.apple.bootinstalld  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 900 KB  
Time Since Fork: 753s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x8f6 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (bootinstalld + 38521) [0x109f08679] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x109eff000 - 0x109f12fff bootinstalld (646)



<99779DC1-0610-35C5-9C31-DB8CB5FACF7A> /usr/libexec/bootinstalld  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: bosUpdateProxy [219]  
UUID: D29F09F4-B703-3500-B47E-6B4F2B42DA0C  
Path: /System/Library/PrivateFrameworks/  
BridgeOSSoftwareUpdate.framework/Support/bosUpdateProxy  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 200  
Sudden Term: Tracked (allows idle exit)  
Footprint: 820 KB  
Time Since Fork: 763s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x48e 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

Binary Images:  
0x105a50000 - ??? bosUpdateProxy  
<D29F09F4-B703-3500-B47E-6B4F2B42DA0C> /System/Library/

PrivateFrameworks/BridgeOSSoftwareUpdate.framework/Support/  
bosUpdateProxy

0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib

\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: BTLEServerAgent [495]  
UUID: E535E56A-C41F-3C21-87F7-A8380F786F76  
Path: /usr/sbin/BTLEServerAgent  
Codesigning ID: com.apple.BTLEServerAgent  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1000 KB  
Time Since Fork: 732s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xee3 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (BTLEServerAgent + 72357) [0x107b9eaa5] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 1-24

Binary Images:

0x107b8d000 - 0x107bfcfff BTLEServerAgent (331.4)  
<E535E56A-C41F-3C21-87F7-A8380F786F76> /usr/sbin/BTLEServerAgent  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: calaccessd [403]  
UUID: ACCA9CF9-4A52-3FC3-86D4-5CA63219F446  
Path: /System/Library/PrivateFrameworks/  
CalendarDaemon.framework/Support/calaccessd  
Codesigning ID: com.apple.calaccessd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 4788 KB  
Time Since Fork: 748s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xab8 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>  
 24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
 24 ??? (calaccessd + 12503) [0x10a1e50d7] 1-24  
 24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842) [0x7ff80bf3f082] 1-24  
 24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693) [0x7ff80bf3fba5] 1-24  
 24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24  
 24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 1-24  
 24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24  
 24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24  
 \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xfffff8000415fc0] 1-24

Binary Images:

0x10a1e2000 - 0x10a1edfff calaccessd (1163.2.1)  
 <ACCA9CF9-4A52-3FC3-86D4-5CA63219F446> /System/Library/PrivateFrameworks/CalendarDaemon.framework/Support/calaccessd  
 0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
 <01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
 0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
 <3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/libsystem\_kernel.dylib  
 0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9 (2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
 \*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
 <8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/kernel

Process: CalendarFocusConfigurationExtension  
 (CalendarFocusConfigurationExtension) [666] (suspended)  
 UUID: DE48773E-1F41-3FBC-A05A-0A445DCDDDB69  
 Path: /System/Applications/Calendar.app/Contents/Extensions/CalendarFocusConfigurationExtension.appex/Contents/MacOS/CalendarFocusConfigurationExtension  
 Identifier: com.apple.calendar.CalendarFocusConfigurationExtension  
 Version: 1.0 (1)

Build Version: 329  
Project Name: Calendar  
Source Version: 2964002002000000  
Is First Party: Yes  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: donotdisturbd [416]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1832 KB  
Time Since Fork: 650s  
Num samples: 24 (1-24)  
Note: Suspended for 24 samples  
Note: 1 idle work queue thread omitted

Thread 0x1a51 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (Foundation + 918756) [0x7ff80cf5e4e4] 1-24  
24 ??? (ExtensionFoundation + 166691) [0x7ffb102dbb23] 1-24  
24 ??? (ExtensionFoundation + 12061) [0x7ffb102b5f1d] 1-24  
24 ??? (ExtensionFoundation + 12467) [0x7ffb102b60b3] 1-24  
24 ??? (Foundation + 514495) [0x7ff80cefb9bf] 1-24  
24 xpc\_main + 56 (libxpc.dylib + 87766) [0x7ff80bb8a6d6] 1-24  
24 \_xpc\_main + 259 (libxpc.dylib + 137735) [0x7ff80bb96a07] 1-24  
24 \_xpc\_objc\_main + 606 (libxpc.dylib + 88755) [0x7ff80bb8aab3]  
1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation  
+ 508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib +  
35682) [0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib +

6702) [0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xfffff8000415fc0] (suspended) 1-24

Thread 0x1a5c 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>

24 start\_wqthread + 0 (libsystem\_pthread.dylib + 7048) [0x7ff80be60b88] 1-24

\*24 ??? (kernel + 1763936) [0xfffff800048ea60] (suspended) 1-24

Binary Images:

0x10ad88000 - ???

com.apple.calendar.CalendarFocusConfigurationExtension 1.0 (1)  
<DE48773E-1F41-3FBC-A05A-0A445DCDDB69> /System/Applications/Calendar.app/Contents/Extensions/CalendarFocusConfigurationExtension.appex/Contents/MacOS/CalendarFocusConfigurationExtension

0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80bb75000 - 0x7ff80bbb8ff2 libxpc.dylib (2679.80.5.0.1)  
<902EB51F-373F-3AA3-B084-228AC4C1B80B> /usr/lib/system/libxpc.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/libsystem\_kernel.dylib

0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/libsystem\_pthread.dylib

0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9 (2303)  
<D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation

0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/Frameworks/Foundation.framework/Versions/C/Foundation

0x7ffb102b3000 - 0x7ffb1033fffb com.apple.ExtensionFoundation 97 (97)  
<266249BC-CB4B-3B4B-82A2-80CA827479FC> /System/Library/Frameworks/ExtensionFoundation.framework/Versions/A/ExtensionFoundation

\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/kernel

Process: CalendarWidgetExtension [451] (suspended)  
UUID: 69CA68C8-AE5A-363A-AD0B-95376B4B8FBD  
Path: /System/Applications/Calendar.app/Contents/PlugIns/  
CalendarWidgetExtension.appex/Contents/MacOS/CalendarWidgetExtension  
Identifier: com.apple.iCal.CalendarWidgetExtension  
Version: 1.0 (1)  
Build Version: 329  
Project Name: Calendar  
Source Version: 2964002002000000  
Is First Party: Yes  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: chronod [434]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 6084 KB  
Time Since Fork: 743s  
Num samples: 24 (1-24)  
Note: Suspended for 24 samples  
Note: 1 idle work queue thread omitted

Thread 0xc95 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (Foundation + 918756) [0x7ff80cf5e4e4] 1-24  
24 ??? (ExtensionFoundation + 166691) [0x7ffb102dbb23] 1-24  
24 ??? (ExtensionFoundation + 12061) [0x7ffb102b5f1d] 1-24  
24 ??? (ExtensionFoundation + 12467) [0x7ffb102b60b3] 1-24  
24 ??? (Foundation + 514495) [0x7ff80cefb9bf] 1-24  
24 xpc\_main + 56 (libxpc.dylib + 87766) [0x7ff80bb8a6d6] 1-24  
24 \_xpc\_main + 259 (libxpc.dylib + 137735) [0x7ff80bb96a07] 1-24  
24 \_xpc\_objc\_main + 606 (libxpc.dylib + 88755) [0x7ff80bb8aab3]  
1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation

+ 508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib +  
35682) [0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib +  
6702) [0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel +  
1269696) [0xffffffff8000415fc0] (suspended) 1-24

Thread 0xcb9 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested user initiated), process sudden  
termination clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start\_wqthread + 0 (libsystem\_pthread.dylib + 7048) [0x7ff80be60b88]  
1-24  
\*24 ??? (kernel + 1763936) [0xffffffff800048ea60] (suspended) 1-24

Thread 0xcd5 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start\_wqthread + 0 (libsystem\_pthread.dylib + 7048) [0x7ff80be60b88]  
1-24  
\*24 ??? (kernel + 1763936) [0xffffffff800048ea60] (suspended) 1-24

#### Binary Images:

0x101ac5000 - ???  
com.apple.iCal.CalendarWidgetExtension 1.0 (1) <69CA68C8-AE5A-363A-  
AD0B-95376B4B8FBD> /System/Applications/Calendar.app/Contents/  
PlugIns/CalendarWidgetExtension.appex/Contents/MacOS/  
CalendarWidgetExtension  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80bb75000 - 0x7ff80bbb8ff2 libxpc.dylib (2679.80.5.0.1)  
<902EB51F-373F-3AA3-B084-228AC4C1B80B> /usr/lib/system/libxpc.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/  
Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)



<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
0x7ffb102b3000 - 0x7ffb1033ffff com.apple.ExtensionFoundation 97  
(97) <266249BC-CB4B-3B4B-82A2-80CA827479FC> /System/Library/  
Frameworks/ExtensionFoundation.framework/Versions/A/  
ExtensionFoundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: CallHistoryPluginHelper [462]  
UUID: 551B6767-60DE-3E12-AA66-48264455B410  
Path: /System/Library/PrivateFrameworks/CallHistory.framework/  
Support/CallHistoryPluginHelper  
Codesigning ID: com.apple.CallHistoryPluginHelper  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 2960 KB  
Time Since Fork: 741s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xd16 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (CallHistoryPluginHelper + 13571) [0x105008503] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)

[0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)

[0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)

[0xfffff8000415fc0] 1-24

Binary Images:

0x105005000 - 0x105010fff CallHistoryPluginHelper  
(1222.300.51) <551B6767-60DE-3E12-AA66-48264455B410> /System/  
Library/PrivateFrameworks/CallHistory.framework/Support/  
CallHistoryPluginHelper

0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib

0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation

0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation

\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: callservicesd [397]

UUID: A19723A6-FB04-3976-9681-C0F2E7230270

Path: /System/Library/PrivateFrameworks/  
TelephonyUtilities.framework/callservicesd

Codesigning ID: com.apple.TelephonyUtilities

Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64

Parent: launchd [1]

UID: 501

Sudden Term: Tracked (allows idle exit)

Footprint: 6540 KB

Time Since Fork: 748s

Num samples: 24 (1-24)

CPU Time: <0.001s (119.6K cycles, 48.0K instructions, 2.49c/i)

Note: 2 idle work queue threads omitted

Thread 0xa9e DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (callservicesd + 2332635) [0x1024ed7db] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0xd81 Thread name "caulk.messenger.shared:17" 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested utility), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 void\* caulk::thread\_proxy<std::\_\_1::tuple<caulk::thread::attributes,  
void (caulk::concurrent::details::worker\_thread::\*)(),  
std::\_\_1::tuple<caulk::concurrent::details::worker\_thread\*>>>(void\*) + 41  
(caulk + 6332) [0x7ff81654d8bc] 1-24  
24 caulk::concurrent::details::worker\_thread::run() + 30 (caulk + 7064)  
[0x7ff81654db98] 1-24  
24 semaphore\_wait\_trap + 10 (libsystem\_kernel.dylib + 6570)  
[0x7ff80be259aa] 1-24  
\*24 ??? (kernel + 1663616) [0xfffff8000476280] 1-24

Thread 0xd82 Thread name "caulk.messenger.shared:high" 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background, process sudden termination clean, thread

```
darwinbg, process darwinbg, IO tier 2>
  24 thread_start + 15 (libsystem_pthread.dylib + 7083) [0x7ff80be60bab]
1-24
  24 _pthread_start + 99 (libsystem_pthread.dylib + 25090)
[0x7ff80be65202] 1-24
  24 void* caulk::thread_proxy<std::__1::tuple<caulk::thread::attributes,
void (caulk::concurrent::details::worker_thread::*)(),
std::__1::tuple<caulk::concurrent::details::worker_thread*>>>(void*) + 41
(caulk + 6332) [0x7ff81654d8bc] 1-24
  24 caulk::concurrent::details::worker_thread::run() + 30 (caulk + 7064)
[0x7ff81654db98] 1-24
  24 semaphore_wait_trap + 10 (libsystem_kernel.dylib + 6570)
[0x7ff80be259aa] 1-24
  *24 ??? (kernel + 1663616) [0xffffffff8000476280] 1-24
```

Binary Images:

```
  0x1022b4000 - 0x10279bfff callservicesd (1431.400.41)
<A19723A6-FB04-3976-9681-C0F2E7230270> /System/Library/
PrivateFrameworks/TelephonyUtilities.framework/callservicesd
  0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld
  0x7ff80be24000 - 0x7ff80be5eff7 libsystem_kernel.dylib (10002.81.5)
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/
libsystem_kernel.dylib
  0x7ff80be5f000 - 0x7ff80be6afff libsystem_pthread.dylib (519)
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/
libsystem_pthread.dylib
  0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation
  0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/
Frameworks/Foundation.framework/Versions/C/Foundation
  0x7ff81654c000 - 0x7ff816571ff3 com.apple.audio.caulk 1.0 (149.1.3)
<C24466B5-64EA-376F-BDA3-3CA1AD870FC4> /System/Library/
PrivateFrameworks/caulk.framework/Versions/A/caulk
  *0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/
kernel
```

```
Process:    captiveagent [334]
UUID:      6357D0FD-3E43-3644-ABC2-0CFE6D2809E2
Path:      /usr/libexec/captiveagent
```

Codesigning ID: com.apple.captiveagent  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 258  
Sudden Term: Tracked (allows idle exit)  
Footprint: 920 KB  
Time Since Fork: 754s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x891 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (captiveagent + 12456) [0x101c400a8] 1-24  
24 CFRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0x8c0 Thread name "com.apple.NSURLConnectionLoader" 24  
samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 ??? (Foundation + 349980) [0x7ff80ced371c] 1-24

24 ??? (CFNetwork + 2391509) [0x7ff81129fdd5] 1-24  
 24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
 [0x7ff80bf3f082] 1-24  
 24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
 [0x7ff80bf3fba5] 1-24  
 24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
 508213) [0x7ff80bf41135] 1-24  
 24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
 [0x7ff80be25d1f] 1-24  
 24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
 [0x7ff80be2cb62] 1-24  
 24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
 [0x7ff80be25a2e] 1-24  
 \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
 [0xfffff8000415fc0] 1-24

Thread 0x929 Thread name "com.apple.CFSocket.private" 24 samples  
 (1-24) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination  
 clean, thread darwinbg, process darwinbg, IO tier 2>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
 1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
 [0x7ff80be65202] 1-24

24 \_\_select + 10 (libsystem\_kernel.dylib + 43294) [0x7ff80be2e91e] 1-24

\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

#### Binary Images:

0x101c3d000 - 0x101c54fff captiveagent (461.80.3)  
 <6357D0FD-3E43-3644-ABC2-0CFE6D2809E2> /usr/libexec/captiveagent  
 0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
 <01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
 0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
 <3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
 libsystem\_kernel.dylib  
 0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
 <0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
 libsystem\_pthread.dylib  
 0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
 (2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
 Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
 0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
 <6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
 Frameworks/Foundation.framework/Versions/C/Foundation

0x7ff811058000 - 0x7ff811406ff1 com.apple.CFNetwork 1.0  
(1492.0.1) <2847065D-8C66-3A44-B26C-B2A51A2897FB> /System/Library/  
Frameworks/CFNetwork.framework/Versions/A/CFNetwork  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: CarbonComponentScannerXPC [441]  
UUID: 016D1FE3-E184-3286-8B68-0D9EE71BB241  
Path: /System/Library/Frameworks/AudioToolbox.framework/  
XPCServices/CarbonComponentScannerXPC.xpc/Contents/MacOS/  
CarbonComponentScannerXPC  
Identifier: com.apple.audio.CarbonComponentScanner.x86-64  
Version: 1.0 (1)  
Build Version: 5  
Project Name: CoreAudioServices\_CarbonComponentScannerXPC  
Source Version: 1387004002000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: AudioComponentRegistrar [436]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1052 KB  
Time Since Fork: 744s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xc76 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

Binary Images:  
0x10bcb9000 - ???  
com.apple.audio.CarbonComponentScanner.x86-64 1.0 (1) <016D1FE3-  
E184-3286-8B68-0D9EE71BB241> /System/Library/Frameworks/  
AudioToolbox.framework/XPCServices/CarbonComponentScannerXPC.xpc/

Contents/MacOS/CarbonComponentScannerXPC

0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: cdpd [458]  
UUID: 2A8179A4-CC27-3F02-B7C2-964A2203A1F7  
Path: /System/Library/PrivateFrameworks/CoreCDP.framework/  
Versions/A/Resources/cdpd  
Codesigning ID: com.apple.cdpd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1660 KB  
Time Since Fork: 741s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xcdb DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (cdpd + 14452) [0x10498c874] 1-24  
24 CFRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24



24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x104989000 - 0x104994fff cdpd (359.4.6)  
<2A8179A4-CC27-3F02-B7C2-964A2203A1F7> /System/Library/  
PrivateFrameworks/CoreCDP.framework/Versions/A/Resources/cdpd  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: cfprefsd [155]  
UUID: 70E7ACBD-4721-3CD7-8A4F-59EE26072F86  
Path: /usr/sbin/cfprefsd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64h  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked  
Footprint: 828 KB  
Time Since Fork: 766s  
Num samples: 24 (1-24)  
CPU Time: <0.001s (222.0K cycles, 80.6K instructions, 2.75c/i)  
Note: 2 idle work queue threads omitted

Thread 0x3cb 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
dirty, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24

24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

Binary Images:

0x1090bc000 - ??? cfprefsd  
<70E7ACBD-4721-3CD7-8A4F-59EE26072F86> /usr/sbin/cfprefsd  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: cfprefsd [330]  
UUID: 70E7ACBD-4721-3CD7-8A4F-59EE26072F86  
Path: /usr/sbin/cfprefsd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64h  
Parent: launchd [1]  
UID: 205  
Sudden Term: Tracked (allows idle exit)  
Footprint: 636 KB  
Time Since Fork: 754s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x87f 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

Binary Images:

0x1081e8000 - ??? cfprefsd  
<70E7ACBD-4721-3CD7-8A4F-59EE26072F86> /usr/sbin/cfprefsd

0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: cfprefsd [356]  
UUID: 70E7ACBD-4721-3CD7-8A4F-59EE26072F86  
Path: /usr/sbin/cfprefsd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64h  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 828 KB  
Time Since Fork: 751s  
Num samples: 24 (1-24)  
CPU Time: 0.005s (7.2M cycles, 6.7M instructions, 1.07c/i)  
Note: 3 idle work queue threads omitted

Thread 0x97f 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
dirty, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*11 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-11  
<process sudden termination clean>  
\*9 ??? (kernel + 6623952) [0xffffffff80009312d0] 12-20  
<process sudden termination dirty>  
\*4 ??? (kernel + 6623952) [0xffffffff80009312d0] 21-24

#### Binary Images:

0x107e83000 - ??? cfprefsd  
<70E7ACBD-4721-3CD7-8A4F-59EE26072F86> /usr/sbin/cfprefsd  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/

libdispatch.dylib

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/

libsystem\_kernel.dylib

\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: chronod [434]

UUID: 253F0018-7A52-3CF7-89D6-E7A00F3095AF

Path: /System/Library/PrivateFrameworks/ChronoCore.framework/  
Support/chronod

Codesigning ID: com.apple.chronod

Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64

Parent: launchd [1]

UID: 501

Sudden Term: Tracked (allows idle exit)

Footprint: 17.78 MB

Time Since Fork: 745s

Num samples: 24 (1-24)

Note: 1 idle work queue thread omitted

Thread 0xbe4 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 47 (base 47)

<process sudden termination clean, IO tier 0>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24

24 ??? (chronod + 13589) [0x105139515] 1-24

24 ??? (ChronoCore + 1406749) [0x7ffb1885871d] 1-24

24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24

24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)

[0xfffff8000415fc0] 1-24

Binary Images:

0x105136000 - 0x10513dfff chronod (402.25)  
<253F0018-7A52-3CF7-89D6-E7A00F3095AF> /System/Library/  
PrivateFrameworks/ChronoCore.framework/Support/chronod  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ffb18701000 - 0x7ffb188c4ff5 com.apple.chronocore 1.0 (1)  
<052E6CB6-130C-360C-85EC-5AFE256539CA> /System/Library/  
PrivateFrameworks/ChronoCore.framework/Versions/A/ChronoCore  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: cloudd [405]  
UUID: F43294A8-9EE1-3C07-BCF0-C17BC58BEDD1  
Path: /System/Library/PrivateFrameworks/  
CloudKitDaemon.framework/Support/cloudd  
Codesigning ID: com.apple.cloud  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 6244 KB  
Time Since Fork: 748s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xabc DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (cloudd + 47828) [0x10e2e7ad4] 1-24

24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0x10fc Thread name "com.apple.CFStream.LegacyThread" 24  
samples (1-24) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 \_legacyStreamRunLoop\_workThread + 253 (CoreFoundation +  
979266) [0x7ff80bfb4142] 1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0x10ff Thread name "com.apple.NSURLConnectionLoader" 24  
samples (1-24) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab] 1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090) [0x7ff80be65202] 1-24

24 ??? (Foundation + 349980) [0x7ff80ced371c] 1-24

24 ??? (CFNetwork + 2391509) [0x7ff81129fdd5] 1-24

24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842) [0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693) [0x7ff80bf3fba5] 1-24

24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xfffff8000415fc0] 1-24

#### Binary Images:

0x10e2dc000 - 0x10e2f3fff cloudd (2130.14.1)  
<F43294A8-9EE1-3C07-BCF0-C17BC58BEDD1> /System/Library/PrivateFrameworks/CloudKitDaemon.framework/Support/cloudd

0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/libsystem\_kernel.dylib

0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/libsystem\_pthread.dylib

0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9 (2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation

0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303) <6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/Frameworks/Foundation.framework/Versions/C/Foundation

0x7ff811058000 - 0x7ff811406ff1 com.apple.CFNetwork 1.0 (1492.0.1) <2847065D-8C66-3A44-B26C-B2A51A2897FB> /System/Library/Frameworks/CFNetwork.framework/Versions/A/CFNetwork

\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: cloudd [557]  
UUID: F43294A8-9EE1-3C07-BCF0-C17BC58BEDD1  
Path: /System/Library/PrivateFrameworks/  
CloudKitDaemon.framework/Support/cloudd  
Codesigning ID: com.apple.cloudd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1508 KB  
Time Since Fork: 713s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x12ec DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (cloudd + 47828) [0x102605ad4] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 1-24



Binary Images:

0x1025fa000 - 0x102611fff cloudd (2130.14.1)  
<F43294A8-9EE1-3C07-BCF0-C17BC58BEDD1> /System/Library/  
PrivateFrameworks/CloudKitDaemon.framework/Support/cloudd  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: CloudKeychainProxy [519]  
UUID: 5B6CB503-202C-3215-B957-198E4B662DE8  
Path: /System/Library/Frameworks/Security.framework/Versions/A/  
Resources/CloudKeychainProxy.bundle/Contents/MacOS/  
CloudKeychainProxy  
Identifier: com.apple.security.cloudkeychainproxy3  
Version: 10.0 (61040.81.1)  
Build Version: 1  
Project Name: Security\_executables  
Source Version: 61040081001000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1532 KB  
Time Since Fork: 728s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xff8 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 0 (base 4)  
<thread QoS background (requested default), process sudden termination

```

clean, thread darwinbg, process darwinbg, IO tier 2>
  24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24
  24 ??? (CloudKeychainProxy + 43147) [0x10068688b] 1-24
  24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24
  24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24
  24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)
[0x7ff80bf3f082] 1-24
  24 __CFRunLoopRun + 1371 (CoreFoundation + 502693)
[0x7ff80bf3fba5] 1-24
  24 __CFRunLoopServiceMachPort + 143 (CoreFoundation +
508213) [0x7ff80bf41135] 1-24
  24 mach_msg + 19 (libsystem_kernel.dylib + 7455)
[0x7ff80be25d1f] 1-24
  24 mach_msg_overwrite + 653 (libsystem_kernel.dylib + 35682)
[0x7ff80be2cb62] 1-24
  24 mach_msg2_trap + 10 (libsystem_kernel.dylib + 6702)
[0x7ff80be25a2e] 1-24
  *24 ipc_mqueue_receive_continue + 0 (kernel + 1269696)
[0xffffffff8000415fc0] 1-24

```

Binary Images:

```

  0x10067c000 - 0x100697fff
com.apple.security.cloudkeychainproxy3 10.0 (61040.81.1)
<5B6CB503-202C-3215-B957-198E4B662DE8> /System/Library/
Frameworks/Security.framework/Versions/A/Resources/
CloudKeychainProxy.bundle/Contents/MacOS/CloudKeychainProxy
  0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld
  0x7ff80be24000 - 0x7ff80be5eff7 libsystem_kernel.dylib (10002.81.5)
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/
libsystem_kernel.dylib
  0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /
System/Library/Frameworks/CoreFoundation.framework/Versions/A/
CoreFoundation
  0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/
Frameworks/Foundation.framework/Versions/C/Foundation
  *0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/
kernel

```

Process: cloudphotod [624]

UUID: 50AA590A-9F96-39C9-BBC1-D453A44BD7C9  
Path: /System/Library/PrivateFrameworks/  
CloudPhotoLibrary.framework/Versions/A/Support/cloudphotod  
Codesigning ID: com.apple.cloudphotod  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 3060 KB  
Time Since Fork: 678s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x1760 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (cloudphotod + 44090) [0x10b1cdc3a] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

#### Binary Images:

0x10b1c3000 - 0x10b476fff cloudphotod (630.0.150)  
<50AA590A-9F96-39C9-BBC1-D453A44BD7C9> /System/Library/  
PrivateFrameworks/CloudPhotoLibrary.framework/Versions/A/Support/  
cloudphotod  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)

<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: CMFSyncAgent [484]  
UUID: 36EDF329-5FE6-3F27-9082-7F3BAB687B96  
Path: /System/Library/PrivateFrameworks/  
CommunicationsFilter.framework/CMFSyncAgent  
Codesigning ID: com.apple.cmfsyncagent  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1132 KB  
Time Since Fork: 736s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xe25 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (CMFSyncAgent + 16904) [0x108512208] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +

508213) [0x7ff80bf41135] 1-24  
    24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
    24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
    24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
    \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 1-24

Binary Images:

    0x10850e000 - 0x10851dfff CMFSyncAgent (133.300.51)  
<36EDF329-5FE6-3F27-9082-7F3BAB687B96> /System/Library/  
PrivateFrameworks/CommunicationsFilter.framework/CMFSyncAgent  
    0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
    0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
    0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
    0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
    \*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: colorsync.displayservices [337]  
UUID: 7F6B7203-2EAE-37CA-818D-827A661CA90D  
Path: /usr/libexec/colorsync.displayservices  
Codesigning ID: com.apple.colorsync  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 856 KB  
Time Since Fork: 753s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x8a9 DispatchQueue "com.apple.main-thread"(1) 24 samples  
 (1-24) priority 4 (base 4)  
 <thread QoS background (requested default), process sudden termination  
 clean, thread darwinbg, process darwinbg, IO tier 2>  
 24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
 24 ??? (colorsync.displayservices + 26774) [0x106f98896] 1-24  
 24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
 1-24  
 24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
 [0x7ff80bf3f082] 1-24  
 24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
 [0x7ff80bf3fba5] 1-24  
 24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
 [0x7ff80bf41135] 1-24  
 24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
 1-24  
 24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
 [0x7ff80be2cb62] 1-24  
 24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
 [0x7ff80be25a2e] 1-24  
 \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
 [0xfffff8000415fc0] 1-24

Binary Images:

0x106f92000 - 0x106fa1fff colorsync.displayservices (3735)  
 <7F6B7203-2EAE-37CA-818D-827A661CA90D> /usr/libexec/  
 colorsync.displayservices  
 0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
 <01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
 0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
 <3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
 libsystem\_kernel.dylib  
 0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
 (2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
 Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
 \*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
 <8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
 kernel

Process: colorsyncd [339]  
 UUID: 9A26DE58-7382-3D48-8C88-3D248D5BF44B  
 Path: /usr/libexec/colorsyncd

Codesigning ID: com.apple.colorsyncd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 704 KB  
Time Since Fork: 753s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x8bc DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 0 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (colorsyncd + 11598) [0x100debd4e] 1-24  
24 CFRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x100de9000 - 0x100df4fff colorsyncd (3735)  
<9A26DE58-7382-3D48-8C88-3D248D5BF44B> /usr/libexec/colorsycnd  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9

(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: com.apple.accessibility.mediaaccessibilityd  
(com.apple.accessibility.mediaaccessibilityd) [612]  
UUID: 6D3179D0-F7AB-3629-9865-94DBA3918A29  
Path: /System/Library/Frameworks/MediaAccessibility.framework/  
Versions/A/XPCServices/com.apple.accessibility.mediaaccessibilityd.xpc/  
Contents/MacOS/com.apple.accessibility.mediaaccessibilityd  
Identifier: com.apple.accessibility.mediaaccessibilityd  
Version: 1.0 (1)  
Build Version: 386  
Project Name: MediaAccessibility  
Source Version: 186001000000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 624 KB  
Time Since Fork: 689s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x160b 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

Binary Images:

0x105e99000 - ???  
com.apple.accessibility.mediaaccessibilityd 1.0 (1) <6D3179D0-  
F7AB-3629-9865-94DBA3918A29> /System/Library/Frameworks/  
MediaAccessibility.framework/Versions/A/XPCServices/  
com.apple.accessibility.mediaaccessibilityd.xpc/Contents/MacOS/



com.apple.accessibility.mediaaccessibilityd  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: com.apple.AccountPolicyHelper [344]  
UUID: 1445DD6E-1C5E-3282-A747-804E60826847  
Path: /System/Library/PrivateFrameworks/AccountPolicy.framework/  
XPCServices/com.apple.AccountPolicyHelper.xpc/Contents/MacOS/  
com.apple.AccountPolicyHelper  
Identifier: com.apple.AccountPolicyHelper  
Version: 1.0 (1)  
Build Version: 1647  
Project Name: AccountPolicy  
Source Version: 59120001000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 756 KB  
Time Since Fork: 752s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x912 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

Binary Images:

0x107eac000 - ??? com.apple.AccountPolicyHelper 1.0 (1)

<1445DD6E-1C5E-3282-A747-804E60826847> /System/Library/  
PrivateFrameworks/AccountPolicy.framework/XPCServices/  
com.apple.AccountPolicyHelper.xpc/Contents/MacOS/  
com.apple.AccountPolicyHelper  
    0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
    0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
    \*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process:    com.apple.AmbientDisplayAgent [424]  
UUID:      EB1068B9-B34B-3139-BC40-F93B4472F547  
Path:      /System/Library/PrivateFrameworks/AmbientDisplay.framework/  
Versions/A/XPCServices/com.apple.AmbientDisplayAgent.xpc/Contents/  
MacOS/com.apple.AmbientDisplayAgent  
Identifier:  com.apple.AmbientDisplayAgent  
Version:    1.0 (110)  
Build Version:  653  
Project Name:  AmbientDisplay  
Source Version:  1420000000000000  
Shared Cache:  812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture:  x86\_64  
Parent:      launchd [1]  
UID:          0  
Sudden Term:  Tracked (allows idle exit)  
Footprint:    1104 KB  
Time Since Fork:  745s  
Num samples:  24 (1-24)  
Note:        1 idle work queue thread omitted

Thread 0xbbe  DispatchQueue "com.apple.main-thread"(1)  24 samples  
(1-24)  priority 31 (base 31)  
  <thread QoS default (requested default), process sudden termination dirty,  
  process unclamped, IO tier 0>  
    24  start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
    24  main + 353 (com.apple.AmbientDisplayAgent + 13495) [0x10fd154b7]  
    1-24  
      24  xpc\_main + 56 (libxpc.dylib + 87766) [0x7ff80bb8a6d6] 1-24

24 \_xpc\_main + 259 (libxpc.dylib + 137735) [0x7ff80bb96a07] 1-24  
24 \_xpc\_objc\_main + 606 (libxpc.dylib + 88755) [0x7ff80bb8aab3]  
1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib +  
35682) [0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0xc67 24 samples (1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination dirty,  
process unclamped, IO tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 ??? (com.apple.AmbientDisplayAgent + 14874) [0x10fd15a1a] 1-24  
24 CFRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x10fd12000 - 0x10fd21fff com.apple.AmbientDisplayAgent 1.0  
(110) <EB1068B9-B34B-3139-BC40-F93B4472F547> /System/Library/  
PrivateFrameworks/AmbientDisplay.framework/Versions/A/XPCServices/  
com.apple.AmbientDisplayAgent.xpc/Contents/MacOS/  
com.apple.AmbientDisplayAgent  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80bb75000 - 0x7ff80bbb8ff2 libxpc.dylib (2679.80.5.0.1)  
<902EB51F-373F-3AA3-B084-228AC4C1B80B> /usr/lib/system/libxpc.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: com.apple.AppleUserHIDDrivers [314]  
UUID: 423B423D-687F-37F5-BA5E-DE25B58F1347  
Path: /System/Library/DriverExtensions/  
com.apple.AppleUserHIDDrivers.dext/com.apple.AppleUserHIDDrivers  
Identifier: com.apple.AppleUserHIDDrivers  
Version: 1.0 (1)  
Shared Cache: BCEA684D-09B6-39FB-B838-6E592B2422C5 slid base  
address 0x7ff834321000, slide 0x34321000 (DriverKit)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 270  
Footprint: 616 KB  
Time Since Fork: 756s  
Num samples: 24 (1-24)  
CPU Time: 0.031s (51.0M cycles, 11.8M instructions, 4.33c/i)  
Note: 2 idle work queue threads omitted

Thread 0x7c1 24 samples (1-24) priority 31 (base 31)  
<thread QoS default (requested default), IO tier 0>  
24 ??? (libdispatch.dylib + 108004) [0x7ff8349305e4] 1-24  
24 ??? (libsystem\_kernel.dylib + 35838) [0x7ff834a12bfe] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Thread 0x36a9 1 sample (1) priority 37 (base 37) cpu time <0.001s  
(256.6K cycles, 63.6K instructions, 4.03c/i)  
<thread QoS user initiated (requested user initiated), IO tier 0>  
1 ??? (libsystem\_pthread.dylib + 60887) [0x7ff834b24dd7] 1  
1 ??? (libsystem\_kernel.dylib + 36478) [0x7ff834a12e7e] 1  
\*1 hndl\_unix\_scall64 + 22 (kernel + 998838) [0xfffff80003d3db6] 1  
\*1 unix\_syscall64 + 477 (kernel + 7810589) [0xfffff8000a52e1d] 1  
\*1 workq\_kernreturn + 1143 (kernel + 6226103) [0xfffff80008d00b7] 1  
\*1 ??? (kernel + 6207249) [0xfffff80008cb711] 1  
\*1 ??? (kernel + 6211822) [0xfffff80008cc8ee] 1  
\*1 lck\_ticket\_unlock + 140 (kernel + 1500220) [0xfffff800044e43c] 1  
\*1 ??? (kernel + 997745) [0xfffff80003d3971] 1  
\*1 kernel\_trap + 1516 (kernel + 2772380) [0xfffff8000584d9c] 1  
\*1 ??? (kernel + 1362159) [0xfffff800042c8ef] 1  
\*1 thread\_block\_reason + 240 (kernel + 1581040)  
[0xfffff8000461ff0] 1  
\*1 ??? (kernel + 1588870) [0xfffff8000463e86] 1  
\*1 machine\_switch\_context + 215 (kernel + 2749095)  
[0xfffff800057f2a7] (runnable) 1

Thread 0x3eb6 1 sample (1) priority 37 (base 37) cpu time <0.001s  
(2.2M cycles, 428.2K instructions, 5.25c/i)  
<thread QoS user initiated (requested user initiated), IO tier 0>  
1 ??? (libsystem\_pthread.dylib + 60887) [0x7ff834b24dd7] 1  
1 ??? (libsystem\_kernel.dylib + 36478) [0x7ff834a12e7e] 1  
\*1 ??? (kernel + 6205392) [0xfffff80008cafd0] (runnable) 1

#### Binary Images:

0x1064c1000 - ??? com.apple.AppleUserHIDDrivers 1.0 (1)  
<423B423D-687F-37F5-BA5E-DE25B58F1347> /System/Library/  
DriverExtensions/com.apple.AppleUserHIDDrivers.dext/  
com.apple.AppleUserHIDDrivers  
0x7ff834916000 - 0x7ff834965fff libdispatch.dylib (1462.80.1)  
<20A1245E-7ADF-3D21-8FCE-87227E4CA5B3> /System/DriverKit/usr/lib/  
system/libdispatch.dylib  
0x7ff834a0a000 - 0x7ff834a4dfff libsystem\_kernel.dylib (10002.81.5)  
<073BEBCA-97A9-302C-B316-E21FE7F85FDE> /System/DriverKit/usr/lib/

system/libsystem\_kernel.dylib  
0x7ff834b16000 - 0x7ff834b29ff7 libsystem\_pthread.dylib (519)  
<95E684FD-CDF8-31DE-91B6-216626FAD44C> /System/DriverKit/usr/lib/  
system/libsystem\_pthread.dylib  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: com.apple.AppStoreDaemon.StorePrivilegedTaskService  
(com.apple.AppStoreDaemon.StorePrivilegedTaskService) [561]  
UUID: D085C589-B0F5-3B78-808E-BFCA6379D5C3  
Path: /System/Library/PrivateFrameworks/  
AppStoreDaemon.framework/Versions/A/XPCServices/  
com.apple.AppStoreDaemon.StorePrivilegedTaskService.xpc/Contents/  
MacOS/com.apple.AppStoreDaemon.StorePrivilegedTaskService  
Identifier: com.apple.AppStoreDaemon.StorePrivilegedTaskService  
Version: 1.0 (1)  
Build Version: 20  
Project Name: AppStoreDaemon  
Source Version: 10003004000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 836 KB  
Time Since Fork: 712s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x1332 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

Binary Images:  
0x1006a2000 - ???  
com.apple.AppStoreDaemon.StorePrivilegedTaskService 1.0 (1) <D085C589-

B0F5-3B78-808E-BFCA6379D5C3> /System/Library/PrivateFrameworks/  
AppStoreDaemon.framework/Versions/A/XPCServices/  
com.apple.AppStoreDaemon.StorePrivilegedTaskService.xpc/Contents/  
MacOS/com.apple.AppStoreDaemon.StorePrivilegedTaskService  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: com.apple.audio.ComponentTagHelper  
(com.apple.audio.ComponentTagHelper) [650]  
UUID: DB21FB20-499D-381A-A656-838828252E8C  
Path: /System/Library/Frameworks/AudioToolbox.framework/  
XPCServices/com.apple.audio.ComponentTagHelper.xpc/Contents/MacOS/  
com.apple.audio.ComponentTagHelper  
Identifier: com.apple.audio.ComponentTagHelper  
Version: 1.0 (1)  
Build Version: 21  
Project Name: CoreAudioServices\_executables  
Source Version: 1387004002000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: axassetsd [573]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 648 KB  
Time Since Fork: 663s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x1990 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)

[0x7ff80be2b836] 1-24

\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x10b0d9000 - ??? com.apple.audio.ComponentTagHelper  
1.0 (1) <DB21FB20-499D-381A-A656-838828252E8C> /System/Library/  
Frameworks/AudioToolbox.framework/XPCServices/  
com.apple.audio.ComponentTagHelper.xpc/Contents/MacOS/  
com.apple.audio.ComponentTagHelper

0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib

\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: com.apple.audio.DriverHelper [230]  
UUID: B5D0E5FB-EB5A-3654-9967-F7571DDC544B  
Path: /System/Library/Frameworks/CoreAudio.framework/Versions/A/  
XPCServices/com.apple.audio.DriverHelper.xpc/Contents/MacOS/  
com.apple.audio.DriverHelper  
Identifier: com.apple.audio.DriverHelper  
Version: 1.0 (1)  
Build Version: 3  
Project Name: AudioHAL  
Source Version: 290153004010001  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: coreaudiod [221]  
UID: 202  
Sudden Term: Tracked (allows idle exit)  
Footprint: 612 KB  
Time Since Fork: 763s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x4e3 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination



clean, thread darwinbg, process darwinbg, IO tier 2>

24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24

24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24

\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x10aa96000 - ??? com.apple.audio.DriverHelper 1.0 (1)  
<B5D0E5FB-EB5A-3654-9967-F7571DDC544B> /System/Library/  
Frameworks/CoreAudio.framework/Versions/A/XPCServices/  
com.apple.audio.DriverHelper.xpc/Contents/MacOS/  
com.apple.audio.DriverHelper

0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib

\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: com.apple.audio.SandboxHelper [240]  
UUID: E901A293-D6AB-3E99-8C8D-C2ABC358DD8C  
Path: /System/Library/Frameworks/AudioToolbox.framework/  
XPCServices/com.apple.audio.SandboxHelper.xpc/Contents/MacOS/  
com.apple.audio.SandboxHelper  
Identifier: com.apple.audio.SandboxHelper  
Version: 1.0.1 (1)  
Build Version: 21  
Project Name: CoreAudioServices\_executables  
Source Version: 1387004002000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: coreaudiod [221]  
UID: 202  
Sudden Term: Tracked (allows idle exit)  
Footprint: 3384 KB  
Time Since Fork: 762s  
Num samples: 24 (1-24)

Note: 1 idle work queue thread omitted

Thread 0x667 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 <patched truncated backtrace> 1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x10cacf000 - ??? com.apple.audio.SandboxHelper 1.0.1  
(1) <E901A293-D6AB-3E99-8C8D-C2ABC358DD8C> /System/Library/  
Frameworks/AudioToolbox.framework/XPCServices/  
com.apple.audio.SandboxHelper.xpc/Contents/MacOS/  
com.apple.audio.SandboxHelper  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: com.apple.audio.SandboxHelper [541]  
UUID: E901A293-D6AB-3E99-8C8D-C2ABC358DD8C  
Path: /System/Library/Frameworks/AudioToolbox.framework/  
XPCServices/com.apple.audio.SandboxHelper.xpc/Contents/MacOS/  
com.apple.audio.SandboxHelper  
Identifier: com.apple.audio.SandboxHelper  
Version: 1.0.1 (1)  
Build Version: 21  
Project Name: CoreAudioServices\_executables  
Source Version: 1387004002000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: systemsoundserverd [384]

UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 3420 KB  
Time Since Fork: 715s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x1248 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x1083de000 - ??? com.apple.audio.SandboxHelper 1.0.1  
(1) <E901A293-D6AB-3E99-8C8D-C2ABC358DD8C> /System/Library/  
Frameworks/AudioToolbox.framework/XPCServices/  
com.apple.audio.SandboxHelper.xpc/Contents/MacOS/  
com.apple.audio.SandboxHelper

0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib

\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: com.apple.audio.SandboxHelper [613]  
UUID: E901A293-D6AB-3E99-8C8D-C2ABC358DD8C  
Path: /System/Library/Frameworks/AudioToolbox.framework/  
XPCServices/com.apple.audio.SandboxHelper.xpc/Contents/MacOS/  
com.apple.audio.SandboxHelper  
Identifier: com.apple.audio.SandboxHelper  
Version: 1.0.1 (1)  
Build Version: 21  
Project Name: CoreAudioServices\_executables  
Source Version: 1387004002000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base

address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64

Parent: launchd [1]

Responsible: Notes [374]

UID: 501

Sudden Term: Tracked (allows idle exit)

Footprint: 3364 KB

Time Since Fork: 689s

Num samples: 24 (1-24)

Note: 1 idle work queue thread omitted

Thread 0x1611 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x10e64a000 - ??? com.apple.audio.SandboxHelper 1.0.1  
(1) <E901A293-D6AB-3E99-8C8D-C2ABC358DD8C> /System/Library/  
Frameworks/AudioToolbox.framework/XPCServices/  
com.apple.audio.SandboxHelper.xpc/Contents/MacOS/  
com.apple.audio.SandboxHelper  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: com.apple.audio.SandboxHelper [680]

UUID: E901A293-D6AB-3E99-8C8D-C2ABC358DD8C

Path: /System/Library/Frameworks/AudioToolbox.framework/  
XPCServices/com.apple.audio.SandboxHelper.xpc/Contents/MacOS/  
com.apple.audio.SandboxHelper

Identifier: com.apple.audio.SandboxHelper

Version: 1.0.1 (1)

Build Version: 21  
Project Name: CoreAudioServices\_executables  
Source Version: 1387004002000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: axassetsd [573]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 3368 KB  
Time Since Fork: 646s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x1aec 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

#### Binary Images:

0x10b4e4000 - ??? com.apple.audio.SandboxHelper 1.0.1  
(1) <E901A293-D6AB-3E99-8C8D-C2ABC358DD8C> /System/Library/  
Frameworks/AudioToolbox.framework/XPCServices/  
com.apple.audio.SandboxHelper.xpc/Contents/MacOS/  
com.apple.audio.SandboxHelper  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: com.apple.audio.SandboxHelper [681]  
UUID: E901A293-D6AB-3E99-8C8D-C2ABC358DD8C  
Path: /System/Library/Frameworks/AudioToolbox.framework/

XPCServices/com.apple.audio.SandboxHelper.xpc/Contents/MacOS/  
com.apple.audio.SandboxHelper  
Identifier: com.apple.audio.SandboxHelper  
Version: 1.0.1 (1)  
Build Version: 21  
Project Name: CoreAudioServices\_executables  
Source Version: 1387004002000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: axassetsd [573]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 3392 KB  
Time Since Fork: 645s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x1af1 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

#### Binary Images:

0x103eca000 - ??? com.apple.audio.SandboxHelper 1.0.1  
(1) <E901A293-D6AB-3E99-8C8D-C2ABC358DD8C> /System/Library/  
Frameworks/AudioToolbox.framework/XPCServices/  
com.apple.audio.SandboxHelper.xpc/Contents/MacOS/  
com.apple.audio.SandboxHelper  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: com.apple.audio.SandboxHelper [685]  
UUID: E901A293-D6AB-3E99-8C8D-C2ABC358DD8C  
Path: /System/Library/Frameworks/AudioToolbox.framework/  
XPCServices/com.apple.audio.SandboxHelper.xpc/Contents/MacOS/  
com.apple.audio.SandboxHelper  
Identifier: com.apple.audio.SandboxHelper  
Version: 1.0.1 (1)  
Build Version: 21  
Project Name: CoreAudioServices\_executables  
Source Version: 1387004002000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: axassetsd [573]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 3344 KB  
Time Since Fork: 643s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x1b58 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

#### Binary Images:

0x105640000 - ??? com.apple.audio.SandboxHelper 1.0.1  
(1) <E901A293-D6AB-3E99-8C8D-C2ABC358DD8C> /System/Library/  
Frameworks/AudioToolbox.framework/XPCServices/  
com.apple.audio.SandboxHelper.xpc/Contents/MacOS/  
com.apple.audio.SandboxHelper  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib

\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: com.apple.audio.SandboxHelper [686]  
UUID: E901A293-D6AB-3E99-8C8D-C2ABC358DD8C  
Path: /System/Library/Frameworks/AudioToolbox.framework/  
XPCServices/com.apple.audio.SandboxHelper.xpc/Contents/MacOS/  
com.apple.audio.SandboxHelper  
Identifier: com.apple.audio.SandboxHelper  
Version: 1.0.1 (1)  
Build Version: 21  
Project Name: CoreAudioServices\_executables  
Source Version: 1387004002000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: axassetsd [573]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 3396 KB  
Time Since Fork: 643s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x1b62 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

Binary Images:  
0x10a8b8000 - ??? com.apple.audio.SandboxHelper 1.0.1  
(1) <E901A293-D6AB-3E99-8C8D-C2ABC358DD8C> /System/Library/  
Frameworks/AudioToolbox.framework/XPCServices/  
com.apple.audio.SandboxHelper.xpc/Contents/MacOS/  
com.apple.audio.SandboxHelper  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/



libdispatch.dylib

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/

libsystem\_kernel.dylib

\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: com.apple.audio.SandboxHelper [688]

UUID: E901A293-D6AB-3E99-8C8D-C2ABC358DD8C

Path: /System/Library/Frameworks/AudioToolbox.framework/  
XPCServices/com.apple.audio.SandboxHelper.xpc/Contents/MacOS/  
com.apple.audio.SandboxHelper

Identifier: com.apple.audio.SandboxHelper

Version: 1.0.1 (1)

Build Version: 21

Project Name: CoreAudioServices\_executables

Source Version: 1387004002000000

Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64

Parent: launchd [1]

Responsible: axassetsd [573]

UID: 501

Sudden Term: Tracked (allows idle exit)

Footprint: 3384 KB

Time Since Fork: 642s

Num samples: 24 (1-24)

Note: 1 idle work queue thread omitted

Thread 0x1b73 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x10e501000 - ??? com.apple.audio.SandboxHelper 1.0.1  
(1) <E901A293-D6AB-3E99-8C8D-C2ABC358DD8C> /System/Library/  
Frameworks/AudioToolbox.framework/XPCServices/

com.apple.audio.SandboxHelper.xpc/Contents/MacOS/  
com.apple.audio.SandboxHelper  
    0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
    0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
    \*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process:    com.apple.BKAgentService [918]  
UUID:      6E73DE41-4956-359E-9886-F5448DCDF728  
Path:      /System/Library/PrivateFrameworks/BookKit.framework/  
Versions/A/XPCServices/com.apple.BKAgentService.xpc/Contents/MacOS/  
com.apple.BKAgentService  
Identifier:  com.apple.BKAgentService  
Version:    ??? (2062)  
Build Version:  256  
Project Name:  BookKit  
Source Version:  2062000000000000  
Shared Cache:  812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture:  x86\_64  
Parent:      launchd [1]  
UID:        501  
Sudden Term:  Tracked (allows idle exit)  
Footprint:    1256 KB  
Time Since Fork:  344s  
Num samples:  24 (1-24)  
Note:        1 idle work queue thread omitted

Thread 0x2eb2  DispatchQueue "com.apple.main-thread"(1)  24 samples  
(1-24)  priority 4 (base 4)

<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>

24  start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24

24  main + 91 (com.apple.BKAgentService + 149184) [0x10432d6c0] 1-24

24  ??? (Foundation + 514495) [0x7ff80cefb9bf] 1-24

24  xpc\_main + 56 (libxpc.dylib + 87766) [0x7ff80bb8a6d6] 1-24

24  \_xpc\_main + 259 (libxpc.dylib + 137735) [0x7ff80bb96a07] 1-24

24  \_xpc\_objc\_main + 606 (libxpc.dylib + 88755) [0x7ff80bb8aab3]

1-24

24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib +  
35682) [0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x104309000 - 0x1043a4fff com.apple.BKAgentService (2062)  
<6E73DE41-4956-359E-9886-F5448DCDF728> /System/Library/  
PrivateFrameworks/BookKit.framework/Versions/A/XPCServices/  
com.apple.BKAgentService.xpc/Contents/MacOS/  
com.apple.BKAgentService  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80bb75000 - 0x7ff80bbb8ff2 libxpc.dylib (2679.80.5.0.1)  
<902EB51F-373F-3AA3-B084-228AC4C1B80B> /usr/lib/system/libxpc.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: com.apple.CloudDocs.iCloudDriveFileProvider  
(com.apple.CloudDocs.iCloudDriveFileProvider) [500]

UUID: 884CB890-A107-38A5-813F-245540AC475B  
Path: /System/Library/PrivateFrameworks/CloudDocs.framework/  
PlugIns/com.apple.CloudDocs.iCloudDriveFileProvider.appex/Contents/  
MacOS/com.apple.CloudDocs.iCloudDriveFileProvider  
Identifier: com.apple.CloudDocs.iCloudDriveFileProvider  
Version: 1.0 (1)  
Build Version: 5  
Project Name: CloudDocs\_executables  
Source Version: 2461080008000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: fileproviderd [414]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1544 KB  
Time Since Fork: 731s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xf24 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 31 (base 31)

<thread QoS default (requested default), process sudden termination dirty,  
IO tier 0>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (Foundation + 918756) [0x7ff80cf5e4e4] 1-24  
24 ??? (ExtensionFoundation + 166763) [0x7ffb102dbb6b] 1-24  
24 ??? (PlugInKit + 133729) [0x7ff81a798a61] 1-24  
24 ??? (PlugInKit + 131493) [0x7ff81a7981a5] 1-24  
24 ??? (PlugInKit + 132698) [0x7ff81a79865a] 1-24  
24 ??? (Foundation + 514495) [0x7ff80cefb9bf] 1-24  
24 xpc\_main + 56 (libxpc.dylib + 87766) [0x7ff80bb8a6d6] 1-24  
24 \_xpc\_main + 259 (libxpc.dylib + 137735) [0x7ff80bb96a07]  
1-24  
24 \_xpc\_objc\_main + 606 (libxpc.dylib + 88755)  
[0x7ff80bb8aab3] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation +  
499842) [0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation

+ 508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib  
+ 35682) [0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib +  
6702) [0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel +  
1269696) [0xffffffff8000415fc0] 1-24

Binary Images:

0x101f22000 - ???  
com.apple.CloudDocs.iCloudDriveFileProvider 1.0 (1) <884CB890-  
A107-38A5-813F-245540AC475B> /System/Library/PrivateFrameworks/  
CloudDocs.framework/PlugIns/  
com.apple.CloudDocs.iCloudDriveFileProvider.appex/Contents/MacOS/  
com.apple.CloudDocs.iCloudDriveFileProvider  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80bb75000 - 0x7ff80bbb8ff2 libxpc.dylib (2679.80.5.0.1)  
<902EB51F-373F-3AA3-B084-228AC4C1B80B> /usr/lib/system/libxpc.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/  
Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
0x7ff81a778000 - 0x7ff81a7b6ff0 com.apple.pluginkit.framework 1.0  
(1) <E63CDD4E-C41A-3684-9C6B-E2F9E27A1829> /System/  
Library/PrivateFrameworks/PlugInKit.framework/Versions/A/PlugInKit  
0x7ffb102b3000 - 0x7ffb1033fffb com.apple.ExtensionFoundation 97  
(97) <266249BC-CB4B-3B4B-82A2-80CA827479FC> /System/  
Library/Frameworks/ExtensionFoundation.framework/Versions/A/  
ExtensionFoundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: com.apple.cmio.registerassistantservice [153]

UUID: 19B95722-3E2E-3156-9B95-84C40B18060B

Path: /System/Library/Frameworks/CoreMediaIO.framework/Versions/  
A/Resources/com.apple.cmio.registerassistantservice  
Codesigning ID: com.apple.cmio.registerassistantservice  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1356 KB  
Time Since Fork: 767s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x31f DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
dirty, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (com.apple.cmio.registerassistantservice + 68270) [0x10405baae]  
1-24  
24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 <patched truncated backtrace> 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x10404b000 - 0x10406efff  
com.apple.cmio.registerassistantservice (5518.3)  
<19B95722-3E2E-3156-9B95-84C40B18060B> /System/Library/  
Frameworks/CoreMediaIO.framework/Versions/A/Resources/

com.apple.cmio.registerassistantervice  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/  
Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
\*0xfffff80002e0000 - 0xfffff8000cdfdff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: com.apple.CodeSigningHelper [255]  
UUID: BAE9CF5B-2C90-3CF7-9A9D-AA345D3F8ECD  
Path: /System/Library/Frameworks/Security.framework/Versions/A/  
XPCServices/com.apple.CodeSigningHelper.xpc/Contents/MacOS/  
com.apple.CodeSigningHelper  
Identifier: com.apple.CodeSigningHelper  
Version: 1.0 (1)  
Build Version: 1  
Project Name: Security\_executables  
Source Version: 61040081001000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 668 KB -> 636 KB (-32 KB)  
Time Since Fork: 760s  
Num samples: 24 (1-24)  
CPU Time: <0.001s (150.6K cycles, 59.0K instructions, 2.55c/i)  
Note: 2 idle work queue threads omitted

Thread 0x606 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x10b145000 - ??? com.apple.CodeSigningHelper 1.0 (1)  
<BAE9CF5B-2C90-3CF7-9A9D-AA345D3F8ECD> /System/Library/  
Frameworks/Security.framework/Versions/A/XPCServices/  
com.apple.CodeSigningHelper.xpc/Contents/MacOS/  
com.apple.CodeSigningHelper  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: com.apple.ColorSyncXPCAgent [338]  
UUID: D4C8BCA8-42FE-3C40-9E34-E586AEDD03C5  
Path: /System/Library/Frameworks/ColorSync.framework/Versions/A/  
XPCServices/com.apple.ColorSyncXPCAgent.xpc/Contents/MacOS/  
com.apple.ColorSyncXPCAgent  
Identifier: com.apple.ColorSyncXPCAgent  
Version: 1.0 (3735)  
Build Version: 837  
Project Name: ColorSync  
Source Version: 3735000000000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: colorsync.displayservices [337]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 604 KB  
Time Since Fork: 753s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x8b8 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]



1-24

24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)

[0x7ff80be2b836] 1-24

\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x102e9b000 - ??? com.apple.ColorSyncXPCAgent 1.0  
(3735) <D4C8BCA8-42FE-3C40-9E34-E586AEDD03C5> /System/Library/  
Frameworks/ColorSync.framework/Versions/A/XPCServices/  
com.apple.ColorSyncXPCAgent.xpc/Contents/MacOS/  
com.apple.ColorSyncXPCAgent

0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib

\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: com.apple.ColorSyncXPCAgent [413]  
UUID: D4C8BCA8-42FE-3C40-9E34-E586AEDD03C5  
Path: /System/Library/Frameworks/ColorSync.framework/Versions/A/  
XPCServices/com.apple.ColorSyncXPCAgent.xpc/Contents/MacOS/  
com.apple.ColorSyncXPCAgent  
Identifier: com.apple.ColorSyncXPCAgent  
Version: 1.0 (3735)  
Build Version: 837  
Project Name: ColorSync  
Source Version: 3735000000000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: talagent [375]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 560 KB  
Time Since Fork: 747s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xb10 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x10956b000 - ??? com.apple.ColorSyncXPCAgent 1.0  
(3735) <D4C8BCA8-42FE-3C40-9E34-E586AEDD03C5> /System/Library/  
Frameworks/ColorSync.framework/Versions/A/XPCServices/  
com.apple.ColorSyncXPCAgent.xpc/Contents/MacOS/  
com.apple.ColorSyncXPCAgent  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: com.apple.ColorSyncXPCAgent [440]  
UUID: D4C8BCA8-42FE-3C40-9E34-E586AEDD03C5  
Path: /System/Library/Frameworks/ColorSync.framework/Versions/A/  
XPCServices/com.apple.ColorSyncXPCAgent.xpc/Contents/MacOS/  
com.apple.ColorSyncXPCAgent  
Identifier: com.apple.ColorSyncXPCAgent  
Version: 1.0 (3735)  
Build Version: 837  
Project Name: ColorSync  
Source Version: 3735000000000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: com.apple.AmbientDisplayAgent [424]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 580 KB

Time Since Fork: 744s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xc3e 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x10cbd8000 - ??? com.apple.ColorSyncXPCAgent 1.0  
(3735) <D4C8BCA8-42FE-3C40-9E34-E586AEDD03C5> /System/Library/  
Frameworks/ColorSync.framework/Versions/A/XPCServices/  
com.apple.ColorSyncXPCAgent.xpc/Contents/MacOS/  
com.apple.ColorSyncXPCAgent  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: com.apple.dock.extra [433]  
UUID: 6D3BB77B-0680-37C2-A107-A101ED52E804  
Path: /System/Library/CoreServices/Dock.app/Contents/  
XPCServices/com.apple.dock.extra.xpc/Contents/MacOS/  
com.apple.dock.extra  
Identifier: com.apple.dock.extra  
Version: 1.0 (2273.7)  
Build Version: 99  
Project Name: Dock  
Source Version: 2273007000000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]

Responsible: Dock [377]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 9040 KB  
Time Since Fork: 745s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xbe3 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 46 (base 46)

<thread QoS user interactive (requested user interactive), process sudden  
termination dirty, IO tier 0>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (com.apple.dock.extra + 4787) [0x103b202b3] 1-24  
24 xpc\_main + 56 (libxpc.dylib + 87766) [0x7ff80bb8a6d6] 1-24  
24 \_xpc\_main + 259 (libxpc.dylib + 137735) [0x7ff80bb96a07] 1-24  
24 \_xpc\_objc\_main + 700 (libxpc.dylib + 88849) [0x7ff80bb8ab11]  
1-24  
24 NSApplicationMain + 816 (AppKit + 16833) [0x7ff80f5151c1] 1-24  
24 -[NSApplication run] + 603 (AppKit + 197042) [0x7ff80f5411b2]  
1-24  
24 -[NSApplication(NSEventRouting)  
\_nextEventMatchingEventMask:untilDate:inMode:dequeue:] + 1304 (AppKit +  
9734148) [0x7ff80fe59804] 1-24  
24 \_DPSNextEvent + 880 (AppKit + 257081) [0x7ff80f54fc39]  
1-24  
24 \_BlockUntilNextEventMatchingListInModeWithFilter + 66  
(HIToolbox + 197937) [0x7ff816831531] 1-24  
24 ReceiveNextEventCommon + 665 (HIToolbox + 198630)  
[0x7ff8168317e6] 1-24  
24 RunCurrentEventLoopInMode + 292 (HIToolbox + 199129)  
[0x7ff8168319d9] 1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation +  
499842) [0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation  
+ 508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib  
+ 35682) [0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib +  
6702) [0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xffffffff8000415fc0] 1-24

Thread 0xc02 Thread name "com.apple.NSEventThread" 24 samples (1-24) priority 46 (base 46)

<thread QoS user interactive (requested user interactive), process sudden termination dirty, IO tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab] 1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090) [0x7ff80be65202] 1-24

24 \_NSEventThread + 122 (AppKit + 1686188) [0x7ff80f6acaac] 1-24

24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842) [0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693) [0x7ff80bf3fba5] 1-24

24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xffffffff8000415fc0] 1-24

#### Binary Images:

0x103b1f000 - 0x103b2afff com.apple.dock.extra 1.0 (2273.7) <6D3BB77B-0680-37C2-A107-A101ED52E804> /System/Library/CoreServices/Dock.app/Contents/XPCServices/com.apple.dock.extra.xpc/Contents/MacOS/com.apple.dock.extra

0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5) <01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld

0x7ff80bb75000 - 0x7ff80bbb8ff2 libxpc.dylib (2679.80.5.0.1) <902EB51F-373F-3AA3-B084-228AC4C1B80B> /usr/lib/system/libxpc.dylib

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5) <3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/libsystem\_kernel.dylib

0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519) <0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/libsystem\_pthread.dylib

0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9 (2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/

Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80f511000 - 0x7ff81092fff6 com.apple.AppKit 6.9 (2487.40.107)  
<660B78D6-113F-3ABD-8969-A6CB84FFF752> /System/Library/  
Frameworks/AppKit.framework/Versions/C/AppKit  
0x7ff816801000 - 0x7ff816a9cff4 com.apple.HIToolbox 2.1.1 (1202)  
<4CD47F03-ED80-3F2A-BBDF-D7AF11CB4CCB> /System/Library/  
Frameworks/Carbon.framework/Versions/A/Frameworks/  
HIToolbox.framework/Versions/A/HIToolbox  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: com.apple.DriverKit-IOUserDockChannelSerial  
(com.apple.DriverKit-IOUserDockChannelSerial) [313]  
UUID: DEA76962-F4A4-35EC-856A-A4E54EA94D69  
Path: /System/Library/DriverExtensions/com.apple.DriverKit-  
IOUserDockChannelSerial.dext/com.apple.DriverKit-  
IOUserDockChannelSerial  
Identifier: com.apple.DriverKit-IOUserDockChannelSerial  
Version: 1.0 (1)  
Shared Cache: BCEA684D-09B6-39FB-B838-6E592B2422C5 slid base  
address 0x7ff834321000, slide 0x34321000 (DriverKit)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 270  
Footprint: 380 KB  
Time Since Fork: 756s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x7c0 24 samples (1-24) priority 31 (base 31)  
<thread QoS default (requested default), IO tier 0>  
24 ??? (libdispatch.dylib + 108004) [0x7ff8349305e4] 1-24  
24 ??? (libsystem\_kernel.dylib + 35838) [0x7ff834a12bfe] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:  
0x10a800000 - ??? com.apple.DriverKit-  
IOUserDockChannelSerial 1.0 (1) <DEA76962-F4A4-35EC-856A-  
A4E54EA94D69> /System/Library/DriverExtensions/com.apple.DriverKit-  
IOUserDockChannelSerial.dext/com.apple.DriverKit-  
IOUserDockChannelSerial  
0x7ff834916000 - 0x7ff834965fff libdispatch.dylib (1462.80.1)

<20A1245E-7ADF-3D21-8FCE-87227E4CA5B3> /System/DriverKit/usr/lib/  
system/libdispatch.dylib  
0x7ff834a0a000 - 0x7ff834a4dfff libsystem\_kernel.dylib (10002.81.5)  
<073BEBCA-97A9-302C-B316-E21FE7F85FDE> /System/DriverKit/usr/lib/  
system/libsystem\_kernel.dylib  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: com.apple.FaceTime.FTConversationService  
(com.apple.FaceTime.FTConversationService) [465]  
UUID: 2DA8BF96-1309-3309-9A0F-1D3F5B2E2F60  
Path: /System/Library/PrivateFrameworks/  
TelephonyUtilities.framework/XPCServices/  
com.apple.FaceTime.FTConversationService.xpc/Contents/MacOS/  
com.apple.FaceTime.FTConversationService  
Identifier: com.apple.FaceTime.FTConversationService  
Version: 1.0 (1)  
Build Version: 1  
Project Name: callservicesd  
Source Version: 1431400041000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: callservicesd [397]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 4100 KB  
Time Since Fork: 740s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xd50 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 2 (base 4)

<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24

24 main + 906 (com.apple.FaceTime.FTConversationService + 9824)  
[0x10f6db660] 1-24

24 ??? (Foundation + 514495) [0x7ff80cefb9bf] 1-24

24 xpc\_main + 56 (libxpc.dylib + 87766) [0x7ff80bb8a6d6] 1-24

24 \_xpc\_main + 259 (libxpc.dylib + 137735) [0x7ff80bb96a07] 1-24

24 \_xpc\_objc\_main + 606 (libxpc.dylib + 88755) [0x7ff80bb8aab3]  
 1-24  
 24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
 24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
 24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
 [0x7ff80bf3f082] 1-24  
 24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
 [0x7ff80bf3fba5] 1-24  
 24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
 508213) [0x7ff80bf41135] 1-24  
 24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
 [0x7ff80be25d1f] 1-24  
 24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib +  
 35682) [0x7ff80be2cb62] 1-24  
 24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
 [0x7ff80be25a2e] 1-24  
 \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
 [0xfffff8000415fc0] 1-24

#### Binary Images:

0x10f6d9000 - 0x10f6f4fff  
 com.apple.FaceTime.FTConversationService 1.0 (1)  
 <2DA8BF96-1309-3309-9A0F-1D3F5B2E2F60> /System/Library/  
 PrivateFrameworks/TelephonyUtilities.framework/XPCServices/  
 com.apple.FaceTime.FTConversationService.xpc/Contents/MacOS/  
 com.apple.FaceTime.FTConversationService  
 0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
 <01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
 0x7ff80bb75000 - 0x7ff80bbb8ff2 libxpc.dylib (2679.80.5.0.1)  
 <902EB51F-373F-3AA3-B084-228AC4C1B80B> /usr/lib/system/libxpc.dylib  
 0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
 <3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
 libsystem\_kernel.dylib  
 0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
 (2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/  
 Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
 0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
 <6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
 Frameworks/Foundation.framework/Versions/C/Foundation  
 \*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
 <8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
 kernel



Process: com.apple.geod [326]  
UUID: 1F0630C0-7E72-337F-A60D-0190ED4251FA  
Path: /System/Library/PrivateFrameworks/GeoServices.framework/  
Versions/A/XPCServices/com.apple.geod.xpc/Contents/MacOS/  
com.apple.geod  
Identifier: com.apple.geod  
Version: 1.0 (1940.23.11.14.2)  
Build Version: 129  
Project Name: GeoServices  
Source Version: 1940023011014002  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 205  
Sudden Term: Tracked (allows idle exit)  
Footprint: 3452 KB  
Time Since Fork: 755s  
Num samples: 24 (1-24)  
CPU Time: <0.001s (154.9K cycles, 54.1K instructions, 2.86c/i)  
Note: 2 idle work queue threads omitted

Thread 0x916 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Thread 0xc60 Thread name "com.apple.NSURLConnectionLoader" 24  
samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 ??? (Foundation + 349980) [0x7ff80ced371c] 1-24  
24 ??? (CFNetwork + 2391509) [0x7ff81129fdd5] 1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)

[0x7ff80bf3fba5] 1-24  
    24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24  
    24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
    24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
    24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
    \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

    0x105987000 - ??? com.apple.geod 1.0 (1940.23.11.14.2)  
<1F0630C0-7E72-337F-A60D-0190ED4251FA> /System/Library/  
PrivateFrameworks/GeoServices.framework/Versions/A/XPCServices/  
com.apple.geod.xpc/Contents/MacOS/com.apple.geod  
    0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
    0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
    0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
    0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
    0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
    0x7ff811058000 - 0x7ff811406ff1 com.apple.CFNetwork 1.0  
(1492.0.1) <2847065D-8C66-3A44-B26C-B2A51A2897FB> /System/  
Library/Frameworks/CFNetwork.framework/Versions/A/CFNetwork  
    \*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: com.apple.geod [476]  
UUID: 1F0630C0-7E72-337F-A60D-0190ED4251FA  
Path: /System/Library/PrivateFrameworks/GeoServices.framework/  
Versions/A/XPCServices/com.apple.geod.xpc/Contents/MacOS/

com.apple.geod  
Identifier: com.apple.geod  
Version: 1.0 (1940.23.11.14.2)  
Build Version: 129  
Project Name: GeoServices  
Source Version: 1940023011014002  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 3384 KB  
Time Since Fork: 738s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xde6 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Thread 0x1cfd Thread name "com.apple.NSURLConnectionLoader" 24  
samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 ??? (Foundation + 349980) [0x7ff80ced371c] 1-24  
24 ??? (CFNetwork + 2391509) [0x7ff81129fdd5] 1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x1034e8000 - ??? com.apple.geod 1.0 (1940.23.11.14.2)  
<1F0630C0-7E72-337F-A60D-0190ED4251FA> /System/Library/  
PrivateFrameworks/GeoServices.framework/Versions/A/XPCServices/  
com.apple.geod.xpc/Contents/MacOS/com.apple.geod  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
0x7ff811058000 - 0x7ff811406ff1 com.apple.CFNetwork 1.0  
(1492.0.1) <2847065D-8C66-3A44-B26C-B2A51A2897FB> /System/  
Library/Frameworks/CFNetwork.framework/Versions/A/CFNetwork  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: com.apple.hiservices-xpcservice [346]  
UUID: 7AAAA77F-B70F-3F9D-B0DE-84C52D9C97FA  
Path: /System/Library/Frameworks/ApplicationServices.framework/  
Versions/A/Frameworks/HIServices.framework/Versions/A/XPCServices/  
com.apple.hiservices-xpcservice.xpc/Contents/MacOS/  
com.apple.hiservices-xpcservice  
Identifier: com.apple.hiservices-xpcservice  
Version: 1.22 (777)  
Build Version: 905

Project Name: HIServices\_executables  
Source Version: 7770000000000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 656 KB  
Time Since Fork: 752s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x923 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x100518000 - ??? com.apple.hiservices-xpcservice 1.22  
(777) <7AAAA77F-B70F-3F9D-B0DE-84C52D9C97FA> /System/Library/  
Frameworks/ApplicationServices.framework/Versions/A/Frameworks/  
HIServices.framework/Versions/A/XPCServices/com.apple.hiservices-  
xpcservice.xpc/Contents/MacOS/com.apple.hiservices-xpcservice  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: com.apple.hiservices-xpcservice [389]  
UUID: 7AAAA77F-B70F-3F9D-B0DE-84C52D9C97FA  
Path: /System/Library/Frameworks/ApplicationServices.framework/  
Versions/A/Frameworks/HIServices.framework/Versions/A/XPCServices/  
com.apple.hiservices-xpcservice.xpc/Contents/MacOS/

com.apple.hiservices-xpcservice  
Identifier: com.apple.hiservices-xpcservice  
Version: 1.22 (777)  
Build Version: 905  
Project Name: HIServices\_executables  
Source Version: 7770000000000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 688 KB  
Time Since Fork: 749s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xb02 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:  
0x102e15000 - ??? com.apple.hiservices-xpcservice 1.22  
(777) <7AAA77F-B70F-3F9D-B0DE-84C52D9C97FA> /System/Library/  
Frameworks/ApplicationServices.framework/Versions/A/Frameworks/  
HIServices.framework/Versions/A/XPCServices/com.apple.hiservices-  
xpcservice.xpc/Contents/MacOS/com.apple.hiservices-xpcservice  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: com.apple.iCloudHelper [717]

UUID: 1EEDBE75-301C-3C36-8940-55F0190D90B9  
Path: /System/Library/PrivateFrameworks/AOSKit.framework/  
Versions/A/XPCServices/com.apple.iCloudHelper.xpc/Contents/MacOS/  
com.apple.iCloudHelper  
Identifier: com.apple.iCloudHelper  
Version: 1.07 (282)  
Build Version: 4598  
Project Name: AOSKit\_executables  
Source Version: 284000000000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1596 KB  
Time Since Fork: 618s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x1dbe DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 main + 161 (com.apple.iCloudHelper + 24446) [0x10b557f7e] 1-24  
24 xpc\_main + 56 (libxpc.dylib + 87766) [0x7ff80bb8a6d6] 1-24  
24 \_xpc\_main + 259 (libxpc.dylib + 137735) [0x7ff80bb96a07] 1-24  
24 \_xpc\_objc\_main + 606 (libxpc.dylib + 88755) [0x7ff80bb8aab3]  
1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib +  
35682) [0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x10b552000 - 0x10b56dfff com.apple.iCloudHelper 1.07 (282)  
<1EEDBE75-301C-3C36-8940-55F0190D90B9> /System/Library/  
PrivateFrameworks/AOSKit.framework/Versions/A/XPCServices/  
com.apple.iCloudHelper.xpc/Contents/MacOS/com.apple.iCloudHelper  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80bb75000 - 0x7ff80bbb8ff2 libxpc.dylib (2679.80.5.0.1)  
<902EB51F-373F-3AA3-B084-228AC4C1B80B> /usr/lib/system/libxpc.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: com.apple.ifdreader [238]  
UUID: 5F6E3333-EA46-31A8-A8CD-1D061F7177C2  
Path: /System/Library/CryptoTokenKit/com.apple.ifdreader.slotd/  
Contents/MacOS/com.apple.ifdreader  
Identifier: com.apple.ifdreader  
Version: 1.0 (1)  
Build Version: 4  
Project Name: CryptoTokenKit\_binaries  
Source Version: 685080002000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 796 KB  
Time Since Fork: 762s  
Num samples: 24 (1-24)



Note: 1 idle work queue thread omitted

Thread 0x520 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (com.apple.ifdreader + 14620) [0x10104d91c] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

#### Binary Images:

0x10104a000 - 0x10106dfff com.apple.ifdreader 1.0 (1)  
<5F6E3333-EA46-31A8-A8CD-1D061F7177C2> /System/Library/  
CryptoTokenKit/com.apple.ifdreader.slotd/Contents/MacOS/  
com.apple.ifdreader  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: com.apple.mlhost.CloudWorker [836] (suspended)  
UUID: 74175139-32A0-363C-8051-1497E5DA507F  
Path: /System/Library/ExtensionKit/Extensions/  
com.apple.mlhost.CloudWorker.appex/Contents/MacOS/  
com.apple.mlhost.CloudWorker  
Identifier: com.apple.mlhost.CloudWorker  
Version: 1.0 (1)  
Build Version: 1066  
Project Name: LighthouseBackground  
Source Version: 1002009000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: mlhostd [832]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1976 KB  
Time Since Fork: 436s  
Num samples: 24 (1-24)  
Note: Suspended for 24 samples  
Note: 4 idle work queue threads omitted

Thread 0x2864 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (Foundation + 918756) [0x7ff80cf5e4e4] 1-24  
24 ??? (ExtensionFoundation + 166691) [0x7ffb102dbb23] 1-24  
24 ??? (ExtensionFoundation + 12061) [0x7ffb102b5f1d] 1-24  
24 ??? (ExtensionFoundation + 12467) [0x7ffb102b60b3] 1-24  
24 ??? (Foundation + 514495) [0x7ff80cefb9bf] 1-24  
24 xpc\_main + 56 (libxpc.dylib + 87766) [0x7ff80bb8a6d6] 1-24  
24 \_xpc\_main + 259 (libxpc.dylib + 137735) [0x7ff80bb96a07] 1-24  
24 \_xpc\_objc\_main + 606 (libxpc.dylib + 88755) [0x7ff80bb8aab3]  
1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)

[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xfffff8000415fc0] (suspended) 1-24

Thread 0x286a 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default, workloop servicer override default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start\_wqthread + 0 (libsystem\_pthread.dylib + 7048) [0x7ff80be60b88] 1-24  
\*24 ??? (kernel + 1763936) [0xfffff800048ea60] (suspended) 1-24

Thread 0x28a6 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested background), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start\_wqthread + 0 (libsystem\_pthread.dylib + 7048) [0x7ff80be60b88] 1-24  
\*24 ??? (kernel + 1763936) [0xfffff800048ea60] (suspended) 1-24

#### Binary Images:

0x106110000 - ??? com.apple.mlhost.CloudWorker 1.0 (1)  
<74175139-32A0-363C-8051-1497E5DA507F> /System/Library/  
ExtensionKit/Extensions/com.apple.mlhost.CloudWorker.appex/Contents/  
MacOS/com.apple.mlhost.CloudWorker  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80bb75000 - 0x7ff80bbb8ff2 libxpc.dylib (2679.80.5.0.1)  
<902EB51F-373F-3AA3-B084-228AC4C1B80B> /usr/lib/system/libxpc.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/

Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
0x7ffb102b3000 - 0x7ffb1033fffb com.apple.ExtensionFoundation 97  
(97) <266249BC-CB4B-3B4B-82A2-80CA827479FC> /System/Library/  
Frameworks/ExtensionFoundation.framework/Versions/A/  
ExtensionFoundation  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: com.apple.mlhost.TelemetryWorker  
(com.apple.mlhost.TelemetryWorker) [841] (suspended)  
UUID: 59298017-CB63-3A40-99B9-26353F417A5A  
Path: /System/Library/ExtensionKit/Extensions/  
com.apple.mlhost.TelemetryWorker.appex/Contents/MacOS/  
com.apple.mlhost.TelemetryWorker  
Identifier: com.apple.mlhost.TelemetryWorker  
Version: 1.0 (1)  
Build Version: 1066  
Project Name: LighthouseBackground  
Source Version: 1002009000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: mlhostd [832]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1540 KB  
Time Since Fork: 433s  
Num samples: 24 (1-24)  
Note: Suspended for 24 samples  
Note: 2 idle work queue threads omitted

Thread 0x28c1 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (Foundation + 918756) [0x7ff80cf5e4e4] 1-24  
24 ??? (ExtensionFoundation + 166691) [0x7ffb102dbb23] 1-24

24 ??? (ExtensionFoundation + 12061) [0x7ffb102b5f1d] 1-24  
 24 ??? (ExtensionFoundation + 12467) [0x7ffb102b60b3] 1-24  
 24 ??? (Foundation + 514495) [0x7ff80cefb9bf] 1-24  
 24 xpc\_main + 56 (libxpc.dylib + 87766) [0x7ff80bb8a6d6] 1-24  
 24 \_xpc\_main + 259 (libxpc.dylib + 137735) [0x7ff80bb96a07] 1-24  
 24 \_xpc\_objc\_main + 606 (libxpc.dylib + 88755) [0x7ff80bb8aab3]  
 1-24  
 24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
 24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
 24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
 [0x7ff80bf3f082] 1-24  
 24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
 [0x7ff80bf3fba5] 1-24  
 24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation  
 + 508213) [0x7ff80bf41135] 1-24  
 24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
 [0x7ff80be25d1f] 1-24  
 24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib +  
 35682) [0x7ff80be2cb62] 1-24  
 24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib +  
 6702) [0x7ff80be25a2e] 1-24  
 \*24 ipc\_mqueue\_receive\_continue + 0 (kernel +  
 1269696) [0xfffff8000415fc0] (suspended) 1-24

Thread 0x28c7 24 samples (1-24) priority 4 (base 4)  
 <thread QoS background (requested default), process sudden termination  
 clean, thread darwinbg, process darwinbg, IO tier 2>  
 24 start\_wqthread + 0 (libsystem\_pthread.dylib + 7048) [0x7ff80be60b88]  
 1-24  
 \*24 ??? (kernel + 1763936) [0xfffff800048ea60] (suspended) 1-24

#### Binary Images:

0x10745c000 - ??? com.apple.mlhost.TelemetryWorker 1.0  
 (1) <59298017-CB63-3A40-99B9-26353F417A5A> /System/Library/  
 ExtensionKit/Extensions/com.apple.mlhost.TelemetryWorker.appex/Contents/  
 MacOS/com.apple.mlhost.TelemetryWorker  
 0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
 <01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
 0x7ff80bb75000 - 0x7ff80bbb8ff2 libxpc.dylib (2679.80.5.0.1)  
 <902EB51F-373F-3AA3-B084-228AC4C1B80B> /usr/lib/system/libxpc.dylib  
 0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
 <3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
 libsystem\_kernel.dylib  
 0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)

<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
0x7ffb102b3000 - 0x7ffb1033ffff com.apple.ExtensionFoundation 97  
(97) <266249BC-CB4B-3B4B-82A2-80CA827479FC> /System/Library/  
Frameworks/ExtensionFoundation.framework/Versions/A/  
ExtensionFoundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process:

com.apple.MobileSoftwareUpdate.CleanupPreparePathService  
(com.apple.MobileSoftwareUpdate.CleanupPreparePathService) [568]  
UUID: 236B39F4-554E-3243-A56C-9CD73E1D0C67  
Path: /System/Library/PrivateFrameworks/  
MobileSoftwareUpdate.framework/Versions/A/XPCServices/  
com.apple.MobileSoftwareUpdate.CleanupPreparePathService.xpc/  
Contents/MacOS/  
com.apple.MobileSoftwareUpdate.CleanupPreparePathService  
Identifier: com.apple.MobileSoftwareUpdate.CleanupPreparePathService  
Version: 1.0 (1)  
Build Version: 83  
Project Name: MobileSoftwareUpdate  
Source Version: 1856080003000001  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 812 KB  
Time Since Fork: 706s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x1731 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination

clean, thread darwinbg, process darwinbg, IO tier 2>

24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24

24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24

\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x10b7fe000 - ???

com.apple.MobileSoftwareUpdate.CleanupPreparePathService 1.0 (1)  
<236B39F4-554E-3243-A56C-9CD73E1D0C67> /System/Library/  
PrivateFrameworks/MobileSoftwareUpdate.framework/Versions/A/  
XPCServices/

com.apple.MobileSoftwareUpdate.CleanupPreparePathService.xpc/  
Contents/MacOS/

com.apple.MobileSoftwareUpdate.CleanupPreparePathService

0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib

\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: com.apple.quicklook.ThumbnailsAgent [502]

UUID: ADC040CE-90B7-3AB0-9DD4-56C71A7686EC

Path: /System/Library/Frameworks/

QuickLookThumbnailing.framework/Support/

com.apple.quicklook.ThumbnailsAgent

Codesigning ID: com.apple.quicklook.ThumbnailsAgent

Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64

Parent: launchd [1]

UID: 501

Sudden Term: Tracked (allows idle exit)

Footprint: 2364 KB

Time Since Fork: 731s

Num samples: 24 (1-24)

Note: 1 idle work queue thread omitted

Thread 0xf2e DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination clean,  
process unclamped, process received importance donation from Finder [381],  
IO tier 0>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (com.apple.quicklook.ThumbnailsAgent + 17945) [0x102525619]  
1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 1-24

Thread 0x1032 24 samples (1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination clean,  
process unclamped, process received importance donation from Finder [381],  
IO tier 0>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 ??? (Foundation + 349980) [0x7ff80ced371c] 1-24  
24 ??? (QuickLookThumbnailsAgent + 188048) [0x7ff916502e90]  
1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24



24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x102521000 - 0x102530fff  
com.apple.quicklook.ThumbnailsAgent (186.4.1)  
<ADC040CE-90B7-3AB0-9DD4-56C71A7686EC> /System/Library/  
Frameworks/QuickLookThumbnails.framework/Support/  
com.apple.quicklook.ThumbnailsAgent  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /  
System/Library/Frameworks/CoreFoundation.framework/Versions/A/  
CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
0x7ff9164d5000 - 0x7ff91653cff3  
com.apple.quicklook.QuickLookThumbnailsDaemon 1.0 (186.4.1)  
<36CBCED3-C549-399D-AA52-635ADD337589> /System/Library/  
PrivateFrameworks/QuickLookThumbnailsDaemon.framework/Versions/A/  
QuickLookThumbnailsDaemon  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: com.apple.sbd [570]  
UUID: 7BD675FC-C7CE-390E-9ED2-ADEE81A7EFDD  
Path: /System/Library/PrivateFrameworks/CloudServices.framework/  
Helpers/com.apple.sbd  
Codesigning ID: com.apple.sbd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base

address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64

Parent: launchd [1]

UID: 501

Sudden Term: Tracked (allows idle exit)

Footprint: 1100 KB

Time Since Fork: 706s

Num samples: 24 (1-24)

Note: 1 idle work queue thread omitted

Thread 0x1537 DispatchQueue "com.apple.main-thread"(1) 24 samples (1-24) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24

24 ??? (com.apple.sbd + 371037) [0x10ee7f95d] 1-24

24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24

24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24

24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842) [0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693) [0x7ff80bf3fba5] 1-24

24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xfffff8000415fc0] 1-24

Binary Images:

0x10ee25000 - 0x10eed4fff com.apple.sbd (611.60.5)  
<7BD675FC-C7CE-390E-9ED2-ADEE81A7EFDD> /System/Library/PrivateFrameworks/CloudServices.framework/Helpers/com.apple.sbd

0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/libsystem\_kernel.dylib

0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9 (2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/

Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: com.apple.siri.embeddedspeech [591]  
UUID: 217B2591-093C-3F3A-8D98-A755609DB5A3  
Path: /System/Library/PrivateFrameworks/  
CoreEmbeddedSpeechRecognition.framework/Versions/A/XPCServices/  
com.apple.siri.embeddedspeech.xpc/Contents/MacOS/  
com.apple.siri.embeddedspeech  
Identifier: com.apple.siri.embeddedspeech  
Version: 1.0 (1)  
Build Version: 34  
Project Name: CoreSpeech  
Source Version: 3303007001000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: corespeechd [572]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 10.45 MB  
Time Since Fork: 704s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x1480 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:  
0x10e6b1000 - ??? com.apple.siri.embeddedspeech 1.0 (1)  
<217B2591-093C-3F3A-8D98-A755609DB5A3> /System/Library/

PrivateFrameworks/CoreEmbeddedSpeechRecognition.framework/Versions/  
A/XPCServices/com.apple.siri.embeddedspeech.xpc/Contents/MacOS/  
com.apple.siri.embeddedspeech  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: com.apple.siri.embeddedspeech [811]  
UUID: 217B2591-093C-3F3A-8D98-A755609DB5A3  
Path: /System/Library/PrivateFrameworks/  
CoreEmbeddedSpeechRecognition.framework/Versions/A/XPCServices/  
com.apple.siri.embeddedspeech.xpc/Contents/MacOS/  
com.apple.siri.embeddedspeech  
Identifier: com.apple.siri.embeddedspeech  
Version: 1.0 (1)  
Build Version: 34  
Project Name: CoreSpeech  
Source Version: 3303007001000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: siriknowledged [525]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 36.08 MB  
Time Since Fork: 526s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x23fb 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24

\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x102cb2000 - ??? com.apple.siri.embeddedspeech 1.0 (1)  
<217B2591-093C-3F3A-8D98-A755609DB5A3> /System/Library/  
PrivateFrameworks/CoreEmbeddedSpeechRecognition.framework/Versions/  
A/XPCServices/com.apple.siri.embeddedspeech.xpc/Contents/MacOS/  
com.apple.siri.embeddedspeech

0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib

\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: com.apple.SiriTTSService.TrialProxy  
(com.apple.SiriTTSService.TrialProxy) [687]  
UUID: 04CB56B6-B5B2-3C74-A395-6B500B8E5D38  
Path: /System/Library/PrivateFrameworks/SiriTTSService.framework/  
Versions/A/XPCServices/com.apple.SiriTTSService.TrialProxy.xpc/Contents/  
MacOS/com.apple.SiriTTSService.TrialProxy  
Identifier: com.apple.SiriTTSService.TrialProxy  
Version: 1.0 (1)  
Build Version: 50  
Project Name: SiriTTSDaemons  
Source Version: 3303005001000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: axassetsd [573]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 2412 KB  
Time Since Fork: 643s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x1b69 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination

clean, thread darwinbg, process darwinbg, IO tier 2>

24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24

24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24

\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x10d719000 - ??? com.apple.SiriTTSService.TrialProxy 1.0  
(1) <04CB56B6-B5B2-3C74-A395-6B500B8E5D38> /System/Library/  
PrivateFrameworks/SiriTTSService.framework/Versions/A/XPCServices/  
com.apple.SiriTTSService.TrialProxy.xpc/Contents/MacOS/  
com.apple.SiriTTSService.TrialProxy

0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib

\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: com.apple.SiriTTSService.TrialProxy

(com.apple.SiriTTSService.TrialProxy) [689]

UUID: 04CB56B6-B5B2-3C74-A395-6B500B8E5D38

Path: /System/Library/PrivateFrameworks/SiriTTSService.framework/  
Versions/A/XPCServices/com.apple.SiriTTSService.TrialProxy.xpc/Contents/  
MacOS/com.apple.SiriTTSService.TrialProxy

Identifier: com.apple.SiriTTSService.TrialProxy

Version: 1.0 (1)

Build Version: 50

Project Name: SiriTTSDaemons

Source Version: 3303005001000000

Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64

Parent: launchd [1]

Responsible: axassetsd [573]

UID: 501

Sudden Term: Tracked (allows idle exit)

Footprint: 2348 KB

Time Since Fork: 641s

Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x1b7f 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x10460f000 - ??? com.apple.SiriTTSService.TrialProxy 1.0  
(1) <04CB56B6-B5B2-3C74-A395-6B500B8E5D38> /System/Library/  
PrivateFrameworks/SiriTTSService.framework/Versions/A/XPCServices/  
com.apple.SiriTTSService.TrialProxy.xpc/Contents/MacOS/  
com.apple.SiriTTSService.TrialProxy  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: com.muse.museservice [300]  
UUID: 7579F011-1950-34C1-A9C0-FB5FAAF590AC  
Path: /Library/PrivilegedHelperTools/com.muse.museservice  
Codesigning ID: com.muse.museservice  
Team ID: K822U9GYSM  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Footprint: 3984 KB  
Time Since Fork: 758s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x6e6 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 20 (base 20)  
<thread QoS utility (requested utility), timers tier 3 (coalesced), IO tier 1>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (com.muse.museservice + 3678251) [0x1020dd02b] 1-24  
24 ??? (com.muse.museservice + 3678707) [0x1020dd1f3] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 1-24

Thread 0x796 24 samples (1-24) priority 20 (base 20)  
<thread QoS utility (requested default), timers tier 3 (coalesced), IO tier 1>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 ??? (com.muse.museservice + 4340141) [0x10217e9ad] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 1-24

#### Binary Images:

0x101d5b000 - 0x1024f6fff com.muse.museservice (0)  
<7579F011-1950-34C1-A9C0-FB5FAAF590AC> /Library/  
PrivilegedHelperTools/com.muse.museservice  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)



<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: CommCenter [417]  
UUID: 46D38DF4-B6DB-3233-B334-BE795C20C2E4  
Path: /System/Library/Frameworks/CoreTelephony.framework/  
Support/CommCenter  
Codesigning ID: com.apple.CommCenter  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 2916 KB  
Time Since Fork: 747s  
Num samples: 24 (1-24)  
CPU Time: <0.001s (206.3K cycles, 80.7K instructions, 2.56c/i)  
Note: 3 idle work queue threads omitted

Thread 0xb4b DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (CommCenter + 510186) [0x10c0618ea] 1-24  
24 ??? (CommCenter + 511011) [0x10c061c23] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0xd5a 24 samples (1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 ??? (libATCommandStudioDynamic.dylib + 29022) [0x7ff92414c15e]  
1-24  
24 ??? (libATCommandStudioDynamic.dylib + 31749) [0x7ff92414cc05]  
1-24  
24 ??? (libATCommandStudioDynamic.dylib + 32087)  
[0x7ff92414cd57] 1-24  
24 ??? (libATCommandStudioDynamic.dylib + 29914)  
[0x7ff92414c4da] 1-24  
24 \_\_psynch\_cvwait + 10 (libsystem\_kernel.dylib + 17870)  
[0x7ff80be285ce] 1-24  
\*24 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777)  
[0xfffff800307e129] 1-24

Thread 0xd70 24 samples (1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 ??? (CommCenter + 4855995) [0x10c4868bb] 1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)

[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0xd7f 24 samples (1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 ??? (libTelephonyIOKitDynamic.dylib + 31684) [0x7ffc213e6bc4] 1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

#### Binary Images:

0x10bfe5000 - 0x10c7c0fff CommCenter (11305.1)  
<46D38DF4-B6DB-3233-B334-BE795C20C2E4> /System/Library/  
Frameworks/CoreTelephony.framework/Support/CommCenter  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib

0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff924145000 - 0x7ff924188fff libATCommandStudioDynamic.dylib  
(2124) <9BB4373D-50BF-3D43-8830-A40AB573B2A7> /usr/lib/  
libATCommandStudioDynamic.dylib  
0x7ffc213df000 - 0x7ffc213f0fff libTelephonyIOKitDynamic.dylib  
(5860) <B42FB8EC-9104-3E67-848A-917CAD995DE9> /usr/lib/  
libTelephonyIOKitDynamic.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel  
\*0xfffff8003079000 - 0xfffff8003081fff com.apple.kec.pthread (519)  
<07ED499F-25E6-3572-8464-FC4F7429D88C> com.apple.kec.pthread

Process: commerce [527]  
UUID: 7BCD0A98-9B95-3639-A804-313D387728B6  
Path: /System/Library/PrivateFrameworks/CommerceKit.framework/  
Versions/A/Resources/commerce  
Codesigning ID: com.apple.commerce  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked  
Footprint: 3432 KB  
Time Since Fork: 726s  
Num samples: 24 (1-24)  
CPU Time: <0.001s (197.2K cycles, 47.6K instructions, 4.14c/i)  
Note: 1 idle work queue thread omitted

Thread 0x10cb DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested utility), process sudden termination  
clean, thread darwinbg, process darwinbg, timers tier 3 (coalesced), IO tier  
2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (commerce + 123401) [0x108079209] 1-24  
24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]

1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0x14c8 Thread name "com.apple.NSURLConnectionLoader" 24  
samples (1-24) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, timers tier 3 (coalesced), IO tier  
2>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 ??? (Foundation + 349980) [0x7ff80ced371c] 1-24  
24 ??? (CFNetwork + 2391509) [0x7ff81129fdd5] 1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x10805b000 - 0x1082cefff commerce (714.3.3)

<7BCD0A98-9B95-3639-A804-313D387728B6> /System/Library/  
PrivateFrameworks/CommerceKit.framework/Versions/A/Resources/  
commerce  
    0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
    0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
    0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
    0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
    0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
    0x7ff811058000 - 0x7ff811406ff1 com.apple.CFNetwork 1.0  
(1492.0.1) <2847065D-8C66-3A44-B26C-B2A51A2897FB> /System/Library/  
Frameworks/CFNetwork.framework/Versions/A/CFNetwork  
    \*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process:      configd [98]  
UUID:          B23C0954-4A85-3AAA-8E1E-5BED2CFA386B  
Path:          /usr/libexec/configd  
Codesigning ID:  com.apple.configd  
Shared Cache:   812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture:   x86\_64  
Parent:        launchd [1]  
UID:           0  
Sudden Term:   Tracked  
Footprint:     2084 KB  
Time Since Fork: 767s  
Num samples:   24 (1-24)  
CPU Time:      <0.001s (118.7K cycles, 29.4K instructions, 4.04c/i)  
Note:          2 idle work queue threads omitted

Thread 0x2e1  DispatchQueue "com.apple.main-thread"(1)  24 samples  
(1-24)  priority 31 (base 31)  
    <thread QoS default (requested default), process sudden termination clean,

IO tier 0>

```
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24
24 ??? (configd + 24328) [0x105531f08] 1-24
24 CFRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]
1-24
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)
[0x7ff80bf3f082] 1-24
24 __CFRunLoopRun + 1371 (CoreFoundation + 502693)
[0x7ff80bf3fba5] 1-24
24 __CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)
[0x7ff80bf41135] 1-24
24 mach_msg + 19 (libsystem_kernel.dylib + 7455) [0x7ff80be25d1f]
1-24
24 mach_msg_overwrite + 653 (libsystem_kernel.dylib + 35682)
[0x7ff80be2cb62] 1-24
24 mach_msg2_trap + 10 (libsystem_kernel.dylib + 6702)
[0x7ff80be25a2e] 1-24
*24 ipc_mqueue_receive_continue + 0 (kernel + 1269696)
[0xfffff8000415fc0] 1-24
```

Thread 0x3fb Thread name "InterfaceNamer thread" 24 samples (1-24)  
priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>

```
24 thread_start + 15 (libsystem_pthread.dylib + 7083) [0x7ff80be60bab]
1-24
24 _pthread_start + 99 (libsystem_pthread.dylib + 25090)
[0x7ff80be65202] 1-24
24 ??? (configd + 96573) [0x10554393d] 1-24
24 CFRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]
1-24
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)
[0x7ff80bf3f082] 1-24
24 __CFRunLoopRun + 1371 (CoreFoundation + 502693)
[0x7ff80bf3fba5] 1-24
24 __CFRunLoopServiceMachPort + 143 (CoreFoundation +
508213) [0x7ff80bf41135] 1-24
24 mach_msg + 19 (libsystem_kernel.dylib + 7455)
[0x7ff80be25d1f] 1-24
24 mach_msg_overwrite + 653 (libsystem_kernel.dylib + 35682)
[0x7ff80be2cb62] 1-24
24 mach_msg2_trap + 10 (libsystem_kernel.dylib + 6702)
[0x7ff80be25a2e] 1-24
*24 ipc_mqueue_receive_continue + 0 (kernel + 1269696)
```

[0xffffffff8000415fc0] 1-24

Thread 0x406 24 samples (1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24

24 pppcntl\_run\_thread + 664 (PPPController + 48424) [0x1058b2d28]  
1-24

24 CFRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24

24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24

24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 1-24

Thread 0x407 Thread name "com.apple.CFSocket.private" 24 samples  
(1-24) priority 31 (base 31)

<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24

24 \_\_select + 10 (libsystem\_kernel.dylib + 43294) [0x7ff80be2e91e] 1-24  
\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

Thread 0x426 24 samples (1-24) priority 31 (base 31)

<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24



24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 captived\_thread + 264 (CaptiveNetworkSupport + 24688)  
[0x1056f5070] 1-24  
24 CFRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0x44d 24 samples (1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 ??? (EAPOLController + 22960) [0x1056309b0] 1-24  
24 CFRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)

[0xfffff8000415fc0] 1-24

Binary Images:

0x10552c000 - 0x1055abfff configd (1296.60.3)  
<B23C0954-4A85-3AAA-8E1E-5BED2CFA386B> /usr/libexec/configd  
0x10562b000 - 0x10563afff  
com.apple.SystemConfiguration.EAPOLController 14.0.0 (14.0)  
<96003877-3EBE-373B-A07A-BEB466EFB0FD> /System/Library/  
SystemConfiguration/EAPOLController.bundle/Contents/MacOS/  
EAPOLController  
0x1056ef000 - 0x10571efff  
com.apple.SystemConfiguration.CaptiveNetworkSupport 16.0.0 (1.0)  
<74604829-C6CC-3B9A-B7C8-30C492819BDD> /System/Library/  
SystemConfiguration/CaptiveNetworkSupport.bundle/Contents/MacOS/  
CaptiveNetworkSupport  
0x1058a7000 - 0x1058eafff  
com.apple.SystemConfiguration.PPPController 1.10 (1.10)  
<A80DFDB5-5369-3C22-9911-DE0A6A8744F7> /System/Library/  
SystemConfiguration/PPPController.bundle/Contents/MacOS/PPPController  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /  
System/Library/Frameworks/CoreFoundation.framework/Versions/A/  
CoreFoundation  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: contactsd [467]  
UUID: 87E20C7A-9AC9-33DB-A150-BEBD1EC1C315  
Path: /System/Library/Frameworks/Contacts.framework/Support/  
contactsd  
Codesigning ID: com.apple.contactsd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64

Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 3772 KB  
Time Since Fork: 739s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xd5f DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (contactsd + 33535) [0x108ccc2ff] 1-24  
24 ??? (contactsd + 25705) [0x108cca469] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

#### Binary Images:

0x108cc4000 - 0x108cdbfff contactsd (3631)  
<87E20C7A-9AC9-33DB-A150-BEBD1EC1C315> /System/Library/  
Frameworks/Contacts.framework/Support/contactsd  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation

0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: containermanagerd [332]  
UUID: AE0DBAFF-BF3C-3BD5-96D7-5CC1E0A9A155  
Path: /usr/libexec/containermanagerd  
Codesigning ID: com.apple.containermanagerd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 205  
Sudden Term: Tracked (allows idle exit)  
Footprint: 992 KB  
Time Since Fork: 754s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x86f DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (containermanagerd + 16183) [0x10ba9bf37] 1-24  
24 ??? (ContainerManagerCommon + 136169) [0x7ffb194463e9] 1-24  
24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 1-24

Binary Images:

0x10ba98000 - 0x10ba9ffff containermanagerd (582.80.2)  
<AE0DBAFF-BF3C-3BD5-96D7-5CC1E0A9A155> /usr/libexec/  
containermanagerd  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/  
Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ffb19425000 - 0x7ffb1951cff0  
com.apple.ContainerManagerCommon (582.80.2) <A23D5996-3F43-3C8A-  
A34D-1271D83732CF> /System/Library/PrivateFrameworks/  
ContainerManagerCommon.framework/Versions/A/  
ContainerManagerCommon  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: containermanagerd [387]  
UUID: AE0DBAFF-BF3C-3BD5-96D7-5CC1E0A9A155  
Path: /usr/libexec/containermanagerd  
Codesigning ID: com.apple.containermanagerd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 2324 KB  
Time Since Fork: 749s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xa4d DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
 24 ??? (containermanagerd + 16183) [0x104558f37] 1-24  
 24 ??? (ContainerManagerCommon + 136169) [0x7ffb194463e9] 1-24  
 24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
 1-24  
 24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
 [0x7ff80bf3f082] 1-24  
 24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
 [0x7ff80bf3fba5] 1-24  
 24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
 508213) [0x7ff80bf41135] 1-24  
 24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
 [0x7ff80be25d1f] 1-24  
 24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
 [0x7ff80be2cb62] 1-24  
 24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
 [0x7ff80be25a2e] 1-24  
 \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
 [0xfffff8000415fc0] 1-24

Binary Images:

0x104555000 - 0x10455cfff containermanagerd (582.80.2)  
 <AE0DBAFF-BF3C-3BD5-96D7-5CC1E0A9A155> /usr/libexec/  
 containermanagerd  
 0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
 <01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
 0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
 <3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
 libsystem\_kernel.dylib  
 0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
 (2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/  
 Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
 0x7ffb19425000 - 0x7ffb1951cff0  
 com.apple.ContainerManagerCommon (582.80.2) <A23D5996-3F43-3C8A-  
 A34D-1271D83732CF> /System/Library/PrivateFrameworks/  
 ContainerManagerCommon.framework/Versions/A/  
 ContainerManagerCommon  
 \*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
 <8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
 kernel

Process: containermanagerd\_system [234]  
 UUID: CF9BDDA9-74A4-3A2A-B041-A65505B34C1F

Path: /usr/libexec/containermanagerd\_system  
Codesigning ID: com.apple.containermanagerd\_system  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 4088 KB  
Time Since Fork: 762s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x4f4 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (containermanagerd\_system + 16183) [0x103312f37] 1-24  
24 ??? (ContainerManagerCommon + 136169) [0x7ffb194463e9] 1-24  
24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

#### Binary Images:

0x10330f000 - 0x103316fff containermanagerd\_system (582.80.2)  
<CF9BDDA9-74A4-3A2A-B041-A65505B34C1F> /usr/libexec/  
containermanagerd\_system  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)

<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/  
Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ffb19425000 - 0x7ffb1951cff0  
com.apple.ContainerManagerCommon (582.80.2) <A23D5996-3F43-3C8A-  
A34D-1271D83732CF> /System/Library/PrivateFrameworks/  
ContainerManagerCommon.framework/Versions/A/  
ContainerManagerCommon  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: ContainerMetadataExtractor [497]  
UUID: 0525DD3B-0F30-3CB0-8D93-730F34EE417D  
Path: /System/Library/PrivateFrameworks/  
iCloudDriveService.framework/XPCServices/  
ContainerMetadataExtractor.xpc/Contents/MacOS/  
ContainerMetadataExtractor  
Identifier: com.apple.CloudDocsDaemon.container-metadata-extractor  
Version: 1.0 (2461.80.8)  
Build Version: 5  
Project Name: CloudDocs\_executables  
Source Version: 2461080008000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: bird [404]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1236 KB  
Time Since Fork: 731s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xf08 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (ContainerMetadataExtractor + 14089) [0x10280c709] 1-24



24 ??? (Foundation + 514495) [0x7ff80cefb9bf] 1-24  
 24 xpc\_main + 56 (libxpc.dylib + 87766) [0x7ff80bb8a6d6] 1-24  
 24 \_xpc\_main + 259 (libxpc.dylib + 137735) [0x7ff80bb96a07] 1-24  
 24 \_xpc\_objc\_main + 606 (libxpc.dylib + 88755) [0x7ff80bb8aab3]  
 1-24  
 24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
 24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
 24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
 [0x7ff80bf3f082] 1-24  
 24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
 [0x7ff80bf3fba5] 1-24  
 24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
 508213) [0x7ff80bf41135] 1-24  
 24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
 [0x7ff80be25d1f] 1-24  
 24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib +  
 35682) [0x7ff80be2cb62] 1-24  
 24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
 [0x7ff80be25a2e] 1-24  
 \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
 [0xfffff8000415fc0] 1-24

#### Binary Images:

0x102809000 - 0x102818fff  
 com.apple.CloudDocsDaemon.container-metadata-extractor 1.0 (2461.80.8)  
 <0525DD3B-0F30-3CB0-8D93-730F34EE417D> /System/Library/  
 PrivateFrameworks/iCloudDriveService.framework/XPCServices/  
 ContainerMetadataExtractor.xpc/Contents/MacOS/  
 ContainerMetadataExtractor  
 0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
 <01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
 0x7ff80bb75000 - 0x7ff80bbb8ff2 libxpc.dylib (2679.80.5.0.1)  
 <902EB51F-373F-3AA3-B084-228AC4C1B80B> /usr/lib/system/libxpc.dylib  
 0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
 <3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
 libsystem\_kernel.dylib  
 0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
 (2303) <D9705B29-47AF-343B-  
 BA26-5CDA3166731E> /System/Library/Frameworks/  
 CoreFoundation.framework/Versions/A/CoreFoundation  
 0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
 <6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
 Frameworks/Foundation.framework/Versions/C/Foundation  
 \*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)

<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: ContextService [452]  
UUID: 7E6A119B-A06D-3DC7-A72A-5A486C9AFFC3  
Path: /System/Library/PrivateFrameworks/ContextKit.framework/  
Versions/A/XPCServices/ContextService.xpc/Contents/MacOS/  
ContextService  
Identifier: com.apple.siri.context.service  
Version: 1.0 (1)  
Build Version: 3926  
Project Name: Context  
Source Version: 2910000000000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 3252 KB  
Time Since Fork: 743s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xcbc 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

#### Binary Images:

0x107a11000 - ??? com.apple.siri.context.service 1.0 (1)  
<7E6A119B-A06D-3DC7-A72A-5A486C9AFFC3> /System/Library/  
PrivateFrameworks/ContextKit.framework/Versions/A/XPCServices/  
ContextService.xpc/Contents/MacOS/ContextService  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/

libsystem\_kernel.dylib

\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: ContextStoreAgent [528]  
UUID: 80021FE9-2A34-3000-8CE8-936305A4CE71  
Path: /System/Library/PrivateFrameworks/  
CoreDuetContext.framework/Versions/A/Resources/ContextStoreAgent  
Codesigning ID: com.apple.ContextStoreAgent  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 2800 KB  
Time Since Fork: 726s  
Num samples: 24 (1-24)  
CPU Time: <0.001s (293.9K cycles, 128.2K instructions, 2.29c/i)  
Note: 4 idle work queue threads omitted

Thread 0x152b DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (ContextStoreAgent + 18141) [0x1099996dd] 1-24  
24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)

[0xfffff8000415fc0] 1-24

Binary Images:

0x109995000 - 0x1099a4fff ContextStoreAgent (1852.6.1)  
<80021FE9-2A34-3000-8CE8-936305A4CE71> /System/Library/  
PrivateFrameworks/CoreDuetContext.framework/Versions/A/Resources/  
ContextStoreAgent  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: contextstored [178]  
UUID: 764D5D76-B6B1-36DA-AA1E-8E01C24FDF7D  
Path: /System/Library/PrivateFrameworks/  
CoreDuetContext.framework/Versions/A/Resources/contextstored  
Codesigning ID: com.apple.contextstored  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 2672 KB  
Time Since Fork: 766s  
Num samples: 24 (1-24)  
Note: 2 idle work queue threads omitted

Thread 0x3d3 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (contextstored + 25687) [0x10baaf457] 1-24  
24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24

24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 1-24

Binary Images:

0x10baa9000 - 0x10bab8fff contextstored (1852.6.1)  
<764D5D76-B6B1-36DA-AA1E-8E01C24FDF7D> /System/Library/  
PrivateFrameworks/CoreDuetContext.framework/Versions/A/Resources/  
contextstored  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: ContinuityCaptureAgent [385]  
UUID: 2C4D5A75-86CF-3986-BA7A-F35E7BB7D945  
Path: /usr/libexec/ContinuityCaptureAgent  
Codesigning ID: com.apple.cmio.ContinuityCaptureAgent  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 2460 KB

Time Since Fork: 749s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xa3e DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
dirty, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (ContinuityCaptureAgent + 9571) [0x102182563] 1-24  
24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0xa89 Thread name "caulk.messenger.shared:17" 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested utility), process sudden termination  
dirty, thread darwinbg, process darwinbg, IO tier 2>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 void\* caulk::thread\_proxy<std::\_\_1::tuple<caulk::thread::attributes,  
void (caulk::concurrent::details::worker\_thread::\*)(),  
std::\_\_1::tuple<caulk::concurrent::details::worker\_thread\*>>>(void\*) + 41  
(caulk + 6332) [0x7ff81654d8bc] 1-24  
24 caulk::concurrent::details::worker\_thread::run() + 30 (caulk + 7064)  
[0x7ff81654db98] 1-24  
24 semaphore\_wait\_trap + 10 (libsystem\_kernel.dylib + 6570)  
[0x7ff80be259aa] 1-24  
\*24 ??? (kernel + 1663616) [0xfffff8000476280] 1-24

Thread 0xa8a Thread name "caulk.messenger.shared:high" 24 samples  
 (1-24) priority 4 (base 4)  
 <thread QoS background, process sudden termination dirty, thread darwinbg, process darwinbg, IO tier 2>  
 24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab] 1-24  
 24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090) [0x7ff80be65202] 1-24  
 24 void\* caulk::thread\_proxy<std::\_\_1::tuple<caulk::thread::attributes, void (caulk::concurrent::details::worker\_thread::\*), std::\_\_1::tuple<caulk::concurrent::details::worker\_thread\*>>>(void\*) + 41 (caulk + 6332) [0x7ff81654d8bc] 1-24  
 24 caulk::concurrent::details::worker\_thread::run() + 30 (caulk + 7064) [0x7ff81654db98] 1-24  
 24 semaphore\_wait\_trap + 10 (libsystem\_kernel.dylib + 6570) [0x7ff80be259aa] 1-24  
 \*24 ??? (kernel + 1663616) [0xffffffff8000476280] 1-24

Binary Images:

0x102180000 - 0x10218bfff ContinuityCaptureAgent (472.1)  
 <2C4D5A75-86CF-3986-BA7A-F35E7BB7D945> /usr/libexec/  
 ContinuityCaptureAgent  
 0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
 <01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
 0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
 <3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
 libsystem\_kernel.dylib  
 0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
 <0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
 libsystem\_pthread.dylib  
 0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
 (2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
 Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
 0x7ff81654c000 - 0x7ff816571ff3 com.apple.audio.caulk 1.0 (149.1.3)  
 <C24466B5-64EA-376F-BDA3-3CA1AD870FC4> /System/Library/  
 PrivateFrameworks/caulk.framework/Versions/A/caulk  
 \*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
 <8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
 kernel

Process: ControlCenter (Control Center) [378]  
 UUID: D6D6490B-314B-3DAF-AAA7-58FB60BD7E46

Path: /System/Library/CoreServices/ControlCenter.app/Contents/  
MacOS/ControlCenter  
Identifier: com.apple.controlcenter  
Version: 1.0 (1)  
Build Version: 2  
Project Name: ControlCenter  
Source Version: 444025000000000  
Is First Party: Yes  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked  
Footprint: 27.34 MB  
Time Since Fork: 750s  
Num samples: 24 (1-24)  
Note: 2 idle work queue threads omitted

Thread 0xa21 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 46 (base 46)  
<thread QoS user interactive (requested user interactive), process sudden  
termination dirty, IO tier 0>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (ControlCenter + 359787) [0x10c192d6b] 1-24  
24 NSApplicationMain + 816 (AppKit + 16833) [0x7ff80f5151c1] 1-24  
24 -[NSApplication run] + 603 (AppKit + 197042) [0x7ff80f5411b2] 1-24  
24 -[NSApplication(NSEventRouting)  
\_nextEventMatchingEventMask:untilDate:inMode:dequeue:] + 1304 (AppKit +  
9734148) [0x7ff80fe59804] 1-24  
24 \_DPSNextEvent + 880 (AppKit + 257081) [0x7ff80f54fc39] 1-24  
24 \_BlockUntilNextEventMatchingListInModeWithFilter + 66  
(HIToolbox + 197937) [0x7ff816831531] 1-24  
24 ReceiveNextEventCommon + 665 (HIToolbox + 198630)  
[0x7ff8168317e6] 1-24  
24 RunCurrentEventLoopInMode + 292 (HIToolbox + 199129)  
[0x7ff8168319d9] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)



[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xffffffff8000415fc0] 1-24

Thread 0xbca Thread name "caulk.messenger.shared:17" 24 samples (1-24) priority 19 (base 19)

<thread QoS utility (requested utility), process sudden termination dirty, IO tier 1>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab] 1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090) [0x7ff80be65202] 1-24

24 void\* caulk::thread\_proxy<std::\_\_1::tuple<caulk::thread::attributes, void (caulk::concurrent::details::worker\_thread::\*), std::\_\_1::tuple<caulk::concurrent::details::worker\_thread\*>>>(void\*) + 41 (caulk + 6332) [0x7ff81654d8bc] 1-24

24 caulk::concurrent::details::worker\_thread::run() + 30 (caulk + 7064) [0x7ff81654db98] 1-24

24 semaphore\_wait\_trap + 10 (libsystem\_kernel.dylib + 6570) [0x7ff80be259aa] 1-24

\*24 ??? (kernel + 1663616) [0xffffffff8000476280] 1-24

Thread 0xbcb Thread name "caulk.messenger.shared:high" 24 samples (1-24) priority 55 (base 55)

<process sudden termination dirty, IO tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab] 1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090) [0x7ff80be65202] 1-24

24 void\* caulk::thread\_proxy<std::\_\_1::tuple<caulk::thread::attributes, void (caulk::concurrent::details::worker\_thread::\*), std::\_\_1::tuple<caulk::concurrent::details::worker\_thread\*>>>(void\*) + 41 (caulk + 6332) [0x7ff81654d8bc] 1-24

24 caulk::concurrent::details::worker\_thread::run() + 30 (caulk + 7064) [0x7ff81654db98] 1-24

24 semaphore\_wait\_trap + 10 (libsystem\_kernel.dylib + 6570) [0x7ff80be259aa] 1-24

\*24 ??? (kernel + 1663616) [0xffffffff8000476280] 1-24

Thread 0xc20 Thread name "com.apple.NSEventThread" 24 samples

(1-24) priority 46 (base 46)  
 <thread QoS user interactive (requested user interactive), process sudden termination dirty, IO tier 0>  
 24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab] 1-24  
 24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090) [0x7ff80be65202] 1-24  
 24 \_NSEventThread + 122 (AppKit + 1686188) [0x7ff80f6acaac] 1-24  
 24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842) [0x7ff80bf3f082] 1-24  
 24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693) [0x7ff80bf3fba5] 1-24  
 24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24  
 24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 1-24  
 24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24  
 24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24  
 \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xfffff8000415fc0] 1-24

Thread 0xc40 Thread name "AirPlayDACP" 24 samples (1-24) priority 31 (base 31)  
 <thread QoS default (requested default), process sudden termination dirty, IO tier 0>  
 24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab] 1-24  
 24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090) [0x7ff80be65202] 1-24  
 24 ??? (AirPlayReceiver + 568701) [0x7ffb161d2d7d] 1-24  
 24 \_\_psynch\_cvwait + 10 (libsystem\_kernel.dylib + 17870) [0x7ff80be285ce] 1-24  
 \*24 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777) [0xfffff800307e129] 1-24

#### Binary Images:

0x10c13b000 - 0x10c77afff com.apple.controlcenter 1.0 (1)  
 <D6D6490B-314B-3DAF-AAA7-58FB60BD7E46> /System/Library/CoreServices/ControlCenter.app/Contents/MacOS/ControlCenter  
 0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
 <01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
 0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)

<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
    0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
    0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
    0x7ff80f511000 - 0x7ff81092fff6 com.apple.AppKit 6.9 (2487.40.107)  
<660B78D6-113F-3ABD-8969-A6CB84FFF752> /System/Library/  
Frameworks/AppKit.framework/Versions/C/AppKit  
    0x7ff81654c000 - 0x7ff816571ff3 com.apple.audio.caulk 1.0 (149.1.3)  
<C24466B5-64EA-376F-BDA3-3CA1AD870FC4> /System/Library/  
PrivateFrameworks/caulk.framework/Versions/A/caulk  
    0x7ff816801000 - 0x7ff816a9cff4 com.apple.HIToolbox 2.1.1 (1202)  
<4CD47F03-ED80-3F2A-BBDF-D7AF11CB4CCB> /System/Library/  
Frameworks/Carbon.framework/Versions/A/Frameworks/  
HIToolbox.framework/Versions/A/HIToolbox  
    0x7ffb16148000 - 0x7ffb1624bff9 com.apple.AirPlayReceiver 2.0  
(755.3.1) <39819BD2-4459-3988-8D19-F93EE841DB6C> /System/Library/  
PrivateFrameworks/AirPlayReceiver.framework/Versions/A/AirPlayReceiver  
    \*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel  
    \*0xfffff8003079000 - 0xfffff8003081fff com.apple.kec.pthread (519)  
<07ED499F-25E6-3572-8464-FC4F7429D88C> com.apple.kec.pthread

Process:      coreaudiod [221]  
UUID:         8F223E80-F44F-3821-A695-F3061FB47B20  
Path:         /usr/sbin/coreaudiod  
Codesigning ID:  com.apple.audio.coreaudiod  
Shared Cache:   812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture:   x86\_64  
Parent:        launchd [1]  
UID:           202  
Sudden Term:   Tracked (allows idle exit)  
Footprint:     8384 KB  
Time Since Fork: 763s  
Num samples:   24 (1-24)  
Note:          1 idle work queue thread omitted

Thread 0x49a  DispatchQueue "com.apple.main-thread"(1)  24 samples

(1-24) priority 63 (base 63)  
<process sudden termination dirty, IO tier 0>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 main + 5079 (coreaudiod + 101970) [0x1005d0e52] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0x49b Thread name "HAL Async Logger" 24 samples (1-24)  
priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination dirty,  
IO tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 void\*  
std::\_\_1::\_\_thread\_proxy[abi:v160006]<std::\_\_1::tuple<std::\_\_1::unique\_ptr<st  
d::\_\_1::\_\_thread\_struct, std::\_\_1::default\_delete<std::\_\_1::\_\_thread\_struct>>,  
void (ca::concurrent::details::worker\_thread::\*)(ca::thread::attributes),  
ca::concurrent::details::worker\_thread\*, ca::thread::attributes>>(void\*) + 204  
(CoreAudio + 5141295) [0x7ff80e80432f] 1-24  
24 ca::concurrent::details::worker\_thread::run(ca::thread::attributes) +  
390 (CoreAudio + 5140976) [0x7ff80e8041f0] 1-24  
24 semaphore\_wait\_trap + 10 (libsystem\_kernel.dylib + 6570)  
[0x7ff80be259aa] 1-24  
\*24 ??? (kernel + 1663616) [0xfffff8000476280] 1-24

Thread 0x49c Thread name "caulk.messenger.shared:17" 24 samples  
(1-24) priority 19 (base 19)  
<thread QoS utility (requested utility), process sudden termination dirty, IO  
tier 1>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]

1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24

24 void\* caulk::thread\_proxy<std::\_\_1::tuple<caulk::thread::attributes,  
void (caulk::concurrent::details::worker\_thread::\*)(),  
std::\_\_1::tuple<caulk::concurrent::details::worker\_thread\*>>>(void\*) + 41  
(caulk + 6332) [0x7ff81654d8bc] 1-24

24 caulk::concurrent::details::worker\_thread::run() + 30 (caulk + 7064)  
[0x7ff81654db98] 1-24

24 semaphore\_wait\_trap + 10 (libsystem\_kernel.dylib + 6570)  
[0x7ff80be259aa] 1-24

\*24 ??? (kernel + 1663616) [0xffffffff8000476280] 1-24

Thread 0x49d Thread name "caulk.messenger.shared:high" 24 samples  
(1-24) priority 55 (base 55)

<process sudden termination dirty, IO tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24

24 void\* caulk::thread\_proxy<std::\_\_1::tuple<caulk::thread::attributes,  
void (caulk::concurrent::details::worker\_thread::\*)(),  
std::\_\_1::tuple<caulk::concurrent::details::worker\_thread\*>>>(void\*) + 41  
(caulk + 6332) [0x7ff81654d8bc] 1-24

24 caulk::concurrent::details::worker\_thread::run() + 30 (caulk + 7064)  
[0x7ff81654db98] 1-24

24 semaphore\_wait\_trap + 10 (libsystem\_kernel.dylib + 6570)  
[0x7ff80be259aa] 1-24

\*24 ??? (kernel + 1663616) [0xffffffff8000476280] 1-24

Thread 0x555 Thread name "caulk.messenger.shared:21" 24 samples  
(1-24) priority 31 (base 31)

<thread QoS default (requested default), process sudden termination dirty,  
IO tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24

24 void\* caulk::thread\_proxy<std::\_\_1::tuple<caulk::thread::attributes,  
void (caulk::concurrent::details::worker\_thread::\*)(),  
std::\_\_1::tuple<caulk::concurrent::details::worker\_thread\*>>>(void\*) + 41  
(caulk + 6332) [0x7ff81654d8bc] 1-24

24 caulk::concurrent::details::worker\_thread::run() + 30 (caulk + 7064)  
[0x7ff81654db98] 1-24

24 semaphore\_wait\_trap + 10 (libsystem\_kernel.dylib + 6570)  
[0x7ff80be259aa] 1-24  
\*24 ??? (kernel + 1663616) [0xffffffff8000476280] 1-24

Thread 0x5ca Thread name "caulk::deferred\_logger" 24 samples (1-24)  
priority 37 (base 37)

<thread QoS user initiated (requested user initiated), process sudden  
termination dirty, IO tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24

24 void\* caulk::thread\_proxy<std::\_\_1::tuple<caulk::thread::attributes,  
void (caulk::concurrent::details::worker\_thread::\*),  
std::\_\_1::tuple<caulk::concurrent::details::worker\_thread\*>>>(void\*) + 41  
(caulk + 6332) [0x7ff81654d8bc] 1-24

24 caulk::concurrent::details::worker\_thread::run() + 30 (caulk + 7064)  
[0x7ff81654db98] 1-24

24 semaphore\_wait\_trap + 10 (libsystem\_kernel.dylib + 6570)  
[0x7ff80be259aa] 1-24

\*24 ??? (kernel + 1663616) [0xffffffff8000476280] 1-24

Thread 0x859 Thread name "AUToneMeister messenger" 24 samples  
(1-24) priority 55 (base 55)

<process sudden termination dirty, IO tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24

24 void\* caulk::thread\_proxy<std::\_\_1::tuple<caulk::thread::attributes,  
void (caulk::concurrent::details::worker\_thread::\*),  
std::\_\_1::tuple<caulk::concurrent::details::worker\_thread\*>>>(void\*) + 41  
(caulk + 6332) [0x7ff81654d8bc] 1-24

24 caulk::concurrent::details::worker\_thread::run() + 30 (caulk + 7064)  
[0x7ff81654db98] 1-24

24 semaphore\_wait\_trap + 10 (libsystem\_kernel.dylib + 6570)  
[0x7ff80be259aa] 1-24

\*24 ??? (kernel + 1663616) [0xffffffff8000476280] 1-24

Binary Images:

0x1005b8000 - 0x1005dfff coreaudiod (290.153.4.10.1)  
<8F223E80-F44F-3821-A695-F3061FB47B20> /usr/sbin/coreaudiod

0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80e31d000 - 0x7ff80ea2fffe com.apple.audio.CoreAudio 5.0  
(5.0) <9A2C9602-9C06-35A4-A382-46AAD247879A> /System/Library/  
Frameworks/CoreAudio.framework/Versions/A/CoreAudio  
0x7ff81654c000 - 0x7ff816571ff3 com.apple.audio.caulk 1.0 (149.1.3)  
<C24466B5-64EA-376F-BDA3-3CA1AD870FC4> /System/Library/  
PrivateFrameworks/caulk.framework/Versions/A/caulk  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: coreauthd [354]  
UUID: B0BE8B37-5098-31A0-96A5-BE3BB4FF5A6B  
Path: /System/Library/Frameworks/LocalAuthentication.framework/  
Support/coreauthd  
Codesigning ID: com.apple.coreauthd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1404 KB  
Time Since Fork: 751s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x95c DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (coreauthd + 45535) [0x10d4d71df] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24

24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 1-24

Binary Images:

0x10d4cc000 - 0x10d52ffff coreauthd (1394.81.2)  
<B0BE8B37-5098-31A0-96A5-BE3BB4FF5A6B> /System/Library/  
Frameworks/LocalAuthentication.framework/Support/coreauthd  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: coreauthd [438]  
UUID: B0BE8B37-5098-31A0-96A5-BE3BB4FF5A6B  
Path: /System/Library/Frameworks/LocalAuthentication.framework/  
Support/coreauthd  
Codesigning ID: com.apple.coreauthd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]



UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1456 KB  
Time Since Fork: 744s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xc26 DispatchQueue "com.apple.main-thread"(1) 24 samples (1-24) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (coreauthd + 45535) [0x10906c1df] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842) [0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693) [0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xfffff8000415fc0] 1-24

#### Binary Images:

0x109061000 - 0x1090c4fff coreauthd (1394.81.2)  
<B0BE8B37-5098-31A0-96A5-BE3BB4FF5A6B> /System/Library/Frameworks/LocalAuthentication.framework/Support/coreauthd  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9 (2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303) <6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/

Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: corebrightnessd [151]  
UUID: CE9786A3-C639-3BB0-BCB7-D4D8155A4CB6  
Path: /usr/libexec/corebrightnessd  
Codesigning ID: com.apple.corebrightnessd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked  
Footprint: 1504 KB  
Time Since Fork: 767s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x2fe DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (corebrightnessd + 14547) [0x103db68d3] 1-24  
24 CFRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 1-24

Binary Images:

0x103db3000 - 0x103dbefff corebrightnessd (1603.80.3)  
<CE9786A3-C639-3BB0-BCB7-D4D8155A4CB6> /usr/libexec/  
corebrightnessd  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdf000 kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: coreduetd [121]  
UUID: 1943C17D-4C1F-3661-9C14-924236811FAB  
Path: /usr/libexec/coreduetd  
Codesigning ID: com.apple.coreduetd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 2636 KB  
Time Since Fork: 767s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x312 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (coreduetd + 77414) [0x10e842e66] 1-24  
24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)

[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 <patched truncated backtrace> 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x10e830000 - 0x10e85bfff coreduetd (1852.6.1)  
<1943C17D-4C1F-3661-9C14-924236811FAB> /usr/libexec/coreduetd  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: corekld [218]  
UUID: C2D84007-C352-3558-B142-A9379AFEF22C  
Path: /System/Library/PrivateFrameworks/CoreKDL.framework/  
Support/corekld  
Codesigning ID: com.apple.corekld  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 908 KB  
Time Since Fork: 763s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x489 DispatchQueue "com.apple.main-thread"(1) 24 samples

(1-24) priority 4 (base 4)  
 <thread QoS background (requested default), process sudden termination  
 clean, thread darwinbg, process darwinbg, IO tier 2>  
 24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
 24 ??? (corekld + 8233) [0x105ad1029] 1-24  
 24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
 24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
 24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
 [0x7ff80bf3f082] 1-24  
 24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
 [0x7ff80bf3fba5] 1-24  
 24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
 508213) [0x7ff80bf41135] 1-24  
 24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
 [0x7ff80be25d1f] 1-24  
 24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
 [0x7ff80be2cb62] 1-24  
 24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
 [0x7ff80be25a2e] 1-24  
 \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
 [0xfffff8000415fc0] 1-24

Binary Images:

0x105acf000 - 0x105adafff corekld (47)  
 <C2D84007-C352-3558-B142-A9379AFEF22C> /System/Library/  
 PrivateFrameworks/CoreKDL.framework/Support/corekld  
 0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
 <01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
 0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
 <3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
 libsystem\_kernel.dylib  
 0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
 (2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
 Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
 0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
 <6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
 Frameworks/Foundation.framework/Versions/C/Foundation  
 \*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
 <8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
 kernel

Process: CoreLocationAgent [396]  
 UUID: 93CA9286-83FB-3724-A3FC-DA4D058D7295

Path: /System/Library/CoreServices/CoreLocationAgent.app/  
Contents/MacOS/CoreLocationAgent  
Identifier: com.apple.CoreLocationAgent  
Version: 2890.8.3 (2890.8.3)  
Build Version: 20  
Project Name: CoreLocation  
Source Version: 2890008003000000  
Is First Party: Yes  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 2928 KB  
Time Since Fork: 748s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xa9c DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 NSApplicationMain + 816 (AppKit + 16833) [0x7ff80f5151c1] 1-24  
24 -[NSApplication run] + 603 (AppKit + 197042) [0x7ff80f5411b2] 1-24  
24 -[NSApplication(NSEventRouting)  
\_nextEventMatchingEventMask:untilDate:inMode:dequeue:] + 1304 (AppKit +  
9734148) [0x7ff80fe59804] 1-24  
24 \_DPSNextEvent + 880 (AppKit + 257081) [0x7ff80f54fc39] 1-24  
24 \_BlockUntilNextEventMatchingListInModeWithFilter + 66  
(HIToolbox + 197937) [0x7ff816831531] 1-24  
24 ReceiveNextEventCommon + 665 (HIToolbox + 198630)  
[0x7ff8168317e6] 1-24  
24 RunCurrentEventLoopInMode + 292 (HIToolbox + 199129)  
[0x7ff8168319d9] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xfffff8000415fc0] 1-24

Thread 0xb26 Thread name "com.apple.NSEventThread" 24 samples (1-24) priority 37 (base 37)

<thread QoS user initiated (requested user interactive), process sudden termination clean, IO tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab] 1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090) [0x7ff80be65202] 1-24

24 \_NSEventThread + 122 (AppKit + 1686188) [0x7ff80f6acaac] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842) [0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693) [0x7ff80bf3fba5] 1-24

24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xfffff8000415fc0] 1-24

#### Binary Images:

0x106876000 - ??? com.apple.CoreLocationAgent 2890.8.3 (2890.8.3) <93CA9286-83FB-3724-A3FC-DA4D058D7295> /System/Library/CoreServices/CoreLocationAgent.app/Contents/MacOS/CoreLocationAgent

0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5) <01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5) <3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/libsystem\_kernel.dylib

0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519) <0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/libsystem\_pthread.dylib

0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9

(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80f511000 - 0x7ff81092fff6 com.apple.AppKit 6.9 (2487.40.107)  
<660B78D6-113F-3ABD-8969-A6CB84FFF752> /System/Library/Frameworks/AppKit.framework/Versions/C/AppKit  
0x7ff816801000 - 0x7ff816a9cff4 com.apple.HIToolbox 2.1.1 (1202)  
<4CD47F03-ED80-3F2A-BBDF-D7AF11CB4CCB> /System/Library/Frameworks/Carbon.framework/Versions/A/Frameworks/HIToolbox.framework/Versions/A/HIToolbox  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/kernel

Process: coreservicesd [159]  
UUID: 35D5117C-140A-3FDF-9FD3-8A0A445C7557  
Path: /System/Library/Frameworks/CoreServices.framework/Versions/A/Frameworks/CarbonCore.framework/Versions/A/Support/coreservicesd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked  
Footprint: 3140 KB  
Time Since Fork: 766s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x371 DispatchQueue "com.apple.main-thread"(1) 24 samples (1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination dirty, IO tier 0>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (CarbonCore + 597193) [0x7ff80f0fcc9] 1-24  
24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842) [0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693) [0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]



1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 1-24

Thread 0x378 DispatchQueue "fmodWatchProducer"(40) 24 samples  
(1-24) priority 30 (base 31)

<thread QoS default (requested default, workloop servicer override default),  
process sudden termination dirty, IO tier 0>

24 start\_wqthread + 15 (libsystem\_pthread.dylib + 7063) [0x7ff80be60b97]  
1-24

24 \_pthread\_wqthread + 327 (libsystem\_pthread.dylib + 11335)  
[0x7ff80be61c47] 1-24

24 \_dispatch\_workloop\_worker\_thread + 451 (libdispatch.dylib + 78845)  
[0x7ff80bccd3fd] 1-24

24 \_dispatch\_root\_queue\_drain\_deferred\_wlh + 271 (libdispatch.dylib +  
80622) [0x7ff80bccdae] 1-24

24 \_dispatch\_lane\_invoke + 377 (libdispatch.dylib + 41216)  
[0x7ff80bcc4100] 1-24

24 \_dispatch\_lane\_serial\_drain + 816 (libdispatch.dylib + 38504)  
[0x7ff80bcc3668] 1-24

24 \_dispatch\_client\_callout + 8 (libdispatch.dylib + 13722)  
[0x7ff80bcbd59a] 1-24

24 \_dispatch\_call\_block\_and\_release + 12 (libdispatch.dylib +  
8934) [0x7ff80bcbc2e6] 1-24

24 read + 10 (libsystem\_kernel.dylib + 9362) [0x7ff80be26492]  
1-24

\*24 hndl\_unix\_scall64 + 22 (kernel + 998838)  
[0xffffffff80003d3db6] 1-24

\*24 unix\_syscall64 + 477 (kernel + 7810589)  
[0xffffffff8000a52e1d] 1-24

\*24 read + 280 (kernel + 6761992) [0xffffffff8000952e08] 1-24

\*24 ??? (kernel + 6761562) [0xffffffff8000952c5a] 1-24

\*24 ??? (kernel + 3600035) [0xffffffff800064eea3] 1-24

\*24 ??? (kernel + 6623510) [0xffffffff8000931116] 1-24

\*24 thread\_block\_reason + 240 (kernel + 1581040)  
[0xffffffff8000461ff0] 1-24

\*24 ??? (kernel + 1588870) [0xffffffff8000463e86] 1-24

\*24 machine\_switch\_context + 215 (kernel + 2749095)  
[0xffffffff800057f2a7] 1-24

Thread 0x39a DispatchQueue "fmodWatchProducer"(45) 24 samples  
(1-24) priority 31 (base 31)  
<thread QoS default (requested default, workloop servicer override default),  
process sudden termination dirty, IO tier 0>  
24 start\_wqthread + 15 (libsystem\_pthread.dylib + 7063) [0x7ff80be60b97]  
1-24  
24 \_pthread\_wqthread + 327 (libsystem\_pthread.dylib + 11335)  
[0x7ff80be61c47] 1-24  
24 \_dispatch\_workloop\_worker\_thread + 451 (libdispatch.dylib + 78845)  
[0x7ff80bccd3fd] 1-24  
24 \_dispatch\_root\_queue\_drain\_deferred\_wlh + 271 (libdispatch.dylib +  
80622) [0x7ff80bccdaee] 1-24  
24 \_dispatch\_lane\_invoke + 377 (libdispatch.dylib + 41216)  
[0x7ff80bcc4100] 1-24  
24 \_dispatch\_lane\_serial\_drain + 816 (libdispatch.dylib + 38504)  
[0x7ff80bcc3668] 1-24  
24 \_dispatch\_client\_callout + 8 (libdispatch.dylib + 13722)  
[0x7ff80bcbd59a] 1-24  
24 \_dispatch\_call\_block\_and\_release + 12 (libdispatch.dylib +  
8934) [0x7ff80bcbc2e6] 1-24  
24 ??? (CarbonCore + 326500) [0x7ff80f0bdb64] 1-24  
24 \_\_psynch\_cvwait + 10 (libsystem\_kernel.dylib + 17870)  
[0x7ff80be285ce] 1-24  
\*24 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777)  
[0xfffff800307e129] 1-24

Binary Images:

0x102b3b000 - ??? coreservicesd  
<35D5117C-140A-3FDF-9FD3-8A0A445C7557> /System/Library/  
Frameworks/CoreServices.framework/Versions/A/Frameworks/  
CarbonCore.framework/Versions/A/Support/coreservicesd  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/

Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80f06e000 - 0x7ff80f367ff9  
com.apple.CoreServices.CarbonCore 1333 (1333) <7962F01F-  
A074-31FF-887F-BE7C03BD5BA0> /System/Library/Frameworks/  
CoreServices.framework/Versions/A/Frameworks/CarbonCore.framework/  
Versions/A/CarbonCore  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel  
\*0xffffffff8003079000 - 0xffffffff8003081fff com.apple.kec.pthread (519)  
<07ED499F-25E6-3572-8464-FC4F7429D88C> com.apple.kec.pthread

Process: CoreServicesUIAgent [363]  
UUID: D735A069-3015-3863-BB88-D27012EB4526  
Path: /System/Library/CoreServices/CoreServicesUIAgent.app/  
Contents/MacOS/CoreServicesUIAgent  
Identifier: com.apple.coreservices.uiagent  
Version: 369 (369)  
Build Version: 559  
Project Name: CoreServicesUIAgent  
Source Version: 4030000000000000  
Is First Party: Yes  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 3572 KB  
Time Since Fork: 750s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x9cb DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 46 (base 46)  
<thread QoS user interactive (requested user interactive), process sudden  
termination clean, IO tier 0>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 NSApplicationMain + 816 (AppKit + 16833) [0x7ff80f5151c1] 1-24  
24 -[NSApplication run] + 603 (AppKit + 197042) [0x7ff80f5411b2] 1-24  
24 -[NSApplication(NSEventRouting)  
\_nextEventMatchingEventMask:untilDate:inMode:dequeue:] + 1304 (AppKit +  
9734148) [0x7ff80fe59804] 1-24

24 \_DPSNextEvent + 880 (AppKit + 257081) [0x7ff80f54fc39] 1-24  
24 \_BlockUntilNextEventMatchingListInModeWithFilter + 66  
(HI Toolbox + 197937) [0x7ff816831531] 1-24  
24 ReceiveNextEventCommon + 665 (HI Toolbox + 198630)  
[0x7ff8168317e6] 1-24  
24 RunCurrentEventLoopInMode + 292 (HI Toolbox + 199129)  
[0x7ff8168319d9] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib +  
35682) [0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0xa72 Thread name "com.apple.NSEventThread" 24 samples  
(1-24) priority 46 (base 46)  
<thread QoS user interactive (requested user interactive), process sudden  
termination clean, IO tier 0>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 \_NSEventThread + 122 (AppKit + 1686188) [0x7ff80f6acaac] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)

[0xfffff8000415fc0] 1-24

Binary Images:

0x1056f7000 - ??? com.apple.coreservices.uiagent 369  
(369) <D735A069-3015-3863-BB88-D27012EB4526> /System/Library/  
CoreServices/CoreServicesUIAgent.app/Contents/MacOS/  
CoreServicesUIAgent  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80f511000 - 0x7ff81092fff6 com.apple.AppKit 6.9 (2487.40.107)  
<660B78D6-113F-3ABD-8969-A6CB84FFF752> /System/Library/  
Frameworks/AppKit.framework/Versions/C/AppKit  
0x7ff816801000 - 0x7ff816a9cff4 com.apple.HIToolbox 2.1.1 (1202)  
<4CD47F03-ED80-3F2A-BBDF-D7AF11CB4CCB> /System/Library/  
Frameworks/Carbon.framework/Versions/A/Frameworks/  
HIToolbox.framework/Versions/A/HIToolbox  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: corespeechd [572]  
UUID: 7B6BC89A-6264-3AF0-B236-BD7144C33405  
Path: /System/Library/PrivateFrameworks/CoreSpeech.framework/  
corespeechd  
Codesigning ID: com.apple.corespeechd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked  
Footprint: 3952 KB  
Time Since Fork: 705s  
Num samples: 24 (1-24)

Note: 1 idle work queue thread omitted

Thread 0x1412 DispatchQueue "com.apple.main-thread"(1) 24 samples (1-24) priority 31 (base 31)

<thread QoS default (requested default), process sudden termination dirty, IO tier 0>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (corespeechd + 1700872) [0x10ddb4408] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842) [0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693) [0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xffffffff8000415fc0] 1-24

Thread 0x146b Thread name "caulk.messenger.shared:17" 24 samples (1-24) priority 19 (base 19)

<thread QoS utility (requested utility), process sudden termination dirty, IO tier 1>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab] 1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090) [0x7ff80be65202] 1-24  
24 void\* caulk::thread\_proxy<std::\_\_1::tuple<caulk::thread::attributes, void (caulk::concurrent::details::worker\_thread::\*)(), std::\_\_1::tuple<caulk::concurrent::details::worker\_thread\*>>>(void\*) + 41 (caulk + 6332) [0x7ff81654d8bc] 1-24  
24 caulk::concurrent::details::worker\_thread::run() + 30 (caulk + 7064) [0x7ff81654db98] 1-24  
24 semaphore\_wait\_trap + 10 (libsystem\_kernel.dylib + 6570) [0x7ff80be259aa] 1-24  
\*24 ??? (kernel + 1663616) [0xffffffff8000476280] 1-24

Thread 0x146c Thread name "caulk.messenger.shared:high" 24 samples

(1-24) priority 55 (base 55)  
<process sudden termination dirty, IO tier 0>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 void\* caulk::thread\_proxy<std::\_\_1::tuple<caulk::thread::attributes,  
void (caulk::concurrent::details::worker\_thread::\*)(),  
std::\_\_1::tuple<caulk::concurrent::details::worker\_thread\*>>>(void\*) + 41  
(caulk + 6332) [0x7ff81654d8bc] 1-24  
24 caulk::concurrent::details::worker\_thread::run() + 30 (caulk + 7064)  
[0x7ff81654db98] 1-24  
24 semaphore\_wait\_trap + 10 (libsystem\_kernel.dylib + 6570)  
[0x7ff80be259aa] 1-24  
\*24 ??? (kernel + 1663616) [0xffffffff8000476280] 1-24

Binary Images:

0x10dc15000 - 0x10df20fff corespeechd (3303.7.1)  
<7B6BC89A-6264-3AF0-B236-BD7144C33405> /System/Library/  
PrivateFrameworks/CoreSpeech.framework/corespeechd  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
0x7ff81654c000 - 0x7ff816571ff3 com.apple.audio.caulk 1.0 (149.1.3)  
<C24466B5-64EA-376F-BDA3-3CA1AD870FC4> /System/Library/  
PrivateFrameworks/caulk.framework/Versions/A/caulk  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: corespotlightd [510]  
UUID: F8A0F372-E23F-3792-B3A7-DA868074A245

Path: /System/Library/Frameworks/CoreServices.framework/Versions/  
A/Frameworks/Metadata.framework/Versions/A/Support/corespotlightd  
Codesigning ID: com.apple.corespotlightd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 9564 KB  
Time Since Fork: 730s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xf75 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination dirty,  
process unclamped, process received importance donation from Spotlight  
[501], IO tier 0>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (corespotlightd + 105656) [0x1036b8cb8] 1-24  
24 CFRRunLoopRunLoopSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0xf96 24 samples (1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination dirty,  
process unclamped, process received importance donation from Spotlight  
[501], IO tier 0>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24



24 ??? (SpotlightIndex + 8202) [0x7ff825bcc00a] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 1-24

Binary Images:

0x10369f000 - 0x1036c6fff corespotlightd (2274.13.3)  
<F8A0F372-E23F-3792-B3A7-DA868074A245> /System/Library/  
Frameworks/CoreServices.framework/Versions/A/Frameworks/  
Metadata.framework/Versions/A/Support/corespotlightd  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff825bca000 - 0x7ff825f8efec com.apple.spotlight.index 1.0  
(2274.13.3) <03A2A9EC-791D-3233-9914-320AFFA2E8B7> /System/Library/  
PrivateFrameworks/SpotlightIndex.framework/Versions/A/SpotlightIndex  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: coresymbolicationd [556]  
UUID: 125F7078-A9FB-344C-98AC-B24CF55D5B64  
Path: /System/Library/PrivateFrameworks/  
CoreSymbolication.framework/coresymbolicationd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)

Footprint: 632 KB  
Time Since Fork: 713s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x12f5 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x1067dd000 - ??? coresymbolicationd  
<125F7078-A9FB-344C-98AC-B24CF55D5B64> /System/Library/  
PrivateFrameworks/CoreSymbolication.framework/coresymbolicationd  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: countryd [335]  
UUID: ACB371BE-8C19-3087-BB3C-8100F5CA5087  
Path: /usr/libexec/countryd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 676 KB  
Time Since Fork: 754s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x89d 24 samples (1-24) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42] 1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774) [0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x102f5f000 - ??? countryd  
<ACB371BE-8C19-3087-BB3C-8100F5CA5087> /usr/libexec/countryd  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/kernel

Process: CrashReporterSupportHelper [655]  
UUID: FF08ED83-E055-39D7-AA97-E00E12D47B4C  
Path: /System/Library/CoreServices/CrashReporterSupportHelper  
Codesigning ID: com.apple.CrashReporterSupportHelper  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked  
Footprint: 584 KB  
Time Since Fork: 661s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x195c DispatchQueue "com.apple.main-thread"(1) 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (CrashReporterSupportHelper + 13048) [0x10b3412f8] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24

24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x10b33e000 - 0x10b349fff CrashReporterSupportHelper (15122)  
<FF08ED83-E055-39D7-AA97-E00E12D47B4C> /System/Library/  
CoreServices/CrashReporterSupportHelper  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: cryptexd [256]  
UUID: EDABA605-B35E-3EC5-B92A-73A6DB2FF4C8  
Path: /usr/libexec/cryptexd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0

Sudden Term: Tracked (allows idle exit)  
Footprint: 872 KB  
Time Since Fork: 760s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x605 24 samples (1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x10ee25000 - ??? cryptexd <EDABA605-  
B35E-3EC5-B92A-73A6DB2FF4C8> /usr/libexec/cryptexd  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: CExattrCryptoService [507]  
UUID: 6AA78038-FCB5-3BEA-9620-1C18439B033D  
Path: /System/Library/PrivateFrameworks/  
CExattrCrypto.framework/Versions/A/XPCServices/  
CExattrCryptoService.xpc/Contents/MacOS/CExattrCryptoService  
Identifier: com.apple.spotlight.CExattrCryptoService  
Version: 1.0 (2274.13.3)  
Build Version: 2  
Project Name: CoreSpotlight\_frameworks  
Source Version: 2274013003000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: Finder [381]

UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 3704 KB  
Time Since Fork: 730s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xf8e 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x109367000 - ???  
com.apple.spotlight.CSEattrCryptoService 1.0 (2274.13.3) <6AA78038-  
FCB5-3BEA-9620-1C18439B033D> /System/Library/PrivateFrameworks/  
CSEattrCrypto.framework/Versions/A/XPCServices/  
CSEattrCryptoService.xpc/Contents/MacOS/CSEattrCryptoService  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: csnameddatad [190]  
UUID: B467D684-BF7E-333F-AC2B-3AA311043948  
Path: /System/Library/Frameworks/CoreServices.framework/Versions/  
A/Frameworks/CarbonCore.framework/Versions/A/XPCServices/  
csnameddatad.xpc/Contents/MacOS/csnameddatad  
Identifier: com.apple.carboncore.csnameddata  
Version: 1.0 (1)  
Build Version: 4  
Project Name: CarbonCore  
Source Version: 1348003001000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base

address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64

Parent: launchd [1]

UID: 0

Sudden Term: Tracked (allows idle exit)

Footprint: 620 KB

Time Since Fork: 765s

Num samples: 24 (1-24)

Note: 1 idle work queue thread omitted

Thread 0x477 24 samples (1-24) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>

24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42] 1-24

24 <patched truncated backtrace> 1-24

24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774) [0x7ff80be2b836] 1-24

\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x104dd2000 - ??? com.apple.carboncore.csnameddata 1.0  
(1) <B467D684-BF7E-333F-AC2B-3AA311043948> /System/Library/  
Frameworks/CoreServices.framework/Versions/A/Frameworks/  
CarbonCore.framework/Versions/A/XPCServices/csnameddatad.xpc/  
Contents/MacOS/csnameddatad

0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib

\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: csnameddatad [367]

UUID: B467D684-BF7E-333F-AC2B-3AA311043948

Path: /System/Library/Frameworks/CoreServices.framework/Versions/  
A/Frameworks/CarbonCore.framework/Versions/A/XPCServices/  
csnameddatad.xpc/Contents/MacOS/csnameddatad

Identifier: com.apple.carboncore.csnameddata

Version: 1.0 (1)

Build Version: 4  
Project Name: CarbonCore  
Source Version: 1348003001000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 628 KB  
Time Since Fork: 750s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x9ec 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

#### Binary Images:

0x10c41f000 - ??? com.apple.carboncore.csnameddata 1.0  
(1) <B467D684-BF7E-333F-AC2B-3AA311043948> /System/Library/  
Frameworks/CoreServices.framework/Versions/A/Frameworks/  
CarbonCore.framework/Versions/A/XPCServices/csnameddatad.xpc/  
Contents/MacOS/csnameddatad  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: ctkahp (Smartcard Agent) [585]  
UUID: 6FDD163D-EC3B-364B-9152-0331F41B5A5C  
Path: /System/Library/Frameworks/CryptoTokenKit.framework/  
ctkahp.bundle/Contents/MacOS/ctkahp



Identifier: com.apple.ckahp  
Version: 1.0 (1)  
Build Version: 4  
Project Name: CryptoTokenKit\_binaries  
Source Version: 685080002000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 720 KB  
Time Since Fork: 705s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x140d DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 0 (base 4)

<thread QoS background (requested default), process sudden termination  
dirty, thread darwinbg, process darwinbg, IO tier 2>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (ckahp + 17072) [0x1027882b0] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

#### Binary Images:

0x102784000 - 0x1027abfff com.apple.ckahp 1.0 (1)  
<6FDD163D-EC3B-364B-9152-0331F41B5A5C> /System/Library/  
Frameworks/CryptoTokenKit.framework/ckahp.bundle/Contents/MacOS/  
ckahp

0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: ctkahp (Smartcard Agent) [588]  
UUID: 6FDD163D-EC3B-364B-9152-0331F41B5A5C  
Path: /System/Library/Frameworks/CryptoTokenKit.framework/  
ctkahp.bundle/Contents/MacOS/ctkahp  
Identifier: com.apple.ctkahp  
Version: 1.0 (1)  
Build Version: 4  
Project Name: CryptoTokenKit\_binaries  
Source Version: 685080002000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 768 KB  
Time Since Fork: 704s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x144f DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 0 (base 4)  
<thread QoS background (requested default), process sudden termination  
dirty, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (ctkahp + 17072) [0x10c7f42b0] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24

24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 1-24

Binary Images:

0x10c7f0000 - 0x10c817fff com.apple.ckahp 1.0 (1)  
<6FDD163D-EC3B-364B-9152-0331F41B5A5C> /System/Library/  
Frameworks/CryptoTokenKit.framework/ckahp.bundle/Contents/MacOS/  
ckahp  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: ctkd [423]  
UUID: 51C2C28D-4B92-3A8A-BD24-0C3B0CA9B6D5  
Path: /System/Library/Frameworks/CryptoTokenKit.framework/ctkd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501

Sudden Term: Tracked (allows idle exit)  
Footprint: 1028 KB  
Time Since Fork: 746s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xe36 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

Binary Images:

0x10db38000 - ??? ctkd  
<51C2C28D-4B92-3A8A-BD24-0C3B0CA9B6D5> /System/Library/  
Frameworks/CryptoTokenKit.framework/ctkd  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: ctkd [439]  
UUID: 51C2C28D-4B92-3A8A-BD24-0C3B0CA9B6D5  
Path: /System/Library/Frameworks/CryptoTokenKit.framework/ctkd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 259  
Sudden Term: Tracked (allows idle exit)  
Footprint: 688 KB  
Time Since Fork: 744s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x13d4 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x109ceb000 - ??? ctkd  
<51C2C28D-4B92-3A8A-BD24-0C3B0CA9B6D5> /System/Library/  
Frameworks/CryptoTokenKit.framework/ctkd  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: CursorUIViewService [508]  
UUID: CFEDD7FA-11AA-3117-8B59-60E4401853A3  
Path: /System/Library/PrivateFrameworks/  
TextInputUIMacHelper.framework/Versions/A/XPCServices/  
CursorUIViewService.xpc/Contents/MacOS/CursorUIViewService  
Identifier: com.apple.TextInputUI.xpc.CursorUIViewService  
Version: 1.0 (1)  
Build Version: 9  
Project Name: TextInputUI\_macOS  
Source Version: 7302000000000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 4024 KB  
Time Since Fork: 730s  
Num samples: 24 (1-24)  
Note: 2 idle work queue threads omitted

```

Thread 0xf60  DispatchQueue "com.apple.main-thread"(1)  24 samples
(1-24)  priority 46 (base 46)
  <thread QoS user interactive (requested user interactive), process sudden
  termination dirty, process unclamped, process received importance donation
  from MIDITranslatorPro (Bome MIDI Translator Pro) [986], IO tier 0>
    24  start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24
    24  main + 35 (CursorUIViewService + 41940) [0x103dc13d4] 1-24
    24  ??? (ViewBridge + 169707) [0x7ff8149a76eb] 1-24
    24  ??? (ViewBridge + 54043) [0x7ff81498b31b] 1-24
    24  xpc_main + 56 (libxpc.dylib + 87766) [0x7ff80bb8a6d6] 1-24
    24  _xpc_main + 259 (libxpc.dylib + 137735) [0x7ff80bb96a07] 1-24
    24  _xpc_objc_main + 700 (libxpc.dylib + 88849) [0x7ff80bb8ab11]
1-24
    24  NSApplicationMain + 816 (AppKit + 16833) [0x7ff80f5151c1]
1-24
    24  -[NSApplication run] + 603 (AppKit + 197042) [0x7ff80f5411b2]
1-24
    24  ??? (ViewBridge + 76181) [0x7ff814990995] 1-24
    24  ??? (ViewBridge + 157375) [0x7ff8149a46bf] 1-24
    24  ??? (ViewBridge + 156884) [0x7ff8149a44d4] 1-24
    24  ??? (ViewBridge + 157501) [0x7ff8149a473d] 1-24
    24  -[NSApplication(NSEventRouting)
_nextEventMatchingEventMask:untilDate:inMode:dequeue:] + 1304 (AppKit +
9734148) [0x7ff80fe59804] 1-24
    24  _DPSNextEvent + 880 (AppKit + 257081)
[0x7ff80f54fc39] 1-24
    24  _BlockUntilNextEventMatchingListInModeWithFilter +
66 (HIToolbox + 197937) [0x7ff816831531] 1-24
    24  ReceiveNextEventCommon + 665 (HIToolbox +
198630) [0x7ff8168317e6] 1-24
    24  RunCurrentEventLoopInMode + 292 (HIToolbox +
199129) [0x7ff8168319d9] 1-24
    24  CFRunLoopRunSpecific + 557 (CoreFoundation +
499842) [0x7ff80bf3f082] 1-24
    24  __CFRunLoopRun + 1371 (CoreFoundation +
502693) [0x7ff80bf3fba5] 1-24
    24  __CFRunLoopServiceMachPort + 143
(CoreFoundation + 508213) [0x7ff80bf41135] 1-24
    24  mach_msg + 19 (libsystem_kernel.dylib +
7455) [0x7ff80be25d1f] 1-24
    24  mach_msg_overwrite + 653
(libsystem_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24
    24  mach_msg2_trap + 10

```

(libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel  
+ 1269696) [0xfffff8000415fc0] 1-24

Thread 0xf76 Thread name "com.apple.NSEventThread" 24 samples  
(1-24) priority 46 (base 46)  
<thread QoS user interactive (requested user interactive), process sudden  
termination dirty, process unclamped, process received importance donation  
from MIDITranslatorPro (Bome MIDI Translator Pro) [986], IO tier 0>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 \_NSEventThread + 122 (UIKit + 1686188) [0x7ff80f6acaac] 1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

#### Binary Images:

0x103db7000 - 0x103dcefff  
com.apple.TextInputUI.xpc.CursorUIViewService 1.0 (1)  
<CFEDD7FA-11AA-3117-8B59-60E4401853A3> /System/Library/  
PrivateFrameworks/TextInputUIMacHelper.framework/Versions/A/  
XPCServices/CursorUIViewService.xpc/Contents/MacOS/  
CursorUIViewService  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80bb75000 - 0x7ff80bbb8ff2 libxpc.dylib (2679.80.5.0.1)  
<902EB51F-373F-3AA3-B084-228AC4C1B80B> /usr/lib/system/libxpc.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)

<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/  
Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80f511000 - 0x7ff81092fff6 com.apple.AppKit 6.9 (2487.40.107)  
<660B78D6-113F-3ABD-8969-A6CB84FFF752> /System/Library/  
Frameworks/AppKit.framework/Versions/C/AppKit  
0x7ff81497e000 - 0x7ff814a85ff6 com.apple.ViewBridge 737 (737)  
<6BC02045-6876-321D-B78A-01BD9696D1D5> /System/Library/  
PrivateFrameworks/ViewBridge.framework/Versions/A/ViewBridge  
0x7ff816801000 - 0x7ff816a9cff4 com.apple.HIToolbox 2.1.1 (1202)  
<4CD47F03-ED80-3F2A-BBDF-D7AF11CB4CCB> /System/Library/  
Frameworks/Carbon.framework/Versions/A/Frameworks/  
HIToolbox.framework/Versions/A/HIToolbox  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: CVMServer [611]  
UUID: A9885F43-B4A0-3C60-914C-76CBC08F1FE7  
Path: /System/Library/Frameworks/OpenGL.framework/Versions/A/  
Libraries/CVMServer  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked  
Footprint: 592 KB  
Time Since Fork: 689s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x15f9 24 samples (1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination dirty,  
IO tier 0>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24



Binary Images:

0x105e7f000 - ??? CVMServer <A9885F43-B4A0-3C60-914C-76CBC08F1FE7> /System/Library/Frameworks/OpenGL.framework/Versions/A/Libraries/CVMServer  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/libsystem\_kernel.dylib  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/kernel

Process: dasd [137]  
UUID: 4FA399AF-53B3-390F-8B04-DC6AD4CDAA7A  
Path: /usr/libexec/dasd  
Codesigning ID: com.apple.dasd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked  
Footprint: 2792 KB  
Time Since Fork: 767s  
Num samples: 24 (1-24)  
CPU Time: <0.001s (302.6K cycles, 124.4K instructions, 2.43c/i)  
Note: 2 idle work queue threads omitted

Thread 0x316 DispatchQueue "com.apple.main-thread"(1) 24 samples (1-24) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24

24 ??? (dasd + 751262) [0x1094a069e] 1-24

24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e] 1-24

24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842) [0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693) [0x7ff80bf3fba5] 1-24

24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)

[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 <patched truncated backtrace> 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x1093e9000 - 0x109528fff dasd (1439.80.3)  
<4FA399AF-53B3-390F-8B04-DC6AD4CDAA7A> /usr/libexec/dasd  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: dataaccesssd [707]  
UUID: 221BB4E1-BB8B-32CE-A230-C21E503FC545  
Path: /System/Library/PrivateFrameworks/DataAccess.framework/  
Support/dataaccesssd  
Codesigning ID: com.apple.dataaccess.dataaccesssd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 5500 KB  
Time Since Fork: 627s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x1ce1 DispatchQueue "com.apple.main-thread"(1) 24 samples

(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
dirty, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (dataaccesssd + 13661) [0x10a2ba55d] 1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 1-24

Thread 0x1d6f 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
dirty, thread darwinbg, process darwinbg, IO tier 2>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 ??? (Foundation + 349980) [0x7ff80ced371c] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 1-24

Thread 0x1dca Thread name "com.apple.NSURLConnectionLoader" 24  
 samples (1-24) priority 4 (base 4)  
 <thread QoS background (requested default), process sudden termination  
 dirty, thread darwinbg, process darwinbg, IO tier 2>  
 24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
 1-24  
 24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
 [0x7ff80be65202] 1-24  
 24 ??? (Foundation + 349980) [0x7ff80ced371c] 1-24  
 24 ??? (CFNetwork + 2391509) [0x7ff81129fdd5] 1-24  
 24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
 [0x7ff80bf3f082] 1-24  
 24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
 [0x7ff80bf3fba5] 1-24  
 24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
 508213) [0x7ff80bf41135] 1-24  
 24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
 [0x7ff80be25d1f] 1-24  
 24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
 [0x7ff80be2cb62] 1-24  
 24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
 [0x7ff80be25a2e] 1-24  
 \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
 [0xfffff8000415fc0] 1-24

#### Binary Images:

0x10a2b7000 - 0x10a2c2fff dataaccesssd (2653.2.1)  
 <221BB4E1-BB8B-32CE-A230-C21E503FC545> /System/Library/  
 PrivateFrameworks/DataAccess.framework/Support/dataaccesssd  
 0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
 <01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
 0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
 <3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
 libsystem\_kernel.dylib  
 0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
 <0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
 libsystem\_pthread.dylib  
 0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
 (2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
 Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
 0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
 <6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
 Frameworks/Foundation.framework/Versions/C/Foundation

0x7ff811058000 - 0x7ff811406ff1 com.apple.CFNetwork 1.0  
(1492.0.1) <2847065D-8C66-3A44-B26C-B2A51A2897FB> /System/Library/  
Frameworks/CFNetwork.framework/Versions/A/CFNetwork  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: deleted [511]  
UUID: A72BA027-E237-3FF8-A989-DFE2BD05E0CF  
Path: /System/Library/PrivateFrameworks/CacheDelete.framework/  
deleted  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 2096 KB  
Time Since Fork: 730s  
Num samples: 24 (1-24)  
Note: 2 idle work queue threads omitted

Thread 0x1213 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

Binary Images:  
0x103a4f000 - ??? deleted <A72BA027-  
E237-3FF8-A989-DFE2BD05E0CF> /System/Library/PrivateFrameworks/  
CacheDelete.framework/deleted  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/

kernel

Process: deleted\_helper [537]  
UUID: 73B52FC7-BF58-3B12-B3B7-D8B532B8B77F  
Path: /System/Library/PrivateFrameworks/CacheDelete.framework/  
deleted\_helper  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 676 KB  
Time Since Fork: 716s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x122b 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

Binary Images:

0x107288000 - ??? deleted\_helper  
<73B52FC7-BF58-3B12-B3B7-D8B532B8B77F> /System/Library/  
PrivateFrameworks/CacheDelete.framework/deleted\_helper  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: diagnosticextensionsd [697]  
UUID: 2CD8D162-53C5-3522-9E1F-6B0EA965623B

Path: /usr/libexec/diagnosticextensionsd  
Codesigning ID: com.apple.diagnosticextensionsd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1560 KB  
Time Since Fork: 635s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x1bde DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 2 (base 4)

<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (diagnosticextensionsd + 12222) [0x10800cfbe] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

#### Binary Images:

0x10800a000 - 0x108015fff diagnosticextensionsd (170.2.3.1)  
<2CD8D162-53C5-3522-9E1F-6B0EA965623B> /usr/libexec/  
diagnosticextensionsd  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/

libsystem\_kernel.dylib

0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9 (2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation

0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303) <6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/Frameworks/Foundation.framework/Versions/C/Foundation

\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5) <8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/kernel

Process: diagnostics\_agent [551]

UUID: 37120BB9-4249-3903-9FC9-BDEDFA446BBE

Path: /System/Library/CoreServices/diagnostics\_agent

Codesigning ID: com.apple.diagnostics\_agent

Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64

Parent: launchd [1]

UID: 501

Footprint: 1728 KB

Time Since Fork: 714s

Num samples: 24 (1-24)

CPU Time: <0.001s (82.0K cycles, 37.2K instructions, 2.21c/i)

Note: 2 idle work queue threads omitted

Thread 0x1539 DispatchQueue "com.apple.main-thread"(1) 24 samples (1-24) priority 4 (base 4)

<thread QoS background (requested background), thread darwinbg, process darwinbg, IO tier 3>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24

24 ??? (diagnostics\_agent + 22503) [0x1060237e7] 1-24

24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24

24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24

24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842) [0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693) [0x7ff80bf3fba5] 1-24

24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)



[0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)

[0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)

[0xfffff8000415fc0] 1-24

Binary Images:

0x10601e000 - 0x106039fff diagnostics\_agent (15122)  
<37120BB9-4249-3903-9FC9-BDEDFA446BBE> /System/Library/  
CoreServices/diagnostics\_agent

0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib

0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation

0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation

\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: DictationIM (Dictation) [506]

UUID: 669BCD19-DE64-3F4E-8E02-0BC09FF275D5

Path: /System/Library/Input Methods/DictationIM.app/Contents/  
MacOS/DictationIM

Identifier: com.apple.inputmethod.ironwood

Version: 6.1.82 (6.1.82)

Build Version: 320

Project Name: SpeechDictationIM

Source Version: 6001082000000

Is First Party: Yes

Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64

Parent: launchd [1]

UID: 501

Sudden Term: Tracked (allows idle exit)

Footprint: 4300 KB

Time Since Fork: 730s

Num samples: 24 (1-24)  
CPU Time: <0.001s (1153.4K cycles, 352.0K instructions, 3.28c/i)  
Note: 4 idle work queue threads omitted

Thread 0xf51 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 31 (base 31) cpu time <0.001s (740.7K cycles, 236.9K  
instructions, 3.13c/i)  
<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (DictationIM + 17539) [0x10b71e483] 1-24  
24 -[NSApplication run] + 603 (AppKit + 197042) [0x7ff80f5411b2] 1-24  
24 -[NSApplication(NSEventRouting)  
\_nextEventMatchingEventMask:untilDate:inMode:dequeue:] + 1304 (AppKit +  
9734148) [0x7ff80fe59804] 1-24  
24 \_DPSNextEvent + 880 (AppKit + 257081) [0x7ff80f54fc39] 1-24  
24 \_BlockUntilNextEventMatchingListInModeWithFilter + 66  
(HIToolbox + 197937) [0x7ff816831531] 1-24  
24 ReceiveNextEventCommon + 665 (HIToolbox + 198630)  
[0x7ff8168317e6] 1-24  
24 RunCurrentEventLoopInMode + 292 (HIToolbox + 199129)  
[0x7ff8168319d9] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
1 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1  
1 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1  
1 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1  
1 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib +  
35682) [0x7ff80be2cb62] 1  
1 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1  
\*1 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1  
2 \_\_CFRunLoopRun + 2104 (CoreFoundation + 503426)  
[0x7ff80bf3fe82] 2-3  
2 \_\_CFRunLoopDoTimers + 285 (CoreFoundation + 617366)  
[0x7ff80bf5bb96] 2-3  
2 \_\_CFRunLoopDoTimer + 785 (CoreFoundation + 618330)  
[0x7ff80bf5bf5a] 2-3  
2  
\_\_CFRUNLOOP\_IS\_CALLING\_OUT\_TO\_A\_TIMER\_CALLBACK\_FUNCTION\_\_

```

+ 20 (CoreFoundation + 619436) [0x7ff80bf5c3ac] 2-3
    2 ??? (Foundation + 637508) [0x7ff80cf19a44] 2-3
    2 ??? (DictationIM + 68032) [0x10b72a9c0] 2-3
    2 ??? (DictationIM + 125574) [0x10b738a86] 2-3
    2 ??? (InputMethodKit + 331100) [0x7ff91f36dd5c] 2-3
    2 ??? (InputMethodKit + 226056) [0x7ff91f354308]
2-3
    2 CFRRunLoopRunSpecific + 557 (CoreFoundation +
499842) [0x7ff80bf3f082] 2-3
    2 __CFRunLoopRun + 1371 (CoreFoundation +
502693) [0x7ff80bf3fba5] 2-3
    2 __CFRunLoopServiceMachPort + 143
(CoreFoundation + 508213) [0x7ff80bf41135] 2-3
    2 mach_msg + 19 (libsystem_kernel.dylib +
7455) [0x7ff80be25d1f] 2-3
    2 mach_msg_overwrite + 653
(libsystem_kernel.dylib + 35682) [0x7ff80be2cb62] 2-3
    2 mach_msg2_trap + 10
(libsystem_kernel.dylib + 6702) [0x7ff80be25a2e] 2-3
    *2 ipc_mqueue_receive_continue + 0 (kernel
+ 1269696) [0xfffff8000415fc0] 2-3
    21 __CFRunLoopRun + 1371 (CoreFoundation + 502693)
[0x7ff80bf3fba5] 4-24
    21 __CFRunLoopServiceMachPort + 143 (CoreFoundation +
508213) [0x7ff80bf41135] 4-24
    21 mach_msg + 19 (libsystem_kernel.dylib + 7455)
[0x7ff80be25d1f] 4-24
    21 mach_msg_overwrite + 653 (libsystem_kernel.dylib +
35682) [0x7ff80be2cb62] 4-24
    21 mach_msg2_trap + 10 (libsystem_kernel.dylib + 6702)
[0x7ff80be25a2e] 4-24
    *21 ipc_mqueue_receive_continue + 0 (kernel + 1269696)
[0xfffff8000415fc0] 4-24

```

Thread 0xff4 Thread name "com.apple.NSEventThread" 24 samples (1-24) priority 37 (base 37)

<thread QoS user initiated (requested user interactive), process sudden termination clean, IO tier 0>

```

24 thread_start + 15 (libsystem_pthread.dylib + 7083) [0x7ff80be60bab]
1-24

```

```

24 _pthread_start + 99 (libsystem_pthread.dylib + 25090)
[0x7ff80be65202] 1-24

```

```

24 _NSEventThread + 122 (AppKit + 1686188) [0x7ff80f6acaac] 1-24

```

```

24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)

```

[0x7ff80bf3f082] 1-24  
 24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
 [0x7ff80bf3fba5] 1-24  
 24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
 [0x7ff80bf41135] 1-24  
 24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
 1-24  
 24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
 [0x7ff80be2cb62] 1-24  
 24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
 [0x7ff80be25a2e] 1-24  
 \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
 [0xfffff8000415fc0] 1-24

Binary Images:

0x10b71a000 - 0x10b7f9fff com.apple.inputmethod.ironwood  
 6.1.82 (6.1.82) <669BCD19-DE64-3F4E-8E02-0BC09FF275D5> /System/  
 Library/Input Methods/DictationIM.app/Contents/MacOS/DictationIM  
 0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
 <01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
 0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
 <3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
 libsystem\_kernel.dylib  
 0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
 <0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
 libsystem\_pthread.dylib  
 0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
 (2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/  
 Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
 0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
 <6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
 Frameworks/Foundation.framework/Versions/C/Foundation  
 0x7ff80f511000 - 0x7ff81092fff6 com.apple.AppKit 6.9 (2487.40.107)  
 <660B78D6-113F-3ABD-8969-A6CB84FFF752> /System/Library/  
 Frameworks/AppKit.framework/Versions/C/AppKit  
 0x7ff816801000 - 0x7ff816a9cff4 com.apple.HIToolbox 2.1.1 (1202)  
 <4CD47F03-ED80-3F2A-BBDF-D7AF11CB4CCB> /System/Library/  
 Frameworks/Carbon.framework/Versions/A/Frameworks/  
 HIToolbox.framework/Versions/A/HIToolbox  
 0x7ff91f31d000 - 0x7ff91f450ffb com.apple.InputMethodKit 1.2 (506)  
 <560B4FC0-2863-3D82-82FF-FBE1CB3DE28D> /System/Library/  
 Frameworks/InputMethodKit.framework/Versions/A/InputMethodKit  
 \*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
 <8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/

kernel

Process: dirhelper [142]  
UUID: 5D01B004-0B56-35D5-BA8C-12A3A1739C4C  
Path: /usr/libexec/dirhelper  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 352 KB  
Time Since Fork: 767s  
Num samples: 24 (1-24)

Thread 0x6f7 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

Binary Images:  
0x10856d000 - ??? dirhelper  
<5D01B004-0B56-35D5-BA8C-12A3A1739C4C> /usr/libexec/dirhelper  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: diskarbitrationd [118]  
UUID: A944DAFC-11B5-3A91-B2CA-075C88507DFB  
Path: /usr/libexec/diskarbitrationd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked  
Footprint: 916 KB  
Time Since Fork: 767s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x3cc 24 samples (1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination dirty,  
IO tier 0>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x10f8a5000 - ??? diskarbitrationd  
<A944DAFC-11B5-3A91-B2CA-075C88507DFB> /usr/libexec/  
diskarbitrationd  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: displaypolicyd [136]  
UUID: 07AEDC39-724F-331A-9439-E617B9875518  
Path: /usr/libexec/displaypolicyd  
Codesigning ID: com.apple.displaypolicyd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 244  
Footprint: 2288 KB  
Time Since Fork: 767s

Num samples: 24 (1-24)

Note: 1 idle work queue thread omitted

Thread 0x2f4 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 20 (base 20)  
<thread QoS utility (requested utility), timers tier 3 (coalesced), IO tier 1>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (displaypolicyd + 15444) [0x107b66c54] 1-24  
24 ??? (displaypolicyd + 14441) [0x107b66869] 1-24  
24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 1-24

Thread 0x544 24 samples (1-24) priority 20 (base 20)  
<thread QoS utility (requested default), timers tier 3 (coalesced), IO tier 1>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 ??? (displaypolicyd + 113180) [0x107b7ea1c] 1-24  
24 \_\_accept + 10 (libsystem\_kernel.dylib + 34866) [0x7ff80be2c832]  
1-24  
\*24 hndl\_unix\_scall64 + 22 (kernel + 998838) [0xffffffff80003d3db6] 1-24  
\*24 unix\_syscall64 + 477 (kernel + 7810589) [0xffffffff8000a52e1d] 1-24  
\*24 accept\_nocancel + 545 (kernel + 7034609) [0xffffffff80009956f1]  
1-24  
\*24 ??? (kernel + 6623403) [0xffffffff80009310ab] 1-24  
\*24 lck\_mtx\_sleep + 97 (kernel + 1503265) [0xffffffff800044f021]  
1-24  
\*24 thread\_block\_reason + 240 (kernel + 1581040)  
[0xffffffff8000461ff0] 1-24

\*24 ??? (kernel + 1588870) [0xfffff8000463e86] 1-24  
\*24 machine\_switch\_context + 215 (kernel + 2749095)  
[0xfffff800057f2a7] 1-24

Thread 0x8de 24 samples (1-24) priority 20 (base 20)  
<thread QoS utility (requested default), timers tier 3 (coalesced), IO tier 1>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 ??? (displaypolicyd + 146775) [0x107b86d57] 1-24  
24 ??? (displaypolicyd + 146307) [0x107b86b83] 1-24  
24 \_\_psynch\_cvwait + 10 (libsystem\_kernel.dylib + 17870)  
[0x7ff80be285ce] 1-24  
\*24 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777)  
[0xfffff800307e129] 1-24

Thread 0x8e4 24 samples (1-24) priority 20 (base 20)  
<thread QoS utility (requested default), timers tier 3 (coalesced), IO tier 1>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 ??? (displaypolicyd + 72338) [0x107b74a92] 1-24  
24 ??? (displaypolicyd + 59347) [0x107b717d3] 1-24  
24 \_\_psynch\_cvwait + 10 (libsystem\_kernel.dylib + 17870)  
[0x7ff80be285ce] 1-24  
\*24 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777)  
[0xfffff800307e129] 1-24

Thread 0x8e5 24 samples (1-24) priority 20 (base 20)  
<thread QoS utility (requested default), timers tier 3 (coalesced), IO tier 1>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 ??? (displaypolicyd + 72351) [0x107b74a9f] 1-24  
24 ??? (displaypolicyd + 62127) [0x107b722af] 1-24  
24 \_\_psynch\_cvwait + 10 (libsystem\_kernel.dylib + 17870)  
[0x7ff80be285ce] 1-24  
\*24 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777)  
[0xfffff800307e129] 1-24

Binary Images:



0x107b63000 - 0x107bb6fff displaypolicyd (8.1.9)  
<07AEDC39-724F-331A-9439-E617B9875518> /usr/libexec/displaypolicyd  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel  
\*0xffffffff8003079000 - 0xffffffff8003081fff com.apple.kec.pthread (519)  
<07ED499F-25E6-3572-8464-FC4F7429D88C> com.apple.kec.pthread

Process: distnoted [139]  
UUID: 4FF71699-4225-3705-B8F6-CCDE8FE2C8E8  
Path: /usr/sbin/distnoted  
Codesigning ID: com.apple.distnoted  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64h  
Parent: launchd [1]  
UID: 241  
Sudden Term: Tracked  
Footprint: 548 KB  
Time Since Fork: 767s  
Num samples: 24 (1-24)  
CPU Time: 0.001s (3.1M cycles, 2.4M instructions, 1.28c/i)  
Note: 1 idle work queue thread omitted

Thread 0x362 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 25 (base 31)  
<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (distnoted + 33280) [0x1048aa200] 1-24  
24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24

24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 1-24

Binary Images:

0x1048a2000 - 0x1048b5fff distnoted (2303)  
<4FF71699-4225-3705-B8F6-CCDE8FE2C8E8> /usr/sbin/distnoted  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: distnoted [192]  
UUID: 4FF71699-4225-3705-B8F6-CCDE8FE2C8E8  
Path: /usr/sbin/distnoted  
Codesigning ID: com.apple.distnoted  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64h  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked  
Footprint: 508 KB  
Time Since Fork: 765s  
Num samples: 24 (1-24)

CPU Time: <0.001s (256.9K cycles, 110.8K instructions, 2.32c/i)

Note: 1 idle work queue thread omitted

Thread 0x472 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 25 (base 31)

<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24

24 ??? (distnoted + 33280) [0x109fee200] 1-24

24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24

24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24

24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x109fe6000 - 0x109ff9fff distnoted (2303)  
<4FF71699-4225-3705-B8F6-CCDE8FE2C8E8> /usr/sbin/distnoted

0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib

0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation

\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: distnoted [223]

UUID: 4FF71699-4225-3705-B8F6-CCDE8FE2C8E8

Path: /usr/sbin/distnoted  
Codesigning ID: com.apple.distnoted  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64h  
Parent: launchd [1]  
UID: 202  
Sudden Term: Tracked  
Footprint: 512 KB  
Time Since Fork: 763s  
Num samples: 24 (1-24)  
CPU Time: <0.001s (250.2K cycles, 108.6K instructions, 2.30c/i)  
Note: 1 idle work queue thread omitted

Thread 0x4e5 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 23 (base 31)  
<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (distnoted + 33280) [0x105145200] 1-24  
24 CFRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

#### Binary Images:

0x10513d000 - 0x105150fff distnoted (2303)  
<4FF71699-4225-3705-B8F6-CCDE8FE2C8E8> /usr/sbin/distnoted  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/

libsystem\_kernel.dylib

0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: distnoted [247]  
UUID: 4FF71699-4225-3705-B8F6-CCDE8FE2C8E8  
Path: /usr/sbin/distnoted  
Codesigning ID: com.apple.distnoted  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64h  
Parent: launchd [1]  
UID: 4  
Sudden Term: Tracked  
Footprint: 512 KB  
Time Since Fork: 761s  
Num samples: 24 (1-24)  
CPU Time: <0.001s (176.1K cycles, 74.8K instructions, 2.35c/i)  
Note: 1 idle work queue thread omitted

Thread 0x5c5 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 22 (base 31)  
<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (distnoted + 33280) [0x1064c1200] 1-24  
24 CFRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)

[0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)

[0xffffffff8000415fc0] 1-24

Binary Images:

0x1064b9000 - 0x1064ccfff distnoted (2303)  
<4FF71699-4225-3705-B8F6-CCDE8FE2C8E8> /usr/sbin/distnoted  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: distnoted [252]  
UUID: 4FF71699-4225-3705-B8F6-CCDE8FE2C8E8  
Path: /usr/sbin/distnoted  
Codesigning ID: com.apple.distnoted  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64h  
Parent: launchd [1]  
UID: 262  
Sudden Term: Tracked  
Footprint: 508 KB  
Time Since Fork: 761s  
Num samples: 24 (1-24)  
CPU Time: <0.001s (201.0K cycles, 92.8K instructions, 2.17c/i)  
Note: 1 idle work queue thread omitted

Thread 0x5d8 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 24 (base 31)  
<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (distnoted + 33280) [0x10aa38200] 1-24  
24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24

24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 1-24

Binary Images:

0x10aa30000 - 0x10aa43fff distnoted (2303)  
<4FF71699-4225-3705-B8F6-CCDE8FE2C8E8> /usr/sbin/distnoted  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: distnoted [266]  
UUID: 4FF71699-4225-3705-B8F6-CCDE8FE2C8E8  
Path: /usr/sbin/distnoted  
Codesigning ID: com.apple.distnoted  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64h  
Parent: launchd [1]  
UID: 200  
Sudden Term: Tracked  
Footprint: 516 KB  
Time Since Fork: 759s  
Num samples: 24 (1-24)

CPU Time: <0.001s (135.5K cycles, 60.1K instructions, 2.25c/i)

Note: 1 idle work queue thread omitted

Thread 0x679 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 21 (base 31)

<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24

24 ??? (distnoted + 33280) [0x1078cb200] 1-24

24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24

24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24

24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x1078c3000 - 0x1078d6fff distnoted (2303)  
<4FF71699-4225-3705-B8F6-CCDE8FE2C8E8> /usr/sbin/distnoted

0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib

0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation

\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: distnoted [281]

UUID: 4FF71699-4225-3705-B8F6-CCDE8FE2C8E8



Path: /usr/sbin/distnoted  
Codesigning ID: com.apple.distnoted  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64h  
Parent: launchd [1]  
UID: 89  
Sudden Term: Tracked  
Footprint: 504 KB  
Time Since Fork: 758s  
Num samples: 24 (1-24)  
CPU Time: <0.001s (143.6K cycles, 60.8K instructions, 2.36c/i)  
Note: 1 idle work queue thread omitted

Thread 0x6ae DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 20 (base 31)  
<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (distnoted + 33280) [0x10bc0e200] 1-24  
24 CFRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

#### Binary Images:

0x10bc06000 - 0x10bc19fff distnoted (2303)  
<4FF71699-4225-3705-B8F6-CCDE8FE2C8E8> /usr/sbin/distnoted  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/

libsystem\_kernel.dylib

0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: distnoted [311]  
UUID: 4FF71699-4225-3705-B8F6-CCDE8FE2C8E8  
Path: /usr/sbin/distnoted  
Codesigning ID: com.apple.distnoted  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64h  
Parent: launchd [1]  
UID: 242  
Sudden Term: Tracked  
Footprint: 500 KB  
Time Since Fork: 757s  
Num samples: 24 (1-24)  
CPU Time: <0.001s (138.3K cycles, 60.3K instructions, 2.29c/i)  
Note: 1 idle work queue thread omitted

Thread 0x6fb DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 24 (base 31)  
<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (distnoted + 33280) [0x1041c7200] 1-24  
24 CFRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)

[0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)

[0xffffffff8000415fc0] 1-24

Binary Images:

0x1041bf000 - 0x1041d2fff distnoted (2303)  
<4FF71699-4225-3705-B8F6-CCDE8FE2C8E8> /usr/sbin/distnoted  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: distnoted [319]  
UUID: 4FF71699-4225-3705-B8F6-CCDE8FE2C8E8  
Path: /usr/sbin/distnoted  
Codesigning ID: com.apple.distnoted  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64h  
Parent: launchd [1]  
UID: 88  
Sudden Term: Tracked  
Footprint: 516 KB  
Time Since Fork: 755s  
Num samples: 24 (1-24)  
CPU Time: <0.001s (138.6K cycles, 59.8K instructions, 2.32c/i)  
Note: 1 idle work queue thread omitted

Thread 0x80f DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 26 (base 31)  
<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (distnoted + 33280) [0x10b7d4200] 1-24  
24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24

24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 1-24

Binary Images:

0x10b7cc000 - 0x10b7dffff distnoted (2303)  
<4FF71699-4225-3705-B8F6-CCDE8FE2C8E8> /usr/sbin/distnoted  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: distnoted [328]  
UUID: 4FF71699-4225-3705-B8F6-CCDE8FE2C8E8  
Path: /usr/sbin/distnoted  
Codesigning ID: com.apple.distnoted  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64h  
Parent: launchd [1]  
UID: 205  
Sudden Term: Tracked  
Footprint: 524 KB  
Time Since Fork: 755s  
Num samples: 24 (1-24)

CPU Time: <0.001s (136.6K cycles, 60.0K instructions, 2.28c/i)

Note: 1 idle work queue thread omitted

Thread 0x849 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 23 (base 31)

<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24

24 ??? (distnoted + 33280) [0x10da91200] 1-24

24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24

24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24

24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x10da89000 - 0x10da9cfff distnoted (2303)  
<4FF71699-4225-3705-B8F6-CCDE8FE2C8E8> /usr/sbin/distnoted

0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib

0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation

\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: distnoted [355]

UUID: 4FF71699-4225-3705-B8F6-CCDE8FE2C8E8

Path: /usr/sbin/distnoted  
Codesigning ID: com.apple.distnoted  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64h  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked  
Footprint: 1520 KB  
Time Since Fork: 751s  
Num samples: 24 (1-24)  
CPU Time: 0.001s (3.1M cycles, 4.0M instructions, 0.78c/i)  
Note: 1 idle work queue thread omitted

Thread 0x978 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 28 (base 31)  
<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (distnoted + 33280) [0x10f113200] 1-24  
24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

#### Binary Images:

0x10f10b000 - 0x10f11efff distnoted (2303)  
<4FF71699-4225-3705-B8F6-CCDE8FE2C8E8> /usr/sbin/distnoted  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/

libsystem\_kernel.dylib

0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: distnoted [390]  
UUID: 4FF71699-4225-3705-B8F6-CCDE8FE2C8E8  
Path: /usr/sbin/distnoted  
Codesigning ID: com.apple.distnoted  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64h  
Parent: launchd [1]  
UID: 55  
Sudden Term: Tracked  
Footprint: 532 KB  
Time Since Fork: 749s  
Num samples: 24 (1-24)  
CPU Time: <0.001s (135.2K cycles, 60.3K instructions, 2.24c/i)  
Note: 1 idle work queue thread omitted

Thread 0xaad DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 24 (base 31)  
<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (distnoted + 33280) [0x10f6f5200] 1-24  
24 CFRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)

[0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)

[0xffffffff8000415fc0] 1-24

#### Binary Images:

0x10f6ed000 - 0x10f700fff distnoted (2303)  
<4FF71699-4225-3705-B8F6-CCDE8FE2C8E8> /usr/sbin/distnoted  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdf000 kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: distnoted [595]  
UUID: 4FF71699-4225-3705-B8F6-CCDE8FE2C8E8  
Path: /usr/sbin/distnoted  
Codesigning ID: com.apple.distnoted  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64h  
Parent: launchd [1]  
UID: 235  
Sudden Term: Tracked  
Footprint: 516 KB  
Time Since Fork: 697s  
Num samples: 24 (1-24)  
CPU Time: <0.001s (178.9K cycles, 61.6K instructions, 2.90c/i)  
Note: 1 idle work queue thread omitted

Thread 0x1511 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 22 (base 31)  
<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (distnoted + 33280) [0x10d68d200] 1-24  
24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24



24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 1-24

Binary Images:

0x10d685000 - 0x10d698fff distnoted (2303)  
<4FF71699-4225-3705-B8F6-CCDE8FE2C8E8> /usr/sbin/distnoted  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: distnoted [599]  
UUID: 4FF71699-4225-3705-B8F6-CCDE8FE2C8E8  
Path: /usr/sbin/distnoted  
Codesigning ID: com.apple.distnoted  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64h  
Parent: launchd [1]  
UID: 278  
Sudden Term: Tracked  
Footprint: 504 KB  
Time Since Fork: 694s  
Num samples: 24 (1-24)

CPU Time: <0.001s (141.7K cycles, 60.6K instructions, 2.34c/i)

Note: 1 idle work queue thread omitted

Thread 0x157a DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 20 (base 31)

<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24

24 ??? (distnoted + 33280) [0x101a1c200] 1-24

24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24

24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24

24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x101a14000 - 0x101a27fff distnoted (2303)  
<4FF71699-4225-3705-B8F6-CCDE8FE2C8E8> /usr/sbin/distnoted

0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib

0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation

\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: distnoted [623]

UUID: 4FF71699-4225-3705-B8F6-CCDE8FE2C8E8

Path: /usr/sbin/distnoted  
Codesigning ID: com.apple.distnoted  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64h  
Parent: launchd [1]  
UID: 247  
Sudden Term: Tracked  
Footprint: 520 KB  
Time Since Fork: 680s  
Num samples: 24 (1-24)  
CPU Time: <0.001s (130.8K cycles, 60.1K instructions, 2.18c/i)  
Note: 1 idle work queue thread omitted

Thread 0x173b DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (distnoted + 33280) [0x10d1ae200] 1-24  
24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

#### Binary Images:

0x10d1a6000 - 0x10d1b9fff distnoted (2303)  
<4FF71699-4225-3705-B8F6-CCDE8FE2C8E8> /usr/sbin/distnoted  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/

libsystem\_kernel.dylib

0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: distnoted [630]  
UUID: 4FF71699-4225-3705-B8F6-CCDE8FE2C8E8  
Path: /usr/sbin/distnoted  
Codesigning ID: com.apple.distnoted  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64h  
Parent: launchd [1]  
UID: 260  
Sudden Term: Tracked  
Footprint: 508 KB  
Time Since Fork: 673s  
Num samples: 24 (1-24)  
CPU Time: <0.001s (128.8K cycles, 60.5K instructions, 2.13c/i)  
Note: 1 idle work queue thread omitted

Thread 0x17fb DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (distnoted + 33280) [0x10cbe9200] 1-24  
24 CFRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)

[0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)

[0xfffff8000415fc0] 1-24

Binary Images:

0x10cbe1000 - 0x10cbf4fff distnoted (2303)  
<4FF71699-4225-3705-B8F6-CCDE8FE2C8E8> /usr/sbin/distnoted  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: distnoted [703]

UUID: 4FF71699-4225-3705-B8F6-CCDE8FE2C8E8

Path: /usr/sbin/distnoted

Codesigning ID: com.apple.distnoted

Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64h

Parent: launchd [1]

UID: 277

Sudden Term: Tracked

Footprint: 516 KB

Time Since Fork: 628s

Num samples: 24 (1-24)

CPU Time: <0.001s (131.0K cycles, 60.2K instructions, 2.18c/i)

Note: 1 idle work queue thread omitted

Thread 0x1cba DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 31 (base 31)

<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24

24 ??? (distnoted + 33280) [0x104bcc200] 1-24

24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24

24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 1-24

Binary Images:

0x104bc4000 - 0x104bd7fff distnoted (2303)  
<4FF71699-4225-3705-B8F6-CCDE8FE2C8E8> /usr/sbin/distnoted  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: dmd [479]  
UUID: 8AD88F39-FCC8-3FAC-89B6-E0397522C099  
Path: /usr/libexec/dmd  
Codesigning ID: com.apple.dmd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Footprint: 2264 KB  
Time Since Fork: 737s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xdc DispatchQueue "com.apple.main-thread"(1) 24 samples

(1-24) priority 4 (base 4)  
 <thread QoS background (requested default), thread darwinbg, process darwinbg, IO tier 2>  
 24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
 24 ??? (dmd + 416645) [0x1021a8b85] 1-24  
 24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
 24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
 24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842) [0x7ff80bf3f082] 1-24  
 24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693) [0x7ff80bf3fba5] 1-24  
 24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24  
 24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 1-24  
 24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24  
 24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24  
 \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xffffffff8000415fc0] 1-24

Binary Images:

0x102143000 - 0x10220afff dmd (171)  
 <8AD88F39-FCC8-3FAC-89B6-E0397522C099> /usr/libexec/dmd  
 0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
 <01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
 0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
 <3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/libsystem\_kernel.dylib  
 0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9 (2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
 0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303) <6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/Frameworks/Foundation.framework/Versions/C/Foundation  
 \*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
 <8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/kernel

Process: Dock [377]  
 UUID: 1D5CC992-2B63-358D-9172-1A3CBA6BAA4D  
 Path: /System/Library/CoreServices/Dock.app/Contents/MacOS/

## Dock

Identifier: com.apple.dock

Version: 1.8 (2273.7)

Build Version: 99

Project Name: Dock

Source Version: 2273007000000000

Is First Party: Yes

Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64

Parent: launchd [1]

UID: 501

Footprint: 19.56 MB

Time Since Fork: 750s

Num samples: 24 (1-24)

CPU Time: <0.001s (1404.5K cycles, 433.0K instructions, 3.24c/i)

Note: 3 idle work queue threads omitted

Thread 0xa1f DispatchQueue "com.apple.main-thread"(1) 24 samples (1-24) priority 47 (base 47) cpu time <0.001s (693.6K cycles, 192.7K instructions, 3.60c/i)

<process frontmost, thread QoS user interactive (requested user interactive), IO tier 0>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24

24 ??? (Dock + 25073) [0x10c22c1f1] 1-24

24 ??? (Dock + 1319556) [0x10c368284] 1-24

24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842) [0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693) [0x7ff80bf3fba5] 1-24

24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xfffff8000415fc0] 1-24

Thread 0xbdd Thread name "com.apple.dock.animation" 24 samples (1-24) priority 49 (base 49)

<process frontmost, IO tier 0>



24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 ??? (Dock + 97357) [0x10c23dc4d] 1-24  
24 \_\_psynch\_cvwait + 10 (libsystem\_kernel.dylib + 17870)  
[0x7ff80be285ce] 1-24  
\*24 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777)  
[0xfffff800307e129] 1-24

Binary Images:

0x10c226000 - 0x10c61dfff com.apple.dock 1.8 (2273.7)  
<1D5CC992-2B63-358D-9172-1A3CBA6BAA4D> /System/Library/  
CoreServices/Dock.app/Contents/MacOS/Dock  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel  
\*0xfffff8003079000 - 0xfffff8003081fff com.apple.kec.pthread (519)  
<07ED499F-25E6-3572-8464-FC4F7429D88C> com.apple.kec.pthread

Process: donotdisturbd [416]  
UUID: 48F116DE-44FE-31EC-9928-F0CB9AC732A6  
Path: /System/Library/PrivateFrameworks/  
DoNotDisturbServer.framework/Support/donotdisturbd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 3876 KB  
Time Since Fork: 747s

Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xc13 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x1074cc000 - ??? donotdisturbd  
<48F116DE-44FE-31EC-9928-F0CB9AC732A6> /System/Library/  
PrivateFrameworks/DoNotDisturbServer.framework/Support/donotdisturbd  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: dprivacyd [730]  
UUID: 192E9A53-12C8-3F3D-BC03-E9B3E4F2CD2C  
Path: /usr/libexec/dprivacyd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1132 KB  
Time Since Fork: 603s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x1eff 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>

24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42] 1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774) [0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x101cb4000 - ??? dprivacyd  
<192E9A53-12C8-3F3D-BC03-E9B3E4F2CD2C> /usr/libexec/dprivacyd  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: endpointsecurityd [99]  
UUID: C6F57AE9-396F-3117-917A-68F8A622E641  
Path: /usr/libexec/endpointsecurityd  
Codesigning ID: com.apple.endpointsecurityd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 576 KB  
Time Since Fork: 767s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x310 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (endpointsecurityd + 8067) [0x108ae8f83] 1-24  
24 ??? (endpointsecurityd + 16441) [0x108aeb039] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)

[0x7ff80bf3f082] 1-24  
    24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
    24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
    24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
    24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
    24 <patched truncated backtrace> 1-24  
    24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
    \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

    0x108ae7000 - 0x108afefff endpointsecurityd (458.80.2)  
<C6F57AE9-396F-3117-917A-68F8A622E641> /usr/libexec/  
endpointsecurityd  
    0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
    0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
    0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
    0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
    \*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process:        ESA2 [608]  
UUID:           4F349560-8F0A-3A8A-981B-0680B9A5BCAB  
Path:           /Applications/ESA2/\*/ESA2.app/Contents/MacOS/ESA2  
Identifier:     dsfsdfsdfsds.ESA2  
Version:        ??? (23.605.0.765)  
Is First Party: No  
Shared Cache:   812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture:   x86\_64

Parent: launchd [1]  
UID: 501  
Footprint: 688.45 MB  
Time Since Fork: 692s  
Num samples: 24 (1-24)  
CPU Time: 0.962s (1901.9M cycles, 1408.0M instructions, 1.35c/i)  
Note: 5 idle work queue threads omitted

Thread 0x15af DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 46 (base 46) cpu time 0.336s (708.0M cycles, 413.7M  
instructions, 1.71c/i)

<thread QoS user interactive (requested user interactive), process  
unclamped, IO tier 0>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 main + 4555 (ESA2 + 78859) [0x10dc5a40b] 1-24  
24 QCoreApplication::exec() + 341 (QtCore + 2018229) [0x112849bb5]  
1-24  
24 QEventLoop::exec(QFlags<QEventLoop::ProcessEventsFlag>) + 401  
(QtCore + 2000769) [0x112845781] 1-24  
24 ??? (libqcocoa.dylib + 157375) [0x10ef426bf] 1-24  
24 -[NSApplication run] + 603 (AppKit + 197042) [0x7ff80f5411b2]  
1-24  
24 -[NSApplication(NSEventRouting)  
\_nextEventMatchingEventMask:untilDate:inMode:dequeue:] + 1304 (AppKit +  
9734148) [0x7ff80fe59804] 1-24  
24 \_DPSNextEvent + 880 (AppKit + 257081) [0x7ff80f54fc39] 1-24  
24 \_BlockUntilNextEventMatchingListInModeWithFilter + 66  
(HIToolbox + 197937) [0x7ff816831531] 1-24  
24 ReceiveNextEventCommon + 665 (HIToolbox + 198630)  
[0x7ff8168317e6] 1-24  
24 RunCurrentEventLoopInMode + 292 (HIToolbox + 199129)  
[0x7ff8168319d9] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation  
+ 508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib +  
35682) [0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib +  
6702) [0x7ff80be25a2e] 1-24

\*2 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xfffff8000415fc0] 1-2

<process clamped>

\*18 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xfffff8000415fc0] 3-20

<process unclamped>

\*4 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xfffff8000415fc0] 21-24

Thread 0x15da 24 samples (1-24) priority 31 (base 31)

<thread QoS default (requested default), process unclamped, IO tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab] 1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090) [0x7ff80be65202] 1-24

24 google\_breakpad::ExceptionHandler::WaitForMessage(void\*) + 168 (ESA2 + 954008) [0x10dd2fe98] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24

\*2 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xfffff8000415fc0] 1-2

<process clamped>

\*18 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xfffff8000415fc0] 3-20

<process unclamped>

\*4 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xfffff8000415fc0] 21-24

Thread 0x15e2 Thread name "com.apple.NSEventThread" 24 samples (1-24) priority 46 (base 46) cpu time <0.001s (876.1K cycles, 239.3K instructions, 3.66c/i)

<thread QoS user interactive (requested user interactive), process unclamped, IO tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab] 1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090) [0x7ff80be65202] 1-24

24 \_NSEventThread + 122 (AppKit + 1686188) [0x7ff80f6acaac] 1-24

24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842) [0x7ff80bf3f082] 1-24

```

    24 __CFRunLoopRun + 1371 (CoreFoundation + 502693)
[0x7ff80bf3fba5] 1-24
    24 __CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)
[0x7ff80bf41135] 1-24
    24 mach_msg + 19 (libsystem_kernel.dylib + 7455) [0x7ff80be25d1f]
1-24
    24 mach_msg_overwrite + 653 (libsystem_kernel.dylib + 35682)
[0x7ff80be2cb62] 1-24
    24 mach_msg2_trap + 10 (libsystem_kernel.dylib + 6702)
[0x7ff80be25a2e] 1-24
    *2 ipc_mqueue_receive_continue + 0 (kernel + 1269696)
[0xfffff8000415fc0] 1-2
    <process clamped>
    *18 ipc_mqueue_receive_continue + 0 (kernel + 1269696)
[0xfffff8000415fc0] 3-20
    <process unclamped>
    *4 ipc_mqueue_receive_continue + 0 (kernel + 1269696)
[0xfffff8000415fc0] 21-24

```

```

Thread 0x163b  Thread name "Qt bearer thread"  24 samples (1-24)
priority 31 (base 31)
<thread QoS default (requested default), process unclamped, IO tier 0>
    24 thread_start + 15 (libsystem_pthread.dylib + 7083) [0x7ff80be60bab]
1-24
    24 _pthread_start + 99 (libsystem_pthread.dylib + 25090)
[0x7ff80be65202] 1-24
    24 ??? (QtCore + 174170) [0x11268785a] 1-24
    24 QThread::exec() + 110 (QtCore + 159470) [0x112683eee] 1-24
    24 QEventLoop::exec(QFlags<QEventLoop::ProcessEventsFlag>) +
401 (QtCore + 2000769) [0x112845781] 1-24
    24
QEventDispatcherUNIX::processEvents(QFlags<QEventLoop::ProcessEvents
Flag>) + 885 (QtCore + 2359157) [0x11289cf75] 1-24
    24 poll + 10 (libsystem_kernel.dylib + 34890) [0x7ff80be2c84a] 1-24
    *24 hndl_unix_scall64 + 22 (kernel + 998838) [0xfffff80003d3db6]
1-24
    *24 unix_syscall64 + 477 (kernel + 7810589) [0xfffff8000a52e1d]
1-24
    *24 poll_nocancel + 999 (kernel + 6773351) [0xfffff8000955a67]
1-24
    *24 kqueue_scan + 2724 (kernel + 6404516) [0xfffff80008fb9a4]
1-24
    *24 thread_block_reason + 240 (kernel + 1581040)
[0xfffff8000461ff0] 1-24

```

\*24 ??? (kernel + 1588870) [0xfffff8000463e86] 1-24  
\*2 machine\_switch\_context + 215 (kernel + 2749095)  
[0xfffff800057f2a7] 1-2  
<process clamped>  
\*18 machine\_switch\_context + 215 (kernel + 2749095)  
[0xfffff800057f2a7] 3-20  
<process unclamped>  
\*4 machine\_switch\_context + 215 (kernel + 2749095)  
[0xfffff800057f2a7] 21-24

Thread 0x1692 24 samples (1-24) priority 21 (base 31)  
<thread QoS default (requested default), process unclamped, IO tier 0>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 ??? (ESA2 + 6272937) [0x10e2427a9] 1-24  
24 ??? (ESA2 + 6009669) [0x10e202345] 1-24  
24 ??? (ESA2 + 6038075) [0x10e20923b] 1-24  
24 ??? (ESA2 + 6034778) [0x10e20855a] 1-24  
24 ??? (ESA2 + 6284109) [0x10e24534d] 1-24  
24 ??? (ESA2 + 6284379) [0x10e24545b] 1-24  
24 \_\_psynch\_cvwait + 10 (libsystem\_kernel.dylib + 17870)  
[0x7ff80be285ce] 1-24  
\*2 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777)  
[0xfffff800307e129] 1-2  
<process clamped>  
\*18 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777)  
[0xfffff800307e129] 3-20  
<process unclamped>  
\*4 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777)  
[0xfffff800307e129] 21-24

Thread 0x1693 24 samples (1-24) priority 31 (base 31)  
<thread QoS default (requested default), process unclamped, IO tier 0>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 ??? (ESA2 + 6272937) [0x10e2427a9] 1-24  
24 ??? (ESA2 + 6009669) [0x10e202345] 1-24  
24 ??? (ESA2 + 6038075) [0x10e20923b] 1-24  
24 ??? (ESA2 + 6034778) [0x10e20855a] 1-24  
24 ??? (ESA2 + 6284109) [0x10e24534d] 1-24



24 ??? (ESA2 + 6284379) [0x10e24545b] 1-24  
24 \_\_psynch\_cvwait + 10 (libsystem\_kernel.dylib + 17870)  
[0x7ff80be285ce] 1-24  
\*2 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777)  
[0xfffff800307e129] 1-2  
<process clamped>  
\*18 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777)  
[0xfffff800307e129] 3-20  
<process unclamped>  
\*4 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777)  
[0xfffff800307e129] 21-24

Thread 0x1694 24 samples (1-24) priority 31 (base 31)  
<thread QoS default (requested default), process unclamped, IO tier 0>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 ??? (ESA2 + 6272937) [0x10e2427a9] 1-24  
24 ??? (ESA2 + 6009669) [0x10e202345] 1-24  
24 ??? (ESA2 + 6038075) [0x10e20923b] 1-24  
24 ??? (ESA2 + 6034778) [0x10e20855a] 1-24  
24 ??? (ESA2 + 6284109) [0x10e24534d] 1-24  
24 ??? (ESA2 + 6284379) [0x10e24545b] 1-24  
24 \_\_psynch\_cvwait + 10 (libsystem\_kernel.dylib + 17870)  
[0x7ff80be285ce] 1-24  
\*2 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777)  
[0xfffff800307e129] 1-2  
<process clamped>  
\*18 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777)  
[0xfffff800307e129] 3-20  
<process unclamped>  
\*4 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777)  
[0xfffff800307e129] 21-24

Thread 0x1695 24 samples (1-24) priority 31 (base 31)  
<thread QoS default (requested default), process unclamped, IO tier 0>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 ??? (ESA2 + 6272937) [0x10e2427a9] 1-24  
24 ??? (ESA2 + 6009669) [0x10e202345] 1-24  
24 ??? (ESA2 + 6038075) [0x10e20923b] 1-24

24 ??? (ESA2 + 6034778) [0x10e20855a] 1-24  
24 ??? (ESA2 + 6284109) [0x10e24534d] 1-24  
24 ??? (ESA2 + 6284379) [0x10e24545b] 1-24  
24 \_\_psynch\_cvwait + 10 (libsystem\_kernel.dylib + 17870)  
[0x7ff80be285ce] 1-24  
\*2 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777)  
[0xfffff800307e129] 1-2  
<process clamped>  
\*18 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777)  
[0xfffff800307e129] 3-20  
<process unclamped>  
\*4 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777)  
[0xfffff800307e129] 21-24

Thread 0x1696 24 samples (1-24) priority 31 (base 31)  
<thread QoS default (requested default), process unclamped, IO tier 0>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 ??? (ESA2 + 6272937) [0x10e2427a9] 1-24  
24 ??? (ESA2 + 6009669) [0x10e202345] 1-24  
24 ??? (ESA2 + 6038075) [0x10e20923b] 1-24  
24 ??? (ESA2 + 6034778) [0x10e20855a] 1-24  
24 ??? (ESA2 + 6284109) [0x10e24534d] 1-24  
24 ??? (ESA2 + 6284379) [0x10e24545b] 1-24  
24 \_\_psynch\_cvwait + 10 (libsystem\_kernel.dylib + 17870)  
[0x7ff80be285ce] 1-24  
\*2 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777)  
[0xfffff800307e129] 1-2  
<process clamped>  
\*18 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777)  
[0xfffff800307e129] 3-20  
<process unclamped>  
\*4 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777)  
[0xfffff800307e129] 21-24

Thread 0x1697 24 samples (1-24) priority 31 (base 31)  
<thread QoS default (requested default), process unclamped, IO tier 0>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 ??? (ESA2 + 6272937) [0x10e2427a9] 1-24

24 ??? (ESA2 + 6009669) [0x10e202345] 1-24  
24 ??? (ESA2 + 6038075) [0x10e20923b] 1-24  
24 ??? (ESA2 + 6034778) [0x10e20855a] 1-24  
24 ??? (ESA2 + 6284109) [0x10e24534d] 1-24  
24 ??? (ESA2 + 6284379) [0x10e24545b] 1-24  
24 \_\_psynch\_cvwait + 10 (libsystem\_kernel.dylib + 17870)  
[0x7ff80be285ce] 1-24  
\*2 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777)  
[0xffffffff800307e129] 1-2  
<process clamped>  
\*18 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777)  
[0xffffffff800307e129] 3-20  
<process unclamped>  
\*4 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777)  
[0xffffffff800307e129] 21-24

Thread 0x1698 24 samples (1-24) priority 31 (base 31)  
<thread QoS default (requested default), process unclamped, IO tier 0>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 ??? (ESA2 + 6272937) [0x10e2427a9] 1-24  
24 ??? (ESA2 + 6009669) [0x10e202345] 1-24  
24 ??? (ESA2 + 6038075) [0x10e20923b] 1-24  
24 ??? (ESA2 + 6034778) [0x10e20855a] 1-24  
24 ??? (ESA2 + 6284109) [0x10e24534d] 1-24  
24 ??? (ESA2 + 6284379) [0x10e24545b] 1-24  
24 \_\_psynch\_cvwait + 10 (libsystem\_kernel.dylib + 17870)  
[0x7ff80be285ce] 1-24  
\*2 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777)  
[0xffffffff800307e129] 1-2  
<process clamped>  
\*18 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777)  
[0xffffffff800307e129] 3-20  
<process unclamped>  
\*4 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777)  
[0xffffffff800307e129] 21-24

Thread 0x1699 24 samples (1-24) priority 31 (base 31)  
<thread QoS default (requested default), process unclamped, IO tier 0>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)

```

[0x7ff80be65202] 1-24
  24 ??? (ESA2 + 6272937) [0x10e2427a9] 1-24
  24 ??? (ESA2 + 6009669) [0x10e202345] 1-24
  24 ??? (ESA2 + 6038075) [0x10e20923b] 1-24
  24 ??? (ESA2 + 6034778) [0x10e20855a] 1-24
  24 ??? (ESA2 + 6284109) [0x10e24534d] 1-24
  24 ??? (ESA2 + 6284379) [0x10e24545b] 1-24
  24 __psynch_cvwait + 10 (libsystem_kernel.dylib + 17870)
[0x7ff80be285ce] 1-24
  *2 psynch_cvcontinue + 0 (com.apple.kec.pthread + 20777)
[0xfffff800307e129] 1-2
<process clamped>
  *18 psynch_cvcontinue + 0 (com.apple.kec.pthread + 20777)
[0xfffff800307e129] 3-20
<process unclamped>
  *4 psynch_cvcontinue + 0 (com.apple.kec.pthread + 20777)
[0xfffff800307e129] 21-24

Thread 0x169b Thread name "org.libusb.device-hotplug" 24 samples
(1-24) priority 31 (base 31) cpu time 0.006s (10.8M cycles, 2.3M
instructions, 4.76c/i)
<thread QoS default (requested default), process unclamped, IO tier 0>
  24 thread_start + 15 (libsystem_pthread.dylib + 7083) [0x7ff80be60bab]
1-24
  24 _pthread_start + 99 (libsystem_pthread.dylib + 25090)
[0x7ff80be65202] 1-24
  24 darwin_event_thread_main + 398 (libusb-1.0.0.dylib + 46704)
[0x10f16a670] 1-24
  24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]
1-24
  24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)
[0x7ff80bf3f082] 1-24
  24 __CFRunLoopRun + 1371 (CoreFoundation + 502693)
[0x7ff80bf3fba5] 1-24
  24 __CFRunLoopServiceMachPort + 143 (CoreFoundation +
508213) [0x7ff80bf41135] 1-24
  24 mach_msg + 19 (libsystem_kernel.dylib + 7455)
[0x7ff80be25d1f] 1-24
  24 mach_msg_overwrite + 653 (libsystem_kernel.dylib + 35682)
[0x7ff80be2cb62] 1-24
  24 mach_msg2_trap + 10 (libsystem_kernel.dylib + 6702)
[0x7ff80be25a2e] 1-24
  *2 ipc_mqueue_receive_continue + 0 (kernel + 1269696)
[0xfffff8000415fc0] 1-2

```

```

<process clamped>
    *18 ipc_mqueue_receive_continue + 0 (kernel + 1269696)
[0xfffff8000415fc0] 3-20
<process unclamped>
    *4 ipc_mqueue_receive_continue + 0 (kernel + 1269696)
[0xfffff8000415fc0] 21-24

Thread 0x169d  24 samples (1-24)  priority 31 (base 31)  cpu time 0.006s
(11.2M cycles, 3.1M instructions, 3.61c/i)
<thread QoS default (requested default), process unclamped, IO tier 0>
 24 thread_start + 15 (libsystem_pthread.dylib + 7083) [0x7ff80be60bab]
1-24
 24 _pthread_start + 99 (libsystem_pthread.dylib + 25090)
[0x7ff80be65202] 1-24
 24 ??? (ESA2 + 6272937) [0x10e2427a9] 1-24
 24 ??? (ESA2 + 6009669) [0x10e202345] 1-24
 24 ??? (ESA2 + 6299072) [0x10e248dc0] 1-24
 24 ??? (ESA2 + 6299004) [0x10e248d7c] 1-24
 24 libusb_handle_events + 33 (libusb-1.0.0.dylib + 34834)
[0x10f167812] 1-24
 24 libusb_handle_events_timeout_completed + 262
(libusb-1.0.0.dylib + 32544) [0x10f166f20] 1-24
 24 poll + 10 (libsystem_kernel.dylib + 34890) [0x7ff80be2c84a]
1-24
    *24 hndl_unix_scall64 + 22 (kernel + 998838)
[0xfffff80003d3db6] 1-24
    *24 unix_syscall64 + 477 (kernel + 7810589)
[0xfffff8000a52e1d] 1-24
    *24 poll_nocancel + 999 (kernel + 6773351)
[0xfffff8000955a67] 1-24
    *24 kqueue_scan + 2724 (kernel + 6404516)
[0xfffff80008fb9a4] 1-24
    *24 thread_block_reason + 240 (kernel + 1581040)
[0xfffff8000461ff0] 1-24
    *24 ??? (kernel + 1588870) [0xfffff8000463e86] 1-24
    *2 machine_switch_context + 215 (kernel + 2749095)
[0xfffff800057f2a7] 1-2
<process clamped>
    *18 machine_switch_context + 215 (kernel + 2749095)
[0xfffff800057f2a7] 3-20
<process unclamped>
    *4 machine_switch_context + 215 (kernel + 2749095)
[0xfffff800057f2a7] 21-24

```

Thread 0x169e 24 samples (1-24) priority 31 (base 31) cpu time  
<0.001s (88.6K cycles, 15.3K instructions, 5.78c/i)  
<thread QoS default (requested default), process unclamped, IO tier 0>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 ??? (ESA2 + 6272937) [0x10e2427a9] 1-24  
24 ??? (ESA2 + 6009669) [0x10e202345] 1-24  
24 ??? (ESA2 + 1918032) [0x10de1b450] 1-24  
24 ??? (ESA2 + 1917899) [0x10de1b3cb] 1-24  
24 ??? (ESA2 + 6008127) [0x10e201d3f] 1-24  
24 ??? (ESA2 + 6284994) [0x10e2456c2] 1-24  
24 ??? (ESA2 + 6285294) [0x10e2457ee] 1-24  
24 \_\_psynch\_cvwait + 10 (libsystem\_kernel.dylib + 17870)  
[0x7ff80be285ce] 1-24  
\*2 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777)  
[0xfffff800307e129] 1-2  
<process clamped>  
\*18 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777)  
[0xfffff800307e129] 3-20  
<process unclamped>  
\*4 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777)  
[0xfffff800307e129] 21-24

Thread 0x169f 24 samples (1-24) priority 31 (base 31)  
<thread QoS default (requested default), process unclamped, IO tier 0>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 ??? (ESA2 + 6272937) [0x10e2427a9] 1-24  
24 ??? (ESA2 + 6009669) [0x10e202345] 1-24  
24 ??? (ESA2 + 5722464) [0x10e1bc160] 1-24  
24 \_\_recvfrom + 10 (libsystem\_kernel.dylib + 20794)  
[0x7ff80be2913a] 1-24  
\*24 hndl\_unix\_scall64 + 22 (kernel + 998838) [0xfffff80003d3db6]  
1-24  
\*24 unix\_syscall64 + 477 (kernel + 7810589) [0xfffff8000a52e1d]  
1-24  
\*24 recvfrom\_nocancel + 271 (kernel + 7047039)  
[0xfffff800099877f] 1-24  
\*24 ??? (kernel + 7047389) [0xfffff80009988dd] 1-24  
\*24 soreceive + 2515 (kernel + 6978739) [0xfffff8000987cb3]

1-24

\*24 sbwait + 266 (kernel + 7018810) [0xfffff800099193a] 1-24

\*24 ??? (kernel + 6623403) [0xfffff80009310ab] 1-24

\*24 lck\_mtx\_sleep + 97 (kernel + 1503265)

[0xfffff800044f021] 1-24

\*24 thread\_block\_reason + 240 (kernel + 1581040)

[0xfffff8000461ff0] 1-24

\*24 ??? (kernel + 1588870) [0xfffff8000463e86] 1-24

\*2 machine\_switch\_context + 215 (kernel + 2749095)

[0xfffff800057f2a7] 1-2

<process clamped>

\*18 machine\_switch\_context + 215 (kernel + 2749095)

[0xfffff800057f2a7] 3-20

<process unclamped>

\*4 machine\_switch\_context + 215 (kernel + 2749095)

[0xfffff800057f2a7] 21-24

Thread 0x16e6 24 samples (1-24) priority 31 (base 31)

<thread QoS default (requested default), process unclamped, IO tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]

1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)

[0x7ff80be65202] 1-24

24 ??? (ESA2 + 6272937) [0x10e2427a9] 1-24

24 ??? (ESA2 + 6009669) [0x10e202345] 1-24

24 ??? (ESA2 + 1906307) [0x10de18683] 1-24

24 \_\_recvfrom + 10 (libsystem\_kernel.dylib + 20794)

[0x7ff80be2913a] 1-24

\*24 hndl\_unix\_scall64 + 22 (kernel + 998838) [0xfffff80003d3db6]

1-24

\*24 unix\_syscall64 + 477 (kernel + 7810589) [0xfffff8000a52e1d]

1-24

\*24 recvfrom\_nocancel + 271 (kernel + 7047039)

[0xfffff800099877f] 1-24

\*24 ??? (kernel + 7047389) [0xfffff80009988dd] 1-24

\*24 soreceive + 2515 (kernel + 6978739) [0xfffff8000987cb3]

1-24

\*24 sbwait + 266 (kernel + 7018810) [0xfffff800099193a] 1-24

\*24 ??? (kernel + 6623403) [0xfffff80009310ab] 1-24

\*24 lck\_mtx\_sleep + 97 (kernel + 1503265)

[0xfffff800044f021] 1-24

\*24 thread\_block\_reason + 240 (kernel + 1581040)

[0xfffff8000461ff0] 1-24

\*24 ??? (kernel + 1588870) [0xfffff8000463e86] 1-24

\*2 machine\_switch\_context + 215 (kernel + 2749095)  
[0xfffff800057f2a7] 1-2  
<process clamped>  
\*18 machine\_switch\_context + 215 (kernel + 2749095)  
[0xfffff800057f2a7] 3-20  
<process unclamped>  
\*4 machine\_switch\_context + 215 (kernel + 2749095)  
[0xfffff800057f2a7] 21-24

Thread 0x191d Thread name "QThread" 24 samples (1-24) priority 36  
(base 36) cpu time 0.002s (3.7M cycles, 833.8K instructions, 4.43c/i)  
<process unclamped, IO tier 0>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 ??? (QtCore + 174170) [0x11268785a] 1-24  
24 com3d2::CTriggeringThread::run() + 160 (libCom3D2.1.dylib + 58240)  
[0x10ece7380] 1-24  
24 ??? (QtCore + 2352251) [0x11289b47b] 1-24  
24 \_\_semwait\_signal + 10 (libsystem\_kernel.dylib + 17562)  
[0x7ff80be2849a] 1-24  
\*2 ??? (kernel + 1663616) [0xfffff8000476280] 1-2  
<process clamped>  
\*18 ??? (kernel + 1663616) [0xfffff8000476280] 3-20  
<process unclamped>  
\*4 ??? (kernel + 1663616) [0xfffff8000476280] 21-24

Thread 0x1927 Thread name "QDasTimer Main Thread" 24 samples  
(1-24) priority 36 (base 36) cpu time 0.432s (754.4M cycles, 550.0M  
instructions, 1.37c/i)  
<process unclamped, IO tier 0>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 ??? (QtCore + 174170) [0x11268785a] 1-24  
1 QDasTimer::MainThread::run() + 170 (libQtDasCore.1.dylib + 191386)  
[0x10f688b9a] 1  
1 ??? (QtCore + 2352251) [0x11289b47b] 1  
1 \_\_semwait\_signal + 10 (libsystem\_kernel.dylib + 17562)  
[0x7ff80be2849a] 1  
\*1 ??? (kernel + 1663616) [0xfffff8000476280] 1  
1 QElapsedTimer::elapsed() const + 0 (QtCore + 2352608)



[0x11289b5e0] (running) 2  
<process clamped>  
1 QDasTimer::MainThread::run() + 170 (libQtDasCore.1.dylib + 191386)  
[0x10f688b9a] 3  
1 ??? (QtCore + 2352251) [0x11289b47b] 3  
1 \_\_semwait\_signal + 10 (libsystem\_kernel.dylib + 17562)  
[0x7ff80be2849a] 3  
\*1 ??? (kernel + 1663616) [0xfffff8000476280] 3  
1 QDasTimer::MainThread::run() + 181 (libQtDasCore.1.dylib + 191397)  
[0x10f688ba5] 4  
1 QElapsedTimer::elapsed() const + 15 (QtCore + 2352623)  
[0x11289b5ef] 4  
1 mach\_absolute\_time + 28 (libsystem\_kernel.dylib + 7596)  
[0x7ff80be25dac] (running) 4  
1 QDasTimer::MainThread::run() + 170 (libQtDasCore.1.dylib + 191386)  
[0x10f688b9a] 5  
1 ??? (QtCore + 2352251) [0x11289b47b] 5  
1 \_\_semwait\_signal + 10 (libsystem\_kernel.dylib + 17562)  
[0x7ff80be2849a] 5  
\*1 ??? (kernel + 1663616) [0xfffff8000476280] 5  
1 QDasTimer::MainThread::run() + 181 (libQtDasCore.1.dylib + 191397)  
[0x10f688ba5] 6  
1 QElapsedTimer::elapsed() const + 15 (QtCore + 2352623)  
[0x11289b5ef] 6  
1 mach\_absolute\_time + 28 (libsystem\_kernel.dylib + 7596)  
[0x7ff80be25dac] (running) 6  
1 QDasTimer::MainThread::run() + 170 (libQtDasCore.1.dylib + 191386)  
[0x10f688b9a] 7  
1 ??? (QtCore + 2352251) [0x11289b47b] 7  
1 \_\_semwait\_signal + 10 (libsystem\_kernel.dylib + 17562)  
[0x7ff80be2849a] 7  
\*1 ??? (kernel + 1663616) [0xfffff8000476280] 7  
1 QDasTimer::MainThread::run() + 181 (libQtDasCore.1.dylib + 191397)  
[0x10f688ba5] 8  
1 QElapsedTimer::elapsed() const + 15 (QtCore + 2352623)  
[0x11289b5ef] 8  
1 mach\_absolute\_time + 28 (libsystem\_kernel.dylib + 7596)  
[0x7ff80be25dac] (running) 8  
1 QDasTimer::MainThread::run() + 170 (libQtDasCore.1.dylib + 191386)  
[0x10f688b9a] 9  
1 ??? (QtCore + 2352251) [0x11289b47b] 9  
1 \_\_semwait\_signal + 10 (libsystem\_kernel.dylib + 17562)  
[0x7ff80be2849a] 9  
\*1 ??? (kernel + 1663616) [0xfffff8000476280] 9

1 QDasTimer::MainThread::run() + 181 (libQtDasCore.1.dylib + 191397)  
[0x10f688ba5] 10  
1 QElapsedTimer::elapsed() const + 15 (QtCore + 2352623)  
[0x11289b5ef] 10  
1 mach\_absolute\_time + 28 (libsystem\_kernel.dylib + 7596)  
[0x7ff80be25dac] (running) 10  
1 QDasTimer::MainThread::run() + 170 (libQtDasCore.1.dylib + 191386)  
[0x10f688b9a] 11  
1 ??? (QtCore + 2352251) [0x11289b47b] 11  
1 \_\_semwait\_signal + 10 (libsystem\_kernel.dylib + 17562)  
[0x7ff80be2849a] 11  
\*1 ??? (kernel + 1663616) [0xfffff8000476280] 11  
1 QDasTimer::MainThread::run() + 181 (libQtDasCore.1.dylib + 191397)  
[0x10f688ba5] 12  
1 QElapsedTimer::elapsed() const + 15 (QtCore + 2352623)  
[0x11289b5ef] 12  
1 mach\_absolute\_time + 31 (libsystem\_kernel.dylib + 7599)  
[0x7ff80be25daf] (running) 12  
1 QDasTimer::MainThread::run() + 170 (libQtDasCore.1.dylib + 191386)  
[0x10f688b9a] 13  
1 ??? (QtCore + 2352251) [0x11289b47b] 13  
1 \_\_semwait\_signal + 10 (libsystem\_kernel.dylib + 17562)  
[0x7ff80be2849a] 13  
\*1 ??? (kernel + 1663616) [0xfffff8000476280] 13  
1 QDasTimer::MainThread::run() + 181 (libQtDasCore.1.dylib + 191397)  
[0x10f688ba5] 14  
1 QElapsedTimer::elapsed() const + 15 (QtCore + 2352623)  
[0x11289b5ef] 14  
1 mach\_absolute\_time + 26 (libsystem\_kernel.dylib + 7594)  
[0x7ff80be25daa] (running) 14  
1 QDasTimer::MainThread::run() + 170 (libQtDasCore.1.dylib + 191386)  
[0x10f688b9a] 15  
1 ??? (QtCore + 2352251) [0x11289b47b] 15  
1 \_\_semwait\_signal + 10 (libsystem\_kernel.dylib + 17562)  
[0x7ff80be2849a] 15  
\*1 ??? (kernel + 1663616) [0xfffff8000476280] 15  
1 QDasTimer::MainThread::run() + 181 (libQtDasCore.1.dylib + 191397)  
[0x10f688ba5] 16  
1 QElapsedTimer::elapsed() const + 15 (QtCore + 2352623)  
[0x11289b5ef] 16  
1 mach\_absolute\_time + 26 (libsystem\_kernel.dylib + 7594)  
[0x7ff80be25daa] (running) 16  
1 QDasTimer::MainThread::run() + 170 (libQtDasCore.1.dylib + 191386)  
[0x10f688b9a] 17

```
1 ??? (QtCore + 2352251) [0x11289b47b] 17
  1 __semwait_signal + 10 (libsystem_kernel.dylib + 17562)
[0x7ff80be2849a] 17
  *1 ??? (kernel + 1663616) [0xfffff8000476280] 17
  1 QDasTimer::MainThread::run() + 181 (libQtDasCore.1.dylib + 191397)
[0x10f688ba5] 18
  1 QElapsedTimer::elapsed() const + 15 (QtCore + 2352623)
[0x11289b5ef] 18
  1 mach_absolute_time + 35 (libsystem_kernel.dylib + 7603)
[0x7ff80be25db3] (running) 18
  1 QDasTimer::MainThread::run() + 170 (libQtDasCore.1.dylib + 191386)
[0x10f688b9a] 19
  1 ??? (QtCore + 2352251) [0x11289b47b] 19
  1 __semwait_signal + 10 (libsystem_kernel.dylib + 17562)
[0x7ff80be2849a] 19
  *1 ??? (kernel + 1663616) [0xfffff8000476280] 19
  1 QDasTimer::MainThread::run() + 181 (libQtDasCore.1.dylib + 191397)
[0x10f688ba5] 20
  1 QElapsedTimer::elapsed() const + 116 (QtCore + 2352724)
[0x11289b654] 20
  *1 ??? (kernel + 1363504) [0xfffff800042ce30] (runnable) 20
<process unclamped>
  1 QDasTimer::MainThread::run() + 170 (libQtDasCore.1.dylib + 191386)
[0x10f688b9a] 21
  1 ??? (QtCore + 2352251) [0x11289b47b] 21
  1 __semwait_signal + 10 (libsystem_kernel.dylib + 17562)
[0x7ff80be2849a] 21
  *1 ??? (kernel + 1663616) [0xfffff8000476280] 21
  1 QDasTimer::MainThread::run() + 181 (libQtDasCore.1.dylib + 191397)
[0x10f688ba5] 22
  1 QElapsedTimer::elapsed() const + 15 (QtCore + 2352623)
[0x11289b5ef] 22
  1 mach_absolute_time + 41 (libsystem_kernel.dylib + 7609)
[0x7ff80be25db9] (running) 22
  1 QDasTimer::MainThread::run() + 170 (libQtDasCore.1.dylib + 191386)
[0x10f688b9a] 23
  1 ??? (QtCore + 2352251) [0x11289b47b] 23
  1 __semwait_signal + 10 (libsystem_kernel.dylib + 17562)
[0x7ff80be2849a] 23
  *1 ??? (kernel + 1663616) [0xfffff8000476280] 23
  1 QDasTimer::MainThread::run() + 181 (libQtDasCore.1.dylib + 191397)
[0x10f688ba5] 24
  1 QElapsedTimer::elapsed() const + 101 (QtCore + 2352709)
[0x11289b645] (running) 24
```

```

Thread 0x3fea  Thread name "QScanThread"  24 samples (1-24)  priority
31 (base 31)
  <thread QoS default (requested default), process unclamped, IO tier 0>
  24 thread_start + 15 (libsystem_pthread.dylib + 7083) [0x7ff80be60bab]
1-24
  24 _pthread_start + 99 (libsystem_pthread.dylib + 25090)
[0x7ff80be65202] 1-24
  24 ??? (QtCore + 174170) [0x11268785a] 1-24
  24 ??? (libqcorewlanbearer.dylib + 28265) [0x111b87e69] 1-24
  24 ??? (CoreWLAN + 190832) [0x7ff817eb2970] 1-24
  24 ??? (CoreWLAN + 214226) [0x7ff817eb84d2] 1-24
  24 _dispatch_semaphore_wait_slow + 58 (libdispatch.dylib + 16183)
[0x7ff80bcbdf37] 1-24
  24 semaphore_timedwait_trap + 10 (libsystem_kernel.dylib + 6594)
[0x7ff80be259c2] 1-24
  *2 ??? (kernel + 1663616) [0xfffff8000476280] 1-2
  <process clamped>
  *18 ??? (kernel + 1663616) [0xfffff8000476280] 3-20
  <process unclamped>
  *4 ??? (kernel + 1663616) [0xfffff8000476280] 21-24

```

#### Binary Images:

```

0x10dc47000 - 0x10ebcefff dsfsdfsdfsds.ESA2 (23.605.0.765)
<4F349560-8F0A-3A8A-981B-0680B9A5BCAB> /Applications/ESA2*/
ESA2.app/Contents/MacOS/ESA2
0x10ecd9000 - 0x10ececfff libCom3D2.1.dylib (0)
<2CEF14DB-7F4A-3AEC-8AB7-66853948AE5D> /Applications/ESA2*/
ESA2.app/Contents/Frameworks/libCom3D2.1.dylib
0x10ef1c000 - 0x10f07efff libqcocoa.dylib (0)
<DA2F8E2B-AA1F-3C8A-B167-DD4C61CB284C> /Applications/ESA2*/
ESA2.app/Contents/PlugIns/platforms/libqcocoa.dylib
0x10f15f000 - 0x10f170fff libusb-1.0.0.dylib (0)
<0FEDED27-A216-3523-9640-0AA349576646> /Applications/ESA2*/
ESA2.app/Contents/Frameworks/libusb-1.0.0.dylib
0x10f65a000 - 0x10f6c5fff libQtDasCore.1.dylib (0)
<35FD1B4F-70FA-3C0D-9F37-0B3A8150EDA6> /Applications/ESA2*/
ESA2.app/Contents/Frameworks/libQtDasCore.1.dylib
0x111b81000 - 0x111b96fff libqcorewlanbearer.dylib (0)
<991DF0C8-9D27-3E8F-B2FA-94AFD7D1BC2F> /Applications/ESA2*/
ESA2.app/Contents/PlugIns/bearer/libqcorewlanbearer.dylib
0x11265d000 - 0x112b48fff org.qt-project.QtCore 5.8 (5.8.0)
<2C2FCD3B-2BCA-3941-B85E-9F334EB73FF8> /Applications/ESA2*/
ESA2.app/Contents/Frameworks/QtCore.framework/Versions/5/QtCore

```

0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80f511000 - 0x7ff81092fff6 com.apple.AppKit 6.9 (2487.40.107)  
<660B78D6-113F-3ABD-8969-A6CB84FFF752> /System/Library/  
Frameworks/AppKit.framework/Versions/C/AppKit  
0x7ff816801000 - 0x7ff816a9cff4 com.apple.HIToolbox 2.1.1 (1202)  
<4CD47F03-ED80-3F2A-BBDF-D7AF11CB4CCB> /System/Library/  
Frameworks/Carbon.framework/Versions/A/Frameworks/  
HIToolbox.framework/Versions/A/HIToolbox  
0x7ff817e84000 - 0x7ff817efcfc com.apple.framework.CoreWLAN  
16.0 (1657) <D0A3736A-CC97-3A4C-920C-A51E4AFE624> /System/  
Library/Frameworks/CoreWLAN.framework/Versions/A/CoreWLAN  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel  
\*0xffffffff8003079000 - 0xffffffff8003081fff com.apple.kec.pthread (519)  
<07ED499F-25E6-3572-8464-FC4F7429D88C> com.apple.kec.pthread

Process: extensionkitservice [402]  
UUID: 292285D6-6C82-3748-95DE-4A7F8D722E2E  
Path: /System/Library/Frameworks/ExtensionFoundation.framework/  
Versions/A/XPCServices/extensionkitservice.xpc/Contents/MacOS/  
extensionkitservice  
Identifier: com.apple.extensionkitservice  
Version: 97 (97)  
Build Version: 14  
Project Name: ExtensionFoundation  
Source Version: 145005007000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64

Parent: launchd [1]  
Responsible: WallpaperAgent [388]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1096 KB  
Time Since Fork: 748s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xaca 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x104a8a000 - ??? com.apple.extensionkitservice 97 (97)  
<292285D6-6C82-3748-95DE-4A7F8D722E2E> /System/Library/  
Frameworks/ExtensionFoundation.framework/Versions/A/XPCServices/  
extensionkitservice.xpc/Contents/MacOS/extensionkitservice  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: extensionkitservice [445]  
UUID: 292285D6-6C82-3748-95DE-4A7F8D722E2E  
Path: /System/Library/Frameworks/ExtensionFoundation.framework/  
Versions/A/XPCServices/extensionkitservice.xpc/Contents/MacOS/  
extensionkitservice  
Identifier: com.apple.extensionkitservice  
Version: 97 (97)  
Build Version: 14  
Project Name: ExtensionFoundation  
Source Version: 145005007000000

Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64

Parent: launchd [1]

Responsible: chronod [434]

UID: 501

Sudden Term: Tracked (allows idle exit)

Footprint: 1176 KB

Time Since Fork: 743s

Num samples: 24 (1-24)

Note: 1 idle work queue thread omitted

Thread 0xc72 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42] 1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774) [0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x1038f3000 - ??? com.apple.extensionkitservice 97 (97)  
<292285D6-6C82-3748-95DE-4A7F8D722E2E> /System/Library/Frameworks/ExtensionFoundation.framework/Versions/A/XPCServices/extensionkitservice.xpc/Contents/MacOS/extensionkitservice  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/kernel

Process: extensionkitservice [657]

UUID: 292285D6-6C82-3748-95DE-4A7F8D722E2E

Path: /System/Library/Frameworks/ExtensionFoundation.framework/Versions/A/XPCServices/extensionkitservice.xpc/Contents/MacOS/extensionkitservice

Identifier: com.apple.extensionkitservice

Version: 97 (97)

Build Version: 14  
Project Name: ExtensionFoundation  
Source Version: 145005007000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: donotdisturbd [416]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1084 KB  
Time Since Fork: 655s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x1a39 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

#### Binary Images:

0x10acb4000 - ??? com.apple.extensionkitservice 97 (97)  
<292285D6-6C82-3748-95DE-4A7F8D722E2E> /System/Library/  
Frameworks/ExtensionFoundation.framework/Versions/A/XPCServices/  
extensionkitservice.xpc/Contents/MacOS/extensionkitservice  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: extensionkitservice [833]  
UUID: 292285D6-6C82-3748-95DE-4A7F8D722E2E  
Path: /System/Library/Frameworks/ExtensionFoundation.framework/  
Versions/A/XPCServices/extensionkitservice.xpc/Contents/MacOS/



extensionkitservice

Identifier: com.apple.extensionkitservice

Version: 97 (97)

Build Version: 14

Project Name: ExtensionFoundation

Source Version: 145005007000000

Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64

Parent: launchd [1]

Responsible: mlhostd [832]

UID: 501

Sudden Term: Tracked (allows idle exit)

Footprint: 1120 KB

Time Since Fork: 451s

Num samples: 24 (1-24)

Note: 1 idle work queue thread omitted

Thread 0x27ba 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42] 1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774) [0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x10806f000 - ??? com.apple.extensionkitservice 97 (97)  
<292285D6-6C82-3748-95DE-4A7F8D722E2E> /System/Library/Frameworks/ExtensionFoundation.framework/Versions/A/XPCServices/extensionkitservice.xpc/Contents/MacOS/extensionkitservice  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/kernel

Process: fairplayd [691]

UUID: CD937B4F-C04B-3966-AA61-72C17B4AB60A  
Path: /System/Library/PrivateFrameworks/CoreFP.framework/  
Versions/A/fairplayd  
Codesigning ID: com.apple.fairplayd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 265  
Footprint: 640 KB  
Time Since Fork: 637s  
Num samples: 24 (1-24)

Thread 0x1baa DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 31 (base 31)  
<thread QoS default (requested default), IO tier 0>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (fairplayd + 3089033) [0x10b166289] 1-24  
24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x10ae74000 - 0x10b213fff fairplayd (4.2)  
<CD937B4F-C04B-3966-AA61-72C17B4AB60A> /System/Library/  
PrivateFrameworks/CoreFP.framework/Versions/A/fairplayd  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib

0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: familycircled [455]  
UUID: DE04EEC7-0B5B-3BB3-92FA-7346298C641C  
Path: /System/Library/PrivateFrameworks/FamilyCircle.framework/  
Versions/A/Resources/familycircled  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked  
Footprint: 2680 KB  
Time Since Fork: 742s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xd1f 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

#### Binary Images:

0x1031ed000 - ??? familycircled  
<DE04EEC7-0B5B-3BB3-92FA-7346298C641C> /System/Library/  
PrivateFrameworks/FamilyCircle.framework/Versions/A/Resources/  
familycircled  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)

<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: fbahelperd [1022]  
UUID: BC936BC7-F2C1-3659-A52E-FBF249C4BCDD  
Path: /System/Library/CoreServices/Applications/Feedback  
Assistant.app/Contents/Library/LaunchServices/fbahelperd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Footprint: 880 KB  
Time Since Fork: 95s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x3c4e 24 samples (1-24) priority 20 (base 20)  
<thread QoS utility (requested default), timers tier 3 (coalesced), IO tier 1>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:  
0x1055e7000 - ??? fbahelperd <BC936BC7-  
F2C1-3659-A52E-FBF249C4BCDD> /System/Library/CoreServices/  
Applications/Feedback Assistant.app/Contents/Library/LaunchServices/  
fbahelperd  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: filecoordinationd [391]  
UUID: 11348FC7-D20C-3756-8C50-9DEFFDAB421B

Path: /usr/sbin/filecoordinationd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1280 KB  
Time Since Fork: 749s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xa79 24 samples (1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination dirty,  
IO tier 0>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x10b662000 - ??? filecoordinationd  
<11348FC7-D20C-3756-8C50-9DEFFDAB421B> /usr/sbin/filecoordinationd  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: fileproviderd [414]  
UUID: C86FA9AC-FBEF-392E-8E48-EBAB4DBCC7A7  
Path: /System/Library/Frameworks/FileProvider.framework/Support/  
fileproviderd  
Codesigning ID: com.apple.fileproviderd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]

UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 5724 KB  
Time Since Fork: 747s  
Num samples: 24 (1-24)  
CPU Time: 0.003s (7.7M cycles, 784.7K instructions, 9.80c/i)  
Note: 2 idle work queue threads omitted

Thread 0xb24 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination dirty,  
process unclamped, process received importance donation from Finder [381],  
IO tier 0>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (fileproviderd + 23255) [0x107d0fad7] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0x35c3 DispatchQueue 207 1 sample (2) priority 20 (base 20)  
cpu time 0.002s (6.3M cycles, 442.5K instructions, 14.26c/i)  
<DispatchQueue not seen for 1 sample, thread QoS utility (requested utility,  
workloop servicer override utility), process sudden termination dirty, process  
unclamped, process received importance donation from Finder [381], IO tier  
1>  
1 start\_wqthread + 15 (libsystem\_pthread.dylib + 7063) [0x7ff80be60b97] 2  
1 \_pthread\_wqthread + 327 (libsystem\_pthread.dylib + 11335)  
[0x7ff80be61c47] 2  
1 \_dispatch\_workloop\_worker\_thread + 451 (libdispatch.dylib + 78845)  
[0x7ff80bccd3fd] 2  
1 \_dispatch\_root\_queue\_drain\_deferred\_wlh + 271 (libdispatch.dylib +

```

80622) [0x7ff80bccdaee] 2
    1 _dispatch_lane_invoke + 377 (libdispatch.dylib + 41216)
[0x7ff80bcc4100] 2
    1 _dispatch_lane_serial_drain + 387 (libdispatch.dylib + 38075)
[0x7ff80bcc34bb] 2
    1 _dispatch_source_invoke + 2076 (libdispatch.dylib + 91896)
[0x7ff80bcd06f8] 2
    1 _dispatch_continuation_pop + 523 (libdispatch.dylib + 24775)
[0x7ff80bcc00c7] 2
    1 _dispatch_client_callout + 8 (libdispatch.dylib + 13722)
[0x7ff80bcbd59a] 2
    1 _dispatch_block_async_invoke2 + 85 (libdispatch.dylib +
65538) [0x7ff80bcc002] 2
        1 ??? (fileproviderd + 1832793) [0x107ec9759] 2
        1 ??? (fileproviderd + 5949267) [0x1082b6753] 2
        1 ??? (fileproviderd + 1923365) [0x107edf925] 2
        1 ??? (fileproviderd + 2451515) [0x107f6083b] 2
        1 ??? (fileproviderd + 1923627) [0x107edfa2b] 2
        1 ??? (libswiftDispatch.dylib + 65191) [0x7ff822062ea7]
(running) 2

```

Binary Images:

```

    0x107d0a000 - 0x10864dfff fileproviderd (1703.80.16)
<C86FA9AC-FBEF-392E-8E48-EBAB4DBCC7A7> /System/Library/
Frameworks/FileProvider.framework/Support/fileproviderd
    0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld
    0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/
libdispatch.dylib
    0x7ff80be24000 - 0x7ff80be5eff7 libsystem_kernel.dylib (10002.81.5)
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/
libsystem_kernel.dylib
    0x7ff80be5f000 - 0x7ff80be6afff libsystem_pthread.dylib (519)
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/
libsystem_pthread.dylib
    0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation
    0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/
Frameworks/Foundation.framework/Versions/C/Foundation
    0x7ff822053000 - 0x7ff822069fff libswiftDispatch.dylib (34.80.1)
<05520441-2296-3043-887E-1A78602F2FEF> /usr/lib/swift/

```

libswiftDispatch.dylib

\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: financed [567]  
UUID: 793125C7-062B-3293-995B-14CC6AE132D3  
Path: /System/Library/Frameworks/FinanceKit.framework/financed  
Codesigning ID: com.apple.financed  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 4796 KB  
Time Since Fork: 708s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x1391 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (financed + 6246) [0x10d426866] 1-24  
24 ??? (financed + 8400) [0x10d4270d0] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 1-24



Binary Images:

0x10d425000 - 0x10d430fff financed (143.7.15)  
<793125C7-062B-3293-995B-14CC6AE132D3> /System/Library/  
Frameworks/FinanceKit.framework/financed  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: Finder [381]  
UUID: 5F0F92EF-22BD-3728-A945-65EB26DD1A61  
Path: /System/Library/CoreServices/Finder.app/Contents/MacOS/  
Finder  
Identifier: com.apple.finder  
Version: 14.3 (1630.3.1)  
Build Version: 8  
Project Name: Finder\_FE  
Source Version: 1630003001000000  
Is First Party: Yes  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked  
Footprint: 24.26 MB  
Time Since Fork: 750s  
Num samples: 24 (1-24)  
CPU Time: <0.001s (1068.7K cycles, 530.2K instructions, 2.02c/i)  
Note: 3 idle work queue threads omitted

Thread 0xa28 DispatchQueue "com.apple.main-thread"(1) 24 samples

(1-24) priority 46 (base 46)  
 <thread QoS user interactive (requested user interactive), process sudden termination clean, IO tier 0>  
 24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
 24 ??? (Finder + 36870) [0x10930c006] 1-24  
 24 NSApplicationMain + 816 (AppKit + 16833) [0x7ff80f5151c1] 1-24  
 24 -[NSApplication run] + 603 (AppKit + 197042) [0x7ff80f5411b2] 1-24  
 24 -[NSApplication(NSEventRouting)  
 \_nextEventMatchingEventMask:untilDate:inMode:dequeue:] + 1304 (AppKit + 9734148) [0x7ff80fe59804] 1-24  
 24 \_DPSNextEvent + 880 (AppKit + 257081) [0x7ff80f54fc39] 1-24  
 24 \_BlockUntilNextEventMatchingListInModeWithFilter + 66  
 (HIToolbox + 197937) [0x7ff816831531] 1-24  
 24 ReceiveNextEventCommon + 665 (HIToolbox + 198630)  
 [0x7ff8168317e6] 1-24  
 24 RunCurrentEventLoopInMode + 292 (HIToolbox + 199129)  
 [0x7ff8168319d9] 1-24  
 24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
 [0x7ff80bf3f082] 1-24  
 24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
 [0x7ff80bf3fba5] 1-24  
 24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24  
 24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
 [0x7ff80be25d1f] 1-24  
 24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24  
 24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
 [0x7ff80be25a2e] 1-24  
 \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
 [0xfffff8000415fc0] 1-24

Thread 0xdf6 Thread name "com.apple.NSEventThread" 24 samples  
 (1-24) priority 46 (base 46)  
 <thread QoS user interactive (requested user interactive), process sudden termination clean, IO tier 0>  
 24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
 1-24  
 24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
 [0x7ff80be65202] 1-24  
 24 \_NSEventThread + 122 (AppKit + 1686188) [0x7ff80f6acaac] 1-24  
 24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
 [0x7ff80bf3f082] 1-24  
 24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)

[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x109303000 - 0x109dbefff com.apple.finder 14.3 (1630.3.1)  
<5F0F92EF-22BD-3728-A945-65EB26DD1A61> /System/Library/  
CoreServices/finder.app/Contents/MacOS/finder  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80f511000 - 0x7ff81092fff6 com.apple.AppKit 6.9 (2487.40.107)  
<660B78D6-113F-3ABD-8969-A6CB84FFF752> /System/Library/  
Frameworks/AppKit.framework/Versions/C/AppKit  
0x7ff816801000 - 0x7ff816a9cff4 com.apple.HIToolbox 2.1.1 (1202)  
<4CD47F03-ED80-3F2A-BBDF-D7AF11CB4CCB> /System/Library/  
Frameworks/Carbon.framework/Versions/A/Frameworks/  
HIToolbox.framework/Versions/A/HIToolbox  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: findmybeaconingd [324]  
UUID: FFE46080-CBE3-3D8C-817A-0A98CF279D1D  
Path: /usr/libexec/findmybeaconingd  
Codesigning ID: com.apple.findmy.findmybeaconingd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base

address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64

Parent: launchd [1]

UID: 0

Sudden Term: Tracked (allows idle exit)

Footprint: 1872 KB

Time Since Fork: 755s

Num samples: 24 (1-24)

Note: 1 idle work queue thread omitted

Thread 0x819 DispatchQueue "com.apple.main-thread"(1) 24 samples (1-24) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24

24 ??? (findmybeaconingd + 22063) [0x10858e62f] 1-24

24 ??? (libswift\_Concurrency.dylib + 232495) [0x7ffc228d5c2f] 1-24

24 ??? (libswift\_Concurrency.dylib + 232547) [0x7ffc228d5c63] 1-24

24 CFRRunLoopRun + 40 (CoreFoundation + 1006446)

[0x7ff80bfbab6e] 1-24

24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)

[0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)

[0x7ff80bf3fba5] 1-24

24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)

[0x7ff80be25d1f] 1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)

[0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)

[0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)

[0xfffff8000415fc0] 1-24

Binary Images:

0x108589000 - 0x1085acfff findmybeaconingd (10)  
<FFE46080-CBE3-3D8C-817A-0A98CF279D1D> /usr/libexec/  
findmybeaconingd

0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib

0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ffc2289d000 - 0x7ffc228eafff libswift\_Concurrency.dylib  
(5.9.2.2.12) <8EAA65B2-AB93-3B30-8B6B-0150BAEB1BC2> /usr/lib/swift/  
libswift\_Concurrency.dylib  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: findmydevice-user-agent [593]  
UUID: 01854931-C620-306D-A497-246F90A48485  
Path: /usr/libexec/findmydevice-user-agent  
Codesigning ID: com.apple.icloud.findmydevice.findmydevice-user-agent  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1204 KB  
Time Since Fork: 700s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x14df DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (findmydevice-user-agent + 30053) [0x101d28565] 1-24  
24 ??? (FMCORE + 42071) [0x7ff9150ef457] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)

[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x101d21000 - 0x101d3cff findmydevice-user-agent (422.2.1.1)  
<01854931-C620-306D-A497-246F90A48485> /usr/libexec/findmydevice-  
user-agent  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
0x7ff9150e5000 - 0x7ff915105fff com.apple.icloud.FMCore 1.0 (1)  
<DD586102-D674-37FE-9FDF-EFED2895540F> /System/Library/  
PrivateFrameworks/FMCore.framework/Versions/A/FMCore  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: findmydevised [211]  
UUID: 2859D2CF-C653-3D22-8F03-34CE5FF4B5C2  
Path: /usr/libexec/findmydevised  
Codesigning ID: com.apple.icloud.findmydevised  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 2084 KB  
Time Since Fork: 764s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x451 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (findmydeviced + 110771) [0x10b7110b3] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x10b6f6000 - 0x10b7d9fff findmydeviced (422.2.1.1)  
<2859D2CF-C653-3D22-8F03-34CE5FF4B5C2> /usr/libexec/findmydeviced  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: findmylocateagent [498]  
UUID: 59EB7FA3-BF60-34BB-BBF8-507679DA2E7D

Path: /usr/libexec/findmylocateagent  
Codesigning ID: com.apple.findmy.findmylocateagent  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 3352 KB  
Time Since Fork: 731s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xf0b DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (findmylocateagent + 581759) [0x101ef807f] 1-24  
24 ??? (libswift\_Concurrency.dylib + 232495) [0x7ffc228d5c2f] 1-24  
24 ??? (libswift\_Concurrency.dylib + 232547) [0x7ffc228d5c63] 1-24  
24 CFRRunLoopRun + 40 (CoreFoundation + 1006446)  
[0x7ff80bfbab6e] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

#### Binary Images:

0x101e6a000 - 0x102109fff findmylocateagent (64.6)  
<59EB7FA3-BF60-34BB-BBF8-507679DA2E7D> /usr/libexec/  
findmylocateagent  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld



0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ffc2289d000 - 0x7ffc228eafff libswift\_Concurrency.dylib  
(5.9.2.2.12) <8EAA65B2-AB93-3B30-8B6B-0150BAEB1BC2> /usr/lib/swift/  
libswift\_Concurrency.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: fmfD [489]  
UUID: FD0493ED-AE8B-3006-9697-C92D4375D0BA  
Path: /usr/libexec/fmfD  
Codesigning ID: com.apple.icloud.fmfD  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 3288 KB  
Time Since Fork: 734s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xe9a DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (fmfD + 65448) [0x10a006fa8] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)

[0x7ff80be25d1f] 1-24  
    24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
    24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
    \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0xf06 Thread name "com.apple.NSURLConnectionLoader" 24  
samples (1-24) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)

[0x7ff80be65202] 1-24

24 ??? (Foundation + 349980) [0x7ff80ced371c] 1-24

24 ??? (CFNetwork + 2391509) [0x7ff81129fdd5] 1-24

24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)

[0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)

[0x7ff80bf3fba5] 1-24

24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)

[0x7ff80be25d1f] 1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)

[0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)

[0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)

[0xfffff8000415fc0] 1-24

#### Binary Images:

0x109ff7000 - 0x10a0a2fff fmf (488.1)  
<FD0493ED-AE8B-3006-9697-C92D4375D0BA> /usr/libexec/fmf  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib

0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9 (2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303) <6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/Frameworks/Foundation.framework/Versions/C/Foundation  
0x7ff811058000 - 0x7ff811406ff1 com.apple.CFNetwork 1.0 (1492.0.1) <2847065D-8C66-3A44-B26C-B2A51A2897FB> /System/Library/Frameworks/CFNetwork.framework/Versions/A/CFNetwork  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5) <8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/kernel

Process: followupd [463]  
UUID: D97A7C5A-9B9B-3998-AA88-477BCB6E4965  
Path: /System/Library/PrivateFrameworks/CoreFollowUp.framework/Versions/A/Support/followupd  
Codesigning ID: com.apple.followupd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1112 KB  
Time Since Fork: 741s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xd30 DispatchQueue "com.apple.main-thread"(1) 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (followupd + 67888) [0x10adcc930] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842) [0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693) [0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x10adbc000 - 0x10addbfff followupd (243)  
<D97A7C5A-9B9B-3998-AA88-477BCB6E4965> /System/Library/  
PrivateFrameworks/CoreFollowUp.framework/Versions/A/Support/followupd  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: fontd [450]  
UUID: D53D34FE-D865-34CC-9C8E-320CC76BE1B5  
Path: /System/Library/Frameworks/ApplicationServices.framework/  
Versions/A/Frameworks/ATS.framework/Versions/A/Support/fontd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked  
Footprint: 3184 KB  
Time Since Fork: 743s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xd9b 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x10581e000 - ??? fontd <D53D34FE-D865-34CC-9C8E-320CC76BE1B5> /System/Library/Frameworks/  
ApplicationServices.framework/Versions/A/Frameworks/ATS.framework/  
Versions/A/Support/fontd  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: fontworker [464]  
UUID: D09641EA-7DC2-3351-B7EC-106717DA7986  
Path: /System/Library/Frameworks/ApplicationServices.framework/  
Versions/A/Frameworks/ATS.framework/Versions/A/Support/fontworker  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked  
Footprint: 1152 KB  
Time Since Fork: 740s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xd66 24 samples (1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]

1-24

24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)

[0x7ff80be2b836] 1-24

\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x108624000 - ??? fontworker  
<D09641EA-7DC2-3351-B7EC-106717DA7986> /System/Library/  
Frameworks/ApplicationServices.framework/Versions/A/Frameworks/  
ATS.framework/Versions/A/Support/fontworker  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: fseventsd [91]  
UUID: E5D625B4-1488-3657-A397-5AED6B235940  
Path: /System/Library/Frameworks/CoreServices.framework/Versions/  
A/Frameworks/FSEvents.framework/Versions/A/Support/fseventsd  
Codesigning ID: com.apple.fseventsd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Footprint: 1540 KB  
Time Since Fork: 767s  
Num samples: 24 (1-24)  
CPU Time: 0.002s (4.3M cycles, 2.2M instructions, 1.94c/i)  
Note: 1 idle work queue thread omitted

Thread 0x306 Thread name "com.apple.fseventsd.notify" 24 samples  
(1-24) priority 49 (base 49) cpu time <0.001s (865.1K cycles, 730.9K  
instructions, 1.18c/i)

<IO tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)

```

[0x7ff80be65202] 1-24
  24 ??? (fseventsd + 73795) [0x10a8fc043] 1-24
  24 ??? (fseventsd + 71593) [0x10a8fb7a9] 1-24
  24 ??? (fseventsd + 73237) [0x10a8fbe15] 1-24
  24 __psynch_cvwait + 10 (libsystem_kernel.dylib + 17870)
[0x7ff80be285ce] 1-24
  *24 psynch_cvcontinue + 0 (com.apple.kec.pthread + 20777)
[0xfffff800307e129] 1-24

Thread 0x307  24 samples (1-24)  priority 31 (base 31)
<thread QoS default (requested default), IO tier 0>
  24 _dispatch_sig_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]
1-24
  24 __sigsuspend_nocancel + 10 (libsystem_kernel.dylib + 30774)
[0x7ff80be2b836] 1-24
  *24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Thread 0x330  Thread name "com.apple.fseventsd.volume"  24 samples
(1-24)  priority 31 (base 31)
<thread QoS default (requested default), IO tier 0 and passive>
  24 thread_start + 15 (libsystem_pthread.dylib + 7083) [0x7ff80be60bab]
1-24
  24 _pthread_start + 99 (libsystem_pthread.dylib + 25090)
[0x7ff80be65202] 1-24
  24 ??? (fseventsd + 26366) [0x10a8f06fe] 1-24
  24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]
1-24
  24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)
[0x7ff80bf3f082] 1-24
  24 __CFRunLoopRun + 1371 (CoreFoundation + 502693)
[0x7ff80bf3fba5] 1-24
  24 __CFRunLoopServiceMachPort + 143 (CoreFoundation +
508213) [0x7ff80bf41135] 1-24
  24 mach_msg + 19 (libsystem_kernel.dylib + 7455)
[0x7ff80be25d1f] 1-24
  24 mach_msg_overwrite + 653 (libsystem_kernel.dylib + 35682)
[0x7ff80be2cb62] 1-24
  24 mach_msg2_trap + 10 (libsystem_kernel.dylib + 6702)
[0x7ff80be25a2e] 1-24
  *24 ipc_mqueue_receive_continue + 0 (kernel + 1269696)
[0xfffff8000415fc0] 1-24

Thread 0x331  Thread name "com.apple.fseventsd.dev.fsevents"  24
samples (1-24)  priority 50 (base 50)  cpu time <0.001s (181.5K cycles,

```

65.4K instructions, 2.77c/i)

<IO tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24

24 read + 10 (libsystem\_kernel.dylib + 9362) [0x7ff80be26492] 1-24

\*24 hndl\_unix\_scall64 + 22 (kernel + 998838) [0xfffff80003d3db6] 1-24

\*24 unix\_syscall64 + 477 (kernel + 7810589) [0xfffff8000a52e1d] 1-24

\*24 read + 280 (kernel + 6761992) [0xfffff8000952e08] 1-24

\*24 ??? (kernel + 6761562) [0xfffff8000952c5a] 1-24

\*24 ??? (kernel + 3600035) [0xfffff800064eea3] 1-24

\*24 ??? (kernel + 6623510) [0xfffff8000931116] 1-24

\*24 thread\_block\_reason + 240 (kernel + 1581040)

[0xfffff8000461ff0] 1-24

\*24 ??? (kernel + 1588870) [0xfffff8000463e86] 1-24

\*24 machine\_switch\_context + 215 (kernel + 2749095)

[0xfffff800057f2a7] 1-24

Thread 0x333 Thread name "com.apple.fsevents.disklogger.91" 24  
samples (1-24) priority 31 (base 31)

<thread QoS default (requested default), IO tier 0 and passive>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24

24 ??? (fsevents + 54254) [0x10a8f73ee] 1-24

24 \_\_psynch\_cvwait + 10 (libsystem\_kernel.dylib + 17870)  
[0x7ff80be285ce] 1-24

\*24 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777)  
[0xfffff800307e129] 1-24

Thread 0xae7 Thread name "com.apple.fsevents.client.381" 24  
samples (1-24) priority 31 (base 31) cpu time <0.001s (896.8K cycles,  
396.7K instructions, 2.26c/i)

<thread QoS default (requested default), IO tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24

24 ??? (fsevents + 54328) [0x10a8f7438] 1-24

24 \_\_psynch\_cvwait + 10 (libsystem\_kernel.dylib + 17870)  
[0x7ff80be285ce] 1-24

\*24 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777)



[0xfffff800307e129] 1-24

Thread 0xf61 Thread name "com.apple.fsevents.client.381" 24 samples (1-24) priority 31 (base 31) cpu time <0.001s (1310.6K cycles, 646.1K instructions, 2.03c/i)

<thread QoS default (requested default), IO tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab] 1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090) [0x7ff80be65202] 1-24

24 ??? (fsevents + 54328) [0x10a8f7438] 1-24

24 \_\_psynch\_cvwait + 10 (libsystem\_kernel.dylib + 17870) [0x7ff80be285ce] 1-24

\*24 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777) [0xfffff800307e129] 1-24

Thread 0x3d97 Thread name "com.apple.fsevents.client.381" 24 samples (1-24) priority 31 (base 31) cpu time <0.001s (802.7K cycles, 334.2K instructions, 2.40c/i)

<thread QoS default (requested default), IO tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab] 1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090) [0x7ff80be65202] 1-24

24 ??? (fsevents + 54328) [0x10a8f7438] 1-24

24 \_\_psynch\_cvwait + 10 (libsystem\_kernel.dylib + 17870) [0x7ff80be285ce] 1-24

\*24 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777) [0xfffff800307e129] 1-24

Thread 0x3f69 Thread name "com.apple.fsevents.client.155" 24 samples (1-24) priority 31 (base 31) cpu time <0.001s (272.0K cycles, 58.9K instructions, 4.61c/i)

<thread QoS default (requested default), IO tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab] 1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090) [0x7ff80be65202] 1-24

24 ??? (fsevents + 54328) [0x10a8f7438] 1-24

24 \_\_psynch\_cvwait + 10 (libsystem\_kernel.dylib + 17870) [0x7ff80be285ce] 1-24

\*24 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777) [0xfffff800307e129] 1-24

Binary Images:

0x10a8ea000 - 0x10a911fff fseventsd (1376)  
<E5D625B4-1488-3657-A397-5AED6B235940> /System/Library/  
Frameworks/CoreServices.framework/Versions/A/Frameworks/  
FSEvents.framework/Versions/A/Support/fseventsd  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdf000 kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel  
\*0xffffffff8003079000 - 0xffffffff8003081fff com.apple.kec.pthread (519)  
<07ED499F-25E6-3572-8464-FC4F7429D88C> com.apple.kec.pthread

Process: gamecontrolleragentd [629]  
UUID: 7F8F7AF0-539C-3094-A72D-17EA279D1AB2  
Path: /usr/libexec/gamecontrolleragentd  
Codesigning ID: com.apple.GameController.gamecontrolleragentd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Footprint: 816 KB  
Time Since Fork: 674s  
Num samples: 24 (1-24)  
Note: 2 idle work queue threads omitted

Thread 0x17bd DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 20 (base 20)  
<thread QoS utility (requested utility), timers tier 3 (coalesced), IO tier 1>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (gamecontrolleragentd + 19158) [0x10fa3ead6] 1-24  
24 ??? (Foundation + 891637) [0x7ff80cf57af5] 1-24

24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x10fa3a000 - 0x10fa49fff gamecontrolleragentd (11.3.1)  
<7F8F7AF0-539C-3094-A72D-17EA279D1AB2> /usr/libexec/  
gamecontrolleragentd  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: GameControllerConfigService [735]  
UUID: F296A10A-165A-33F1-919F-0C34CB27C6F1  
Path: /System/Library/PrivateFrameworks/  
GameControllerFoundation.framework/Versions/A/XPCServices/  
GameControllerConfigService.xpc/Contents/MacOS/  
GameControllerConfigService  
Identifier: com.apple.gamecontroller.ConfigService  
Version: 1.0 (11.3.1)

Build Version: 2  
Project Name: CoreController  
Source Version: 11003001000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 247  
Sudden Term: Tracked (allows idle exit)  
Footprint: 4308 KB  
Time Since Fork: 575s  
Num samples: 24 (1-24)  
Note: 2 idle work queue threads omitted

Thread 0x2053 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x10332e000 - ??? com.apple.gamecontroller.ConfigService  
1.0 (11.3.1) <F296A10A-165A-33F1-919F-0C34CB27C6F1> /System/  
Library/PrivateFrameworks/GameControllerFoundation.framework/Versions/  
A/XPCServices/GameControllerConfigService.xpc/Contents/MacOS/  
GameControllerConfigService  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: gamecontrollerd [359]  
UUID: A502D7CC-8499-3A3B-BF29-FC7B9F9A0112  
Path: /usr/libexec/gamecontrollerd  
Codesigning ID: com.apple.GameController.gamecontrollerd

Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64

Parent: launchd [1]

UID: 247

Sudden Term: Tracked (allows idle exit)

Footprint: 968 KB

Time Since Fork: 751s

Num samples: 24 (1-24)

CPU Time: <0.001s (311.1K cycles, 96.4K instructions, 3.23c/i)

Note: 2 idle work queue threads omitted

Thread 0x149a DispatchQueue "com.apple.main-thread"(1) 24 samples (1-24) priority 4 (base 4) cpu time <0.001s (129.0K cycles, 36.0K instructions, 3.59c/i)

<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24

24 ??? (gamecontrollerd + 39715) [0x10e466b23] 1-24

24 ??? (Foundation + 891637) [0x7ff80cf57af5] 1-24

24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24

24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842) [0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693) [0x7ff80bf3fba5] 1-24

24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xfffff8000415fc0] 1-24

Binary Images:

0x10e45d000 - 0x10e474fff gamecontrollerd (11.3.1)  
<A502D7CC-8499-3A3B-BF29-FC7B9F9A0112> /usr/libexec/  
gamecontrollerd

0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/

libsystem\_kernel.dylib

0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9 (2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation

0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303) <6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/Frameworks/Foundation.framework/Versions/C/Foundation

\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5) <8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/kernel

Process: geodMachServiceBridge [553]

UUID: 35AEB455-8DA5-3434-AC73-C8FDF25A82A6

Path: /System/Library/PrivateFrameworks/GeoServices.framework/geodMachServiceBridge

Codesigning ID: com.apple.geodMachServiceBridge

Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64

Parent: launchd [1]

UID: 501

Sudden Term: Tracked (allows idle exit)

Footprint: 928 KB

Time Since Fork: 714s

Num samples: 24 (1-24)

Note: 1 idle work queue thread omitted

Thread 0x12c8 DispatchQueue "com.apple.main-thread"(1) 24 samples (1-24) priority 0 (base 4)

<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24

24 ??? (geodMachServiceBridge + 4219) [0x10fe4c07b] 1-24

24 CFRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e] 1-24

24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842) [0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693) [0x7ff80bf3fba5] 1-24

24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x10fe4b000 - 0x10fe56fff geodMachServiceBridge  
(1940.23.11.14.2) <35AEB455-8DA5-3434-AC73-C8FDF25A82A6> /System/  
Library/PrivateFrameworks/GeoServices.framework/geodMachServiceBridge  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: GSSCred [347]  
UUID: 965FE407-3BED-32C6-93AF-70F661934D82  
Path: /System/Library/Frameworks/GSS.framework/Helpers/GSSCred  
Codesigning ID: com.apple.GSSCred  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 856 KB  
Time Since Fork: 752s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x91f DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24

24 main + 3064 (GSSCred + 89896) [0x10d69af28] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0x928 DispatchQueue "com.apple.root.utility-qos"(10) 24  
samples (1-24) priority 20 (base 20)  
<thread QoS utility (requested utility), process sudden termination clean, IO  
tier 1>

24 start\_wqthread + 15 (libsystem\_pthread.dylib + 7063) [0x7ff80be60b97]  
1-24  
24 \_pthread\_wqthread + 262 (libsystem\_pthread.dylib + 11270)  
[0x7ff80be61c06] 1-24  
24 \_dispatch\_worker\_thread2 + 152 (libdispatch.dylib + 77602)  
[0x7ff80bcccf22] 1-24  
24 \_dispatch\_root\_queue\_drain + 879 (libdispatch.dylib + 76189)  
[0x7ff80bcc99d] 1-24  
24 \_dispatch\_client\_callout + 8 (libdispatch.dylib + 13722)  
[0x7ff80bcbd59a] 1-24  
24 \_dispatch\_call\_block\_and\_release + 12 (libdispatch.dylib + 8934)  
[0x7ff80bcbc2e6] 1-24  
24 \_\_SessionMonitor\_block\_invoke + 50 (GSSCred + 102466)  
[0x10d69e042] 1-24  
24 ??? (libbsm.0.dylib + 3929) [0x7ff818174f59] 1-24  
24 ??? (libsystem\_c.dylib + 192507) [0x7ff80bd32ffb] 1-24  
24 ??? (libsystem\_c.dylib + 161783) [0x7ff80bd2b7f7] 1-24  
24 ??? (libsystem\_c.dylib + 56336) [0x7ff80bd11c10] 1-24  
24 \_\_read\_nocancel + 10 (libsystem\_kernel.dylib + 13082)  
[0x7ff80be2731a] 1-24  
\*24 hndl\_unix\_scall64 + 22 (kernel + 998838)  
[0xfffff80003d3db6] 1-24



\*24 unix\_syscall64 + 477 (kernel + 7810589)  
 [0xfffff8000a52e1d] 1-24  
 \*24 read\_nocancel + 242 (kernel + 6761234)  
 [0xfffff8000952b12] 1-24  
 \*24 ??? (kernel + 6761562) [0xfffff8000952c5a] 1-24  
 \*24 ??? (kernel + 3517904) [0xfffff800063add0] 1-24  
 \*24 ??? (kernel + 3522459) [0xfffff800063bf9b] 1-24  
 \*24 spec\_read + 871 (kernel + 3629015)  
 [0xfffff8000655fd7] 1-24  
 \*24 ??? (kernel + 6182180) [0xfffff80008c5524] 1-24  
 \*24 ??? (kernel + 6623403) [0xfffff80009310ab]  
 1-24  
 \*24 lck\_mtx\_sleep + 97 (kernel + 1503265)  
 [0xfffff800044f021] 1-24  
 \*24 thread\_block\_reason + 240 (kernel +  
 1581040) [0xfffff8000461ff0] 1-24  
 \*24 ??? (kernel + 1588870) [0xfffff8000463e86]  
 1-24  
 \*24 machine\_switch\_context + 215 (kernel +  
 2749095) [0xfffff800057f2a7] 1-24

Binary Images:

0x10d685000 - 0x10d6b4fff GSSCred (687)  
 <965FE407-3BED-32C6-93AF-70F661934D82> /System/Library/  
 Frameworks/GSS.framework/Helpers/GSSCred  
 0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
 <01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
 0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
 <C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
 libdispatch.dylib  
 0x7ff80bd04000 - 0x7ff80bd8bfff libsystem\_c.dylib (1583.60.2)  
 <6F840A77-9F88-3DA8-83AC-98E4892282D0> /usr/lib/system/  
 libsystem\_c.dylib  
 0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
 <3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
 libsystem\_kernel.dylib  
 0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
 <0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
 libsystem\_pthread.dylib  
 0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
 (2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
 Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
 0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
 <6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/

Frameworks/Foundation.framework/Versions/C/Foundation  
0x7ff818174000 - 0x7ff818183fff libbsm.0.dylib (89)  
<8C7DB7F4-728C-39AF-AC1B-A235F4DE7933> /usr/lib/libbsm.0.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: heard [428]  
UUID: 5866C61C-225C-3270-9FCC-241F0B1C4CFD  
Path: /System/Library/PrivateFrameworks/HearingCore.framework/  
heard  
Codesigning ID: com.apple.accessibility.heard  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 3152 KB  
Time Since Fork: 745s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xbd7 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (heard + 7933) [0x10ee96efd] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)

[0xfffff8000415fc0] 1-24

Thread 0xd0d Thread name "caulk.messenger.shared:17" 24 samples  
(1-24) priority 19 (base 19)

<thread QoS utility (requested utility), process sudden termination clean, IO tier 1>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24

24 void\* caulk::thread\_proxy<std::\_\_1::tuple<caulk::thread::attributes,  
void (caulk::concurrent::details::worker\_thread::\*)(),  
std::\_\_1::tuple<caulk::concurrent::details::worker\_thread\*>>>(void\*) + 41  
(caulk + 6332) [0x7ff81654d8bc] 1-24

24 caulk::concurrent::details::worker\_thread::run() + 30 (caulk + 7064)  
[0x7ff81654db98] 1-24

24 semaphore\_wait\_trap + 10 (libsystem\_kernel.dylib + 6570)  
[0x7ff80be259aa] 1-24

\*24 ??? (kernel + 1663616) [0xfffff8000476280] 1-24

Thread 0xd0e Thread name "caulk.messenger.shared:high" 24 samples  
(1-24) priority 55 (base 55)

<process sudden termination clean, IO tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24

24 void\* caulk::thread\_proxy<std::\_\_1::tuple<caulk::thread::attributes,  
void (caulk::concurrent::details::worker\_thread::\*)(),  
std::\_\_1::tuple<caulk::concurrent::details::worker\_thread\*>>>(void\*) + 41  
(caulk + 6332) [0x7ff81654d8bc] 1-24

24 caulk::concurrent::details::worker\_thread::run() + 30 (caulk + 7064)  
[0x7ff81654db98] 1-24

24 semaphore\_wait\_trap + 10 (libsystem\_kernel.dylib + 6570)  
[0x7ff80be259aa] 1-24

\*24 ??? (kernel + 1663616) [0xfffff8000476280] 1-24

Binary Images:

0x10ee95000 - 0x10eea0fff heard (406.1.12)  
<5866C61C-225C-3270-9FCC-241F0B1C4CFD> /System/Library/  
PrivateFrameworks/HearingCore.framework/heard

0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)

<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
    0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
    0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
    0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
    0x7ff81654c000 - 0x7ff816571ff3 com.apple.audio.caulk 1.0 (149.1.3)  
<C24466B5-64EA-376F-BDA3-3CA1AD870FC4> /System/Library/  
PrivateFrameworks/caulk.framework/Versions/A/caulk  
    \*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process:      helpd [1030]  
UUID:          E961D316-A5C6-3A7F-9CE5-E3457A290096  
Path:          /System/Library/PrivateFrameworks/HelpData.framework/  
Versions/A/Resources/helpd  
Codesigning ID:  com.apple.helpd  
Shared Cache:  812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture:  x86\_64  
Parent:        launchd [1]  
UID:           501  
Sudden Term:   Tracked (allows idle exit)  
Footprint:     696 KB  
Time Since Fork: 45s  
Num samples:   24 (1-24)  
Note:          1 idle work queue thread omitted

Thread 0x3e1f  DispatchQueue "com.apple.main-thread"(1)  24 samples  
(1-24)  priority 4 (base 4)  
  <thread QoS background (requested default), process sudden termination  
  clean, thread darwinbg, process darwinbg, IO tier 2>  
    24  start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
    24  ??? (helpd + 65735) [0x10297e0c7] 1-24  
    24  CFRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
    1-24  
      24  CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)

[0x7ff80bf3f082] 1-24  
    24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
    24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
    24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
    24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
    24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
    \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

    0x10296e000 - 0x10298dfff helpd (224)  
<E961D316-A5C6-3A7F-9CE5-E3457A290096> /System/Library/  
PrivateFrameworks/HelpData.framework/Versions/A/Resources/helpd  
    0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
    0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
    0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
    \*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: hidd [317]  
UUID: F2A6F041-80D6-368B-AE28-0465717A9312  
Path: /usr/libexec/hidd  
Codesigning ID: com.apple.hidd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 261  
Sudden Term: Tracked (allows idle exit)  
Footprint: 688 KB  
Time Since Fork: 756s  
Num samples: 24 (1-24)

Note: 1 idle work queue thread omitted

Thread 0x7f8 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (hidd + 15151) [0x109ed6b2f] 1-24  
24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 1-24

Binary Images:

0x109ed3000 - 0x109edefff hidd (2008.80.3.0.1)  
<F2A6F041-80D6-368B-AE28-0465717A9312> /usr/libexec/hidd  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: homed [371]  
UUID: E11C9330-8EA4-35C5-B4E6-88365E277CEE  
Path: /System/Library/PrivateFrameworks/

HomeKitDaemon.framework/Support/homed

Codesigning ID: com.apple.homed

Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64

Parent: launchd [1]

UID: 501

Sudden Term: Tracked (allows idle exit)

Footprint: 9780 KB

Time Since Fork: 750s

Num samples: 24 (1-24)

Note: 2 idle work queue threads omitted

Thread 0xa0a DispatchQueue "com.apple.main-thread"(1) 24 samples (1-24) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24

24 ??? (homed + 10105) [0x1048f9779] 1-24

24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24

24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24

24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842) [0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693) [0x7ff80bf3fba5] 1-24

24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xfffff8000415fc0] 1-24

Thread 0xe85 Thread name "com.apple.CFSocket.private" 24 samples (1-24) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab] 1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090) [0x7ff80be65202] 1-24

24 \_\_select + 10 (libsystem\_kernel.dylib + 43294) [0x7ff80be2e91e] 1-24  
\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

Binary Images:

0x1048f7000 - 0x104902fff homed (1092.4.10)  
<E11C9330-8EA4-35C5-B4E6-88365E277CEE> /System/Library/  
PrivateFrameworks/HomeKitDaemon.framework/Support/homed  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: homeenergyd [1016]  
UUID: EFDF4CB1-AD43-36A3-B901-2E88064FFB87  
Path: /System/iOSSupport/System/Library/PrivateFrameworks/  
HomeEnergyDaemon.framework/Support/homeenergyd  
Codesigning ID: com.apple.homeenergyd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 5220 KB  
Time Since Fork: 104s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x3bc8 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)



<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>  
 24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
 24 ??? (homeenergyd + 11003) [0x1020c2afb] 1-24  
 24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
 24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
 24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842) [0x7ff80bf3f082] 1-24  
 24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693) [0x7ff80bf3fba5] 1-24  
 24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24  
 24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 1-24  
 24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24  
 24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24  
 \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xfffff8000415fc0] 1-24

Binary Images:

0x1020c0000 - 0x1020cfff homeenergyd (107.4.1)  
 <EFDF4CB1-AD43-36A3-B901-2E88064FFB87> /System/iOSSupport/System/Library/PrivateFrameworks/HomeEnergyDaemon.framework/Support/homeenergyd  
 0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
 <01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
 0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
 <3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/libsystem\_kernel.dylib  
 0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9 (2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
 0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303) <6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/Frameworks/Foundation.framework/Versions/C/Foundation  
 \*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
 <8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/kernel

Process: icdd [578]  
 UUID: D5DC4DAB-58C9-38B0-8C7B-764AFC68D704

Path: /System/Library/Image Capture/Support/icdd  
Codesigning ID: com.apple.icdd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Footprint: 940 KB  
Time Since Fork: 705s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x1414 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 31 (base 31)  
<thread QoS default (requested default), IO tier 0>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (icdd + 83274) [0x10321f54a] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

#### Binary Images:

0x10320b000 - 0x103252fff icdd (1873.3.2)  
<D5DC4DAB-58C9-38B0-8C7B-764AFC68D704> /System/Library/Image  
Capture/Support/icdd  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9

(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: iCloudNotificationAgent [493]  
UUID: 56FDC99C-9866-3259-9DBC-6F9359DC5E87  
Path: /System/Library/PrivateFrameworks/  
iCloudNotification.framework/iCloudNotificationAgent  
Codesigning ID: com.apple.iCloudNotificationAgent  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 3984 KB  
Time Since Fork: 733s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xeb9 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (iCloudNotificationAgent + 91164) [0x1024af41c] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 1-24

Thread 0x117a Thread name "com.apple.CFNetwork.CustomProtocols"  
24 samples (1-24) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24

24 ??? (Foundation + 349980) [0x7ff80ced371c] 1-24

24 ??? (CFNetwork + 2391509) [0x7ff81129fdd5] 1-24

24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24

24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 1-24

Thread 0x11e4 Thread name "com.apple.NSURLConnectionLoader" 24  
samples (1-24) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24

24 ??? (Foundation + 349980) [0x7ff80ced371c] 1-24

24 ??? (CFNetwork + 2391509) [0x7ff81129fdd5] 1-24

24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24

24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xfffff8000415fc0] 1-24

Binary Images:

0x102499000 - 0x1024c8fff iCloudNotificationAgent (301.21.3.1) <56FDC99C-9866-3259-9DBC-6F9359DC5E87> /System/Library/PrivateFrameworks/iCloudNotification.framework/iCloudNotificationAgent  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5) <01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5) <3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519) <0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9 (2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303) <6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/Frameworks/Foundation.framework/Versions/C/Foundation  
0x7ff811058000 - 0x7ff811406ff1 com.apple.CFNetwork 1.0 (1492.0.1) <2847065D-8C66-3A44-B26C-B2A51A2897FB> /System/Library/Frameworks/CFNetwork.framework/Versions/A/CFNetwork  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5) <8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/kernel

Process: iconservicesagent [420]  
UUID: 032E9388-C0C6-3A50-8F27-D24E878D15AF  
Path: /System/Library/CoreServices/iconservicesagent  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]

UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 6272 KB  
Time Since Fork: 746s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xd02 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x10286b000 - ??? iconservicesagent  
<032E9388-C0C6-3A50-8F27-D24E878D15AF> /System/Library/  
CoreServices/iconservicesagent  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: iconservicesd [116]  
UUID: 2EBD8505-87BB-34B8-B202-25A8607A28EE  
Path: /System/Library/CoreServices/iconservicesd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 240  
Sudden Term: Tracked (allows idle exit)  
Footprint: 852 KB  
Time Since Fork: 767s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x718 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x10eb2e000 - ??? iconservicesd  
<2EBD8505-87BB-34B8-B202-25A8607A28EE> /System/Library/  
CoreServices/iconservicesd  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: identityservicesd [386]  
UUID: A4CC9EEE-5A59-3AB8-BFDC-74BC1FF817E0  
Path: /System/Library/PrivateFrameworks/IDS.framework/  
identityservicesd.app/Contents/MacOS/identityservicesd  
Identifier: com.apple.identityservicesd  
Version: 10.0 (1000)  
Build Version: 2  
Project Name: IdentityServices\_Swift  
Source Version: 1814400021001001  
Is First Party: Yes  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked  
Footprint: 7244 KB  
Time Since Fork: 749s  
Num samples: 24 (1-24)

CPU Time: <0.001s (175.4K cycles, 49.7K instructions, 3.53c/i)

Note: 1 idle work queue thread omitted

Thread 0xa43 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (identityservicesd + 822478) [0x10232fcce] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0xbd3 Thread name "TransportThread Primary" 24 samples  
(1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 kevent + 10 (libsystem\_kernel.dylib + 26362) [0x7ff80be2a6fa] 1-24  
\*24 ??? (kernel + 6405664) [0xfffff80008fbe20] 1-24

Thread 0xbd4 Thread name "TransportThread URGENT" 24 samples  
(1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)



[0x7ff80be65202] 1-24

24 kevent + 10 (libsystem\_kernel.dylib + 26362) [0x7ff80be2a6fa] 1-24

\*24 ??? (kernel + 6405664) [0xfffff80008fbe20] 1-24

Thread 0xbd5 Thread name "TransportThread Default" 24 samples

(1-24) priority 31 (base 31)

<thread QoS default (requested default), process sudden termination clean, IO tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]

1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)

[0x7ff80be65202] 1-24

24 kevent + 10 (libsystem\_kernel.dylib + 26362) [0x7ff80be2a6fa] 1-24

\*24 ??? (kernel + 6405664) [0xfffff80008fbe20] 1-24

Thread 0xbd6 Thread name "TransportThread Sync" 24 samples (1-24)

priority 31 (base 31)

<thread QoS default (requested default), process sudden termination clean, IO tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]

1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)

[0x7ff80be65202] 1-24

24 kevent + 10 (libsystem\_kernel.dylib + 26362) [0x7ff80be2a6fa] 1-24

\*24 ??? (kernel + 6405664) [0xfffff80008fbe20] 1-24

Binary Images:

0x102267000 - 0x102a82fff com.apple.identityservicesd 10.0 (1000) <A4CC9EEE-5A59-3AB8-BFDC-74BC1FF817E0> /System/Library/PrivateFrameworks/IDS.framework/identityservicesd.app/Contents/MacOS/identityservicesd

0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5) <01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5) <3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/libsystem\_kernel.dylib

0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519) <0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/libsystem\_pthread.dylib

0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9 (2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation

0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303) <6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/

Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: idleassetsd [393]  
UUID: B6B12169-3977-390A-B503-978A877D72A4  
Path: /System/Library/PrivateFrameworks/TVIdleServices.framework/  
idleassetsd  
Codesigning ID: com.apple.idleassetsd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 10.96 MB  
Time Since Fork: 749s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xa7e DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 20 (base 20)  
<thread QoS utility (requested utility), process sudden termination clean,  
timers tier 3 (coalesced), IO tier 1>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (idleassetsd + 14545) [0x109a2b8d1] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 1-24

Binary Images:

0x109a28000 - 0x109a33fff idleassetsd (380.30.1)  
<B6B12169-3977-390A-B503-978A877D72A4> /System/Library/  
PrivateFrameworks/TVIdleServices.framework/idleassetsd  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: imagent [461]  
UUID: 981FA9A7-A0B0-31B6-A92B-A18EAF3CE3CF  
Path: /System/Library/PrivateFrameworks/IMCore.framework/  
imagent.app/Contents/MacOS/imagent  
Identifier: com.apple.imagent  
Version: 10.0 (1000)  
Build Version: 2  
Project Name: MessagesCore  
Source Version: 1262400041001002  
Is First Party: Yes  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Footprint: 4788 KB  
Time Since Fork: 741s  
Num samples: 24 (1-24)  
Note: 2 idle work queue threads omitted

Thread 0xd17 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 31 (base 31)  
<thread QoS default (requested default), IO tier 0>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 main + 32 (imagent + 497440) [0x105abb720] 1-24  
24 ??? (imagent + 494450) [0x105abab72] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0x39db DispatchQueue "NSPersistentStoreCoordinator  
0x7f83347921e0"(850) 24 samples (1-24) priority 31 (base 31)  
<thread QoS default (requested default, workloop servicer override default),  
IO tier 0>

24 start\_wqthread + 15 (libsystem\_pthread.dylib + 7063) [0x7ff80be60b97]  
1-24  
24 \_pthread\_wqthread + 327 (libsystem\_pthread.dylib + 11335)  
[0x7ff80be61c47] 1-24  
24 \_dispatch\_workloop\_worker\_thread + 451 (libdispatch.dylib + 78845)  
[0x7ff80bccd3fd] 1-24  
24 \_dispatch\_root\_queue\_drain\_deferred\_wlh + 271 (libdispatch.dylib +  
80622) [0x7ff80bccdaee] 1-24  
24 \_dispatch\_lane\_invoke + 377 (libdispatch.dylib + 41216)  
[0x7ff80bcc4100] 1-24  
24 \_dispatch\_lane\_serial\_drain + 816 (libdispatch.dylib + 38504)  
[0x7ff80bcc3668] 1-24  
24 \_dispatch\_client\_callout + 8 (libdispatch.dylib + 13722)  
[0x7ff80bcabd59a] 1-24  
24 \_dispatch\_call\_block\_and\_release + 12 (libdispatch.dylib +  
8934) [0x7ff80bcabc2e6] 1-24  
24 ??? (AddressBookCore + 324842) [0x7ff820fa64ea] 1-24  
24 ??? (Contacts + 304071) [0x7ff8210f63c7] 1-24  
24 ??? (Contacts + 662743) [0x7ff82114dcd7] 1-24  
24 ??? (Contacts + 142664) [0x7ff8210ced48] 1-24

24 ??? (Contacts + 704937) [0x7ff8211581a9] 1-24  
24 ??? (Contacts + 705823) [0x7ff82115851f] 1-24  
24 ??? (Contacts + 603849) [0x7ff82113f6c9] 1-24  
24 ??? (Contacts + 603985) [0x7ff82113f751] 1-24  
24 ??? (Contacts + 606106) [0x7ff82113ff9a] 1-24  
24 ??? (Contacts + 800760) [0x7ff82116f7f8] 1-24  
24 ??? (Contacts + 1146774) [0x7ff8211c3f96] 1-24  
24 ??? (libsystem\_trace.dylib + 33733)  
[0x7ff80bbc13c5] 1-24  
24 ??? (Contacts + 1146907) [0x7ff8211c401b]  
1-24  
24 ??? (Contacts + 801679) [0x7ff82116fb8f]  
1-24  
24 ??? (Contacts + 1251896) [0x7ff8211dda38]  
1-24  
24 ??? (Contacts + 634340) [0x7ff821146de4]  
1-24  
24 ??? (Contacts + 19127) [0x7ff8210b0ab7]  
1-24  
24 ??? (ContactsPersistence + 12365)  
[0x7ff820ee404d] 1-24  
24 ??? (ContactsPersistence + 22317)  
[0x7ff820ee672d] 1-24  
24 ??? (ContactsPersistence + 22456)  
[0x7ff820ee67b8] 1-24  
24 ??? (ContactsPersistence + 219808)  
[0x7ff820f16aa0] 1-24  
24 ??? (ContactsPersistence + 14066)  
[0x7ff820ee46f2] 1-24  
24 ??? (ContactsPersistence + 16715)  
[0x7ff820ee514b] 1-24  
24 ??? (ContactsPersistence +  
16913) [0x7ff820ee5211] 1-24  
24 ??? (ContactsPersistence +  
18589) [0x7ff820ee589d] 1-24  
24 ??? (ContactsFoundation +  
35024) [0x7ff820e368d0] 1-24  
24 ??? (ContactsPersistence +  
18989) [0x7ff820ee5a2d] 1-24  
24 ??? (ContactsPersistence +  
21345) [0x7ff820ee6361] 1-24  
24 ??? (ContactsPersistence +  
21579) [0x7ff820ee644b] 1-24  
24 ??? (ContactsPersistence

+ 206627) [0x7ff820f13723] 1-24  
24 ???  
(ContactsPersistence + 206876) [0x7ff820f1381c] 1-24  
24 ???  
(ContactsPersistence + 207304) [0x7ff820f139c8] 1-24  
24 ??? (CoreData +  
88681) [0x7ff8127a5a69] 1-24  
24 ??? (CoreData +  
1674018) [0x7ff812928b22] 1-24  
24  
\_dispatch\_lane\_barrier\_sync\_invoke\_and\_complete + 60 (libdispatch.dylib +  
66631) [0x7ff80bcc447] 1-24  
24  
\_dispatch\_client\_callout + 8 (libdispatch.dylib + 13722) [0x7ff80bcbd59a]  
1-24  
24 ??? (CoreData +  
90095) [0x7ff8127a5fef] 1-24  
24 ??? (CoreData +  
94530) [0x7ff8127a7142] 1-24  
24 ??? (CoreData  
+ 1058030) [0x7ff8128924ee] 1-24  
24 ???  
(CoreData + 1060421) [0x7ff812892e45] 1-24  
24 ???  
(libsystem\_c.dylib + 99466) [0x7ff80bd1c48a] 1-24  
24  
\_\_semwait\_signal + 10 (libsystem\_kernel.dylib + 17562) [0x7ff80be2849a]  
1-24  
\*24 ???  
(kernel + 1663616) [0xfffff8000476280] 1-24

Binary Images:

0x105a42000 - 0x105b05fff com.apple.imagent 10.0 (1000)  
<981FA9A7-A0B0-31B6-A92B-A18EAF3CE3CF> /System/Library/  
PrivateFrameworks/IMCore.framework/imagent.app/Contents/MacOS/  
imagent  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80bbb9000 - 0x7ff80bbd2ff6 libsystem\_trace.dylib (1481.81.2)  
<5FD42781-36F9-34E3-AF41-0DFC3AFC4000> /usr/lib/system/  
libsystem\_trace.dylib  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib

0x7ff80bd04000 - 0x7ff80bd8bfff libsystem\_c.dylib (1583.60.2)  
<6F840A77-9F88-3DA8-83AC-98E4892282D0> /usr/lib/system/  
libsystem\_c.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/  
Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
0x7ff812790000 - 0x7ff812c10ff6 com.apple.CoreData 120 (1340.3)  
<4BBC5BBC-6C65-3C1D-8A1B-9B69DC93FDD6> /System/Library/  
Frameworks/CoreData.framework/Versions/A/CoreData  
0x7ff820e2e000 - 0x7ff820ee0ff8  
com.apple.AddressBook.ContactsFoundation 8.0 (1237)  
<CB40BCE0-74FF-3F48-8435-72377FDFC1FB> /System/Library/  
PrivateFrameworks/ContactsFoundation.framework/Versions/A/  
ContactsFoundation  
0x7ff820ee1000 - 0x7ff820f56ff4  
com.apple.contacts.ContactsPersistence 1.0 (3631)  
<696D29B3-619F-3A11-B70F-9929266BE1E3> /System/Library/  
PrivateFrameworks/ContactsPersistence.framework/Versions/A/  
ContactsPersistence  
0x7ff820f57000 - 0x7ff8210abffb com.apple.AddressBook.core 1.0  
(2570) <D961831B-DEB8-398C-B80A-EC6FE040C650> /System/  
Library/PrivateFrameworks/AddressBookCore.framework/Versions/A/  
AddressBookCore  
0x7ff8210ac000 - 0x7ff82128affc com.apple.contacts 1.0 (3631)  
<B9A34890-D966-3510-B1C2-3E7D203D65C8> /System/Library/  
Frameworks/Contacts.framework/Versions/A/Contacts  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: IMDPersistenceAgent [477]  
UUID: D62E6CE2-06C8-3B93-92B9-077C64270AAF  
Path: /System/Library/PrivateFrameworks/  
IMDPersistence.framework/XPCServices/IMDPersistenceAgent.xpc/

Contents/MacOS/IMDPersistenceAgent

Identifier: com.apple.imdpersistence.IMDPersistenceAgent

Version: 10.0 (1000)

Build Version: 2

Project Name: MessagesCore

Source Version: 1262400041001002

Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64

Parent: launchd [1]

UID: 501

Sudden Term: Tracked (allows idle exit)

Footprint: 3336 KB

Time Since Fork: 738s

Num samples: 24 (1-24)

Note: 2 idle work queue threads omitted

Thread 0xdba DispatchQueue "com.apple.main-thread"(1) 24 samples (1-24) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24

24 ??? (IMDPersistenceAgent + 14629) [0x10c502925] 1-24

24 xpc\_main + 56 (libxpc.dylib + 87766) [0x7ff80bb8a6d6] 1-24

24 \_xpc\_main + 259 (libxpc.dylib + 137735) [0x7ff80bb96a07] 1-24

24 \_xpc\_objc\_main + 606 (libxpc.dylib + 88755) [0x7ff80bb8aab3]

1-24

24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24

24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24

24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)

[0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)

[0x7ff80bf3fba5] 1-24

24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +

508213) [0x7ff80bf41135] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)

[0x7ff80be25d1f] 1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib +

35682) [0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)

[0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)

[0xfffff8000415fc0] 1-24



Binary Images:

0x10c4ff000 - 0x10c50afff  
com.apple.imdpersistence.IMDPersistenceAgent 10.0 (1000)  
<D62E6CE2-06C8-3B93-92B9-077C64270AAF> /System/Library/  
PrivateFrameworks/IMDPersistence.framework/XPCServices/  
IMDPersistenceAgent.xpc/Contents/MacOS/IMDPersistenceAgent  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80bb75000 - 0x7ff80bbb8ff2 libxpc.dylib (2679.80.5.0.1)  
<902EB51F-373F-3AA3-B084-228AC4C1B80B> /usr/lib/system/libxpc.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /  
System/Library/Frameworks/CoreFoundation.framework/Versions/A/  
CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: imklaunchagent [505]  
UUID: 3E90DF0A-521D-3BF8-8392-600888DC51CB  
Path: /System/Library/Frameworks/InputMethodKit.framework/  
Versions/A/Resources/imklaunchagent  
Codesigning ID: com.apple.imklaunchagent  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked  
Footprint: 1492 KB  
Time Since Fork: 730s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xf4b DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination clean,

IO tier 0>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (imklaunchagent + 19845) [0x1000e8d85] 1-24  
24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 1-24

Binary Images:

0x1000e4000 - 0x1000f7fff imklaunchagent (534.150)  
<3E90DF0A-521D-3BF8-8392-600888DC51CB> /System/Library/  
Frameworks/InputMethodKit.framework/Versions/A/Resources/  
imklaunchagent  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: installcoordinationd [560]  
UUID: 517468EF-D460-3A97-A4D6-5255FC2628AA  
Path: /System/Library/PrivateFrameworks/  
InstallCoordination.framework/Support/installcoordinationd  
Codesigning ID: com.apple.installcoordinationd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base

address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64

Parent: launchd [1]

UID: 274

Sudden Term: Tracked (allows idle exit)

Footprint: 952 KB

Time Since Fork: 713s

Num samples: 24 (1-24)

Note: 1 idle work queue thread omitted

Thread 0x1312 DispatchQueue "com.apple.main-thread"(1) 24 samples (1-24) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24

24 ??? (installcoordinationd + 27576) [0x107a18bb8] 1-24

24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24

24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24

24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842) [0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693) [0x7ff80bf3fba5] 1-24

24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xfffff8000415fc0] 1-24

Binary Images:

0x107a12000 - 0x107ad1fff installcoordinationd (554.80.2)  
<517468EF-D460-3A97-A4D6-5255FC2628AA> /System/Library/  
PrivateFrameworks/InstallCoordination.framework/Support/  
installcoordinationd

0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib

0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9

(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: installd [558]  
UUID: 92A47FA3-9046-3CF8-8715-55EBB507A5EE  
Path: /System/Library/PrivateFrameworks/PackageKit.framework/  
Versions/A/Resources/installd  
Codesigning ID: com.apple.installd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 908 KB  
Time Since Fork: 713s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x12ed DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (installd + 15245) [0x104901b8d] 1-24  
24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 1-24

Binary Images:

0x1048fe000 - 0x104909fff installld (1326.1)  
<92A47FA3-9046-3CF8-8715-55EBB507A5EE> /System/Library/  
PrivateFrameworks/PackageKit.framework/Versions/A/Resources/installld  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: installerdiagd [830]  
UUID: 8D3D41B7-448E-32A8-991F-8DE89FB843C0  
Path: /System/Library/PrivateFrameworks/  
InstallerDiagnostics.framework/Versions/A/Resources/installerdiagd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 596 KB  
Time Since Fork: 461s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x273b 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
dirty, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24

\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x10f619000 - ??? installerdiagd  
<8D3D41B7-448E-32A8-991F-8DE89FB843C0> /System/Library/  
PrivateFrameworks/InstallerDiagnostics.framework/Versions/A/Resources/  
installerdiagd  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: installerdiagwatcher [254]  
UUID: 0F605D40-2F69-3805-A5C0-2123D0F7E85B  
Path: /System/Library/PrivateFrameworks/  
InstallerDiagnostics.framework/Versions/A/Resources/installerdiagwatcher  
Codesigning ID: com.apple.installerdiagwatcher  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked  
Footprint: 968 KB  
Time Since Fork: 761s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x5e4 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 31 (base 31)

<thread QoS default (requested default), process sudden termination clean,  
process unclamped, IO tier 0>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24

24 ??? (installerdiagwatcher + 10761) [0x10ccb4a09] 1-24

24 ??? (installerdiagwatcher + 6087) [0x10ccb37c7] 1-24

24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24

24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24

24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)

[0x7ff80bf3f082] 1-24  
    24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
    24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
    24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
    24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
    24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
    \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

    0x10ccb2000 - 0x10ccbdfdf installerdiagwatcher (79)  
<0F605D40-2F69-3805-A5C0-2123D0F7E85B> /System/Library/  
PrivateFrameworks/InstallerDiagnostics.framework/Versions/A/Resources/  
installerdiagwatcher  
    0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
    0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
    0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
    0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
    \*0xfffff80002e0000 - 0xfffff8000cdfdff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: IntelligencePlatformComputeService  
(IntelligencePlatformComputeService) [782]  
UUID: BF6810B8-1CD3-3932-88D4-7A6EC0A9263F  
Path: /System/Library/PrivateFrameworks/  
IntelligencePlatformCompute.framework/Versions/A/XPCServices/  
IntelligencePlatformComputeService.xpc/Contents/MacOS/  
IntelligencePlatformComputeService  
Identifier:  
com.apple.intelligenceplatform.IntelligencePlatformComputeService

Version: 1.0 (123.2.8)  
Build Version: 28  
Project Name: Biome\_leafnodes  
Source Version: 123002008000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: BiomeAgent [485]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 6868 KB  
Time Since Fork: 545s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x22f8 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x10af90000 - ???  
com.apple.intelligenceplatform.IntelligencePlatformComputeService 1.0  
(123.2.8) <BF6810B8-1CD3-3932-88D4-7A6EC0A9263F> /System/Library/  
PrivateFrameworks/IntelligencePlatformCompute.framework/Versions/A/  
XPCServices/IntelligencePlatformComputeService.xpc/Contents/MacOS/  
IntelligencePlatformComputeService  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: intelligenceplatformd [862]



UUID: 98387E09-2B19-3543-9ECB-4FCFDA1A3AC5  
Path: /System/Library/PrivateFrameworks/  
IntelligencePlatformCore.framework/Versions/A/intelligenceplatformd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 4872 KB  
Time Since Fork: 415s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x2a4d 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x109b2c000 - ??? intelligenceplatformd  
<98387E09-2B19-3543-9ECB-4FCFDA1A3AC5> /System/Library/  
PrivateFrameworks/IntelligencePlatformCore.framework/Versions/A/  
intelligenceplatformd  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: intelligentroutingd [431]  
UUID: D95E0002-DE45-3FA0-A399-E5A35875FB0F  
Path: /usr/libexec/intelligentroutingd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1924 KB  
Time Since Fork: 745s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xca4 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

Binary Images:

0x1081dc000 - ??? intelligentroutingd  
<D95E0002-DE45-3FA0-A399-E5A35875FB0F> /usr/libexec/  
intelligentroutingd  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: InteractiveLegacyProfilesSubscriber  
(InteractiveLegacyProfilesSubscriber) [709]  
UUID: 6743D2D2-7AA2-337E-BDFB-E4E675873F87  
Path: /System/Library/PrivateFrameworks/  
RemoteManagement.framework/XPCServices/  
InteractiveLegacyProfilesSubscriber.xpc/Contents/MacOS/  
InteractiveLegacyProfilesSubscriber  
Identifier:  
com.apple.remotemanagement.InteractiveLegacyProfilesSubscriber  
Version: ??? (2.0)  
Build Version: 92

Project Name: RemoteManagement  
Source Version: 500025003007000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: remotemanagementd [694]  
UID: 277  
Sudden Term: Tracked (allows idle exit)  
Footprint: 3580 KB  
Time Since Fork: 626s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x1d40 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x107220000 - ???  
com.apple.remotemanagement.InteractiveLegacyProfilesSubscriber (2.0)  
<6743D2D2-7AA2-337E-BDFB-E4E675873F87> /System/Library/  
PrivateFrameworks/RemoteManagement.framework/XPCServices/  
InteractiveLegacyProfilesSubscriber.xpc/Contents/MacOS/  
InteractiveLegacyProfilesSubscriber  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: InteractiveLegacyProfilesSubscriber  
(InteractiveLegacyProfilesSubscriber) [883]  
UUID: 6743D2D2-7AA2-337E-BDFB-E4E675873F87

Path: /System/Library/PrivateFrameworks/  
RemoteManagement.framework/XPCServices/  
InteractiveLegacyProfilesSubscriber.xpc/Contents/MacOS/  
InteractiveLegacyProfilesSubscriber  
Identifier:  
com.apple.remotemanagement.InteractiveLegacyProfilesSubscriber  
Version: ??? (2.0)  
Build Version: 92  
Project Name: RemoteManagement  
Source Version: 500025003007000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: RemoteManagementAgent [880]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 3556 KB  
Time Since Fork: 407s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x2acf 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

#### Binary Images:

0x103d2d000 - ???  
com.apple.remotemanagement.InteractiveLegacyProfilesSubscriber (2.0)  
<6743D2D2-7AA2-337E-BDFB-E4E675873F87> /System/Library/  
PrivateFrameworks/RemoteManagement.framework/XPCServices/  
InteractiveLegacyProfilesSubscriber.xpc/Contents/MacOS/  
InteractiveLegacyProfilesSubscriber  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib

\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: IOUserBluetoothSerialDriver [442]  
UUID: CB169E62-2A84-30DC-84C8-DA12FE6E931D  
Path: /System/Library/DriverExtensions/  
IOUserBluetoothSerialDriver.dext/IOUserBluetoothSerialDriver  
Identifier: com.apple.IOUserBluetoothSerialDriver  
Version: 1.0 (1)  
Shared Cache: BCEA684D-09B6-39FB-B838-6E592B2422C5 slid base  
address 0x7ff834321000, slide 0x34321000 (DriverKit)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 270  
Footprint: 440 KB  
Time Since Fork: 744s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xc50 24 samples (1-24) priority 31 (base 31)  
<thread QoS default (requested default), IO tier 0>  
24 ??? (libdispatch.dylib + 108004) [0x7ff8349305e4] 1-24  
24 ??? (libsystem\_kernel.dylib + 35838) [0x7ff834a12bfe] 1-24  
\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

Binary Images:

0x10676b000 - ??? com.apple.IOUserBluetoothSerialDriver  
1.0 (1) <CB169E62-2A84-30DC-84C8-DA12FE6E931D> /System/Library/  
DriverExtensions/IOUserBluetoothSerialDriver.dext/  
IOUserBluetoothSerialDriver  
0x7ff834916000 - 0x7ff834965fff libdispatch.dylib (1462.80.1)  
<20A1245E-7ADF-3D21-8FCE-87227E4CA5B3> /System/DriverKit/usr/lib/  
system/libdispatch.dylib  
0x7ff834a0a000 - 0x7ff834a4dfff libsystem\_kernel.dylib (10002.81.5)  
<073BEBCA-97A9-302C-B316-E21FE7F85FDE> /System/DriverKit/usr/lib/  
system/libsystem\_kernel.dylib  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: itunescloudd [521]

UUID: FD70DFE5-E56A-34D2-BF37-C16F30F28018  
Path: /System/Library/PrivateFrameworks/iTunesCloud.framework/  
Support/itunescloudd  
Codesigning ID: com.apple.itunescloudd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 4104 KB  
Time Since Fork: 727s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x104e DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (itunescloudd + 326679) [0x10cbc8c17] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 1-24

#### Binary Images:

0x10cb79000 - 0x10cc30fff itunescloudd (4023.400.6)  
<FD70DFE5-E56A-34D2-BF37-C16F30F28018> /System/Library/  
PrivateFrameworks/iTunesCloud.framework/Support/itunescloudd  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: KernelEventAgent [145]  
UUID: E764090D-B918-3F55-B3DC-FC559ED6CD78  
Path: /usr/sbin/KernelEventAgent  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked  
Footprint: 548 KB  
Time Since Fork: 767s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x32d 24 samples (1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:  
0x10e121000 - ??? KernelEventAgent  
<E764090D-B918-3F55-B3DC-FC559ED6CD78> /usr/sbin/  
KernelEventAgent  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: kernelmanagerd [117]  
UUID: 3B885738-87D6-330E-8756-200502EDC21A  
Path: /usr/libexec/kernelmanagerd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked  
Footprint: 5980 KB  
Time Since Fork: 767s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x7a1 24 samples (1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

#### Binary Images:

0x10df9b000 - ??? kernelmanagerd  
<3B885738-87D6-330E-8756-200502EDC21A> /usr/libexec/kernelmanagerd  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel



Process: keybagd [108]  
UUID: E6208D53-6973-3D86-8BF6-7B630376D8B8  
Path: /usr/libexec/keybagd  
Codesigning ID: com.apple.keybagd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 648 KB  
Time Since Fork: 767s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x2e7 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (keybagd + 55906) [0x10c7eaa62] 1-24  
24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x10c7dd000 - 0x10c7f8fff keybagd (621.40.2)  
<E6208D53-6973-3D86-8BF6-7B630376D8B8> /usr/libexec/keybagd  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: Keychain Circle Notification [516]  
UUID: 2D5A5736-FE50-3D25-9140-6156D5201E07  
Path: /System/Library/CoreServices/Keychain Circle Notification.app/  
Contents/MacOS/Keychain Circle Notification  
Identifier: com.apple.security.Keychain-Circle-Notification  
Version: 1.0 (61040.81.1)  
Build Version: 1  
Project Name: Security\_executables  
Source Version: 61040081001000000  
Is First Party: Yes  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 2744 KB  
Time Since Fork: 728s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xfe3 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 20 (base 20)  
<thread QoS utility (requested utility), process sudden termination clean,  
timers tier 3 (coalesced), IO tier 1>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 NSApplicationMain + 816 (AppKit + 16833) [0x7ff80f5151c1] 1-24  
24 -[NSApplication run] + 603 (AppKit + 197042) [0x7ff80f5411b2] 1-24  
24 -[NSApplication(NSEventRouting)  
\_nextEventMatchingEventMask:untilDate:inMode:dequeue:] + 1304 (AppKit +  
9734148) [0x7ff80fe59804] 1-24  
24 \_DPSNextEvent + 880 (AppKit + 257081) [0x7ff80f54fc39] 1-24  
24 \_BlockUntilNextEventMatchingListInModeWithFilter + 66

(HIToolbox + 197937) [0x7ff816831531] 1-24  
    24 ReceiveNextEventCommon + 665 (HIToolbox + 198630)  
[0x7ff8168317e6] 1-24  
    24 RunCurrentEventLoopInMode + 292 (HIToolbox + 199129)  
[0x7ff8168319d9] 1-24  
    24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
    24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
    24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
    24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
    24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib +  
35682) [0x7ff80be2cb62] 1-24  
    24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
    \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 1-24

Thread 0x1169 Thread name "com.apple.NSEventThread" 24 samples  
(1-24) priority 20 (base 20)  
<thread QoS utility (requested user interactive), process sudden termination  
clean, timers tier 3 (coalesced), IO tier 1>  
    24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
    24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
    24 \_NSEventThread + 122 (AppKit + 1686188) [0x7ff80f6acaac] 1-24  
    24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
    24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
    24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
    24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
    24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
    24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
    \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 1-24

Binary Images:

0x10e193000 - ??? com.apple.security.Keychain-Circle-Notification 1.0 (61040.81.1) <2D5A5736-FE50-3D25-9140-6156D5201E07> /System/Library/CoreServices/Keychain Circle Notification.app/Contents/MacOS/Keychain Circle Notification  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9 (2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80f511000 - 0x7ff81092fff6 com.apple.AppKit 6.9 (2487.40.107) <660B78D6-113F-3ABD-8969-A6CB84FFF752> /System/Library/Frameworks/AppKit.framework/Versions/C/AppKit  
0x7ff816801000 - 0x7ff816a9cff4 com.apple.HIToolbox 2.1.1 (1202) <4CD47F03-ED80-3F2A-BBDF-D7AF11CB4CCB> /System/Library/Frameworks/Carbon.framework/Versions/A/Frameworks/HIToolbox.framework/Versions/A/HIToolbox  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/kernel

Process: knowledge-agent [475]  
UUID: 9F7C403C-FA19-3635-9EFA-CBDCFB0A6772  
Path: /usr/libexec/knowledge-agent  
Codesigning ID: com.apple.knowledge-agent  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 4072 KB  
Time Since Fork: 738s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xda5 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination clean,  
process unclamped, process received importance donation from rapportd  
[362], IO tier 0>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (knowledge-agent + 83345) [0x10ce7b591] 1-24  
24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x10ce67000 - 0x10ce8afff knowledge-agent (1852.6.1)  
<9F7C403C-FA19-3635-9EFA-CBDCFB0A6772> /usr/libexec/knowledge-  
agent  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: KonaSynthesizer [679] (suspended)  
UUID: 8D4CDAAF-31CF-3D0F-8B3E-8FEF8A482D53  
Path: /System/Library/PrivateFrameworks/

TextToSpeechKonaSupport.framework/Versions/A/PlugIns/  
KonaSynthesizer.appex/Contents/MacOS/KonaSynthesizer  
Identifier: com.apple.ax.KonaTTSSupport.KonaSynthesizer  
Version: 1.0 (1)  
Build Version: 112  
Project Name: AccessibilitySpeechEngines  
Source Version: 73000007000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: axassetsd [573]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1940 KB  
Time Since Fork: 646s  
Num samples: 24 (1-24)  
Note: Suspended for 24 samples  
Note: 2 idle work queue threads omitted

Thread 0x1ae2 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (Foundation + 918756) [0x7ff80cf5e4e4] 1-24  
24 ??? (ExtensionFoundation + 166763) [0x7ffb102dbb6b] 1-24  
24 ??? (PlugInKit + 133729) [0x7ff81a798a61] 1-24  
24 ??? (PlugInKit + 131493) [0x7ff81a7981a5] 1-24  
24 ??? (PlugInKit + 132698) [0x7ff81a79865a] 1-24  
24 ??? (Foundation + 514495) [0x7ff80cefb9bf] 1-24  
24 xpc\_main + 56 (libxpc.dylib + 87766) [0x7ff80bb8a6d6] 1-24  
24 \_xpc\_main + 259 (libxpc.dylib + 137735) [0x7ff80bb96a07]  
1-24  
24 \_xpc\_objc\_main + 606 (libxpc.dylib + 88755)  
[0x7ff80bb8aab3] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation +  
499842) [0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation  
+ 508213) [0x7ff80bf41135] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib  
+ 35682) [0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib +  
6702) [0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel +  
1269696) [0xffffffff8000415fc0] (suspended) 1-24

Thread 0x1afd 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start\_wqthread + 0 (libsystem\_pthread.dylib + 7048) [0x7ff80be60b88]  
1-24  
\*24 ??? (kernel + 1763936) [0xffffffff800048ea60] (suspended) 1-24

#### Binary Images:

0x10e8a7000 - ???  
com.apple.ax.KonaTTSSupport.KonaSynthesizer 1.0 (1)  
<8D4CDAAF-31CF-3D0F-8B3E-8FEF8A482D53> /System/Library/  
PrivateFrameworks/TextToSpeechKonaSupport.framework/Versions/A/  
PlugIns/KonaSynthesizer.appex/Contents/MacOS/KonaSynthesizer  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80bb75000 - 0x7ff80bbb8ff2 libxpc.dylib (2679.80.5.0.1)  
<902EB51F-373F-3AA3-B084-228AC4C1B80B> /usr/lib/system/libxpc.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/  
Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
0x7ff81a778000 - 0x7ff81a7b6ff0 com.apple.pluginkit.framework 1.0  
(1) <E63CDD4E-C41A-3684-9C6B-E2F9E27A1829> /System/  
Library/PrivateFrameworks/PlugInKit.framework/Versions/A/PlugInKit  
0x7ffb102b3000 - 0x7ffb1033fffb com.apple.ExtensionFoundation 97  
(97) <266249BC-CB4B-3B4B-82A2-80CA827479FC> /System/  
Library/Frameworks/ExtensionFoundation.framework/Versions/A/

## ExtensionFoundation

\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: launchd [1]  
UUID: 5D0AB897-B69C-336B-947E-5E463858C4A4  
Path: /sbin/launchd  
Codesigning ID: com.apple.xpc.launchd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: kernel\_task [0]  
UID: 0  
Footprint: 16.58 MB  
Time Since Fork: 769s  
Num samples: 24 (1-24)  
CPU Time: <0.001s (611.9K cycles, 229.5K instructions, 2.67c/i)  
Note: 3 idle work queue threads omitted

Thread 0x233 24 samples (1-24) priority 31 (base 31)  
<thread QoS default (requested default), IO tier 0>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

Thread 0x3fd9 Thread name "gui/501/com.apple.DiagnosticsReporter  
throttled after exit()" 24 samples (1-24) priority 31 (base 31)  
<thread QoS default (requested default), IO tier 0>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 ??? (launchd + 8588) [0x103d5018c] 1-24  
24 \_dispatch\_semaphore\_wait\_slow + 98 (libdispatch.dylib + 16223)  
[0x7ff80bcbdf5f] 1-24  
24 semaphore\_wait\_trap + 10 (libsystem\_kernel.dylib + 6570)  
[0x7ff80be259aa] 1-24  
\*24 ??? (kernel + 1663616) [0xffffffff8000476280] 1-24

Binary Images:



0x103d4e000 - 0x103dc5fff launchd (2679.80.5.0.1)  
<5D0AB897-B69C-336B-947E-5E463858C4A4> /sbin/launchd  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: launchservicesd [128]  
UUID: D478B7A0-DD31-328E-BD38-C0C8E3417E3C  
Path: /System/Library/CoreServices/launchservicesd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Footprint: 1840 KB  
Time Since Fork: 767s  
Num samples: 24 (1-24)  
CPU Time: 0.003s (6.6M cycles, 4.1M instructions, 1.62c/i)  
Note: 5 idle work queue threads omitted

Thread 0x3a1 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), thread darwinbg, process  
darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

Binary Images:  
0x108d21000 - ??? launchservicesd  
<D478B7A0-DD31-328E-BD38-C0C8E3417E3C> /System/Library/  
CoreServices/launchservicesd  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)

<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
    0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
    \*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: LegacyProfilesSubscriber [718]  
UUID: B76799EC-0050-360D-A298-2777F6A937E2  
Path: /System/Library/PrivateFrameworks/  
RemoteManagement.framework/XPCServices/LegacyProfilesSubscriber.xpc/  
Contents/MacOS/LegacyProfilesSubscriber  
Identifier: com.apple.remotemanagement.LegacyProfilesSubscriber  
Version: ??? (2.0)  
Build Version: 92  
Project Name: RemoteManagement  
Source Version: 500025003007000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: remotemanagementd [694]  
UID: 277  
Sudden Term: Tracked (allows idle exit)  
Footprint: 3556 KB  
Time Since Fork: 617s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x1de2 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

Binary Images:  
    0x108a68000 - ???  
com.apple.remotemanagement.LegacyProfilesSubscriber (2.0)

<B76799EC-0050-360D-A298-2777F6A937E2> /System/Library/  
PrivateFrameworks/RemoteManagement.framework/XPCServices/  
LegacyProfilesSubscriber.xpc/Contents/MacOS/LegacyProfilesSubscriber  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: LegacyProfilesSubscriber [889]  
UUID: B76799EC-0050-360D-A298-2777F6A937E2  
Path: /System/Library/PrivateFrameworks/  
RemoteManagement.framework/XPCServices/LegacyProfilesSubscriber.xpc/  
Contents/MacOS/LegacyProfilesSubscriber  
Identifier: com.apple.remotemanagement.LegacyProfilesSubscriber  
Version: ??? (2.0)  
Build Version: 92  
Project Name: RemoteManagement  
Source Version: 500025003007000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: RemoteManagementAgent [880]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 3580 KB  
Time Since Fork: 402s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x2b1b 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

Binary Images:

0x107616000 - ???  
com.apple.remotemanagement.LegacyProfilesSubscriber (2.0)  
<B76799EC-0050-360D-A298-2777F6A937E2> /System/Library/  
PrivateFrameworks/RemoteManagement.framework/XPCServices/  
LegacyProfilesSubscriber.xpc/Contents/MacOS/LegacyProfilesSubscriber  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: linkd [499]  
UUID: 0CEE73D4-1CD5-369C-84F1-D5C58A42A222  
Path: /usr/libexec/linkd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 2340 KB  
Time Since Fork: 731s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xf48 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

Binary Images:

0x108e70000 - ??? linkd  
<0CEE73D4-1CD5-369C-84F1-D5C58A42A222> /usr/libexec/linkd

0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: liquiddetectiond [840]  
UUID: 794C17AB-4CDE-344A-93E7-90F356A4DF91  
Path: /System/Library/CoreServices/liquiddetectiond  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 592 KB  
Time Since Fork: 436s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x288c 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

Binary Images:

0x1060db000 - ??? liquiddetectiond  
<794C17AB-4CDE-344A-93E7-90F356A4DF91> /System/Library/  
CoreServices/liquiddetectiond  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib

\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: localizationswitcherd [443]  
UUID: 45D38F40-DCDC-3C5F-BFE4-9708E85FBC2E  
Path: /System/Library/PrivateFrameworks/IntlPreferences.framework/  
Support/localizationswitcherd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1180 KB  
Time Since Fork: 744s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xc5d 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

Binary Images:  
0x104bce000 - ??? localizationswitcherd  
<45D38F40-DCDC-3C5F-BFE4-9708E85FBC2E> /System/Library/  
PrivateFrameworks/IntlPreferences.framework/Support/localizationswitcherd  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: locationd [321]  
UUID: BFBACE23-80EF-398B-B667-F5D3FCEAF96C  
Path: /usr/libexec/locationd  
Codesigning ID: com.apple.locationd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 205  
Sudden Term: Tracked  
Footprint: 4312 KB  
Time Since Fork: 755s  
Num samples: 24 (1-24)  
CPU Time: 0.009s (20.2M cycles, 22.5M instructions, 0.90c/i)  
Note: 6 idle work queue threads omitted

Thread 0x804 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4) cpu time <0.001s (98.6K cycles, 24.3K  
instructions, 4.05c/i)

<thread QoS background (requested default), process sudden termination  
dirty, thread darwinbg, process darwinbg, IO tier 2>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (locationd + 7373552) [0x106a6b2f0] 1-24  
24 ??? (locationd + 7361411) [0x106a68383] 1-24  
24 ??? (locationd + 7357795) [0x106a67563] 1-24  
24 CFRRunLoopRun + 40 (CoreFoundation + 1006446)  
[0x7ff80bfbab6e] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0x830 Thread name "com.apple.CoreMotion.MotionThread" 24  
samples (1-24) priority 4 (base 4) cpu time <0.001s (111.9K cycles, 27.1K

instructions, 4.13c/i)

<thread QoS background, process sudden termination dirty, thread darwinbg, process darwinbg, IO tier 2>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab] 1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090) [0x7ff80be65202] 1-24

24 ??? (locationd + 1879920) [0x10652df70] 1-24

24 CFRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e] 1-24

24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842) [0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693) [0x7ff80bf3fba5] 1-24

24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xfffff8000415fc0] 1-24

Thread 0x9b0 Thread name "com.apple.NSURLConnectionLoader" 24 samples (1-24) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination dirty, thread darwinbg, process darwinbg, IO tier 2>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab] 1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090) [0x7ff80be65202] 1-24

24 ??? (Foundation + 349980) [0x7ff80ced371c] 1-24

24 ??? (CFNetwork + 2391509) [0x7ff81129fdd5] 1-24

24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842) [0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693) [0x7ff80bf3fba5] 1-24

24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)



[0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)

[0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)

[0xfffff8000415fc0] 1-24

Thread 0x3531 DispatchQueue "CLInternalServiceSilo"(104) 1 sample (18) priority 4 (base 4) cpu time 0.004s (9.2M cycles, 10.5M instructions, 0.88c/i)

<DispatchQueue not seen for 17 samples, thread QoS background (requested background, workloop servicer override background), process sudden termination dirty, thread darwinbg, process darwinbg, IO tier 2>

1 start\_wqthread + 15 (libsystem\_pthread.dylib + 7063) [0x7ff80be60b97] 18

1 \_pthread\_wqthread + 327 (libsystem\_pthread.dylib + 11335)

[0x7ff80be61c47] 18

1 \_dispatch\_workloop\_worker\_thread + 451 (libdispatch.dylib + 78845) [0x7ff80bccd3fd] 18

1 \_dispatch\_root\_queue\_drain\_deferred\_wlh + 271 (libdispatch.dylib + 80622) [0x7ff80bccdaee] 18

1 \_dispatch\_lane\_invoke + 377 (libdispatch.dylib + 41216) [0x7ff80bcc4100] 18

1 \_dispatch\_lane\_serial\_drain + 387 (libdispatch.dylib + 38075) [0x7ff80bcc34bb] 18

1 \_dispatch\_lane\_invoke + 377 (libdispatch.dylib + 41216) [0x7ff80bcc4100] 18

1 \_dispatch\_lane\_serial\_drain + 387 (libdispatch.dylib + 38075) [0x7ff80bcc34bb] 18

1 \_dispatch\_mach\_invoke + 497 (libdispatch.dylib + 117877) [0x7ff80bcd6c75] 18

1 \_dispatch\_lane\_serial\_drain + 387 (libdispatch.dylib + 38075) [0x7ff80bcc34bb] 18

1 \_dispatch\_mach\_msg\_invoke + 450 (libdispatch.dylib + 115030) [0x7ff80bcd6156] 18

1 \_dispatch\_client\_callout4 + 9 (libdispatch.dylib + 13876) [0x7ff80bcdbd634] 18

1 \_xpc\_connection\_mach\_event + 1366 (libxpc.dylib + 49455) [0x7ff80bb8112f] 18

1 \_xpc\_connection\_call\_event\_handler + 56 (libxpc.dylib + 54360) [0x7ff80bb82458] 18

1 ??? (Foundation + 9129928) [0x7ff80d732fc8] 18

1 ??? (Foundation + 9131180) [0x7ff80d7334ac] 18

1 ??? (Foundation + 9125167) [0x7ff80d731d2f] 18

1 ??? (Foundation + 739408) [0x7ff80cf32850] 18

```

1 ??? (locationd + 7433910) [0x106a79eb6] 18
1 ??? (LocationSupport + 60662) [0x7ff81c640cf6]
18
1 ??? (OpenDirectory + 4284) [0x7ff814a930bc] 18
1 ??? (OpenDirectory + 4542) [0x7ff814a931be]
18
1 ??? (CFOpenDirectory + 7265)
[0x7ff814a9fc61] 18
1 ??? (CFOpenDirectory + 7894)
[0x7ff814a9fed6] 18
1 ??? (CFOpenDirectory + 8141)
[0x7ff814a9ffcd] 18
1 ??? (CFOpenDirectory + 9042)
[0x7ff814aa0352] 18
1 ??? (CFOpenDirectory + 9605)
[0x7ff814aa0585] 18
1 _dispatch_semaphore_wait_slow + 98
(libdispatch.dylib + 16223) [0x7ff80bcbdf5f] 18
1 semaphore_wait_trap + 10
(libsystem_kernel.dylib + 6570) [0x7ff80be259aa] 18
*1 ??? (kernel + 1663616)
[0xfffff8000476280] 18

```

#### Binary Images:

```

0x106363000 - 0x106d42fff locationd (2890.8.3)
<BFBACE23-80EF-398B-B667-F5D3FCEAF96C> /usr/libexec/locationd
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld
0x7ff80bb75000 - 0x7ff80bbb8ff2 libxpc.dylib (2679.80.5.0.1)
<902EB51F-373F-3AA3-B084-228AC4C1B80B> /usr/lib/system/libxpc.dylib
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/
libdispatch.dylib
0x7ff80be24000 - 0x7ff80be5eff7 libsystem_kernel.dylib (10002.81.5)
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/
libsystem_kernel.dylib
0x7ff80be5f000 - 0x7ff80be6afff libsystem_pthread.dylib (519)
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/
libsystem_pthread.dylib
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/
Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/

```

Frameworks/Foundation.framework/Versions/C/Foundation  
0x7ff811058000 - 0x7ff811406ff1 com.apple.CFNetwork 1.0  
(1492.0.1) <2847065D-8C66-3A44-B26C-B2A51A2897FB> /System/  
Library/Frameworks/CFNetwork.framework/Versions/A/CFNetwork  
0x7ff814a92000 - 0x7ff814a9dffd com.apple.OpenDirectory 14.3  
(642) <9F7988DC-E213-36EE-B5AE-03FD0A81A7DC> /System/  
Library/Frameworks/OpenDirectory.framework/Versions/A/OpenDirectory  
0x7ff814a9e000 - 0x7ff814ab9ff7 com.apple.CFOpenDirectory 14.3  
(642) <40F9C98B-59CF-3656-8444-E65508DAB2F7> /System/Library/  
Frameworks/OpenDirectory.framework/Versions/A/Frameworks/  
CFOpenDirectory.framework/Versions/A/CFOpenDirectory  
0x7ff81c632000 - 0x7ff81c665ff8 com.apple.locationsupport  
2890.8.3 (2890.8.3) <9C906CFB-2A52-3649-BADD-2781D04C6D48> /  
System/Library/PrivateFrameworks/LocationSupport.framework/Versions/A/  
LocationSupport  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: lockdownmoded [592]  
UUID: 05FA6519-30AE-39E6-951F-AE29A8FBF2B7  
Path: /System/Library/PrivateFrameworks/  
LockdownMode.framework/Versions/A/XPCServices/lockdownmoded  
Codesigning ID: com.apple.lockdownmoded  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1232 KB  
Time Since Fork: 701s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x14cd DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (lockdownmoded + 18617) [0x107b038b9] 1-24  
24 ??? (lockdownmoded + 28288) [0x107b05e80] 1-24  
24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]

1-24

24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x107aff000 - 0x107b42fff lockdownmoded (65)  
<05FA6519-30AE-39E6-951F-AE29A8FBF2B7> /System/Library/  
PrivateFrameworks/LockdownMode.framework/Versions/A/XPCServices/  
lockdownmoded  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: logd [85]  
UUID: 94D2BF24-BEBF-3C71-83EC-914A4BD08463  
Path: /usr/libexec/logd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Footprint: 7424 KB  
Time Since Fork: 767s

Num samples: 24 (1-24)  
CPU Time: 0.005s (10.8M cycles, 6.3M instructions, 1.72c/i)  
Note: 3 idle work queue threads omitted

Thread 0x326 24 samples (1-24) priority 31 (base 31)  
<thread QoS default (requested default), IO tier 0>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Thread 0x3e8c 1 sample (14) priority 20 (base 20) cpu time <0.001s  
(716.6K cycles, 144.8K instructions, 4.95c/i)  
<Thread in another call tree for 13 samples, thread QoS utility (requested  
utility), IO tier 1>  
1 start\_wqthread + 15 (libsystem\_pthread.dylib + 7063) [0x7ff80be60b97]  
14  
1 \_\_workq\_kernreturn + 10 (libsystem\_kernel.dylib + 12626)  
[0x7ff80be27152] 14  
\*1 ??? (kernel + 6205392) [0xfffff80008cafd0] (runnable) 14

Binary Images:

0x10989b000 - ??? logd <94D2BF24-  
BEBF-3C71-83EC-914A4BD08463> /usr/libexec/logd  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: logd\_helper [559]  
UUID: 608A0B9E-19EA-364D-90DE-2FC43CC8AC26  
Path: /usr/libexec/logd\_helper  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 596 KB  
Time Since Fork: 713s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x130e 24 samples (1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>

24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24

24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24

\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

#### Binary Images:

0x1041d9000 - ??? logd\_helper  
<608A0B9E-19EA-364D-90DE-2FC43CC8AC26> /usr/libexec/logd\_helper  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: logind [143]  
UUID: 74BCA0D2-FCBA-3A73-A699-CC07F0E5D970  
Path: /System/Library/CoreServices/logind  
Codesigning ID: com.apple.logind  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Footprint: 772 KB  
Time Since Fork: 767s  
Num samples: 24 (1-24)

Note: 1 idle work queue thread omitted

Thread 0x301 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 31 (base 31)  
<thread QoS default (requested default), IO tier 0>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (logind + 7929) [0x10c559ef9] 1-24  
24 CFRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x10c558000 - 0x10c573fff logind (121)  
<74BCA0D2-FCBA-3A73-A699-CC07F0E5D970> /System/Library/  
CoreServices/loginwindow  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: loginwindow [158]  
UUID: 52276A24-6193-35A9-AEA0-215E4D244BDE  
Path: /System/Library/CoreServices/loginwindow.app/Contents/

MacOS/loginwindow

Identifier: com.apple.loginwindow

Version: 9.0 (3022.3.1)

Build Version: 54

Project Name: loginwindow

Source Version: 3022003001000000

Is First Party: Yes

Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64

Parent: launchd [1]

UID: 501

Footprint: 16.73 MB

Pageins: 21 pages

Time Since Fork: 766s

Num samples: 24 (1-24)

CPU Time: 0.292s (639.9M cycles, 310.2M instructions, 2.06c/i)

Note: 5 idle work queue threads omitted

Thread 0x35b DispatchQueue "com.apple.main-thread"(1), "CI\_CGImageProviderCallbackQueue"(1674) 24 samples (1-24) priority 47 (base 47) cpu time 0.268s (586.4M cycles, 283.5M instructions, 2.07c/i)

<DispatchQueue "com.apple.main-thread"(1), thread QoS user interactive (requested user interactive), process unclamped, process received importance donation from WindowServer [154], IO tier 0>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24

24 ??? (loginwindow + 25516) [0x10704d3ac] 1-24

3 -[NSApplication run] + 640 (AppKit + 197079) [0x7ff80f5411d7] 1-3

3 -[NSApplication \_handleEvent:] + 65 (AppKit + 5262899)

[0x7ff80fa15e33] 1-3

3 ??? (loginwindow + 41654) [0x1070512b6] 1-3

3 -[NSApplication(NSEventRouting) sendEvent:] + 346 (AppKit + 9726642) [0x7ff80fe57ab2] 1-3

3 -[NSWindow(NSEventRouting) sendEvent:] + 345 (AppKit + 1694915) [0x7ff80f6aecc3] 1-3

3 -[NSWindow(NSEventRouting)

\_reallySendEvent:isDelayedEvent:] + 404 (AppKit + 1695858) [0x7ff80f6af072] 1-3

3 -[NSWindow(NSEventRouting)

\_handleMouseDownEvent:isDelayedEvent:] + 4580 (AppKit + 2248769) [0x7ff80f736041] 1-3

3 -[NSControl mouseDown:] + 666 (AppKit + 2254491)

[0x7ff80f73769b] 1-3



3 -[NSButtonCell trackMouse:inRect:ofView:untilMouseUp:] + 666 (AppKit + 2257574) [0x7ff80f7382a6] 1-3  
3 -[NSCell trackMouse:inRect:ofView:untilMouseUp:] + 125 (AppKit + 2257887) [0x7ff80f7383df] 1-3  
3 NSControlTrackMouse + 1823 (AppKit + 2259746) [0x7ff80f738b22] 1-3  
3 -[NSButtonCell \_sendActionFrom:] + 96 (AppKit + 2272254) [0x7ff80f73bbfe] 1-3  
3 -[NSCell \_sendActionFrom:] + 171 (AppKit + 2272438) [0x7ff80f73bcb6] 1-3  
3 \_\_26-[NSCell \_sendActionFrom:]\_block\_invoke + 131 (AppKit + 2272685) [0x7ff80f73bdad] 1-3  
3 -[NSControl sendAction:to:] + 86 (AppKit + 2272891) [0x7ff80f73be7b] 1-3  
3 -[NSApplication(NSResponder) sendAction:to:from:] + 337 (AppKit + 2273288) [0x7ff80f73c008] 1-3  
1 ??? (loginwindow + 144050) [0x10706a2b2] 1  
1 -[NSImage drawAtPoint:fromRect:operation:fraction:] + 178 (AppKit + 2192439) [0x7ff80f728437] 1  
1 -[NSImage drawInRect:fromRect:operation:fraction:respectFlipped:hints:] + 1513 (AppKit + 1601589) [0x7ff80f698035] 1  
1 -[NSImage \_usingBestRepresentationForRect:context:hints:body:] + 123 (AppKit + 1459888) [0x7ff80f6756b0] 1  
1 \_\_71-[NSImage drawInRect:fromRect:operation:fraction:respectFlipped:hints:]\_block\_invoke. 1399 + 1035 (AppKit + 7536705) [0x7ff80fc41041] 1  
1 -[NSImageRep drawInRect:fromRect:operation:fraction:respectFlipped:hints:] + 729 (AppKit + 1602489) [0x7ff80f6983b9] 1  
1 \_\_74-[NSImageRep drawInRect:fromRect:operation:fraction:respectFlipped:hints:]\_block\_invoke + 911 (AppKit + 1603737) [0x7ff80f698899] 1  
1 CGContextDrawImageWithOptions + 676 (CoreGraphics + 228711) [0x7ff811956d67] 1  
1 ripc\_DrawImage + 919 (CoreGraphics + 231647) [0x7ff8119578df] 1  
1 ripc\_AcquireRIPImageData + 371 (CoreGraphics + 236279) [0x7ff811958af7] 1  
1 RIPImageCacheGetRetained + 679 (CoreGraphics + 237570) [0x7ff811959002] 1  
1 RIPImageDataInitializeShared + 170

```

(CoreGraphics + 238421) [0x7ff811959355] 1
    1 CGImageDataLock + 1286
(CoreGraphics + 239763) [0x7ff811959893] 1
    1 img_data_lock + 3006
(CoreGraphics + 257750) [0x7ff81195ded6] 1
    1 CGAccessSessionCreate + 98
(CoreGraphics + 261838) [0x7ff81195eece] 1
    1 CGDataProviderRetainData +
75 (CoreGraphics + 262162) [0x7ff81195f012] 1
    1
provider_for_destination_retain_data + 17 (CoreGraphics + 262199)
[0x7ff81195f037] 1
    1 CGDataProviderRetainData +
75 (CoreGraphics + 262162) [0x7ff81195f012] 1
    1 imageProvider_retain_data
+ 77 (CoreGraphics + 262303) [0x7ff81195f09f] 1
    1 ??? (IconFoundation +
70898) [0x7ff81a8cc4f2] 1
    1 ??? (IconFoundation +
62381) [0x7ff81a8ca3ad] 1
    1 ??? (IconFoundation +
62184) [0x7ff81a8ca2e8] 1
    *1 call_continuation + 35
(kernel + 995731) [0xfffff80003d3193] 1
    *1
ml_set_interrupts_enabled + 17 (kernel + 2741969) [0xfffff800057d6d1]
(running) 1
<process received importance donation from DictationIM (Dictation) [506]>
    2 ??? (loginwindow + 144804) [0x10706a5a4] 2-3
    2 -[NSApplication
_orderFrontModalWindow:relativeToWindow:] + 226 (AppKit + 2948947)
[0x7ff80f7e0f53] 2-3
    2 -[NSWindow _doOrderWindow:] + 298 (AppKit +
12929457) [0x7ff8101659b1] 2-3
    2 -[NSWindow _reallyDoOrderWindow:] + 106
(AppKit + 12928807) [0x7ff810165727] 2-3
    2 -[NSWindow
_reallyDoOrderWindowAboveOrBelow:] + 2370 (AppKit + 12926162)
[0x7ff810164cd2] 2-3
    2 -[NSWindow(NSSheets)
_orderFrontRelativeToWindow:] + 267 (AppKit + 3257798) [0x7ff80f82c5c6]
2-3
    2 -[NSSheetMoveHelper openSheet] + 370
(AppKit + 13906861) [0x7ff8102543ad] 2-3

```

```

                2 -[NSMoveHelper _doAnimation] + 540
(AppKit + 3261608) [0x7ff80f82d4a8] 2-3
                2 CFRunLoopRunSpecific + 557
(CoreFoundation + 499842) [0x7ff80bf3f082] 2-3
                2 __CFRunLoopRun + 1371
(CoreFoundation + 502693) [0x7ff80bf3fba5] 2-3
                2 __CFRunLoopServiceMachPort + 143
(CoreFoundation + 508213) [0x7ff80bf41135] 2-3
                2 mach_msg + 19
(libsystem_kernel.dylib + 7455) [0x7ff80be25d1f] 2-3
                2 mach_msg_overwrite + 653
(libsystem_kernel.dylib + 35682) [0x7ff80be2cb62] 2-3
                2 mach_msg2_trap + 10
(libsystem_kernel.dylib + 6702) [0x7ff80be25a2e] 2-3
                *2 ipc_mqueue_receive_continue +
0 (kernel + 1269696) [0xfffff8000415fc0] 2-3
<process dropped importance donation from WindowServer [154], process
dropped importance donation from DictationIM (Dictation) [506]>
    13 -[NSApplication run] + 603 (AppKit + 197042) [0x7ff80f5411b2] 4-16
    13 -[NSApplication(NSEventRouting)
_nextEventMatchingEventMask:untilDate:inMode:dequeue:] + 1304 (AppKit +
9734148) [0x7ff80fe59804] 4-16
        13 _DPSNextEvent + 880 (AppKit + 257081) [0x7ff80f54fc39] 4-16
        13 _BlockUntilNextEventMatchingListInModeWithFilter + 66
(HIToolbox + 197937) [0x7ff816831531] 4-16
            10 ReceiveNextEventCommon + 665 (HIToolbox + 198630)
[0x7ff8168317e6] 4-13
            10 RunCurrentEventLoopInMode + 292 (HIToolbox + 199129)
[0x7ff8168319d9] 4-13
            10 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)
[0x7ff80bf3f082] 4-13
                6 __CFRunLoopRun + 1371 (CoreFoundation + 502693)
[0x7ff80bf3fba5] 4-9
                6 __CFRunLoopServiceMachPort + 143 (CoreFoundation +
508213) [0x7ff80bf41135] 4-9
                6 mach_msg + 19 (libsystem_kernel.dylib + 7455)
[0x7ff80be25d1f] 4-9
                6 mach_msg_overwrite + 653 (libsystem_kernel.dylib +
35682) [0x7ff80be2cb62] 4-9
                6 mach_msg2_trap + 10 (libsystem_kernel.dylib + 6702)
[0x7ff80be25a2e] 4-9
                *6 ipc_mqueue_receive_continue + 0 (kernel + 1269696)
[0xfffff8000415fc0] 4-9
<process received importance donation from WindowServer [154]>

```

```

    1 __CFRunLoopRun + 2700 (CoreFoundation + 504022)
[0x7ff80bf400d6] 10
    1 __CFRunLoopDoSource1 + 534 (CoreFoundation + 509022)
[0x7ff80bf4145e] 10
    1
__CFRUNLOOP_IS_CALLING_OUT_TO_A_SOURCE1_PERFORM_FUNCTION__ + 41 (CoreFoundation + 509223) [0x7ff80bf41527] 10
    1 __CFMachPortPerform + 238 (CoreFoundation + 698492)
[0x7ff80bf6f87c] 10
    1 MessageHandler(__CFMachPort*, void*, long, void*) + 48
(HIToolbox + 243906) [0x7ff81683c8c2] 10
    1 PullEventsFromWindowServerOnConnection(unsigned
int, unsigned char, __CFMachPortBoost*) + 45 (HIToolbox + 244002)
[0x7ff81683c922] 10
    1 ??? (SkyLight + 1291995) [0x7ff8116016db] 10
    1 ??? (SkyLight + 3624250) [0x7ff81183ad3a] 10
    1 ??? (SkyLight + 37174) [0x7ff8114cf136] 10
    1 mach_msg + 19 (libsystem_kernel.dylib + 7455)
[0x7ff80be25d1f] 10
    1 mach_msg_overwrite + 653
(libsystem_kernel.dylib + 35682) [0x7ff80be2cb62] 10
    1 mach_msg2_trap + 10 (libsystem_kernel.dylib +
6702) [0x7ff80be25a2e] 10
    *1 ipc_mqueue_receive_continue + 0 (kernel +
1269696) [0xfffff8000415fc0] (blocked by turnstile waiting for WindowServer
[154]) 10
    <process dropped importance donation from WindowServer [154]>
    3 __CFRunLoopRun + 1371 (CoreFoundation + 502693)
[0x7ff80bf3fba5] 11-13
    3 __CFRunLoopServiceMachPort + 143 (CoreFoundation +
508213) [0x7ff80bf41135] 11-13
    3 mach_msg + 19 (libsystem_kernel.dylib + 7455)
[0x7ff80be25d1f] 11-13
    3 mach_msg_overwrite + 653 (libsystem_kernel.dylib +
35682) [0x7ff80be2cb62] 11-13
    3 mach_msg2_trap + 10 (libsystem_kernel.dylib + 6702)
[0x7ff80be25a2e] 11-13
    *3 ipc_mqueue_receive_continue + 0 (kernel + 1269696)
[0xfffff8000415fc0] 11-13
    <process received importance donation from WindowServer [154]>
    1 ReceiveNextEventCommon + 201 (HIToolbox + 198166)
[0x7ff816831616] 14
    1 RunCurrentEventLoopInMode + 292 (HIToolbox + 199129)
[0x7ff8168319d9] 14

```

```

    1 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)
[0x7ff80bf3f082] 14
    1 __CFRunLoopRun + 850 (CoreFoundation + 502172)
[0x7ff80bf3f99c] 14
    1 __CFRunLoopDoObservers + 493 (CoreFoundation +
504858) [0x7ff80bf4041a] 14
    1
__CFRUNLOOP_IS_CALLING_OUT_TO_AN_OBSERVER_CALLBACK_FUNC
TION__ + 23 (CoreFoundation + 505078) [0x7ff80bf404f6] 14
    1 objc_autoreleasePoolPop + 235 (libobjc.A.dylib + 39104)
[0x7ff80ba9b8c0] 14
    1 AutoreleasePoolPage::releaseUntil(objc_object**) + 70
(libobjc.A.dylib + 50516) [0x7ff80ba9e554] (running) 14
    <process dropped importance donation from WindowServer [154]>
    2 ReceiveNextEventCommon + 665 (HIToolbox + 198630)
[0x7ff8168317e6] 15-16
    2 RunCurrentEventLoopInMode + 292 (HIToolbox + 199129)
[0x7ff8168319d9] 15-16
    2 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)
[0x7ff80bf3f082] 15-16
    2 __CFRunLoopRun + 1371 (CoreFoundation + 502693)
[0x7ff80bf3fba5] 15-16
    2 __CFRunLoopServiceMachPort + 143 (CoreFoundation +
508213) [0x7ff80bf41135] 15-16
    2 mach_msg + 19 (libsystem_kernel.dylib + 7455)
[0x7ff80be25d1f] 15-16
    2 mach_msg_overwrite + 653 (libsystem_kernel.dylib +
35682) [0x7ff80be2cb62] 15-16
    2 mach_msg2_trap + 10 (libsystem_kernel.dylib + 6702)
[0x7ff80be25a2e] 15-16
    *2 ipc_mqueue_receive_continue + 0 (kernel + 1269696)
[0xfffff8000415fc0] 15-16
    4 -[NSApplication run] + 640 (AppKit + 197079) [0x7ff80f5411d7] 17-20
    4 -[NSApplication _handleEvent:] + 65 (AppKit + 5262899)
[0x7ff80fa15e33] 17-20
    4 ??? (loginwindow + 41654) [0x1070512b6] 17-20
    4 -[NSApplication(NSEventRouting) sendEvent:] + 346 (AppKit +
9726642) [0x7ff80fe57ab2] 17-20
    4 -[NSWindow(NSEventRouting) sendEvent:] + 345 (AppKit +
1694915) [0x7ff80f6aecc3] 17-20
    4 -[NSWindow(NSEventRouting)
_reallySendEvent:isDelayedEvent:] + 404 (AppKit + 1695858) [0x7ff80f6af072]
17-20
    4 -[NSWindow(NSEventRouting)

```

\_handleMouseDownEvent:isDelayedEvent:] + 4580 (AppKit + 2248769)  
[0x7ff80f736041] 17-20  
    4 -[NSControl mouseDown:] + 666 (AppKit + 2254491)  
[0x7ff80f73769b] 17-20  
        4 -[NSButtonCell trackMouse:inRect:ofView:untilMouseUp:] +  
666 (AppKit + 2257574) [0x7ff80f7382a6] 17-20  
            4 -[NSCell trackMouse:inRect:ofView:untilMouseUp:] + 125  
(AppKit + 2257887) [0x7ff80f7383df] 17-20  
                1 NSControlTrackMouse + 1459 (AppKit + 2259382)  
[0x7ff80f7389b6] 17  
                    1 -[NSDragEventTracker trackEvent:usingHandler:] + 1594  
(AppKit + 2262806) [0x7ff80f739716] 17  
                        1 -[NSWindow(NSEventRouting)  
trackEventsMatchingMask:timeout:mode:handler:] + 261 (AppKit + 2266436)  
[0x7ff80f73a544] 17  
                            1 -[NSApplication(NSEventRouting)  
\_nextEventMatchingEventMask:untilDate:inMode:dequeue:] + 1304 (AppKit +  
9734148) [0x7ff80fe59804] 17  
                                1 \_DPSNextEvent + 880 (AppKit + 257081)  
[0x7ff80f54fc39] 17  
                                    1 \_BlockUntilNextEventMatchingListInModeWithFilter  
+ 66 (HIToolbox + 197937) [0x7ff816831531] 17  
  1 ReceiveNextEventCommon + 665 (HIToolbox +  
198630) [0x7ff8168317e6] 17  
  1 RunCurrentEventLoopInMode + 292 (HIToolbox +  
199129) [0x7ff8168319d9] 17  
  1 CFRRunLoopRunSpecific + 557 (CoreFoundation  
+ 499842) [0x7ff80bf3f082] 17  
  1 \_\_CFRunLoopRun + 1371 (CoreFoundation +  
502693) [0x7ff80bf3fba5] 17  
  1 \_\_CFRunLoopServiceMachPort + 143  
(CoreFoundation + 508213) [0x7ff80bf41135] 17  
  1 mach\_msg + 19 (libsystem\_kernel.dylib +  
7455) [0x7ff80be25d1f] 17  
  1 mach\_msg\_overwrite + 653  
(libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 17  
  1 mach\_msg2\_trap + 10  
(libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 17  
  \*1 ipc\_mqueue\_receive\_continue + 0  
(kernel + 1269696) [0xfffff8000415fc0] 17  
    <DispatchQueue "CI\_CGImageProviderCallbackQueue"(1674), process  
received importance donation from WindowServer [154]>  
        3 NSControlTrackMouse + 1823 (AppKit + 2259746)  
[0x7ff80f738b22] 18-20

3 -[NSButtonCell \_sendActionFrom:] + 96 (AppKit + 2272254) [0x7ff80f73bbfe] 18-20  
3 -[NSCell \_sendActionFrom:] + 171 (AppKit + 2272438) [0x7ff80f73bcb6] 18-20  
3 \_\_26-[NSCell \_sendActionFrom:]\_block\_invoke + 131 (AppKit + 2272685) [0x7ff80f73bdad] 18-20  
3 -[NSControl sendAction:to:] + 86 (AppKit + 2272891) [0x7ff80f73be7b] 18-20  
3 -[NSApplication(NSResponder) sendAction:to:from:] + 337 (AppKit + 2273288) [0x7ff80f73c008] 18-20  
3 NSWindowEndWindowModalSession + 365 (AppKit + 12953597) [0x7ff81016b7fd] 18-20  
3 ??? (loginwindow + 186962) [0x107074a52] 18-20  
3 -[NSWindow \_doOrderWindow:] + 298 (AppKit + 12929457) [0x7ff8101659b1] 18-20  
3 -[NSWindow \_reallyDoOrderWindow:] + 106 (AppKit + 12928807) [0x7ff810165727] 18-20  
3 -[NSWindow \_reallyDoOrderWindowOutRelativeTo:] + 1216 (AppKit + 12928306) [0x7ff810165532] 18-20  
3 -[NSWindow(NSSheets) \_orderOutRelativeToWindow:] + 54 (AppKit + 3285671) [0x7ff80f8332a7] 18-20  
3 -[NSSheetMoveHelper closeSheet] + 525 (AppKit + 13907636) [0x7ff8102546b4] 18-20  
3 -[NSMoveHelper \_doAnimation] + 540 (AppKit + 3261608) [0x7ff80f82d4a8] 18-20  
3 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842) [0x7ff80bf3f082] 18-20  
1 \_\_CFRunLoopRun + 2104 (CoreFoundation + 503426) [0x7ff80bf3fe82] 18  
1 \_\_CFRunLoopDoTimers + 285 (CoreFoundation + 617366) [0x7ff80bf5bb96] 18  
1 \_\_CFRunLoopDoTimer + 785 (CoreFoundation + 618330) [0x7ff80bf5bf5a] 18  
1  
\_\_CFRUNLOOP\_IS\_CALLING\_OUT\_TO\_A\_TIMER\_CALLBACK\_FUNCTION\_\_ + 20 (CoreFoundation + 619436) [0x7ff80bf5c3ac] 18  
1  
\_\_NSRunLoopTimerCreateWithHandler\_block\_invoke + 34 (AppKit + 13970577) [0x7ff810263c91] 18  
1 -[NSScreenDisplayLink \_fire] + 156 (AppKit + 2038097) [0x7ff80f702951] 18

```

1 -[NSMoveHelper
_fireDisplayLink:] + 273 (AppKit + 7189039) [0x7ff80fbec22f] 18
1 ??? (QuartzCore + 8221)
[0x7ff81442c01d] 18
1 ??? (QuartzCore + 1809152)
[0x7ff8145e3b00] 18
1 ??? (QuartzCore + 155855)
[0x7ff8144500cf] 18
1 ??? (QuartzCore +
2677751) [0x7ff8146b7bf7] 18
1 ??? (QuartzCore +
156451) [0x7ff814450323] 18
1 ??? (QuartzCore +
159224) [0x7ff814450df8] 18
1 ??? (CoreImage +
547232) [0x7ff816ea49a0] 18
1
_dispatch_lane_barrier_sync_invoke_and_complete + 60 (libdispatch.dylib +
66631) [0x7ff80bcc447] 18
1
_dispatch_client_callout + 8 (libdispatch.dylib + 13722) [0x7ff80bcbd59a] 18
1 ??? (CoreImage +
548316) [0x7ff816ea4ddc] 18
1 ??? (CoreImage +
123322) [0x7ff816e3d1ba] 18
1 ??? (CoreImage
+ 123785) [0x7ff816e3d389] 18
1 ??? (CoreImage
+ 127446) [0x7ff816e3e1d6] 18
1 ???
(CoreImage + 2675033) [0x7ff8170ac159] 18
1 ???
(CoreImage + 2686224) [0x7ff8170aed10] 18
1 ???
(CoreImage + 78033) [0x7ff816e320d1] 18
1 ???
(CoreImage + 2662455) [0x7ff8170a9037] 18
1 ???
(CoreImage + 233364) [0x7ff816e57f94] 18
1 ???
(CoreImage + 2662045) [0x7ff8170a8e9d] 18
1 ???
(CoreImage + 2664551) [0x7ff8170a9867] 18
1 ???

```



```

(libc++abi.dylib + 83370) [0x7ff80be1f5aa] 18
                                                    1 ???

(libsystem_malloc.dylib + 3282) [0x7ff80bc81cd2] (running) 18
  <DispatchQueue "com.apple.main-thread"(1)>
    2 __CFRunLoopRun + 1371
(CoreFoundation + 502693) [0x7ff80bf3fba5] 19-20
    2 __CFRunLoopServiceMachPort + 143
(CoreFoundation + 508213) [0x7ff80bf41135] 19-20
    2 mach_msg + 19
(libsystem_kernel.dylib + 7455) [0x7ff80be25d1f] 19-20
    2 mach_msg_overwrite + 653
(libsystem_kernel.dylib + 35682) [0x7ff80be2cb62] 19-20
    2 mach_msg2_trap + 10
(libsystem_kernel.dylib + 6702) [0x7ff80be25a2e] 19-20
    *2 ipc_mqueue_receive_continue +
0 (kernel + 1269696) [0xfffff8000415fc0] 19-20
  <process dropped importance donation from WindowServer [154]>
    4 -[NSApplication run] + 603 (AppKit + 197042) [0x7ff80f5411b2] 21-24
    4 -[NSApplication(NSEventRouting)
_nextEventMatchingEventMask:untilDate:inMode:dequeue:] + 1304 (AppKit +
9734148) [0x7ff80fe59804] 21-24
    4 _DPSNextEvent + 880 (AppKit + 257081) [0x7ff80f54fc39] 21-24
    4 _BlockUntilNextEventMatchingListInModeWithFilter + 66
(HIToolbox + 197937) [0x7ff816831531] 21-24
    4 ReceiveNextEventCommon + 665 (HIToolbox + 198630)
[0x7ff8168317e6] 21-24
    4 RunCurrentEventLoopInMode + 292 (HIToolbox + 199129)
[0x7ff8168319d9] 21-24
    4 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)
[0x7ff80bf3f082] 21-24
    4 __CFRunLoopRun + 1371 (CoreFoundation + 502693)
[0x7ff80bf3fba5] 21-24
    4 __CFRunLoopServiceMachPort + 143 (CoreFoundation +
508213) [0x7ff80bf41135] 21-24
    4 mach_msg + 19 (libsystem_kernel.dylib + 7455)
[0x7ff80be25d1f] 21-24
    4 mach_msg_overwrite + 653 (libsystem_kernel.dylib +
35682) [0x7ff80be2cb62] 21-24
    4 mach_msg2_trap + 10 (libsystem_kernel.dylib + 6702)
[0x7ff80be25a2e] 21-24
    *4 ipc_mqueue_receive_continue + 0 (kernel + 1269696)
[0xfffff8000415fc0] 21-24

```

Binary Images:

0x107047000 - 0x10716efff com.apple.loginwindow 9.0  
(3022.3.1) <52276A24-6193-35A9-AEA0-215E4D244BDE> /System/Library/  
CoreServices/loginwindow.app/Contents/MacOS/loginwindow  
0x7ff80ba92000 - 0x7ff80bad3ff8 libobjc.A.dylib (906.2)  
<EA826A22-4354-3747-AB9F-371E1AB11BED> /usr/lib/libobjc.A.dylib  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80bc81000 - 0x7ff80bcb9ff7 libsystem\_malloc.dylib (474.0.13)  
<09BE080A-B8B9-3E6A-B3B1-C0C4D5378D91> /usr/lib/system/  
libsystem\_malloc.dylib  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be0b000 - 0x7ff80be23fff libc++abi.dylib (1600.157)  
<20A3DEA3-9625-3D70-93CB-30005118C0AC> /usr/lib/libc++abi.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80f511000 - 0x7ff81092fff6 com.apple.AppKit 6.9 (2487.40.107)  
<660B78D6-113F-3ABD-8969-A6CB84FFF752> /System/Library/  
Frameworks/AppKit.framework/Versions/C/AppKit  
0x7ff8114c6000 - 0x7ff81191eff1 com.apple.SkyLight 1.600.0  
(844.10.1) <44C36221-6308-3DF3-821F-755130080968> /System/Library/  
PrivateFrameworks/SkyLight.framework/Versions/A/SkyLight  
0x7ff81191f000 - 0x7ff8120d8fe6 com.apple.CoreGraphics 2.0  
(1774.3.4) <5E4176FF-8807-326C-B40A-F9E7D2C3D8FD> /System/Library/  
Frameworks/CoreGraphics.framework/Versions/A/CoreGraphics  
0x7ff81442a000 - 0x7ff8147d1ff9 com.apple.QuartzCore 1.11  
(1114.6) <A3EE0B69-3EFD-3505-BF79-1068EA77FE90> /System/Library/  
Frameworks/QuartzCore.framework/Versions/A/QuartzCore  
0x7ff816801000 - 0x7ff816a9cff4 com.apple.HIToolbox 2.1.1 (1202)  
<4CD47F03-ED80-3F2A-BBDF-D7AF11CB4CCB> /System/Library/  
Frameworks/Carbon.framework/Versions/A/Frameworks/  
HIToolbox.framework/Versions/A/HIToolbox  
0x7ff816e1f000 - 0x7ff8171e9ffc com.apple.CoreImage 18.0.0  
(1420.3) <D08DED4E-95B9-3399-95E4-AF73E915DC45> /System/Library/  
Frameworks/CoreImage.framework/Versions/A/CoreImage  
0x7ff81a8bb000 - 0x7ff81a8d8ff5 com.apple.IconFoundation 493  
(493) <27B1778E-B005-3508-AE57-7850B87DF21C> /System/Library/  
PrivateFrameworks/IconFoundation.framework/Versions/A/IconFoundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)

<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: lsd [161]  
UUID: 1B3334DA-2EA3-3433-B7C6-9EE19ACD1B4A  
Path: /usr/libexec/lsd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked  
Footprint: 1464 KB  
Time Since Fork: 766s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x398 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (LaunchServices + 1854389) [0x7ff80c524bb5] 1-24  
24 ??? (LaunchServices + 1854488) [0x7ff80c524c18] 1-24  
24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x10c2c8000 - ??? lsd

<1B3334DA-2EA3-3433-B7C6-9EE19ACD1B4A> /usr/libexec/lld  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80c360000 - 0x7ff80c616ffc com.apple.LaunchServices 1141.1  
(1141.1) <DC1713A1-7F15-30F7-9D94-B952CD7F7A28> /System/Library/  
Frameworks/CoreServices.framework/Versions/A/Frameworks/  
LaunchServices.framework/Versions/A/LaunchServices  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: lsd [365]  
UUID: 1B3334DA-2EA3-3433-B7C6-9EE19ACD1B4A  
Path: /usr/libexec/lld  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked  
Footprint: 1732 KB  
Time Since Fork: 750s  
Num samples: 24 (1-24)  
CPU Time: <0.001s (122.1K cycles, 49.5K instructions, 2.47c/i)  
Note: 2 idle work queue threads omitted

Thread 0x9d0 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (LaunchServices + 1854389) [0x7ff80c524bb5] 1-24  
24 ??? (LaunchServices + 1854488) [0x7ff80c524c18] 1-24  
24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 1-24

Binary Images:

0x1077c2000 - ??? lsd  
<1B3334DA-2EA3-3433-B7C6-9EE19ACD1B4A> /usr/libexec/lsd  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80c360000 - 0x7ff80c616ffc com.apple.LaunchServices 1141.1  
(1141.1) <DC1713A1-7F15-30F7-9D94-B952CD7F7A28> /System/Library/  
Frameworks/CoreServices.framework/Versions/A/Frameworks/  
LaunchServices.framework/Versions/A/LaunchServices  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: MacinTalkAUSP [677] (suspended)  
UUID: BB47756C-C0C5-3BA0-803F-165EE5393DED  
Path: /System/Library/PrivateFrameworks/MacinTalk.framework/  
Versions/A/PlugIns/MacinTalkAUSP.appex/Contents/MacOS/MacinTalkAUSP  
Identifier: com.apple.speech.MacinTalkFramework.MacinTalkAUSP  
Version: 1.0 (1)  
Build Version: 152  
Project Name: MacinTalk  
Source Version: 63001003000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64  
Parent: launchd [1]  
Responsible: axassetsd [573]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 6620 KB  
Time Since Fork: 646s  
Num samples: 24 (1-24)  
Note: Suspended for 24 samples  
Note: 3 idle work queue threads omitted

Thread 0x1ad6 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (Foundation + 918756) [0x7ff80cf5e4e4] 1-24  
24 ??? (ExtensionFoundation + 166763) [0x7ffb102dbb6b] 1-24  
24 ??? (PlugInKit + 133729) [0x7ff81a798a61] 1-24  
24 ??? (PlugInKit + 131493) [0x7ff81a7981a5] 1-24  
24 ??? (PlugInKit + 132698) [0x7ff81a79865a] 1-24  
24 ??? (Foundation + 514495) [0x7ff80cefb9bf] 1-24  
24 xpc\_main + 56 (libxpc.dylib + 87766) [0x7ff80bb8a6d6] 1-24  
24 \_xpc\_main + 259 (libxpc.dylib + 137735) [0x7ff80bb96a07]  
1-24  
24 \_xpc\_objc\_main + 606 (libxpc.dylib + 88755)  
[0x7ff80bb8aab3] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation +  
499842) [0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation  
+ 508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib  
+ 35682) [0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib +  
6702) [0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel +  
1269696) [0xfffff8000415fc0] (suspended) 1-24

Thread 0x1b7d 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start\_wqthread + 0 (libsystem\_pthread.dylib + 7048) [0x7ff80be60b88]  
1-24  
\*24 ??? (kernel + 1763936) [0xfffff800048ea60] (suspended) 1-24

Binary Images:

0x105727000 - ???  
com.apple.speech.MacInTalkFramework.MacInTalkAUSP 1.0 (1) <BB47756C-  
C0C5-3BA0-803F-165EE5393DED> /System/Library/PrivateFrameworks/  
MacInTalk.framework/Versions/A/PlugIns/MacInTalkAUSP.appex/Contents/  
MacOS/MacInTalkAUSP  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80bb75000 - 0x7ff80bbb8ff2 libxpc.dylib (2679.80.5.0.1)  
<902EB51F-373F-3AA3-B084-228AC4C1B80B> /usr/lib/system/libxpc.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /  
System/Library/Frameworks/CoreFoundation.framework/Versions/A/  
CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
0x7ff81a778000 - 0x7ff81a7b6ff0 com.apple.pluginkit.framework 1.0  
(1) <E63CDD4E-C41A-3684-9C6B-E2F9E27A1829> /System/  
Library/PrivateFrameworks/PlugInKit.framework/Versions/A/PlugInKit  
0x7ffb102b3000 - 0x7ffb1033fffb com.apple.ExtensionFoundation 97  
(97) <266249BC-CB4B-3B4B-82A2-80CA827479FC> /System/  
Library/Frameworks/ExtensionFoundation.framework/Versions/A/  
ExtensionFoundation  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: maild [535]  
UUID: BBC499B2-11A3-38D5-B2C9-7EB4FC32383D

Path: /System/Library/PrivateFrameworks/EmailDaemon.framework/  
Versions/A/maild  
Codesigning ID: com.apple.email.maild  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1144 KB  
Time Since Fork: 718s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x11f5 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination clean,  
process unclamped, IO tier 0>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (maild + 21248) [0x1061fa300] 1-24  
24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0x11f6 DispatchQueue 37 24 samples (1-24) priority 37 (base  
37)  
<thread QoS user initiated (requested user initiated), process sudden  
termination clean, process unclamped, IO tier 0>  
24 start\_wqthread + 15 (libsystem\_pthread.dylib + 7063) [0x7ff80be60b97]  
1-24  
24 \_pthread\_wqthread + 262 (libsystem\_pthread.dylib + 11270)



[0x7ff80be61c06] 1-24  
     24 \_dispatch\_worker\_thread2 + 152 (libdispatch.dylib + 77602)  
 [0x7ff80bcccf22] 1-24  
     24 \_dispatch\_root\_queue\_drain + 328 (libdispatch.dylib + 75638)  
 [0x7ff80bcc776] 1-24  
     24 \_dispatch\_async\_redirect\_invoke + 710 (libdispatch.dylib + 22332)  
 [0x7ff80bcbf73c] 1-24  
     24 \_dispatch\_continuation\_pop + 523 (libdispatch.dylib + 24775)  
 [0x7ff80bcc00c7] 1-24  
     24 \_dispatch\_client\_callout + 8 (libdispatch.dylib + 13722)  
 [0x7ff80bcbd59a] 1-24  
     24 \_dispatch\_call\_block\_and\_release + 12 (libdispatch.dylib +  
 8934) [0x7ff80bcbc2e6] 1-24  
     24 ??? (EmailFoundation + 11236) [0x7ff922f56be4] 1-24  
     24 ??? (maild + 21847) [0x1061fa557] 1-24  
         24 ??? (EmailFoundation + 117628) [0x7ff922f70b7c] 1-24  
         24 ??? (EmailFoundation + 70154) [0x7ff922f6520a] 1-24  
         24 ??? (Foundation + 232539) [0x7ff80ceb6c5b] 1-24  
         24 ??? (Foundation + 221174) [0x7ff80ceb3ff6] 1-24  
         24 \_\_psynch\_cvwait + 10 (libsystem\_kernel.dylib + 17870)  
 [0x7ff80be285ce] 1-24  
     \*24 psynch\_cvcontinue + 0 (com.apple.kec.pthread +  
 20777) [0xfffff800307e129] 1-24

#### Binary Images:

0x1061f5000 - 0x106208fff maild (3774.400.31.1.1)  
 <BBC499B2-11A3-38D5-B2C9-7EB4FC32383D> /System/Library/  
 PrivateFrameworks/EmailDaemon.framework/Versions/A/maild  
 0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
 <01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
 0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
 <C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
 libdispatch.dylib  
 0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
 <3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
 libsystem\_kernel.dylib  
 0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
 <0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
 libsystem\_pthread.dylib  
 0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
 (2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/  
 Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
 0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
 <6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/

Frameworks/Foundation.framework/Versions/C/Foundation  
0x7ff922f54000 - 0x7ff922fe0ff1 com.apple.EmailFoundation 11.0  
(3774.400.31) <53E11511-BEB4-3114-941D-1F73F6783A77> /System/  
Library/PrivateFrameworks/EmailFoundation.framework/Versions/A/  
EmailFoundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel  
\*0xffffffff8003079000 - 0xffffffff8003081fff com.apple.kec.pthread (519)  
<07ED499F-25E6-3572-8464-FC4F7429D88C> com.apple.kec.pthread

Process: MailShortcutsExtension [667] (suspended)  
UUID: DA58EF8C-1F23-3F12-B6B5-77A4F6A66D9F  
Path: /System/Applications/Mail.app/Contents/Extensions/  
MailShortcutsExtension.appex/Contents/MacOS/MailShortcutsExtension  
Identifier: com.apple.MailShortcutsExtension  
Version: 16.0 (3774.400.31)  
Build Version: 2  
Project Name: Mail\_App  
Source Version: 3774400031001001  
Is First Party: Yes  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: donotdisturbd [416]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1880 KB  
Time Since Fork: 650s  
Num samples: 24 (1-24)  
Note: Suspended for 24 samples  
Note: 1 idle work queue thread omitted

Thread 0x1a56 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 0 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (Foundation + 918756) [0x7ff80cf5e4e4] 1-24  
24 ??? (ExtensionFoundation + 166691) [0x7ffb102dbb23] 1-24  
24 ??? (ExtensionFoundation + 12061) [0x7ffb102b5f1d] 1-24  
24 ??? (ExtensionFoundation + 12467) [0x7ffb102b60b3] 1-24

24 ??? (Foundation + 514495) [0x7ff80cefb9bf] 1-24  
 24 xpc\_main + 56 (libxpc.dylib + 87766) [0x7ff80bb8a6d6] 1-24  
 24 \_xpc\_main + 259 (libxpc.dylib + 137735) [0x7ff80bb96a07] 1-24  
 24 \_xpc\_objc\_main + 606 (libxpc.dylib + 88755) [0x7ff80bb8aab3]  
 1-24  
 24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
 24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
 24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
 [0x7ff80bf3f082] 1-24  
 24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
 [0x7ff80bf3fba5] 1-24  
 24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation  
 + 508213) [0x7ff80bf41135] 1-24  
 24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
 [0x7ff80be25d1f] 1-24  
 24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib +  
 35682) [0x7ff80be2cb62] 1-24  
 24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib +  
 6702) [0x7ff80be25a2e] 1-24  
 \*24 ipc\_mqueue\_receive\_continue + 0 (kernel +  
 1269696) [0xfffff8000415fc0] (suspended) 1-24

Thread 0x1a60 24 samples (1-24) priority 4 (base 4)  
 <thread QoS background (requested default), process sudden termination  
 clean, thread darwinbg, process darwinbg, IO tier 2>

24 start\_wqthread + 0 (libsystem\_pthread.dylib + 7048) [0x7ff80be60b88]  
 1-24  
 \*24 ??? (kernel + 1763936) [0xfffff800048ea60] (suspended) 1-24

#### Binary Images:

0x105bbe000 - ??? com.apple.MailShortcutsExtension 16.0  
 (3774.400.31) <DA58EF8C-1F23-3F12-B6B5-77A4F6A66D9F> /System/  
 Applications/Mail.app/Contents/Extensions/MailShortcutsExtension.appex/  
 Contents/MacOS/MailShortcutsExtension  
 0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
 <01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
 0x7ff80bb75000 - 0x7ff80bbb8ff2 libxpc.dylib (2679.80.5.0.1)  
 <902EB51F-373F-3AA3-B084-228AC4C1B80B> /usr/lib/system/libxpc.dylib  
 0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
 <3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
 libsystem\_kernel.dylib  
 0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
 <0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
 libsystem\_pthread.dylib

0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/  
Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
0x7ffb102b3000 - 0x7ffb1033fffb com.apple.ExtensionFoundation 97  
(97) <266249BC-CB4B-3B4B-82A2-80CA827479FC> /System/  
Library/Frameworks/ExtensionFoundation.framework/Versions/A/  
ExtensionFoundation  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: ManagedConfigurationFilesSubscriber  
(ManagedConfigurationFilesSubscriber) [725]  
UUID: DFF1D7B0-ECFB-372C-9C1D-F441E434E225  
Path: /System/Library/PrivateFrameworks/  
RemoteManagement.framework/XPCServices/  
ManagedConfigurationFilesSubscriber.xpc/Contents/MacOS/  
ManagedConfigurationFilesSubscriber  
Identifier:  
com.apple.remotemanagement.ManagedConfigurationFilesSubscriber  
Version: ??? (2.0)  
Build Version: 92  
Project Name: RemoteManagement  
Source Version: 500025003007000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: remotemanagementd [694]  
UID: 277  
Sudden Term: Tracked (allows idle exit)  
Footprint: 3780 KB  
Time Since Fork: 606s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x1e7e 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]

1-24

24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24

\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

Binary Images:

0x10b5a7000 - ???  
com.apple.remotemanagement.ManagedConfigurationFilesSubscriber (2.0)  
<DFF1D7B0-ECFB-372C-9C1D-F441E434E225> /System/Library/  
PrivateFrameworks/RemoteManagement.framework/XPCServices/  
ManagedConfigurationFilesSubscriber.xpc/Contents/MacOS/  
ManagedConfigurationFilesSubscriber  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: ManagedConfigurationFilesSubscriber  
(ManagedConfigurationFilesSubscriber) [895]  
UUID: DFF1D7B0-ECFB-372C-9C1D-F441E434E225  
Path: /System/Library/PrivateFrameworks/  
RemoteManagement.framework/XPCServices/  
ManagedConfigurationFilesSubscriber.xpc/Contents/MacOS/  
ManagedConfigurationFilesSubscriber  
Identifier:  
com.apple.remotemanagement.ManagedConfigurationFilesSubscriber  
Version: ??? (2.0)  
Build Version: 92  
Project Name: RemoteManagement  
Source Version: 500025003007000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: RemoteManagementAgent [880]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 3704 KB

Time Since Fork: 398s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x2b71 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x10a0f0000 - ???  
com.apple.remotemanagement.ManagedConfigurationFilesSubscriber (2.0)  
<DFF1D7B0-ECFB-372C-9C1D-F441E434E225> /System/Library/  
PrivateFrameworks/RemoteManagement.framework/XPCServices/  
ManagedConfigurationFilesSubscriber.xpc/Contents/MacOS/  
ManagedConfigurationFilesSubscriber  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: ManagedSettingsAgent [483]  
UUID: 7711DF90-5FF3-3AC2-B65E-98BB174C3218  
Path: /System/Library/Frameworks/ManagedSettings.framework/  
Versions/A/ManagedSettingsAgent  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 892 KB  
Time Since Fork: 736s  
Num samples: 24 (1-24)

Note: 1 idle work queue thread omitted

Thread 0xe40 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x10070f000 - ??? ManagedSettingsAgent  
<7711DF90-5FF3-3AC2-B65E-98BB174C3218> /System/Library/  
Frameworks/ManagedSettings.framework/Versions/A/ManagedSettingsAgent  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: ManagementTestSubscriber [724]  
UUID: DC9AE2C8-2E94-3352-8FF4-CF8F619AD61A  
Path: /System/Library/PrivateFrameworks/  
RemoteManagement.framework/XPCServices/  
ManagementTestSubscriber.xpc/Contents/MacOS/  
ManagementTestSubscriber  
Identifier: com.apple.remotemanagement.ManagementTestSubscriber  
Version: ??? (2.0)  
Build Version: 92  
Project Name: RemoteManagement  
Source Version: 500025003007000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: remotemanagementd [694]  
UID: 277  
Sudden Term: Tracked (allows idle exit)

Footprint: 3572 KB  
Time Since Fork: 607s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x1e75 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x10ac0b000 - ???  
com.apple.remotemanagement.ManagementTestSubscriber (2.0)  
<DC9AE2C8-2E94-3352-8FF4-CF8F619AD61A> /System/Library/  
PrivateFrameworks/RemoteManagement.framework/XPCServices/  
ManagementTestSubscriber.xpc/Contents/MacOS/  
ManagementTestSubscriber  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: ManagementTestSubscriber [894]  
UUID: DC9AE2C8-2E94-3352-8FF4-CF8F619AD61A  
Path: /System/Library/PrivateFrameworks/  
RemoteManagement.framework/XPCServices/  
ManagementTestSubscriber.xpc/Contents/MacOS/  
ManagementTestSubscriber  
Identifier: com.apple.remotemanagement.ManagementTestSubscriber  
Version: ??? (2.0)  
Build Version: 92  
Project Name: RemoteManagement  
Source Version: 500025003007000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base



address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64

Parent: launchd [1]

Responsible: RemoteManagementAgent [880]

UID: 501

Sudden Term: Tracked (allows idle exit)

Footprint: 3644 KB

Time Since Fork: 398s

Num samples: 24 (1-24)

Note: 1 idle work queue thread omitted

Thread 0x2b69 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x10fa1e000 - ???  
com.apple.remotemanagement.ManagementTestSubscriber (2.0)  
<DC9AE2C8-2E94-3352-8FF4-CF8F619AD61A> /System/Library/  
PrivateFrameworks/RemoteManagement.framework/XPCServices/  
ManagementTestSubscriber.xpc/Contents/MacOS/  
ManagementTestSubscriber  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: mapssyncd [910]

UUID: D94A026E-676E-3E35-AF6B-E1C0FAA79345

Path: /System/Library/PrivateFrameworks/MapsSync.framework/  
mapssyncd

Codesigning ID: com.apple.Maps.mapssyncd

Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base

address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64

Parent: launchd [1]

UID: 501

Sudden Term: Tracked (allows idle exit)

Footprint: 3456 KB

Time Since Fork: 353s

Num samples: 24 (1-24)

Note: 1 idle work queue thread omitted

Thread 0x2e06 DispatchQueue "com.apple.main-thread"(1) 24 samples (1-24) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24

24 main + 187 (mapssyncd + 12299) [0x1036fc00b] 1-24

24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24

24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24

24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842) [0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693) [0x7ff80bf3fba5] 1-24

24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xfffff8000415fc0] 1-24

Binary Images:

0x1036f9000 - 0x103720fff mapssyncd (112.23.11.14.2)  
<D94A026E-676E-3E35-AF6B-E1C0FAA79345> /System/Library/  
PrivateFrameworks/MapsSync.framework/mapssyncd

0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib

0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/

Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: MauiAUSP [675] (suspended)  
UUID: 9D5A7069-4C8F-36FD-87F4-8D0BC9B19D71  
Path: /System/Library/PrivateFrameworks/  
TextToSpeechMauiSupport.framework/Versions/A/PlugIns/MauiAUSP.appex/  
Contents/MacOS/MauiAUSP  
Identifier: com.apple.ax.MauiTTSSupport.MauiAUSP  
Version: 1.0 (1)  
Build Version: 112  
Project Name: AccessibilitySpeechEngines  
Source Version: 73000007000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: axassetsd [573]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 6532 KB  
Time Since Fork: 646s  
Num samples: 24 (1-24)  
Note: Suspended for 24 samples  
Note: 3 idle work queue threads omitted

Thread 0x1acd DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (Foundation + 918756) [0x7ff80cf5e4e4] 1-24  
24 ??? (ExtensionFoundation + 166763) [0x7ffb102dbb6b] 1-24  
24 ??? (PlugInKit + 133729) [0x7ff81a798a61] 1-24  
24 ??? (PlugInKit + 131493) [0x7ff81a7981a5] 1-24  
24 ??? (PlugInKit + 132698) [0x7ff81a79865a] 1-24  
24 ??? (Foundation + 514495) [0x7ff80cefb9bf] 1-24  
24 xpc\_main + 56 (libxpc.dylib + 87766) [0x7ff80bb8a6d6] 1-24

24 \_xpc\_main + 259 (libxpc.dylib + 137735) [0x7ff80bb96a07]  
 1-24  
     24 \_xpc\_objc\_main + 606 (libxpc.dylib + 88755)  
 [0x7ff80bb8aab3] 1-24  
         24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
         24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
         24 CFRunLoopRunSpecific + 557 (CoreFoundation +  
 499842) [0x7ff80bf3f082] 1-24  
             24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
 [0x7ff80bf3fba5] 1-24  
                 24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation  
 + 508213) [0x7ff80bf41135] 1-24  
                     24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
 [0x7ff80be25d1f] 1-24  
                         24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib  
 + 35682) [0x7ff80be2cb62] 1-24  
                             24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib +  
 6702) [0x7ff80be25a2e] 1-24  
                                 \*24 ipc\_mqueue\_receive\_continue + 0 (kernel +  
 1269696) [0xfffff8000415fc0] (suspended) 1-24

Thread 0x1aee 24 samples (1-24) priority 4 (base 4)  
 <thread QoS background (requested default), process sudden termination  
 clean, thread darwinbg, process darwinbg, IO tier 2>  
 24 start\_wqthread + 0 (libsystem\_pthread.dylib + 7048) [0x7ff80be60b88]  
 1-24  
     \*24 ??? (kernel + 1763936) [0xfffff800048ea60] (suspended) 1-24

#### Binary Images:

0x10b6f4000 - ???  
 com.apple.ax.MauiTTSSupport.MauiAUSP 1.0 (1)  
 <9D5A7069-4C8F-36FD-87F4-8D0BC9B19D71> /System/Library/  
 PrivateFrameworks/TextToSpeechMauiSupport.framework/Versions/A/  
 PlugIns/MauiAUSP.appex/Contents/MacOS/MauiAUSP  
 0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
 <01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
 0x7ff80bb75000 - 0x7ff80bbb8ff2 libxpc.dylib (2679.80.5.0.1)  
 <902EB51F-373F-3AA3-B084-228AC4C1B80B> /usr/lib/system/libxpc.dylib  
 0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
 <3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
 libsystem\_kernel.dylib  
 0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
 <0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
 libsystem\_pthread.dylib

0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/  
Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
0x7ff81a778000 - 0x7ff81a7b6ff0 com.apple.pluginframework 1.0  
(1) <E63CDD4E-C41A-3684-9C6B-E2F9E27A1829> /System/Library/  
PrivateFrameworks/PlugInKit.framework/Versions/A/PlugInKit  
0x7ffb102b3000 - 0x7ffb1033fffb com.apple.ExtensionFoundation 97  
(97) <266249BC-CB4B-3B4B-82A2-80CA827479FC> /System/Library/  
Frameworks/ExtensionFoundation.framework/Versions/A/  
ExtensionFoundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: mdbulkimport [670]  
UUID: 3A53877F-9591-359D-A8E5-606DAA78BD81  
Path: /System/Library/Frameworks/CoreServices.framework/Versions/  
A/Frameworks/Metadata.framework/Versions/A/Support/mdbulkimport  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 89  
Sudden Term: Tracked  
Footprint: 2340 KB  
Time Since Fork: 650s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x1a87 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 3>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

Binary Images:

0x1077f6000 - ??? mdbulkimport

<3A53877F-9591-359D-A8E5-606DAA78BD81> /System/Library/  
Frameworks/CoreServices.framework/Versions/A/Frameworks/  
Metadata.framework/Versions/A/Support/mdbulkimport  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: mdbulkimport [671]  
UUID: 3A53877F-9591-359D-A8E5-606DAA78BD81  
Path: /System/Library/Frameworks/CoreServices.framework/Versions/  
A/Frameworks/Metadata.framework/Versions/A/Support/mdbulkimport  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked  
Footprint: 2452 KB  
Time Since Fork: 650s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x1a8b 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 3>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

#### Binary Images:

0x102cc9000 - ??? mdbulkimport  
<3A53877F-9591-359D-A8E5-606DAA78BD81> /System/Library/  
Frameworks/CoreServices.framework/Versions/A/Frameworks/  
Metadata.framework/Versions/A/Support/mdbulkimport  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)

<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
    0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
    \*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process:      mDNSResponder [199]  
UUID:         20B1E737-5027-3901-A065-87FD34B40B4B  
Path:         /usr/sbin/mDNSResponder  
Codesigning ID:  com.apple.mDNSResponder  
Shared Cache:   812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture:   x86\_64  
Parent:        launchd [1]  
UID:           65  
Footprint:     2340 KB  
Time Since Fork: 764s  
Num samples:    24 (1-24)  
CPU Time:       0.004s (7.1M cycles, 2.8M instructions, 2.58c/i)  
Note:          2 idle work queue threads omitted

Thread 0x438  DispatchQueue "com.apple.main-thread"(1)  24 samples  
(1-24)  priority 31 (base 31)  
    <thread QoS default (requested default), IO tier 0>  
    24  start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
    24  main + 7788 (mDNSResponder + 14194) [0x1079c8772] 1-24  
    24  CFRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
    1-24  
    24  CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
    [0x7ff80bf3f082] 1-24  
    24  \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
    [0x7ff80bf3fba5] 1-24  
    24  \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
    [0x7ff80bf41135] 1-24  
    24  mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
    1-24  
    24  mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
    [0x7ff80be2cb62] 1-24  
    24  mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
    [0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0x519 24 samples (1-24) priority 31 (base 31) cpu time 0.003s  
(6.5M cycles, 2.6M instructions, 2.53c/i)

<thread QoS default (requested default), IO tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24

24 kevent + 10 (libsystem\_kernel.dylib + 26362) [0x7ff80be2a6fa] 1-24

\*24 ??? (kernel + 6405664) [0xfffff80008fbe20] 1-24

#### Binary Images:

0x1079c5000 - 0x107b2cfff mDNSResponder (2200.80.16)  
<20B1E737-5027-3901-A065-87FD34B40B4B> /usr/sbin/mDNSResponder

0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib

0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib

0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation

\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: mDNSResponderHelper [227]

UUID: C6FEC4D5-D850-33CA-A9E4-C5CC2CC32C19

Path: /usr/sbin/mDNSResponderHelper

Codesigning ID: com.apple.mDNSResponderHelper

Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64

Parent: launchd [1]

UID: 0

Footprint: 1076 KB

Time Since Fork: 763s

Num samples: 24 (1-24)



CPU Time: <0.001s (219.9K cycles, 50.3K instructions, 4.37c/i)

Note: 1 idle work queue thread omitted

Thread 0x509 24 samples (1-24) priority 31 (base 31) cpu time <0.001s (219.9K cycles, 50.3K instructions, 4.37c/i)

<thread QoS default (requested default), IO tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab] 1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090) [0x7ff80be65202] 1-24

24 idletimer + 70 (mDNSResponderHelper + 35410) [0x104055a52] 1-24

24 ??? (libsystem\_c.dylib + 99466) [0x7ff80bd1c48a] 1-24

24 \_\_semwait\_signal + 10 (libsystem\_kernel.dylib + 17562) [0x7ff80be2849a] 1-24

\*24 ??? (kernel + 1663616) [0xffffffff8000476280] 1-24

Thread 0x50a 24 samples (1-24) priority 31 (base 31)

<thread QoS default (requested default), IO tier 0>

24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42] 1-24

24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774) [0x7ff80be2b836] 1-24

\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

Binary Images:

0x10404d000 - 0x104060fff mDNSResponderHelper (2200.80.16) <C6FEC4D5-D850-33CA-A9E4-C5CC2CC32C19> /usr/sbin/

mDNSResponderHelper

0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1) <C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/libdispatch.dylib

0x7ff80bd04000 - 0x7ff80bd8bfff libsystem\_c.dylib (1583.60.2) <6F840A77-9F88-3DA8-83AC-98E4892282D0> /usr/lib/system/libsystem\_c.dylib

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5) <3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/libsystem\_kernel.dylib

0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519) <0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/libsystem\_pthread.dylib

\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5) <8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/kernel

Process: mds [115]  
UUID: E18D4C43-2FBA-3EE3-8098-701A11F82D40  
Path: /System/Library/Frameworks/CoreServices.framework/Versions/  
A/Frameworks/Metadata.framework/Versions/A/Support/mds  
Codesigning ID: com.apple.mds  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Footprint: 14.55 MB  
Time Since Fork: 767s  
Num samples: 24 (1-24)  
CPU Time: <0.001s (1294.1K cycles, 494.2K instructions, 2.62c/i)  
Note: 3 idle work queue threads omitted

Thread 0x2ed DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 31 (base 31)

<thread QoS default (requested default), IO tier 0 and passive>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (mds + 63327) [0x10d69475f] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0x421 24 samples (1-24) priority 50 (base 50) cpu time <0.001s  
(202.3K cycles, 41.5K instructions, 4.87c/i)

<IO tier 0 and passive>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24

24 read + 10 (libsystem\_kernel.dylib + 9362) [0x7ff80be26492] 1-24  
\*24 hndl\_unix\_scall64 + 22 (kernel + 998838) [0xfffff80003d3db6] 1-24  
\*24 unix\_syscall64 + 477 (kernel + 7810589) [0xfffff8000a52e1d] 1-24  
\*24 read + 280 (kernel + 6761992) [0xfffff8000952e08] 1-24  
\*24 ??? (kernel + 6761562) [0xfffff8000952c5a] 1-24  
\*24 ??? (kernel + 3600035) [0xfffff800064eea3] 1-24  
\*24 ??? (kernel + 6623510) [0xfffff8000931116] 1-24  
\*24 thread\_block\_reason + 240 (kernel + 1581040)  
[0xfffff8000461ff0] 1-24  
\*24 ??? (kernel + 1588870) [0xfffff8000463e86] 1-24  
\*24 machine\_switch\_context + 215 (kernel + 2749095)  
[0xfffff800057f2a7] 1-24

Thread 0x69d 24 samples (1-24) priority 31 (base 31)  
<thread QoS default (requested default), IO tier 0 and passive>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 ??? (SpotlightIndex + 8202) [0x7ff825bcc00a] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

#### Binary Images:

0x10d685000 - 0x10d8c4fff mds (2274.13.3)  
<E18D4C43-2FBA-3EE3-8098-701A11F82D40> /System/Library/  
Frameworks/CoreServices.framework/Versions/A/Frameworks/  
Metadata.framework/Versions/A/Support/mds  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/

Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff825bca000 - 0x7ff825f8efec com.apple.spotlight.index 1.0  
(2274.13.3) <03A2A9EC-791D-3233-9914-320AFFA2E8B7> /System/Library/  
PrivateFrameworks/SpotlightIndex.framework/Versions/A/SpotlightIndex  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: mds\_stores [264]  
UUID: ED519E3C-004A-36D0-AB1E-DECCE3017004  
Path: /System/Library/Frameworks/CoreServices.framework/Versions/  
A/Frameworks/Metadata.framework/Versions/A/Support/mds\_stores  
Codesigning ID: com.apple.mds\_stores  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked  
Footprint: 10.86 MB  
Time Since Fork: 759s  
Num samples: 24 (1-24)  
CPU Time: <0.001s (1017.2K cycles, 430.1K instructions, 2.36c/i)  
Note: 4 idle work queue threads omitted

Thread 0x656 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination dirty,  
IO tier 0>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (mds\_stores + 23994) [0x104b62dba] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0x665 24 samples (1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination dirty,  
IO tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24

24 ??? (SpotlightIndex + 8202) [0x7ff825bcc00a] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

#### Binary Images:

0x104b5d000 - 0x104bb4fff mds\_stores (2274.13.3)  
<ED519E3C-004A-36D0-AB1E-DECCE3017004> /System/Library/  
Frameworks/CoreServices.framework/Versions/A/Frameworks/  
Metadata.framework/Versions/A/Support/mds\_stores

0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib

0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib

0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation

0x7ff825bca000 - 0x7ff825f8efec com.apple.spotlight.index 1.0  
(2274.13.3) <03A2A9EC-791D-3233-9914-320AFFA2E8B7> /System/Library/  
PrivateFrameworks/SpotlightIndex.framework/Versions/A/SpotlightIndex

\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: mdsync [927]  
UUID: F94473A5-AD15-3C6C-9A5F-EEB8904B4E99  
Path: /System/Library/Frameworks/CoreServices.framework/Versions/  
A/Frameworks/Metadata.framework/Versions/A/Support/mdsync  
Codesigning ID: com.apple.mdsync  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked  
Footprint: 860 KB  
Time Since Fork: 335s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x2f61 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (mdsync + 44030) [0x10cf12bfe] 1-24  
24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x10cf08000 - 0x10cf9bfff mdsync (2274.13.3)  
<F94473A5-AD15-3C6C-9A5F-EEB8904B4E99> /System/Library/  
Frameworks/CoreServices.framework/Versions/A/Frameworks/  
Metadata.framework/Versions/A/Support/mdsync

0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: mdworker [661]  
UUID: DBE1340D-CAC3-3C25-BD0B-5AED9E4D123A  
Path: /System/Library/Frameworks/CoreServices.framework/Versions/  
A/Frameworks/Metadata.framework/Versions/A/Support/mdworker  
Codesigning ID: com.apple.mdworker  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1020 KB  
Time Since Fork: 653s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x1a06 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background, process sudden termination clean, thread  
darwinbg, process darwinbg, IO tier 3>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (mdworker + 49566) [0x1030f519e] 1-24  
24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]

1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x1030e9000 - 0x103168fff mdworker (2274.13.3)  
<DBE1340D-CAC3-3C25-BD0B-5AED9E4D123A> /System/Library/  
Frameworks/CoreServices.framework/Versions/A/Frameworks/  
Metadata.framework/Versions/A/Support/mdworker  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: mdworker [672]  
UUID: DBE1340D-CAC3-3C25-BD0B-5AED9E4D123A  
Path: /System/Library/Frameworks/CoreServices.framework/Versions/  
A/Frameworks/Metadata.framework/Versions/A/Support/mdworker  
Codesigning ID: com.apple.mdworker  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 89  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1024 KB  
Time Since Fork: 650s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x1a83 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)



```

<thread QoS background, process sudden termination clean, thread
darwinbg, process darwinbg, IO tier 3>
  24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24
  24 ??? (mdworker + 49566) [0x10891519e] 1-24
  24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]
1-24
  24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)
[0x7ff80bf3f082] 1-24
  24 __CFRunLoopRun + 1371 (CoreFoundation + 502693)
[0x7ff80bf3fba5] 1-24
  24 __CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)
[0x7ff80bf41135] 1-24
  24 mach_msg + 19 (libsystem_kernel.dylib + 7455) [0x7ff80be25d1f]
1-24
  24 mach_msg_overwrite + 653 (libsystem_kernel.dylib + 35682)
[0x7ff80be2cb62] 1-24
  24 mach_msg2_trap + 10 (libsystem_kernel.dylib + 6702)
[0x7ff80be25a2e] 1-24
  *24 ipc_mqueue_receive_continue + 0 (kernel + 1269696)
[0xffffffff8000415fc0] 1-24

```

Binary Images:

```

  0x108909000 - 0x108988fff mdworker (2274.13.3)
<DBE1340D-CAC3-3C25-BD0B-5AED9E4D123A> /System/Library/
Frameworks/CoreServices.framework/Versions/A/Frameworks/
Metadata.framework/Versions/A/Support/mdworker
  0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld
  0x7ff80be24000 - 0x7ff80be5eff7 libsystem_kernel.dylib (10002.81.5)
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/
libsystem_kernel.dylib
  0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation
  *0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/
kernel

```

```

Process:      mdworker_shared [973]
UUID:        BC1AA717-8709-38FD-AC77-27873F827631
Path:        /System/Library/Frameworks/CoreServices.framework/Versions/
A/Frameworks/Metadata.framework/Versions/A/Support/mdworker_shared
Codesigning ID:  com.apple.mdworker_shared

```

Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64

Parent: launchd [1]

UID: 501

Sudden Term: Tracked (allows idle exit)

Footprint: 1268 KB

Time Since Fork: 212s

Num samples: 24 (1-24)

Note: 1 idle work queue thread omitted

Thread 0x35d3 DispatchQueue "com.apple.main-thread"(1) 24 samples (1-24) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 3>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24

24 ??? (mdworker\_shared + 49566) [0x10e30e19e] 1-24

24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e] 1-24

24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842) [0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693) [0x7ff80bf3fba5] 1-24

24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xfffff8000415fc0] 1-24

Thread 0x35e4 24 samples (1-24) priority 4 (base 4)

<thread QoS maintenance (requested maintenance), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 3>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab] 1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090) [0x7ff80be65202] 1-24

24 ??? (mdworker\_shared + 57077) [0x10e30fef5] 1-24

24 ??? (mdworker\_shared + 217764) [0x10e3372a4] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]

1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 1-24

Thread 0x3632 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 3>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24

24 ??? (mdworker\_shared + 129174) [0x10e321896] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 1-24

#### Binary Images:

0x10e302000 - 0x10e381fff mdworker\_shared (2274.13.3)  
<BC1AA717-8709-38FD-AC77-27873F827631> /System/Library/  
Frameworks/CoreServices.framework/Versions/A/Frameworks/  
Metadata.framework/Versions/A/Support/mdworker\_shared  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: mdworker\_shared [1024]  
UUID: BC1AA717-8709-38FD-AC77-27873F827631  
Path: /System/Library/Frameworks/CoreServices.framework/Versions/A/Frameworks/Metadata.framework/Versions/A/Support/mdworker\_shared  
Codesigning ID: com.apple.mdworker\_shared  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1312 KB  
Time Since Fork: 81s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x3ccd DispatchQueue "com.apple.main-thread"(1) 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 3>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (mdworker\_shared + 49566) [0x105c5a19e] 1-24  
24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842) [0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693) [0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xfffff8000415fc0] 1-24

Thread 0x3cd0 24 samples (1-24) priority 4 (base 4)  
<thread QoS maintenance (requested maintenance), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 3>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 ??? (mdworker\_shared + 57077) [0x105c5bef5] 1-24  
24 ??? (mdworker\_shared + 217764) [0x105c832a4] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0x3f26 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 3>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 ??? (mdworker\_shared + 129174) [0x105c6d896] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

#### Binary Images:

0x105c4e000 - 0x105ccdfff mdworker\_shared (2274.13.3)  
<BC1AA717-8709-38FD-AC77-27873F827631> /System/Library/  
Frameworks/CoreServices.framework/Versions/A/Frameworks/  
Metadata.framework/Versions/A/Support/mdworker\_shared  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/

libsystem\_pthread.dylib

0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: mdworker\_shared [1033]  
UUID: BC1AA717-8709-38FD-AC77-27873F827631  
Path: /System/Library/Frameworks/CoreServices.framework/Versions/  
A/Frameworks/Metadata.framework/Versions/A/Support/mdworker\_shared  
Codesigning ID: com.apple.mdworker\_shared  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1168 KB  
Time Since Fork: 23s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x3f13 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 3>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (mdworker\_shared + 49566) [0x10a31f19e] 1-24  
24 CFRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)

[0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)

[0xffffffff8000415fc0] 1-24

Thread 0x3f21 24 samples (1-24) priority 4 (base 4)  
<thread QoS maintenance (requested maintenance), process sudden  
termination clean, thread darwinbg, process darwinbg, IO tier 3>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24

24 ??? (mdworker\_shared + 57077) [0x10a320ef5] 1-24  
24 ??? (mdworker\_shared + 217764) [0x10a3482a4] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 1-24

Thread 0x3f27 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 3>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24

24 ??? (mdworker\_shared + 129174) [0x10a332896] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 1-24

Binary Images:

0x10a313000 - 0x10a392fff mdworker\_shared (2274.13.3)  
<BC1AA717-8709-38FD-AC77-27873F827631> /System/Library/  
Frameworks/CoreServices.framework/Versions/A/Frameworks/  
Metadata.framework/Versions/A/Support/mdworker\_shared

0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: mdworker\_shared [1034]  
UUID: BC1AA717-8709-38FD-AC77-27873F827631  
Path: /System/Library/Frameworks/CoreServices.framework/Versions/  
A/Frameworks/Metadata.framework/Versions/A/Support/mdworker\_shared  
Codesigning ID: com.apple.mdworker\_shared  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1164 KB  
Time Since Fork: 23s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x3f14 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 3>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (mdworker\_shared + 49566) [0x102f7619e] 1-24  
24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24



24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0x3f24 24 samples (1-24) priority 4 (base 4)  
<thread QoS maintenance (requested maintenance), process sudden  
termination clean, thread darwinbg, process darwinbg, IO tier 3>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 ??? (mdworker\_shared + 57077) [0x102f77ef5] 1-24  
24 ??? (mdworker\_shared + 217764) [0x102f9f2a4] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0x3f2a 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 3>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 ??? (mdworker\_shared + 129174) [0x102f89896] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)

[0xfffff8000415fc0] 1-24

Binary Images:

0x102f6a000 - 0x102fe9fff mdworker\_shared (2274.13.3)  
<BC1AA717-8709-38FD-AC77-27873F827631> /System/Library/  
Frameworks/CoreServices.framework/Versions/A/Frameworks/  
Metadata.framework/Versions/A/Support/mdworker\_shared  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: mdworker\_shared [1035]  
UUID: BC1AA717-8709-38FD-AC77-27873F827631  
Path: /System/Library/Frameworks/CoreServices.framework/Versions/  
A/Frameworks/Metadata.framework/Versions/A/Support/mdworker\_shared  
Codesigning ID: com.apple.mdworker\_shared  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1176 KB  
Time Since Fork: 23s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x3f15 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 3>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24

24 ??? (mdworker\_shared + 49566) [0x107b4119e] 1-24  
24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0x3f22 24 samples (1-24) priority 4 (base 4)  
<thread QoS maintenance (requested maintenance), process sudden  
termination clean, thread darwinbg, process darwinbg, IO tier 3>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24

24 ??? (mdworker\_shared + 57077) [0x107b42ef5] 1-24  
24 ??? (mdworker\_shared + 217764) [0x107b6a2a4] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0x3f28 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 3>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24

24 ??? (mdworker\_shared + 129174) [0x107b54896] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x107b35000 - 0x107bb4fff mdworker\_shared (2274.13.3)  
<BC1AA717-8709-38FD-AC77-27873F827631> /System/Library/  
Frameworks/CoreServices.framework/Versions/A/Frameworks/  
Metadata.framework/Versions/A/Support/mdworker\_shared  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: mdworker\_shared [1036]  
UUID: BC1AA717-8709-38FD-AC77-27873F827631  
Path: /System/Library/Frameworks/CoreServices.framework/Versions/  
A/Frameworks/Metadata.framework/Versions/A/Support/mdworker\_shared  
Codesigning ID: com.apple.mdworker\_shared  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1168 KB  
Time Since Fork: 23s  
Num samples: 24 (1-24)

Note: 1 idle work queue thread omitted

Thread 0x3f16 DispatchQueue "com.apple.main-thread"(1) 24 samples (1-24) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 3>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24

24 ??? (mdworker\_shared + 49566) [0x107b0519e] 1-24

24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e] 1-24

24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842) [0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693) [0x7ff80bf3fba5] 1-24

24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xffffffff8000415fc0] 1-24

Thread 0x3f23 24 samples (1-24) priority 4 (base 4)

<thread QoS maintenance (requested maintenance), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 3>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab] 1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090) [0x7ff80be65202] 1-24

24 ??? (mdworker\_shared + 57077) [0x107b06ef5] 1-24

24 ??? (mdworker\_shared + 217764) [0x107b2e2a4] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xffffffff8000415fc0] 1-24

Thread 0x3f29 24 samples (1-24) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 3>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab] 1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090) [0x7ff80be65202] 1-24

24 ??? (mdworker\_shared + 129174) [0x107b18896] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xfffff8000415fc0] 1-24

#### Binary Images:

0x107af9000 - 0x107b78fff mdworker\_shared (2274.13.3)  
<BC1AA717-8709-38FD-AC77-27873F827631> /System/Library/Frameworks/CoreServices.framework/Versions/A/Frameworks/Metadata.framework/Versions/A/Support/mdworker\_shared

0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/libsystem\_kernel.dylib

0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/libsystem\_pthread.dylib

0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9 (2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation

\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/kernel

Process: media-indexer [914]

UUID: F7710110-F52B-3643-B774-0EF1FF4C876D

Path: /System/Library/PrivateFrameworks/

AssistantServices.framework/Versions/A/XPCServices/media-indexer.xpc/Contents/MacOS/media-indexer

Identifier: com.apple.siri.media-indexer

Version: 1.0 (1)

Build Version: 40  
Project Name: MobileAssistantDaemons  
Source Version: 3303009001000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: assistantd [491]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1384 KB  
Time Since Fork: 349s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x2e75 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 1 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 main + 150 (media-indexer + 14417) [0x10559b851] 1-24  
24 ??? (Foundation + 514495) [0x7ff80cefb9bf] 1-24  
24 xpc\_main + 56 (libxpc.dylib + 87766) [0x7ff80bb8a6d6] 1-24  
24 \_xpc\_main + 259 (libxpc.dylib + 137735) [0x7ff80bb96a07] 1-24  
24 \_xpc\_objc\_main + 606 (libxpc.dylib + 88755) [0x7ff80bb8aab3]  
1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib +  
35682) [0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x105598000 - 0x1055abfff com.apple.siri.media-indexer 1.0 (1)  
<F7710110-F52B-3643-B774-0EF1FF4C876D> /System/Library/  
PrivateFrameworks/AssistantServices.framework/Versions/A/XPCServices/  
media-indexer.xpc/Contents/MacOS/media-indexer  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80bb75000 - 0x7ff80bbb8ff2 libxpc.dylib (2679.80.5.0.1)  
<902EB51F-373F-3AA3-B084-228AC4C1B80B> /usr/lib/system/libxpc.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: mediaremoteagent [478]  
UUID: CFD08B58-F8E7-36D1-8FA7-E5101817FA0D  
Path: /System/Library/PrivateFrameworks/MediaRemote.framework/  
Support/mediaremoteagent  
Codesigning ID: com.apple.mediaremoteagent  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked  
Footprint: 720 KB  
Time Since Fork: 737s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xcdcd DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 main + 255 (mediaremoteagent + 14543) [0x1086cb8cf] 1-24



24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 1-24

Binary Images:

0x1086c8000 - 0x1086d3fff mediaremoteagent (4023.440.1)  
<CFD08B58-F8E7-36D1-8FA7-E5101817FA0D> /System/Library/  
PrivateFrameworks/MediaRemote.framework/Support/mediaremoteagent  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: mediaremoted [92]  
UUID: D8BC4362-62A8-3368-98A0-FE846709B1AD  
Path: /System/Library/PrivateFrameworks/MediaRemote.framework/  
Support/mediaremoted  
Codesigning ID: com.apple.mediaremoted  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 2268 KB  
Time Since Fork: 767s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x30e DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
dirty, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (mediaremoted + 456612) [0x1064f77a4] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0x5f2 Thread name "caulk.messenger.shared:17" 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested utility), process sudden termination  
dirty, thread darwinbg, process darwinbg, IO tier 2>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 void\* caulk::thread\_proxy<std::\_\_1::tuple<caulk::thread::attributes,  
void (caulk::concurrent::details::worker\_thread::\*)(),  
std::\_\_1::tuple<caulk::concurrent::details::worker\_thread\*>>>(void\*) + 41  
(caulk + 6332) [0x7ff81654d8bc] 1-24

24 caulk::concurrent::details::worker\_thread::run() + 30 (caulk + 7064)  
[0x7ff81654db98] 1-24

24 semaphore\_wait\_trap + 10 (libsystem\_kernel.dylib + 6570)  
[0x7ff80be259aa] 1-24

\*24 ??? (kernel + 1663616) [0xffffffff8000476280] 1-24

Thread 0x5f3 Thread name "caulk.messenger.shared:high" 24 samples  
(1-24) priority 4 (base 4)

<thread QoS background, process sudden termination dirty, thread  
darwinbg, process darwinbg, IO tier 2>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24

24 void\* caulk::thread\_proxy<std::\_\_1::tuple<caulk::thread::attributes,  
void (caulk::concurrent::details::worker\_thread::\*),  
std::\_\_1::tuple<caulk::concurrent::details::worker\_thread\*>>>(void\*) + 41  
(caulk + 6332) [0x7ff81654d8bc] 1-24

24 caulk::concurrent::details::worker\_thread::run() + 30 (caulk + 7064)  
[0x7ff81654db98] 1-24

24 semaphore\_wait\_trap + 10 (libsystem\_kernel.dylib + 6570)  
[0x7ff80be259aa] 1-24

\*24 ??? (kernel + 1663616) [0xffffffff8000476280] 1-24

#### Binary Images:

0x106488000 - 0x1066cffff mediaremoted (4023.440.1)  
<D8BC4362-62A8-3368-98A0-FE846709B1AD> /System/Library/  
PrivateFrameworks/MediaRemote.framework/Support/mediaremoted

0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib

0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib

0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation

0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation

0x7ff81654c000 - 0x7ff816571ff3 com.apple.audio.caulk 1.0 (149.1.3)  
<C24466B5-64EA-376F-BDA3-3CA1AD870FC4> /System/Library/

PrivateFrameworks/caulk.framework/Versions/A/caulk  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: MessagesActionExtension [669] (suspended)  
UUID: C4F7EF42-380C-34F1-A7EE-813EB7FF2A58  
Path: /System/Applications/Messages.app/Contents/Extensions/  
MessagesActionExtension.appex/Contents/MacOS/  
MessagesActionExtension  
Identifier: com.apple.MobileSMS.MessagesActionExtension  
Version: 14.0 (1)  
Build Version: 2  
Project Name: Messages\_iosmac  
Source Version: 1262400041001002  
Is First Party: Yes  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: donotdisturbd [416]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 2236 KB  
Time Since Fork: 650s  
Num samples: 24 (1-24)  
Note: Suspended for 24 samples  
Note: 1 idle work queue thread omitted

Thread 0x1a5e DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 0 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (Foundation + 918756) [0x7ff80cf5e4e4] 1-24  
24 ??? (ExtensionFoundation + 166691) [0x7ffb102dbb23] 1-24  
24 ??? (ExtensionFoundation + 12061) [0x7ffb102b5f1d] 1-24  
24 ??? (ExtensionFoundation + 12467) [0x7ffb102b60b3] 1-24  
24 ??? (Foundation + 514495) [0x7ff80cefb9bf] 1-24  
24 xpc\_main + 56 (libxpc.dylib + 87766) [0x7ff80bb8a6d6] 1-24  
24 \_xpc\_main + 259 (libxpc.dylib + 137735) [0x7ff80bb96a07] 1-24  
24 \_xpc\_objc\_main + 606 (libxpc.dylib + 88755) [0x7ff80bb8aab3]  
1-24

24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
 24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
 24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842) [0x7ff80bf3f082] 1-24  
 24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693) [0x7ff80bf3fba5] 1-24  
 24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24  
 24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 1-24  
 24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24  
 24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24  
 \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xfffff8000415fc0] (suspended) 1-24

Thread 0x1a74 24 samples (1-24) priority 4 (base 4)  
 <thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>

24 start\_wqthread + 0 (libsystem\_pthread.dylib + 7048) [0x7ff80be60b88] 1-24  
 \*24 ??? (kernel + 1763936) [0xfffff800048ea60] (suspended) 1-24

#### Binary Images:

0x10ce57000 - ???  
 com.apple.MobileSMS.MessagesActionExtension 14.0 (1)  
 <C4F7EF42-380C-34F1-A7EE-813EB7FF2A58> /System/Applications/Messages.app/Contents/Extensions/MessagesActionExtension.appex/Contents/MacOS/MessagesActionExtension  
 0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
 <01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
 0x7ff80bb75000 - 0x7ff80bbb8ff2 libxpc.dylib (2679.80.5.0.1)  
 <902EB51F-373F-3AA3-B084-228AC4C1B80B> /usr/lib/system/libxpc.dylib  
 0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
 <3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/libsystem\_kernel.dylib  
 0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
 <0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/libsystem\_pthread.dylib  
 0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9 (2303)  
 <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
 0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)

<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
0x7ffb102b3000 - 0x7ffb1033ffff com.apple.ExtensionFoundation 97  
(97) <266249BC-CB4B-3B4B-82A2-80CA827479FC> /System/  
Library/Frameworks/ExtensionFoundation.framework/Versions/A/  
ExtensionFoundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: MetricsExtension [834] (suspended)  
UUID: 9025C9E5-44EB-3DB1-A70A-B83D4270CDDC  
Path: /System/Library/ExtensionKit/Extensions/  
MetricsExtension.appex/Contents/MacOS/MetricsExtension  
Identifier: com.apple.siri.metrics.MetricsExtension  
Build Version: 1376  
Project Name: SiriMetrics  
Source Version: 3302002001000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: mlhostd [832]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1096 KB  
Time Since Fork: 451s  
Num samples: 24 (1-24)  
Note: Suspended for 24 samples  
Note: 2 idle work queue threads omitted

Thread 0x27c3 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (Foundation + 918756) [0x7ff80cf5e4e4] 1-24  
24 ??? (ExtensionFoundation + 166691) [0x7ffb102dbb23] 1-24  
24 ??? (ExtensionFoundation + 12061) [0x7ffb102b5f1d] 1-24  
24 ??? (ExtensionFoundation + 12467) [0x7ffb102b60b3] 1-24  
24 ??? (Foundation + 514495) [0x7ff80cefb9bf] 1-24  
24 xpc\_main + 56 (libxpc.dylib + 87766) [0x7ff80bb8a6d6] 1-24  
24 \_xpc\_main + 259 (libxpc.dylib + 137735) [0x7ff80bb96a07] 1-24

24 \_xpc\_objc\_main + 606 (libxpc.dylib + 88755) [0x7ff80bb8aab3]  
 1-24  
 24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
 24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
 24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
 [0x7ff80bf3f082] 1-24  
 24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
 [0x7ff80bf3fba5] 1-24  
 24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation  
 + 508213) [0x7ff80bf41135] 1-24  
 24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
 [0x7ff80be25d1f] 1-24  
 24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib +  
 35682) [0x7ff80be2cb62] 1-24  
 24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib +  
 6702) [0x7ff80be25a2e] 1-24  
 \*24 ipc\_mqueue\_receive\_continue + 0 (kernel +  
 1269696) [0xfffff8000415fc0] (suspended) 1-24

Thread 0x27c8 24 samples (1-24) priority 4 (base 4)  
 <thread QoS background (requested background), process sudden  
 termination clean, thread darwinbg, process darwinbg, IO tier 2>  
 24 start\_wqthread + 0 (libsystem\_pthread.dylib + 7048) [0x7ff80be60b88]  
 1-24  
 \*24 ??? (kernel + 1763936) [0xfffff800048ea60] (suspended) 1-24

#### Binary Images:

0x104326000 - ??? com.apple.siri.metrics.MetricsExtension  
 <9025C9E5-44EB-3DB1-A70A-B83D4270CDDC> /System/Library/  
 ExtensionKit/Extensions/MetricsExtension.appex/Contents/MacOS/  
 MetricsExtension  
 0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
 <01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
 0x7ff80bb75000 - 0x7ff80bbb8ff2 libxpc.dylib (2679.80.5.0.1)  
 <902EB51F-373F-3AA3-B084-228AC4C1B80B> /usr/lib/system/libxpc.dylib  
 0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
 <3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
 libsystem\_kernel.dylib  
 0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
 <0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
 libsystem\_pthread.dylib  
 0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
 (2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
 Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation

0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation

0x7ffb102b3000 - 0x7ffb1033ffff com.apple.ExtensionFoundation 97  
(97) <266249BC-CB4B-3B4B-82A2-80CA827479FC> /System/Library/  
Frameworks/ExtensionFoundation.framework/Versions/A/  
ExtensionFoundation

\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: microstackshot [899]  
UUID: 8C5AE2D5-F340-397D-A8EB-BB7330B22393  
Path: /usr/libexec/microstackshot  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 600 KB  
Time Since Fork: 375s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x2c86 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 3>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

#### Binary Images:

0x1014a2000 - ??? microstackshot  
<8C5AE2D5-F340-397D-A8EB-BB7330B22393> /usr/libexec/  
microstackshot  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/



libsystem\_kernel.dylib

\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: MIDIServer [566]  
UUID: 5E202157-5E40-3787-A1E5-78942004C47B  
Path: /System/Library/Frameworks/CoreMIDI.framework/MIDIServer  
Codesigning ID: com.apple.MIDIServer  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Footprint: 1192 KB  
Time Since Fork: 709s  
Num samples: 24 (1-24)  
CPU Time: 0.004s (6.5M cycles, 2.4M instructions, 2.70c/i)  
Note: 3 idle work queue threads omitted

Thread 0x1384 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 46 (base 46) cpu time 0.003s (5.8M cycles, 2.2M  
instructions, 2.63c/i)

<IO tier 0>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (MIDIServer + 16133) [0x100de2f05] 1-24  
24 MIDIServerRun + 5348 (CoreMIDI + 211598) [0x7ff82680ba8e] 1-24  
24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 1-24

Thread 0x1389 24 samples (1-24) priority 97 (base 97)  
<IO tier 0>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 CADeprecated::CAPThread::Entry(CADeprecated::CAPThread\*) + 77  
(CoreMIDI + 264599) [0x7ff826818997] 1-24  
24 CADeprecated::XThread::RunHelper(void\*) + 10 (CoreMIDI + 258018)  
[0x7ff826816fe2] 1-24  
24 CADeprecated::TimerTaskMgr::Run() + 344 (CoreMIDI + 302740)  
[0x7ff826821e94] 1-24  
24 CADeprecated::CAGuard::Wait() + 54 (CoreMIDI + 133412)  
[0x7ff8267f8924] 1-24  
24 \_\_psynch\_cvwait + 10 (libsystem\_kernel.dylib + 17870)  
[0x7ff80be285ce] 1-24  
\*24 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777)  
[0xfffff800307e129] 1-24

Thread 0x138a 24 samples (1-24) priority 97 (base 97) cpu time  
<0.001s (209.8K cycles, 59.2K instructions, 3.55c/i)  
<IO tier 0>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 CADeprecated::CAPThread::Entry(CADeprecated::CAPThread\*) + 77  
(CoreMIDI + 264599) [0x7ff826818997] 1-24  
24 CADeprecated::XThread::RunHelper(void\*) + 10 (CoreMIDI + 258018)  
[0x7ff826816fe2] 1-24  
24 DriverIOThread::Run() + 49 (CoreMIDI + 257745) [0x7ff826816ed1]  
1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)

[0x7ff80be25a2e] 1-24  
     \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
 [0xfffff8000415fc0] 1-24

Thread 0x1397 24 samples (1-24) priority 97 (base 97)  
 <IO tier 0>  
 24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
 1-24  
 24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
 [0x7ff80be65202] 1-24  
 24 CADeprecated::CAPThread::Entry(CADeprecated::CAPThread\*) + 77  
 (CoreMIDI + 264599) [0x7ff826818997] 1-24  
 24 CADeprecated::XThread::RunHelper(void\*) + 10 (CoreMIDI + 258018)  
 [0x7ff826816fe2] 1-24  
 24 MIDIIOThread::Run() + 102 (CoreMIDI + 215282) [0x7ff82680c8f2]  
 1-24  
 24 XServerMachPort::ReceiveMessage(int&, void\*, int&) + 98  
 (CoreMIDI + 205080) [0x7ff82680a118] 1-24  
 24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
 1-24  
 24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
 [0x7ff80be2cb62] 1-24  
 24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
 [0x7ff80be25a2e] 1-24  
     \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
 [0xfffff8000415fc0] (blocked by turnstile UNKNOWN waiting for receive port  
 name "com.apple.midiserver.io" in domain 2, mach\_msg receive on port  
 name "com.apple.midiserver.io" in domain 2 name 0x4e37) 1-24

#### Binary Images:

0x100ddf000 - 0x100de6fff MIDIServer (301.2.1)  
 <5E202157-5E40-3787-A1E5-78942004C47B> /System/Library/  
 Frameworks/CoreMIDI.framework/MIDIServer  
 0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
 <01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
 0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
 <3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
 libsystem\_kernel.dylib  
 0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
 <0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
 libsystem\_pthread.dylib  
 0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
 (2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
 Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation

0x7ff8267d8000 - 0x7ff826863ffd com.apple.audio.midi.CoreMIDI 2.0  
(88) <AC5C030D-1AEE-33DB-A57F-6D7A23995987> /System/Library/  
Frameworks/CoreMIDI.framework/Versions/A/CoreMIDI  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel  
\*0xffffffff8003079000 - 0xffffffff8003081fff com.apple.kec.pthread (519)  
<07ED499F-25E6-3572-8464-FC4F7429D88C> com.apple.kec.pthread

Process: MidiView [817]  
UUID: F89B54FF-014C-3D31-8B8D-2973B4EAD5CD  
Path: /Applications/MidiView.app/Contents/MacOS/MidiView  
Identifier: com.hautetechnique.midiview  
Version: 1.2 (2)  
Team ID: 79LDSU9D8Q  
App Item ID: 1526125468  
App External ID: 847306261  
Is First Party: No  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Footprint: 17.24 MB  
Time Since Fork: 506s  
Num samples: 24 (1-24)  
CPU Time: 0.043s (75.8M cycles, 21.8M instructions, 3.48c/i)  
Note: 1 idle work queue thread omitted

Thread 0x24ea DispatchQueue "com.apple.main-thread"(1) Thread  
name "JUCE Message Thread" 24 samples (1-24) priority 46 (base 46)  
cpu time 0.022s (38.7M cycles, 12.8M instructions, 3.03c/i)  
<thread QoS user interactive (requested user interactive), IO tier 0>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (MidiView + 72527) [0x100d30b4f] 1-24  
24 -[NSApplication run] + 603 (AppKit + 197042) [0x7ff80f5411b2] 1-24  
24 -[NSApplication(NSEventRouting)  
\_nextEventMatchingEventMask:untilDate:inMode:dequeue:] + 1304 (AppKit +  
9734148) [0x7ff80fe59804] 1-24  
24 \_DPSNextEvent + 880 (AppKit + 257081) [0x7ff80f54fc39] 1-24  
24 \_BlockUntilNextEventMatchingListInModeWithFilter + 66  
(HIToolbox + 197937) [0x7ff816831531] 1-24  
24 ReceiveNextEventCommon + 665 (HIToolbox + 198630)

[0x7ff8168317e6] 1-24  
    24 RunCurrentEventLoopInMode + 292 (HI Toolbox + 199129)  
[0x7ff8168319d9] 1-24  
    24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
    24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
    24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24  
    24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
    24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24  
    24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
    \*18 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-18  
    <process unclamped>  
    \*1 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 19  
    \*1 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] (runnable) 20  
    \*4 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 21-24

Thread 0x2539 24 samples (1-24) priority 97 (base 97)  
<IO tier 0>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
    24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
    24 CADeprecated::CAPThread::Entry(CADeprecated::CAPThread\*) + 77  
(CoreMIDI + 264599) [0x7ff826818997] 1-24  
    24 CADeprecated::XThread::RunHelper(void\*) + 10 (CoreMIDI + 258018)  
[0x7ff826816fe2] 1-24  
    24 MIDIProcess::MIDIInPortThread::Run() + 104 (CoreMIDI + 268632)  
[0x7ff826819958] 1-24  
    24 XServerMachPort::ReceiveMessage(int&, void\*, int&) + 98  
(CoreMIDI + 205080) [0x7ff82680a118] 1-24  
    24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
    24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
    24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)

```

[0x7ff80be25a2e] 1-24
    *18 ipc_mqueue_receive_continue + 0 (kernel + 1269696)
[0xfffff8000415fc0] 1-18
    <process unclamped>
    *6 ipc_mqueue_receive_continue + 0 (kernel + 1269696)
[0xfffff8000415fc0] 19-24

Thread 0x254a Thread name "com.apple.NSEventThread" 24 samples
(1-24) priority 46 (base 46) cpu time <0.001s (250.2K cycles, 65.2K
instructions, 3.84c/i)
    <thread QoS user interactive (requested user interactive), IO tier 0>
    24 thread_start + 15 (libsystem_pthread.dylib + 7083) [0x7ff80be60bab]
1-24
    24 _pthread_start + 99 (libsystem_pthread.dylib + 25090)
[0x7ff80be65202] 1-24
    24 _NSEventThread + 122 (AppKit + 1686188) [0x7ff80f6acaac] 1-24
    24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)
[0x7ff80bf3f082] 1-24
    24 __CFRunLoopRun + 1371 (CoreFoundation + 502693)
[0x7ff80bf3fba5] 1-24
    24 __CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)
[0x7ff80bf41135] 1-24
    24 mach_msg + 19 (libsystem_kernel.dylib + 7455) [0x7ff80be25d1f]
1-24
    24 mach_msg_overwrite + 653 (libsystem_kernel.dylib + 35682)
[0x7ff80be2cb62] 1-24
    24 mach_msg2_trap + 10 (libsystem_kernel.dylib + 6702)
[0x7ff80be25a2e] 1-24
    *18 ipc_mqueue_receive_continue + 0 (kernel + 1269696)
[0xfffff8000415fc0] 1-18
    <process unclamped>
    *6 ipc_mqueue_receive_continue + 0 (kernel + 1269696)
[0xfffff8000415fc0] 19-24

```

```

Thread 0x254b Thread name "JUICE Timer" 24 samples (1-24) priority
37 (base 37) cpu time 0.021s (36.8M cycles, 8.9M instructions, 4.12c/i)
    <IO tier 0>
    24 thread_start + 15 (libsystem_pthread.dylib + 7083) [0x7ff80be60bab]
1-24
    24 _pthread_start + 99 (libsystem_pthread.dylib + 25090)
[0x7ff80be65202] 1-24
    24 ??? (MidiView + 234809) [0x100d58539] 1-24
    19 ??? (MidiView + 393208) [0x100d7eff8] 1-19
    19 ??? (MidiView + 178642) [0x100d4a9d2] 1-19

```

19

std::\_\_1::condition\_variable::\_\_do\_timed\_wait(std::\_\_1::unique\_lock<std::\_\_1::mutex>&, std::\_\_1::chrono::time\_point<std::\_\_1::chrono::system\_clock, std::\_\_1::chrono::duration<long long, std::\_\_1::ratio<1l, 1000000000l>>>) + 93 (libc++.1.dylib + 70731) [0x7ff80bd9d44b] 1-19

19 \_\_psynch\_cvwait + 10 (libsystem\_kernel.dylib + 17870) [0x7ff80be285ce] 1-19

\*18 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777) [0xfffff800307e129] 1-18

<process unclamped>

\*1 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777) [0xfffff800307e129] 19

1 ??? (MidiView + 393513) [0x100d7f129] 20

1 ??? (MidiView + 382598) [0x100d7c686] 20

1 CFRRunLoopWakeUp + 264 (CoreFoundation + 397807) [0x7ff80bf261ef] 20

1 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 20

1 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 20

1 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 20

\*1 hndl\_mach\_scall64 + 22 (kernel + 998870) [0xfffff80003d3dd6] 20

\*1 mach\_call\_munger64 + 498 (kernel + 2663170) [0xfffff800056a302] (running) 20

4 ??? (MidiView + 393208) [0x100d7eff8] 21-24

4 ??? (MidiView + 178642) [0x100d4a9d2] 21-24

4

std::\_\_1::condition\_variable::\_\_do\_timed\_wait(std::\_\_1::unique\_lock<std::\_\_1::mutex>&, std::\_\_1::chrono::time\_point<std::\_\_1::chrono::system\_clock, std::\_\_1::chrono::duration<long long, std::\_\_1::ratio<1l, 1000000000l>>>) + 93 (libc++.1.dylib + 70731) [0x7ff80bd9d44b] 21-24

4 \_\_psynch\_cvwait + 10 (libsystem\_kernel.dylib + 17870) [0x7ff80be285ce] 21-24

\*4 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777) [0xfffff800307e129] 21-24

Thread 0x254f Thread name "caulk.messenger.shared:17" 24 samples (1-24) priority 19 (base 19)

<thread QoS utility (requested utility), IO tier 1>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab] 1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)

```
[0x7ff80be65202] 1-24
    24 void* caulk::thread_proxy<std::__1::tuple<caulk::thread::attributes,
void (caulk::concurrent::details::worker_thread::*),
std::__1::tuple<caulk::concurrent::details::worker_thread*>>>(void*) + 41
(caulk + 6332) [0x7ff81654d8bc] 1-24
    24 caulk::concurrent::details::worker_thread::run() + 30 (caulk + 7064)
[0x7ff81654db98] 1-24
    24 semaphore_wait_trap + 10 (libsystem_kernel.dylib + 6570)
[0x7ff80be259aa] 1-24
    *18 ??? (kernel + 1663616) [0xfffff8000476280] 1-18
<process unclamped>
    *6 ??? (kernel + 1663616) [0xfffff8000476280] 19-24
```

Thread 0x2550 Thread name "caulk.messenger.shared:high" 24 samples  
(1-24) priority 55 (base 55)

```
<IO tier 0>
    24 thread_start + 15 (libsystem_pthread.dylib + 7083) [0x7ff80be60bab]
1-24
```

```
    24 _pthread_start + 99 (libsystem_pthread.dylib + 25090)
[0x7ff80be65202] 1-24
```

```
    24 void* caulk::thread_proxy<std::__1::tuple<caulk::thread::attributes,
void (caulk::concurrent::details::worker_thread::*),
std::__1::tuple<caulk::concurrent::details::worker_thread*>>>(void*) + 41
(caulk + 6332) [0x7ff81654d8bc] 1-24
```

```
    24 caulk::concurrent::details::worker_thread::run() + 30 (caulk + 7064)
[0x7ff81654db98] 1-24
```

```
    24 semaphore_wait_trap + 10 (libsystem_kernel.dylib + 6570)
[0x7ff80be259aa] 1-24
```

```
    *18 ??? (kernel + 1663616) [0xfffff8000476280] 1-18
<process unclamped>
```

```
    *6 ??? (kernel + 1663616) [0xfffff8000476280] 19-24
```

#### Binary Images:

```
    0x100d1f000 - 0x100fbefff com.hautetechnique.midiview 1.2 (2)
<F89B54FF-014C-3D31-8B8D-2973B4EAD5CD> /Applications/
```

```
MidiView.app/Contents/MacOS/MidiView
```

```
    0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld
```

```
    0x7ff80bd8c000 - 0x7ff80be0afff libc++.1.dylib (1600.157)
<2F0CC387-75B5-3526-A109-67F369B98CB3> /usr/lib/libc++.1.dylib
```

```
    0x7ff80be24000 - 0x7ff80be5eff7 libsystem_kernel.dylib (10002.81.5)
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/
```

```
libsystem_kernel.dylib
```

```
    0x7ff80be5f000 - 0x7ff80be6afff libsystem_pthread.dylib (519)
```



<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80f511000 - 0x7ff81092fff6 com.apple.AppKit 6.9 (2487.40.107)  
<660B78D6-113F-3ABD-8969-A6CB84FFF752> /System/Library/  
Frameworks/AppKit.framework/Versions/C/AppKit  
0x7ff81654c000 - 0x7ff816571ff3 com.apple.audio.caulk 1.0 (149.1.3)  
<C24466B5-64EA-376F-BDA3-3CA1AD870FC4> /System/Library/  
PrivateFrameworks/caulk.framework/Versions/A/caulk  
0x7ff816801000 - 0x7ff816a9cff4 com.apple.HIToolbox 2.1.1 (1202)  
<4CD47F03-ED80-3F2A-BBDF-D7AF11CB4CCB> /System/Library/  
Frameworks/Carbon.framework/Versions/A/Frameworks/  
HIToolbox.framework/Versions/A/HIToolbox  
0x7ff8267d8000 - 0x7ff826863ffd com.apple.audio.midi.CoreMIDI 2.0  
(88) <AC5C030D-1AEE-33DB-A57F-6D7A23995987> /System/Library/  
Frameworks/CoreMIDI.framework/Versions/A/CoreMIDI  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel  
\*0xffffffff8003079000 - 0xffffffff8003081fff com.apple.kec.pthread (519)  
<07ED499F-25E6-3572-8464-FC4F7429D88C> com.apple.kec.pthread

Process: mlhostd [832]  
UUID: 59D90706-A50F-3653-A383-3559E97C62E6  
Path: /usr/libexec/mlhostd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 4936 KB  
Time Since Fork: 451s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x27b4 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24

24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

Binary Images:

0x101196000 - ??? mlhostd <59D90706-A50F-3653-A383-3559E97C62E6> /usr/libexec/mlhostd  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/libsystem\_kernel.dylib  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/kernel

Process: mobileactivationd [233]  
UUID: 700F8C74-FA70-3692-AB91-ADFB9D107794  
Path: /usr/libexec/mobileactivationd  
Codesigning ID: com.apple.mobileactivationd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1140 KB  
Time Since Fork: 762s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x4f3 DispatchQueue "com.apple.main-thread"(1) 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 main + 5765 (mobileactivationd + 167437) [0x10ddc4e0d] 1-24  
24 CFRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e] 1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842) [0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)

[0x7ff80bf3fba5] 1-24  
    24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
    24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
    24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
    24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
    \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

    0x10dd9c000 - 0x10de13fff mobileactivationd (898.60.6)  
<700F8C74-FA70-3692-AB91-ADFB9D107794> /usr/libexec/  
mobileactivationd  
    0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
    0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
    0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
    \*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: mobileassetd [228]  
UUID: DD8F7797-2B43-31AA-9E53-739111943320  
Path: /usr/libexec/mobileassetd  
Codesigning ID: com.apple.mobileassetd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 3132 KB  
Time Since Fork: 763s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x4d4 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (mobileassetd + 19639) [0x100a5ccb7] 1-24  
24 ??? (mobileassetd + 38039) [0x100a61497] 1-24  
24 ??? (mobileassetd + 34427) [0x100a6067b] 1-24  
24 ??? (libmobileassetd.dylib + 1366239) [0x7ffc2204f8df] 1-24  
24 CFRunLoopRun + 40 (CoreFoundation + 1006446)  
[0x7ff80bfbab6e] 1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib +  
35682) [0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0x14bc Thread name "com.apple.NSURLConnectionLoader" 24  
samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 ??? (Foundation + 349980) [0x7ff80ced371c] 1-24  
24 ??? (CFNetwork + 2391509) [0x7ff81129fdd5] 1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x100a58000 - 0x100a6bfff mobileassetd (936.80.3)  
<DD8F7797-2B43-31AA-9E53-739111943320> /usr/libexec/mobileassetd  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
0x7ff811058000 - 0x7ff811406ff1 com.apple.CFNetwork 1.0  
(1492.0.1) <2847065D-8C66-3A44-B26C-B2A51A2897FB> /System/Library/  
Frameworks/CFNetwork.framework/Versions/A/CFNetwork  
0x7ffc21f02000 - 0x7ffc221a5ff6 libmobileassetd.dylib (936.80.3)  
<EB856BD3-0A8E-3B2A-B94D-17F97EDD215D> /usr/lib/  
libmobileassetd.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: mobiletimerd [435]  
UUID: A8E59440-EB49-3E43-A896-52B3D83028D1  
Path: /System/Library/PrivateFrameworks/MobileTimer.framework/  
Executables/mobiletimerd  
Codesigning ID: com.apple.mobiletimerd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]

UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1056 KB  
Time Since Fork: 745s  
Num samples: 24 (1-24)  
Note: 2 idle work queue threads omitted

Thread 0xc1c DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (mobiletimerd + 12937) [0x10a897289] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 1-24

#### Binary Images:

0x10a894000 - 0x10a89ffff mobiletimerd (2200.4.3.9)  
<A8E59440-EB49-3E43-A896-52B3D83028D1> /System/Library/  
PrivateFrameworks/MobileTimer.framework/Executables/mobiletimerd  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: MTLAssetUpgraderD [807]  
UUID: 5458F5AA-357B-37AA-B3A7-3734BEF9B7A0  
Path: /usr/libexec/MTLAssetUpgraderD  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 972 KB  
Time Since Fork: 539s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x236e 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:  
0x1032b3000 - ??? MTLAssetUpgraderD  
<5458F5AA-357B-37AA-B3A7-3734BEF9B7A0> /usr/libexec/  
MTLAssetUpgraderD  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: MTLCompilerService [545]  
UUID: 940653E7-3D1A-34D6-B98C-89C4ADF7BC3F  
Path: /System/Library/Frameworks/Metal.framework/Versions/A/  
XPCServices/MTLCompilerService.xpc/Contents/MacOS/  
MTLCompilerService

Identifier: com.apple.MTLCompilerService  
Version: 341.36 (341.36)  
Build Version: 36  
Project Name: Metal  
Source Version: 341036000000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: iconservicesagent [420]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 8336 KB  
Time Since Fork: 715s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x1278 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x10b983000 - ??? com.apple.MTLCompilerService 341.36  
(341.36) <940653E7-3D1A-34D6-B98C-89C4ADF7BC3F> /System/Library/  
Frameworks/Metal.framework/Versions/A/XPCServices/  
MTLCompilerService.xpc/Contents/MacOS/MTLCompilerService  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: MTLCompilerService [546]  
UUID: 940653E7-3D1A-34D6-B98C-89C4ADF7BC3F



Path: /System/Library/Frameworks/Metal.framework/Versions/A/XPCServices/MTLCompilerService.xpc/Contents/MacOS/MTLCompilerService  
Identifier: com.apple.MTLCompilerService  
Version: 341.36 (341.36)  
Build Version: 36  
Project Name: Metal  
Source Version: 341036000000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: iconservicesagent [420]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 9300 KB  
Time Since Fork: 715s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x1276 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42] 1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774) [0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:  
0x10e2cf000 - ??? com.apple.MTLCompilerService 341.36 (341.36) <940653E7-3D1A-34D6-B98C-89C4ADF7BC3F> /System/Library/Frameworks/Metal.framework/Versions/A/XPCServices/MTLCompilerService.xpc/Contents/MacOS/MTLCompilerService  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1) <C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5) <3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5) <8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/kernel

Process: multiversed [237]  
UUID: 4FAD2679-002C-3D42-964F-07460F9418EC  
Path: /usr/libexec/multiversed  
Codesigning ID: com.apple.multiversed  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Footprint: 564 KB  
Time Since Fork: 762s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x518 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 24 (base 31)  
<thread QoS default (requested default), IO tier 0>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 main + 40 (multiversed + 14656) [0x1087b8940] 1-24  
24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:  
0x1087b5000 - 0x1087c0fff multiversed (114)  
<4FAD2679-002C-3D42-964F-07460F9418EC> /usr/libexec/multiversed  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/

libsystem\_kernel.dylib

0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: nbagent [861]  
UUID: F2B85F79-5063-3810-9E27-8E464ED66446  
Path: /System/Library/PrivateFrameworks/Noticeboard.framework/  
Versions/A/Resources/nbagent.app/Contents/MacOS/nbagent  
Identifier: com.apple.nbagent  
Version: 1.0 (1)  
Build Version: 4198  
Project Name: Noticeboard  
Source Version: 26000000000000  
Is First Party: Yes  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 2788 KB  
Time Since Fork: 415s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x29f4 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 NSApplicationMain + 816 (AppKit + 16833) [0x7ff80f5151c1] 1-24  
24 -[NSApplication run] + 603 (AppKit + 197042) [0x7ff80f5411b2] 1-24  
24 -[NSApplication(NSEventRouting)  
\_nextEventMatchingEventMask:untilDate:inMode:dequeue:] + 1304 (AppKit +  
9734148) [0x7ff80fe59804] 1-24  
24 \_DPSNextEvent + 880 (AppKit + 257081) [0x7ff80f54fc39] 1-24  
24 \_BlockUntilNextEventMatchingListInModeWithFilter + 66  
(HIToolbox + 197937) [0x7ff816831531] 1-24  
24 ReceiveNextEventCommon + 665 (HIToolbox + 198630)

[0x7ff8168317e6] 1-24  
 24 RunCurrentEventLoopInMode + 292 (HIToolbox + 199129)  
 [0x7ff8168319d9] 1-24  
 24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
 [0x7ff80bf3f082] 1-24  
 24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
 [0x7ff80bf3fba5] 1-24  
 24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
 [0x7ff80bf41135] 1-24  
 24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
 [0x7ff80be25d1f] 1-24  
 24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
 [0x7ff80be2cb62] 1-24  
 24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
 [0x7ff80be25a2e] 1-24  
 \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
 [0xfffff8000415fc0] 1-24

Thread 0x2a30 Thread name "com.apple.NSEventThread" 24 samples  
 (1-24) priority 4 (base 4)

<thread QoS background (requested user interactive), process sudden  
 termination clean, thread darwinbg, process darwinbg, IO tier 2>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
 1-24  
 24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
 [0x7ff80be65202] 1-24  
 24 \_NSEventThread + 122 (UIKit + 1686188) [0x7ff80f6acaac] 1-24  
 24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
 [0x7ff80bf3f082] 1-24  
 24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
 [0x7ff80bf3fba5] 1-24  
 24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
 [0x7ff80bf41135] 1-24  
 24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
 1-24  
 24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
 [0x7ff80be2cb62] 1-24  
 24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
 [0x7ff80be25a2e] 1-24  
 \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
 [0xfffff8000415fc0] 1-24

Binary Images:

0x109742000 - ??? com.apple.nbagent 1.0 (1)

<F2B85F79-5063-3810-9E27-8E464ED66446> /System/Library/  
PrivateFrameworks/Noticeboard.framework/Versions/A/Resources/  
nbagent.app/Contents/MacOS/nbagent  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80f511000 - 0x7ff81092fff6 com.apple.AppKit 6.9 (2487.40.107)  
<660B78D6-113F-3ABD-8969-A6CB84FFF752> /System/Library/  
Frameworks/AppKit.framework/Versions/C/AppKit  
0x7ff816801000 - 0x7ff816a9cff4 com.apple.HIToolbox 2.1.1 (1202)  
<4CD47F03-ED80-3F2A-BBDF-D7AF11CB4CCB> /System/Library/  
Frameworks/Carbon.framework/Versions/A/Frameworks/  
HIToolbox.framework/Versions/A/HIToolbox  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: ndoagent [696]  
UUID: F0B63B77-9875-37A4-9A6E-F4AA622D9075  
Path: /System/Library/PrivateFrameworks/  
NewDeviceOutreach.framework/ndoagent  
Codesigning ID: com.apple.ndoagent  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 828 KB  
Time Since Fork: 635s  
Num samples: 24 (1-24)  
Note: 2 idle work queue threads omitted

Thread 0x1bdd DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)

```

<thread QoS background (requested default), process sudden termination
clean, thread darwinbg, process darwinbg, IO tier 2>
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24
24 ??? (ndoagent + 8235) [0x106f8202b] 1-24
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)
[0x7ff80bf3f082] 1-24
24 __CFRunLoopRun + 1371 (CoreFoundation + 502693)
[0x7ff80bf3fba5] 1-24
24 __CFRunLoopServiceMachPort + 143 (CoreFoundation +
508213) [0x7ff80bf41135] 1-24
24 mach_msg + 19 (libsystem_kernel.dylib + 7455)
[0x7ff80be25d1f] 1-24
24 mach_msg_overwrite + 653 (libsystem_kernel.dylib + 35682)
[0x7ff80be2cb62] 1-24
24 mach_msg2_trap + 10 (libsystem_kernel.dylib + 6702)
[0x7ff80be25a2e] 1-24
*24 ipc_mqueue_receive_continue + 0 (kernel + 1269696)
[0xfffff8000415fc0] 1-24

```

Binary Images:

```

0x106f80000 - 0x106fa7fff ndoagent (407.14)
<F0B63B77-9875-37A4-9A6E-F4AA622D9075> /System/Library/
PrivateFrameworks/NewDeviceOutreach.framework/ndoagent
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld
0x7ff80be24000 - 0x7ff80be5eff7 libsystem_kernel.dylib (10002.81.5)
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/
libsystem_kernel.dylib
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/
Frameworks/Foundation.framework/Versions/C/Foundation
*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/
kernel

```

```

Process:      neagent [486]
UUID:        51BE8510-9E18-31AE-99A3-A6FB80C39908
Path:        /usr/libexec/neagent

```

Codesigning ID: com.apple.neagent  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1188 KB  
Time Since Fork: 735s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xe60 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 31 (base 31)

<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (neagent + 18714) [0x10522991a] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 1-24

#### Binary Images:

0x105225000 - 0x105238fff neagent (1838.80.4)  
<51BE8510-9E18-31AE-99A3-A6FB80C39908> /usr/libexec/neagent  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9

(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: nearbyd [421]  
UUID: 1435A9D6-3FBF-33E6-A97D-8988525CF94F  
Path: /usr/libexec/nearbyd  
Codesigning ID: com.apple.nearbyd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 268  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1576 KB  
Time Since Fork: 746s  
Num samples: 24 (1-24)  
CPU Time: 0.010s (19.5M cycles, 12.8M instructions, 1.52c/i)  
Note: 5 idle work queue threads omitted

Thread 0xb8a DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination dirty,  
process unclamped, process received importance donation from  
UniversalControl [473], IO tier 0>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (nearbyd + 301510) [0x10693f9c6] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24



24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0xcc9 Thread name "RoseCommunicationMgrQueue" 24  
samples (1-24) priority 31 (base 31)

<thread QoS default (requested default), process sudden termination dirty,  
process unclamped, process received importance donation from  
UniversalControl [473], IO tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24

24 ??? (nearbyd + 3496686) [0x106c4baee] 1-24

24

std::\_\_1::condition\_variable::wait(std::\_\_1::unique\_lock<std::\_\_1::mutex>&) +  
18 (libc++.1.dylib + 70594) [0x7ff80bd9d3c2] 1-24

24 \_\_psynch\_cvwait + 10 (libsystem\_kernel.dylib + 17870)  
[0x7ff80be285ce] 1-24

\*24 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777)  
[0xfffff800307e129] 1-24

#### Binary Images:

0x1068f6000 - 0x107079fff nearbyd (417.0.4)  
<1435A9D6-3FBF-33E6-A97D-8988525CF94F> /usr/libexec/nearbyd  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80bd8c000 - 0x7ff80be0afff libc++.1.dylib (1600.157)  
<2F0CC387-75B5-3526-A109-67F369B98CB3> /usr/lib/libc++.1.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/

kernel

\*0xffffffff8003079000 - 0xffffffff8003081fff com.apple.kec.pthread (519)  
<07ED499F-25E6-3572-8464-FC4F7429D88C> com.apple.kec.pthread

Process: nehelper [196]  
UUID: 68825737-E4DE-3DC1-B281-33F236EE2FF5  
Path: /usr/libexec/nehelper  
Codesigning ID: com.apple.nehelper  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1132 KB  
Time Since Fork: 764s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x430 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (nehelper + 143867) [0x108aed1fb] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 1-24

Binary Images:

0x108aca000 - 0x108afdfff nehelper (1838.80.4)  
<68825737-E4DE-3DC1-B281-33F236EE2FF5> /usr/libexec/nehelper  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: nesessionmanager [627]  
UUID: 3B4EC0E6-1A67-3FBD-88FA-FA6EB2F9A7B6  
Path: /usr/libexec/nesessionmanager  
Codesigning ID: com.apple.nesessionmanager  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 964 KB  
Time Since Fork: 675s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x17d8 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (nesessionmanager + 524837) [0x10be3e225] 1-24  
24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)

[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x10bdbe000 - 0x10beadfff nesessionmanager (1838.80.4)  
<3B4EC0E6-1A67-3FBD-88FA-FA6EB2F9A7B6> /usr/libexec/  
nesessionmanager  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: netbiosd [350]  
UUID: 5937887F-47DE-3951-94C9-8444AE0ABF37  
Path: /usr/sbin/netbiosd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 222  
Sudden Term: Tracked  
Footprint: 780 KB  
Time Since Fork: 752s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x170b 24 samples (1-24) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, timers tier 3 (coalesced), IO tier 3>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42] 1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774) [0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x10298d000 - ??? netbiosd  
<5937887F-47DE-3951-94C9-8444AE0ABF37> /usr/sbin/netbiosd  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/kernel

Process: networkserviceproxy [469]  
UUID: 84C470AE-661C-3D03-ADAD-CF493A7F6CB6  
Path: /usr/libexec/networkserviceproxy  
Codesigning ID: com.apple.networkserviceproxy  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 3848 KB  
Time Since Fork: 739s  
Num samples: 24 (1-24)  
CPU Time: <0.001s (192.8K cycles, 48.4K instructions, 3.98c/i)  
Note: 2 idle work queue threads omitted

Thread 0xd87 DispatchQueue "com.apple.main-thread"(1) 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24

24 ??? (networkserviceproxy + 768870) [0x105614b66] 1-24  
 24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
 24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
 24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
 [0x7ff80bf3f082] 1-24  
 24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
 [0x7ff80bf3fba5] 1-24  
 24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
 508213) [0x7ff80bf41135] 1-24  
 24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
 [0x7ff80be25d1f] 1-24  
 24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
 [0x7ff80be2cb62] 1-24  
 24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
 [0x7ff80be25a2e] 1-24  
 \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
 [0xfffff8000415fc0] 1-24

Thread 0x1d75 Thread name "com.apple.NSURLConnectionLoader" 24  
 samples (1-24) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination  
 clean, thread darwinbg, process darwinbg, IO tier 2>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
 1-24  
 24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
 [0x7ff80be65202] 1-24  
 24 ??? (Foundation + 349980) [0x7ff80ced371c] 1-24  
 24 ??? (CFNetwork + 2391509) [0x7ff81129fdd5] 1-24  
 24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
 [0x7ff80bf3f082] 1-24  
 24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
 [0x7ff80bf3fba5] 1-24  
 24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
 508213) [0x7ff80bf41135] 1-24  
 24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
 [0x7ff80be25d1f] 1-24  
 24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
 [0x7ff80be2cb62] 1-24  
 24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
 [0x7ff80be25a2e] 1-24  
 \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
 [0xfffff8000415fc0] 1-24

Binary Images:

0x105559000 - 0x10567cfff networkserviceproxy (698.60.4)  
<84C470AE-661C-3D03-ADAD-CF493A7F6CB6> /usr/libexec/  
networkserviceproxy  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
0x7ff811058000 - 0x7ff811406ff1 com.apple.CFNetwork 1.0  
(1492.0.1) <2847065D-8C66-3A44-B26C-B2A51A2897FB> /System/Library/  
Frameworks/CFNetwork.framework/Versions/A/CFNetwork  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: NewsToday2 [446] (suspended)  
UUID: 234BC34B-0E55-3E51-9CA7-F6FA4BE817A2  
Path: /System/Applications/News.app/Contents/PlugIns/  
NewsToday2.appex/Contents/MacOS/NewsToday2  
Identifier: com.apple.news.widget  
Version: 9.3 (5325.6)  
Build Version: 7  
Project Name: Feldspar  
Source Version: 5325006000000000  
Is First Party: Yes  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: chronod [434]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 12.36 MB  
Time Since Fork: 743s

Num samples: 24 (1-24)  
Note: Suspended for 24 samples  
Note: 2 idle work queue threads omitted

Thread 0xc78 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (Foundation + 918756) [0x7ff80cf5e4e4] 1-24  
24 ??? (ExtensionFoundation + 166691) [0x7ffb102dbb23] 1-24  
24 ??? (ExtensionFoundation + 12061) [0x7ffb102b5f1d] 1-24  
24 ??? (ExtensionFoundation + 12467) [0x7ffb102b60b3] 1-24  
24 ??? (Foundation + 514495) [0x7ff80cefb9bf] 1-24  
24 xpc\_main + 56 (libxpc.dylib + 87766) [0x7ff80bb8a6d6] 1-24  
24 \_xpc\_main + 259 (libxpc.dylib + 137735) [0x7ff80bb96a07] 1-24  
24 \_xpc\_objc\_main + 606 (libxpc.dylib + 88755) [0x7ff80bb8aab3]  
1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation  
+ 508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib +  
35682) [0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib +  
6702) [0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel +  
1269696) [0xfffff8000415fc0] (suspended) 1-24

Thread 0xde4 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested utility), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start\_wqthread + 0 (libsystem\_pthread.dylib + 7048) [0x7ff80be60b88]  
1-24  
\*24 ??? (kernel + 1763936) [0xfffff800048ea60] (suspended) 1-24

Thread 0x1668 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default, workloop servicer override



user initiated), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>

24 start\_wqthread + 0 (libsystem\_pthread.dylib + 7048) [0x7ff80be60b88] 1-24

\*24 ??? (kernel + 1763936) [0xfffff800048ea60] (suspended) 1-24

Thread 0x1671 Thread name "com.apple.NSURLConnectionLoader" 24 samples (1-24) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab] 1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090) [0x7ff80be65202] 1-24

24 ??? (Foundation + 349980) [0x7ff80ced371c] 1-24

24 ??? (CFNetwork + 2391509) [0x7ff81129fdd5] 1-24

24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842) [0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693) [0x7ff80bf3fba5] 1-24

24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xfffff8000415fc0] (suspended) 1-24

Thread 0x1725 24 samples (1-24) priority 4 (base 4)

<thread QoS background (requested user initiated), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>

24 start\_wqthread + 0 (libsystem\_pthread.dylib + 7048) [0x7ff80be60b88] 1-24

\*24 ??? (kernel + 1763936) [0xfffff800048ea60] (suspended) 1-24

Binary Images:

0x108259000 - ??? com.apple.news.widget 9.3 (5325.6)  
<234BC34B-0E55-3E51-9CA7-F6FA4BE817A2> /System/Applications/  
News.app/Contents/PlugIns/NewsToday2.appex/Contents/MacOS/  
NewsToday2

0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)

<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80bb75000 - 0x7ff80bbb8ff2 libxpc.dylib (2679.80.5.0.1)  
<902EB51F-373F-3AA3-B084-228AC4C1B80B> /usr/lib/system/libxpc.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
0x7ff811058000 - 0x7ff811406ff1 com.apple.CFNetwork 1.0  
(1492.0.1) <2847065D-8C66-3A44-B26C-B2A51A2897FB> /System/  
Library/Frameworks/CFNetwork.framework/Versions/A/CFNetwork  
0x7ffb102b3000 - 0x7ffb1033ffff com.apple.ExtensionFoundation 97  
(97) <266249BC-CB4B-3B4B-82A2-80CA827479FC> /System/Library/  
Frameworks/ExtensionFoundation.framework/Versions/A/  
ExtensionFoundation  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: nfcfd [607]  
UUID: F3286CF7-C3B5-3067-BBC0-2C15E3A3F2A2  
Path: /usr/libexec/nfcfd  
Codesigning ID: com.apple.nfcfd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 260  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1344 KB  
Time Since Fork: 692s  
Num samples: 24 (1-24)  
Note: 2 idle work queue threads omitted

Thread 0x15a4 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 43 (base 50)

```

<process sudden termination clean, IO tier 0>
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24
  24 ??? (nfcld + 555983) [0x105968bcf] 1-24
    24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)
[0x7ff80bf3f082] 1-24
      24 __CFRunLoopRun + 1371 (CoreFoundation + 502693)
[0x7ff80bf3fba5] 1-24
        24 __CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)
[0x7ff80bf41135] 1-24
          24 mach_msg + 19 (libsystem_kernel.dylib + 7455) [0x7ff80be25d1f]
1-24
            24 mach_msg_overwrite + 653 (libsystem_kernel.dylib + 35682)
[0x7ff80be2cb62] 1-24
              24 mach_msg2_trap + 10 (libsystem_kernel.dylib + 6702)
[0x7ff80be25a2e] 1-24
                *24 ipc_mqueue_receive_continue + 0 (kernel + 1269696)
[0xfffff8000415fc0] 1-24

```

Binary Images:

```

0x1058e1000 - 0x105b6cfff nfcld (342.5)
<F3286CF7-C3B5-3067-BBC0-2C15E3A3F2A2> /usr/libexec/nfcld
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld
0x7ff80be24000 - 0x7ff80be5eff7 libsystem_kernel.dylib (10002.81.5)
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/
libsystem_kernel.dylib
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation
*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/
kernel

```

```

Process:      Notes [374]
UUID:        4342B107-9D8E-3885-B608-7CD45EBDB6BC
Path:        /System/Applications/Notes.app/Contents/MacOS/Notes
Identifier:   com.apple.Notes
Version:     4.11 (2755)
Build Version:  9
Project Name:  Notes
Source Version: 275500000000000000
Is First Party: Yes
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base

```

address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64

Parent: launchd [1]

UID: 501

Footprint: 35.21 MB

Time Since Fork: 750s

Num samples: 24 (1-24)

Note: 2 idle work queue threads omitted

Thread 0xa17 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)

<thread QoS user interactive (requested user interactive), process  
suppressed, timers tier 5 (throttled), IO tier 2>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24

24 NSApplicationMain + 816 (AppKit + 16833) [0x7ff80f5151c1] 1-24

24 -[NSApplication run] + 603 (AppKit + 197042) [0x7ff80f5411b2] 1-24

24 -[NSApplication(NSEventRouting)

\_nextEventMatchingEventMask:untilDate:inMode:dequeue:] + 1304 (AppKit +  
9734148) [0x7ff80fe59804] 1-24

24 \_DPSNextEvent + 880 (AppKit + 257081) [0x7ff80f54fc39] 1-24

24 \_BlockUntilNextEventMatchingListInModeWithFilter + 66

(HIToolbox + 197937) [0x7ff816831531] 1-24

24 ReceiveNextEventCommon + 665 (HIToolbox + 198630)

[0x7ff8168317e6] 1-24

24 RunCurrentEventLoopInMode + 292 (HIToolbox + 199129)

[0x7ff8168319d9] 1-24

24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)

[0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)

[0x7ff80bf3fba5] 1-24

24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +

508213) [0x7ff80bf41135] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)

[0x7ff80be25d1f] 1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib +

35682) [0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)

[0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)

[0xfffff8000415fc0] 1-24

Thread 0xe42 Thread name "com.apple.NSEventThread" 24 samples  
(1-24) priority 4 (base 4)

<thread QoS user interactive (requested user interactive), process

suppressed, timers tier 5 (throttled), IO tier 2>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 \_NSEventThread + 122 (AppKit + 1686188) [0x7ff80f6acaac] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0x15ee Thread name "com.apple.coreanimation.render-server"

24 samples (1-24) priority 4 (base 4)  
<process suppressed, timers tier 5 (throttled), IO tier 2>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 ??? (QuartzCore + 297777) [0x7ff814472b31] 1-24  
24 ??? (QuartzCore + 298328) [0x7ff814472d58] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0x15f5 Thread name "com.apple.NSURLConnectionLoader" 24  
samples (1-24) priority 4 (base 4)

<thread QoS default (requested default), process suppressed, timers tier 5  
(throttled), IO tier 2>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]

1-24  
 24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
 [0x7ff80be65202] 1-24  
 24 ??? (Foundation + 349980) [0x7ff80ced371c] 1-24  
 24 ??? (CFNetwork + 2391509) [0x7ff81129fdd5] 1-24  
 24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
 [0x7ff80bf3f082] 1-24  
 24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
 [0x7ff80bf3fba5] 1-24  
 24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
 508213) [0x7ff80bf41135] 1-24  
 24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
 [0x7ff80be25d1f] 1-24  
 24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
 [0x7ff80be2cb62] 1-24  
 24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
 [0x7ff80be25a2e] 1-24  
 \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
 [0xfffff8000415fc0] 1-24

#### Binary Images:

0x10eff4000 - ??? com.apple.Notes 4.11 (2755)  
 <4342B107-9D8E-3885-B608-7CD45EBDB6BC> /System/Applications/  
 Notes.app/Contents/MacOS/Notes  
 0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
 <01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
 0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
 <3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
 libsystem\_kernel.dylib  
 0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
 <0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
 libsystem\_pthread.dylib  
 0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
 (2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
 Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
 0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
 <6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
 Frameworks/Foundation.framework/Versions/C/Foundation  
 0x7ff80f511000 - 0x7ff81092fff6 com.apple.AppKit 6.9 (2487.40.107)  
 <660B78D6-113F-3ABD-8969-A6CB84FFF752> /System/Library/  
 Frameworks/AppKit.framework/Versions/C/AppKit  
 0x7ff811058000 - 0x7ff811406ff1 com.apple.CFNetwork 1.0  
 (1492.0.1) <2847065D-8C66-3A44-B26C-B2A51A2897FB> /System/Library/  
 Frameworks/CFNetwork.framework/Versions/A/CFNetwork

0x7ff81442a000 - 0x7ff8147d1ff9 com.apple.QuartzCore 1.11  
(1114.6) <A3EE0B69-3EFD-3505-BF79-1068EA77FE90> /System/Library/  
Frameworks/QuartzCore.framework/Versions/A/QuartzCore  
0x7ff816801000 - 0x7ff816a9cff4 com.apple.HIToolbox 2.1.1 (1202)  
<4CD47F03-ED80-3F2A-BBDF-D7AF11CB4CCB> /System/Library/  
Frameworks/Carbon.framework/Versions/A/Frameworks/  
HIToolbox.framework/Versions/A/HIToolbox  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: NotificationCenter (Notification Center) [418]  
UUID: 7EE03F6A-ECA4-326C-A544-E80D3790FF47  
Path: /System/Library/CoreServices/NotificationCenter.app/Contents/  
MacOS/NotificationCenter  
Identifier: com.apple.notificationcenterui  
Version: 1.0 (1341.15)  
Build Version: 2  
Project Name: NotificationCenter  
Source Version: 1341015000000000  
Is First Party: Yes  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Footprint: 17.23 MB  
Time Since Fork: 747s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xb53 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 46 (base 46)  
<thread QoS user interactive (requested user interactive), IO tier 0>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (NotificationCenter + 54641) [0x109cc7571] 1-24  
24 ??? (NotificationCenter + 55322) [0x109cc781a] 1-24  
24 NSApplicationMain + 816 (AppKit + 16833) [0x7ff80f5151c1] 1-24  
24 ??? (NotificationCenter + 361902) [0x109d125ae] 1-24  
24 ??? (NotificationCenter + 361847) [0x109d12577] 1-24  
24 -[NSApplication run] + 603 (AppKit + 197042) [0x7ff80f5411b2]  
1-24  
24 -[NSApplication(NSEventRouting)

\_nextEventMatchingEventMask:untilDate:inMode:dequeue:] + 1304 (AppKit + 9734148) [0x7ff80fe59804] 1-24  
     24 \_DPSNextEvent + 880 (AppKit + 257081) [0x7ff80f54fc39] 1-24  
         24 \_BlockUntilNextEventMatchingListInModeWithFilter + 66 (HIToolbox + 197937) [0x7ff816831531] 1-24  
             24 ReceiveNextEventCommon + 665 (HIToolbox + 198630) [0x7ff8168317e6] 1-24  
                 24 RunCurrentEventLoopInMode + 292 (HIToolbox + 199129) [0x7ff8168319d9] 1-24  
                     24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842) [0x7ff80bf3f082] 1-24  
                         24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693) [0x7ff80bf3fba5] 1-24  
                             24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24  
                                 24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 1-24  
                                     24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24  
   24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24  
   \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xffffffff8000415fc0] 1-24

Thread 0xb83 DispatchQueue "GestureAnimationQueue"(198) 24 samples (1-24) priority 46 (base 46)  
 <thread QoS user interactive (requested user interactive, workloop servicer override user interactive), IO tier 0>  
     24 start\_wqthread + 15 (libsystem\_pthread.dylib + 7063) [0x7ff80be60b97] 1-24  
         24 \_pthread\_wqthread + 327 (libsystem\_pthread.dylib + 11335) [0x7ff80be61c47] 1-24  
             24 \_dispatch\_workloop\_worker\_thread + 451 (libdispatch.dylib + 78845) [0x7ff80bccd3fd] 1-24  
                 24 \_dispatch\_root\_queue\_drain\_deferred\_wlh + 271 (libdispatch.dylib + 80622) [0x7ff80bccdaee] 1-24  
                     24 \_dispatch\_lane\_invoke + 377 (libdispatch.dylib + 41216) [0x7ff80bcc4100] 1-24  
                         24 \_dispatch\_lane\_serial\_drain + 816 (libdispatch.dylib + 38504) [0x7ff80bcc3668] 1-24  
                             24 \_dispatch\_client\_callout + 8 (libdispatch.dylib + 13722) [0x7ff80bcabd59a] 1-24  
                                 24 \_dispatch\_call\_block\_and\_release + 12 (libdispatch.dylib +



8934) [0x7ff80bcbc2e6] 1-24  
     24 ??? (NotificationCenter + 988333) [0x109dab4ad] 1-24  
     24 ??? (NotificationCenter + 1875465) [0x109e83e09] 1-24  
     24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
 [0x7ff80bf3f082] 1-24  
     24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
 [0x7ff80bf3fba5] 1-24  
     24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
 508213) [0x7ff80bf41135] 1-24  
     24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
 [0x7ff80be25d1f] 1-24  
     24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib +  
 35682) [0x7ff80be2cb62] 1-24  
     24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
 [0x7ff80be25a2e] 1-24  
     \*24 ipc\_mqueue\_receive\_continue + 0 (kernel +  
 1269696) [0xfffff8000415fc0] 1-24

Thread 0xcd0 Thread name "com.apple.NSEventThread" 24 samples  
 (1-24) priority 46 (base 46)  
 <thread QoS user interactive (requested user interactive), IO tier 0>  
 24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
 1-24  
     24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
 [0x7ff80be65202] 1-24  
     24 \_NSEventThread + 122 (AppKit + 1686188) [0x7ff80f6acaac] 1-24  
     24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
 [0x7ff80bf3f082] 1-24  
     24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
 [0x7ff80bf3fba5] 1-24  
     24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
 [0x7ff80bf41135] 1-24  
     24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
 1-24  
     24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
 [0x7ff80be2cb62] 1-24  
     24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
 [0x7ff80be25a2e] 1-24  
     \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
 [0xfffff8000415fc0] 1-24

Binary Images:

0x109cba000 - 0x109fddfff com.apple.notificationcenterui 1.0  
 (1341.15) <7EE03F6A-ECA4-326C-A544-E80D3790FF47> /System/Library/

CoreServices/NotificationCenter.app/Contents/MacOS/NotificationCenter  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/  
Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80f511000 - 0x7ff81092fff6 com.apple.AppKit 6.9 (2487.40.107)  
<660B78D6-113F-3ABD-8969-A6CB84FFF752> /System/Library/  
Frameworks/AppKit.framework/Versions/C/AppKit  
0x7ff816801000 - 0x7ff816a9cff4 com.apple.HIToolbox 2.1.1 (1202)  
<4CD47F03-ED80-3F2A-BBDF-D7AF11CB4CCB> /System/Library/  
Frameworks/Carbon.framework/Versions/A/Frameworks/  
HIToolbox.framework/Versions/A/HIToolbox  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: notifyd [149]  
UUID: 6492DC73-CC42-39C9-8E05-62AA91BE8925  
Path: /usr/sbin/notifyd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked  
Footprint: 908 KB  
Time Since Fork: 767s  
Num samples: 24 (1-24)  
CPU Time: <0.001s (367.9K cycles, 109.5K instructions, 3.36c/i)  
Note: 1 idle work queue thread omitted

Thread 0x304 24 samples (1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination clean,

IO tier 0>

24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24

24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24

\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x1094b7000 - ??? notifyd <6492DC73-  
CC42-39C9-8E05-62AA91BE8925> /usr/sbin/notifyd

0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib

\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: nsurlsessiond [236]

UUID: 7E3E091C-91CC-368A-B37E-766CBB1FA8B5

Path: /usr/libexec/nsurlsessiond

Codesigning ID: com.apple.nsurlsessiond

Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64

Parent: launchd [1]

UID: 242

Sudden Term: Tracked (allows idle exit)

Footprint: 2176 KB

Time Since Fork: 762s

Num samples: 24 (1-24)

Note: 3 idle work queue threads omitted

Thread 0x516 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination  
dirty, thread darwinbg, process darwinbg, IO tier 2>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24

24 ??? (nsurlsessiond + 16888) [0x1024381f8] 1-24

24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24

24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24

24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 1-24

Binary Images:

0x102434000 - 0x1024c3fff nsurlsessiond (1492.0.1)  
<7E3E091C-91CC-368A-B37E-766CBB1FA8B5> /usr/libexec/nsurlsessiond  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: nsurlsessiond [488]  
UUID: 7E3E091C-91CC-368A-B37E-766CBB1FA8B5  
Path: /usr/libexec/nsurlsessiond  
Codesigning ID: com.apple.nsurlsessiond  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)

Footprint: 3264 KB  
Time Since Fork: 735s  
Num samples: 24 (1-24)  
CPU Time: <0.001s (373.7K cycles, 113.4K instructions, 3.30c/i)  
Note: 3 idle work queue threads omitted

Thread 0xe6a DispatchQueue "com.apple.main-thread"(1) 24 samples (1-24) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination dirty, thread darwinbg, process darwinbg, IO tier 2>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (nsurlsessiond + 16888) [0x108af31f8] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842) [0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693) [0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xffffffff8000415fc0] 1-24

Thread 0x1218 Thread name "com.apple.NSURLConnectionLoader" 24 samples (1-24) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination dirty, thread darwinbg, process darwinbg, IO tier 2>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab] 1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090) [0x7ff80be65202] 1-24  
24 ??? (Foundation + 349980) [0x7ff80ced371c] 1-24  
24 ??? (CFNetwork + 2391509) [0x7ff81129fdd5] 1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842) [0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693) [0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +

508213) [0x7ff80bf41135] 1-24  
    24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
    24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
    24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
    \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0x1221 Thread name "com.apple.CFSocket.private" 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
dirty, thread darwinbg, process darwinbg, IO tier 2>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 \_\_select + 10 (libsystem\_kernel.dylib + 43294) [0x7ff80be2e91e] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

#### Binary Images:

0x108aef000 - 0x108b7efff nsurlsessiond (1492.0.1)  
<7E3E091C-91CC-368A-B37E-766CBB1FA8B5> /usr/libexec/nsurlsessiond  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
0x7ff811058000 - 0x7ff811406ff1 com.apple.CFNetwork 1.0  
(1492.0.1) <2847065D-8C66-3A44-B26C-B2A51A2897FB> /System/Library/  
Frameworks/CFNetwork.framework/Versions/A/CFNetwork  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: Numbers [373]  
UUID: 354C03DF-57A2-3BB3-8D85-7DA6AAA574D2  
Path: /Applications/Numbers.app/Contents/MacOS/Numbers  
Identifier: com.apple.iWork.Numbers  
Version: 13.2 (7038.0.87)  
Build Version: 4  
Product Build Version: 1A101s  
Project Name: Numbers  
Source Version: 7038000087000000  
Team ID: 74J34U3R6X  
App Item ID: 409203825  
App External ID: 859716073  
Is First Party: Yes  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked  
Footprint: 64.97 MB  
Time Since Fork: 750s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xa0e DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS default (requested user interactive), process sudden  
termination clean, process suppressed, timers tier 5 (throttled), IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 NSApplicationMain + 816 (AppKit + 16833) [0x7ff80f5151c1] 1-24  
24 -[NSApplication run] + 603 (AppKit + 197042) [0x7ff80f5411b2] 1-24  
24 -[NSApplication(NSEventRouting)  
\_nextEventMatchingEventMask:untilDate:inMode:dequeue:] + 1304 (AppKit +  
9734148) [0x7ff80fe59804] 1-24  
24 \_DPSNextEvent + 880 (AppKit + 257081) [0x7ff80f54fc39] 1-24  
24 \_BlockUntilNextEventMatchingListInModeWithFilter + 66  
(HIToolbox + 197937) [0x7ff816831531] 1-24  
24 ReceiveNextEventCommon + 665 (HIToolbox + 198630)  
[0x7ff8168317e6] 1-24  
24 RunCurrentEventLoopInMode + 292 (HIToolbox + 199129)  
[0x7ff8168319d9] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)

[0x7ff80bf3f082] 1-24  
    24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
    24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
    24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
    24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib +  
35682) [0x7ff80be2cb62] 1-24  
    24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
    \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0x148f Thread name "com.apple.NSEventThread" 24 samples  
(1-24) priority 4 (base 4)

<thread QoS default (requested user interactive), process sudden  
termination clean, process suppressed, timers tier 5 (throttled), IO tier 2>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)

[0x7ff80be65202] 1-24

24 \_NSEventThread + 122 (AppKit + 1686188) [0x7ff80f6acaac] 1-24

24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)

[0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)

[0x7ff80bf3fba5] 1-24

24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)

[0x7ff80bf41135] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

#### Binary Images:

0x101ba1000 - ??? com.apple.iWork.Numbers 13.2  
(7038.0.87) <354C03DF-57A2-3BB3-8D85-7DA6AAA574D2> /Applications/  
Numbers.app/Contents/MacOS/Numbers

0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld



0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80f511000 - 0x7ff81092fff6 com.apple.AppKit 6.9 (2487.40.107)  
<660B78D6-113F-3ABD-8969-A6CB84FFF752> /System/Library/  
Frameworks/AppKit.framework/Versions/C/AppKit  
0x7ff816801000 - 0x7ff816a9cff4 com.apple.HIToolbox 2.1.1 (1202)  
<4CD47F03-ED80-3F2A-BBDF-D7AF11CB4CCB> /System/Library/  
Frameworks/Carbon.framework/Versions/A/Frameworks/  
HIToolbox.framework/Versions/A/HIToolbox  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: online-auth-agent [700]  
UUID: 36F7F297-4ADA-317E-B251-2793E329A10D  
Path: /usr/libexec/online-auth-agent  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 784 KB  
Time Since Fork: 632s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x1c8a 24 samples (1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination clean,  
process unclamped, IO tier 0>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x104f06000 - ??? online-auth-agent  
<36F7F297-4ADA-317E-B251-2793E329A10D> /usr/libexec/online-auth-agent  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/libsystem\_kernel.dylib  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/kernel

Process: opendirectoryd [126]  
UUID: 69EC9653-7E68-3155-89B2-9B50704237E6  
Path: /usr/libexec/opendirectoryd  
Codesigning ID: com.apple.opendirectoryd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked  
Footprint: 3076 KB  
Time Since Fork: 767s  
Num samples: 24 (1-24)  
CPU Time: 0.006s (13.7M cycles, 4.1M instructions, 3.33c/i)  
Note: 5 idle work queue threads omitted

Thread 0x337 DispatchQueue  
"com.apple.opendirectoryd.module.SystemCache.kauth\_workq"(1200) 24 samples (1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination dirty, IO tier 0>  
24 start\_wqthread + 15 (libsystem\_pthread.dylib + 7063) [0x7ff80be60b97] 1-24  
24 \_pthread\_wqthread + 262 (libsystem\_pthread.dylib + 11270) [0x7ff80be61c06] 1-24  
24 \_dispatch\_worker\_thread2 + 152 (libdispatch.dylib + 77602) [0x7ff80bcccf22] 1-24  
24 \_dispatch\_root\_queue\_drain + 328 (libdispatch.dylib + 75638) [0x7ff80bcc7776] 1-24

24 \_dispatch\_async\_redirect\_invoke + 710 (libdispatch.dylib + 22332) [0x7ff80bcbf73c] 1-24  
24 \_dispatch\_continuation\_pop + 523 (libdispatch.dylib + 24775) [0x7ff80bcc00c7] 1-24  
24 \_dispatch\_client\_callout + 8 (libdispatch.dylib + 13722) [0x7ff80bcbd59a] 1-24  
24 \_dispatch\_call\_block\_and\_release + 12 (libdispatch.dylib + 8934) [0x7ff80bcbc2e6] 1-24  
24 \_\_identitysvc + 10 (libsystem\_kernel.dylib + 49962) [0x7ff80be3032a] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Thread 0x35f DispatchQueue "com.apple.root.default-qos"(13) 24 samples (1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination dirty, IO tier 0>  
24 start\_wqthread + 15 (libsystem\_pthread.dylib + 7063) [0x7ff80be60b97] 1-24  
24 \_pthread\_wqthread + 262 (libsystem\_pthread.dylib + 11270) [0x7ff80be61c06] 1-24  
24 \_dispatch\_worker\_thread2 + 152 (libdispatch.dylib + 77602) [0x7ff80bcccf22] 1-24  
24 \_dispatch\_root\_queue\_drain + 879 (libdispatch.dylib + 76189) [0x7ff80bcc999d] 1-24  
24 \_dispatch\_client\_callout + 8 (libdispatch.dylib + 13722) [0x7ff80bcbd59a] 1-24  
24 \_dispatch\_call\_block\_and\_release + 12 (libdispatch.dylib + 8934) [0x7ff80bcbc2e6] 1-24  
24 \_\_systemcache\_mig\_initialize\_block\_invoke + 39 (SystemCache + 175889) [0x10ec80f11] 1-24  
24 mach\_msg\_server + 305 (libsystem\_kernel.dylib + 32966) [0x7ff80be2c0c6] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xfffff8000415fc0] (blocked by turnstile UNKNOWN waiting for receive port name "com.apple.system.DirectoryService.libinfo\_v1" in domain 1, mach\_msg receive on port name "com.apple.system.DirectoryService.libinfo\_v1" in domain 1 name 0x4a07) 1-24

Thread 0x3f1 24 samples (1-24) priority 31 (base 31)

<thread QoS default (requested default), process sudden termination dirty, IO tier 0>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42] 1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774) [0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Thread 0x3e52 DispatchQueue  
"com.apple.opendirectoryd.pidinfo.321.requests"(3792) 1 sample (18) priority 4 (base 4) cpu time 0.003s (7.2M cycles, 1375.5K instructions, 5.26c/i)  
<DispatchQueue not seen for 17 samples, thread QoS background (requested background), process sudden termination dirty, thread darwinbg, IO tier 2>  
1 start\_wqthread + 15 (libsystem\_pthread.dylib + 7063) [0x7ff80be60b97] 18  
1 \_pthread\_wqthread + 262 (libsystem\_pthread.dylib + 11270) [0x7ff80be61c06] 18  
1 \_dispatch\_worker\_thread2 + 152 (libdispatch.dylib + 77602) [0x7ff80bcccf22] 18  
1 \_dispatch\_root\_queue\_drain + 328 (libdispatch.dylib + 75638) [0x7ff80bcc776] 18  
1 \_dispatch\_async\_redirect\_invoke + 710 (libdispatch.dylib + 22332) [0x7ff80bcbf73c] 18  
1 \_dispatch\_continuation\_pop + 624 (libdispatch.dylib + 24876) [0x7ff80bcc012c] 18  
1 \_dispatch\_client\_callout + 8 (libdispatch.dylib + 13722) [0x7ff80bcbd59a] 18  
1 \_dispatch\_call\_block\_and\_release + 12 (libdispatch.dylib + 8934) [0x7ff80bcbc2e6] 18  
1 \_odrequest\_api\_process + 171 (opendirectoryd + 71794) [0x10e9c2872] 18  
1 odm\_NodeCreateWithNameAndOptions + 202 (opendirectoryd + 29090) [0x10e9b81a2] 18  
1 odnode\_create + 144 (opendirectoryd + 97852) [0x10e9c8e3c] 18  
1 odobject\_create\_internal + 278 (opendirectoryd + 150050) [0x10e9d5a22] 18  
1 \_os\_object\_alloc + 45 (libdispatch.dylib + 11487) [0x7ff80bcbccdf] 18  
1 class\_createInstance + 52 (libobjc.A.dylib + 26615) [0x7ff80ba987f7] 18  
1 ??? (libsystem\_malloc.dylib + 7226) [0x7ff80bc82c3a]

18

1 ??? (libsystem\_malloc.dylib + 12529) [0x7ff80bc840f1]  
(running) 18

Thread 0x3db9 1 sample (18) priority 4 (base 4) cpu time <0.001s  
(92.9K cycles, 46.7K instructions, 1.99c/i)

<Thread in another call tree for 17 samples, thread QoS background  
(requested background), process sudden termination dirty, thread darwinbg,  
IO tier 2>

1 start\_wqthread + 15 (libsystem\_pthread.dylib + 7063) [0x7ff80be60b97]  
18

1 \_\_workq\_kernreturn + 10 (libsystem\_kernel.dylib + 12626)  
[0x7ff80be27152] 18

\*1 ??? (kernel + 6205392) [0xfffff80008cafd0] (runnable) 18

#### Binary Images:

0x10e9b1000 - 0x10ea44fff opendirectoryd (897)  
<69EC9653-7E68-3155-89B2-9B50704237E6> /usr/libexec/opendirectoryd

0x10ec56000 - 0x10eca1fff  
com.apple.opendirectoryd.module.SystemCache 14.3 (897) <18685F06-  
A632-3181-8AB7-8F63D1B18894> /System/Library/OpenDirectory/  
Modules/SystemCache.bundle/Contents/MacOS/SystemCache

0x7ff80ba92000 - 0x7ff80bad3ff8 libobjc.A.dylib (906.2)  
<EA826A22-4354-3747-AB9F-371E1AB11BED> /usr/lib/libobjc.A.dylib

0x7ff80bc81000 - 0x7ff80bcb9ff7 libsystem\_malloc.dylib (474.0.13)  
<09BE080A-B8B9-3E6A-B3B1-C0C4D5378D91> /usr/lib/system/  
libsystem\_malloc.dylib

0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib

0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib

\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: osanalyticshelper [490]

UUID: 0AE07464-17E9-36CE-BB4B-26579840C77E

Path: /System/Library/CoreServices/osanalyticshelper

Codesigning ID: com.apple.osanalyticshelper  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 904 KB  
Time Since Fork: 733s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xea9 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (osanalyticshelper + 48411) [0x10c7e9d1b] 1-24  
24 ??? (osanalyticshelper + 74369) [0x10c7f0281] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x10c7de000 - 0x10c7fdfff osanalyticshelper (614.60.3)  
<0AE07464-17E9-36CE-BB4B-26579840C77E> /System/Library/  
CoreServices/osanalyticshelper  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/

libsystem\_kernel.dylib

0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9 (2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation

0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303) <6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/Frameworks/Foundation.framework/Versions/C/Foundation

\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5) <8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/kernel

Process: ospredictiond [926]

UUID: A8B86EE1-8A68-3855-BD83-12153A3590C9

Path: /usr/libexec/ospredictiond

Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64

Parent: launchd [1]

UID: 0

Sudden Term: Tracked (allows idle exit)

Footprint: 1388 KB

Time Since Fork: 335s

Num samples: 24 (1-24)

Note: 1 idle work queue thread omitted

Thread 0x2f67 24 samples (1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination clean, process unclamped, IO tier 0>

24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42] 1-24

24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774) [0x7ff80be2b836] 1-24

\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

Binary Images:

0x10e165000 - ??? ospredictiond  
<A8B86EE1-8A68-3855-BD83-12153A3590C9> /usr/libexec/ospredictiond

0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/libdispatch.dylib

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/libsystem\_kernel.dylib

\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: parsecd [520]  
UUID: 92744D28-C3B6-359E-8D77-80E5476F75EE  
Path: /System/Library/PrivateFrameworks/CoreParsec.framework/  
parsecd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 3504 KB  
Time Since Fork: 728s  
Num samples: 24 (1-24)  
Note: 5 idle work queue threads omitted

Thread 0x105c 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
dirty, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

Binary Images:  
0x10b6b6000 - ??? parsecd <92744D28-  
C3B6-359E-8D77-80E5476F75EE> /System/Library/PrivateFrameworks/  
CoreParsec.framework/parsecd  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel



Process: PasscodeSettingsSubscriber [719]  
UUID: 362DC1DD-2734-3A45-96DA-160AEE2A98C9  
Path: /System/Library/PrivateFrameworks/  
RemoteManagement.framework/XPCServices/  
PasscodeSettingsSubscriber.xpc/Contents/MacOS/  
PasscodeSettingsSubscriber  
Identifier: com.apple.remotemanagement.PasscodeSettingsSubscriber  
Version: ??? (2.0)  
Build Version: 92  
Project Name: RemoteManagement  
Source Version: 500025003007000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: remotemanagementd [694]  
UID: 277  
Sudden Term: Tracked (allows idle exit)  
Footprint: 3588 KB  
Time Since Fork: 615s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x1e0d 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

#### Binary Images:

0x1092e2000 - ???  
com.apple.remotemanagement.PasscodeSettingsSubscriber (2.0)  
<362DC1DD-2734-3A45-96DA-160AEE2A98C9> /System/Library/  
PrivateFrameworks/RemoteManagement.framework/XPCServices/  
PasscodeSettingsSubscriber.xpc/Contents/MacOS/  
PasscodeSettingsSubscriber  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/

libsystem\_kernel.dylib

\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: PasscodeSettingsSubscriber [890]  
UUID: 362DC1DD-2734-3A45-96DA-160AEE2A98C9  
Path: /System/Library/PrivateFrameworks/  
RemoteManagement.framework/XPCServices/  
PasscodeSettingsSubscriber.xpc/Contents/MacOS/  
PasscodeSettingsSubscriber  
Identifier: com.apple.remotemanagement.PasscodeSettingsSubscriber  
Version: ??? (2.0)  
Build Version: 92  
Project Name: RemoteManagement  
Source Version: 500025003007000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: RemoteManagementAgent [880]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 3552 KB  
Time Since Fork: 402s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x2b39 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x10d48e000 - ???  
com.apple.remotemanagement.PasscodeSettingsSubscriber (2.0)  
<362DC1DD-2734-3A45-96DA-160AEE2A98C9> /System/Library/  
PrivateFrameworks/RemoteManagement.framework/XPCServices/  
PasscodeSettingsSubscriber.xpc/Contents/MacOS/

PasscodeSettingsSubscriber

0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: PasswordBreachAgent [859]  
UUID: 6EF3CD1D-EB78-3E62-B911-86ACF7C68CE4  
Path: /Volumes/VOLUME/\*/PasswordBreachAgent  
Codesigning ID: com.apple.Safari.PasswordBreachAgent  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1204 KB  
Time Since Fork: 415s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x2a42 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)

<thread QoS background (requested background), process sudden  
termination clean, thread darwinbg, process darwinbg, IO tier 2>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24

24 ??? (PasswordBreachAgent + 11789) [0x107f6fe0d] 1-24

24 ??? (SafariCore + 377138) [0x7ff9132a2132] 1-24

24 CFRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24

24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24

24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x107f6d000 - 0x107f78fff PasswordBreachAgent  
(7617.2.4.11.12) <6EF3CD1D-EB78-3E62-B911-86ACF7C68CE4> /  
Volumes/VOLUME/\*/PasswordBreachAgent  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/  
Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff913246000 - 0x7ff913345ff4 com.apple.Safari.Core 19617  
(19617.2.4.11.12) <721B01B2-A475-3DF3-B8F5-C61395FFDB2A> /System/  
Library/PrivateFrameworks/SafariCore.framework/Versions/A/SafariCore  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: pboard [372]  
UUID: 750C4F30-137D-3139-A5FA-FCAD5CE49CA  
Path: /usr/libexec/pboard  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64h  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked  
Footprint: 628 KB  
Time Since Fork: 750s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xa44 24 samples (1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>

24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

Binary Images:

0x10b431000 - ??? pboard  
<750C4F30-137D-3139-A5FA-FCAD5CE49CA> /usr/libexec/pboard  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: pbs [509]  
UUID: 107CCCDB-4985-3486-B733-810CF86A869D  
Path: /System/Library/CoreServices/pbs  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 980 KB  
Time Since Fork: 730s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xf7d 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

Binary Images:

0x108ce3000 - ??? pbs  
<107CCCDB-4985-3486-B733-810CF86A869D> /System/Library/  
CoreServices/pbs  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: peopled [712]  
UUID: 161021CD-0082-3A01-8F29-CE1F6885B902  
Path: /System/Library/PrivateFrameworks/People.framework/peopled  
Codesigning ID: com.apple.peopled  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 3220 KB  
Time Since Fork: 622s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x1d5c DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (peopled + 15891) [0x10f7c7e13] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)

[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x10f7c4000 - 0x10f823fff peopled (84.4.3)  
<161021CD-0082-3A01-8F29-CE1F6885B902> /System/Library/  
PrivateFrameworks/People.framework/peopled  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: PerfPowerServices [141]  
UUID: 7B66E22C-CDA7-3C39-A946-330EB3F09518  
Path: /usr/libexec/PerfPowerServices  
Codesigning ID: com.apple.PerfPowerServices  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Footprint: 4112 KB  
Time Since Fork: 767s  
Num samples: 24 (1-24)  
CPU Time: <0.001s (2.2M cycles, 1492.2K instructions, 1.45c/i)  
Note: 3 idle work queue threads omitted

Thread 0x31a DispatchQueue "com.apple.main-thread"(1) 24 samples

(1-24) priority 31 (base 31) cpu time <0.001s (120.7K cycles, 36.9K instructions, 3.27c/i)  
 <thread QoS default (requested default), process unclamped, IO tier 0>  
 24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
 24 ??? (PerfPowerServices + 16067) [0x100580ec3] 1-24  
 24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
 24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842) [0x7ff80bf3f082] 1-24  
 24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693) [0x7ff80bf3fba5] 1-24  
 24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24  
 24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 1-24  
 24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24  
 24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24  
 \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xffffffff8000415fc0] 1-24

Thread 0x9b1 Thread name "caulk.messenger.shared:17" 24 samples  
 (1-24) priority 19 (base 19)  
 <thread QoS utility (requested utility), process unclamped, IO tier 1>  
 24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab] 1-24  
 24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090) [0x7ff80be65202] 1-24  
 24 void\* caulk::thread\_proxy<std::\_\_1::tuple<caulk::thread::attributes, void (caulk::concurrent::details::worker\_thread::\*), std::\_\_1::tuple<caulk::concurrent::details::worker\_thread\*>>>(void\*) + 41 (caulk + 6332) [0x7ff81654d8bc] 1-24  
 24 caulk::concurrent::details::worker\_thread::run() + 30 (caulk + 7064) [0x7ff81654db98] 1-24  
 24 semaphore\_wait\_trap + 10 (libsystem\_kernel.dylib + 6570) [0x7ff80be259aa] 1-24  
 \*24 ??? (kernel + 1663616) [0xffffffff8000476280] 1-24

Thread 0x9c3 Thread name "caulk.messenger.shared:high" 24 samples  
 (1-24) priority 55 (base 55)  
 <process unclamped, IO tier 0>  
 24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab] 1-24  
 24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)



[0x7ff80be65202] 1-24

24 void\* caulk::thread\_proxy<std::\_\_1::tuple<caulk::thread::attributes,  
void (caulk::concurrent::details::worker\_thread::\*)(),

std::\_\_1::tuple<caulk::concurrent::details::worker\_thread\*>>>(void\*) + 41  
(caulk + 6332) [0x7ff81654d8bc] 1-24

24 caulk::concurrent::details::worker\_thread::run() + 30 (caulk + 7064)  
[0x7ff81654db98] 1-24

24 semaphore\_wait\_trap + 10 (libsystem\_kernel.dylib + 6570)  
[0x7ff80be259aa] 1-24

\*24 ??? (kernel + 1663616) [0xfffff8000476280] 1-24

Thread 0x3e7d DispatchQueue

"com.apple.powerlog.workqueue.PLLocationAgent"(156) 1 sample (18)  
priority 4 (base 4) cpu time <0.001s (1930.0K cycles, 1423.5K instructions,  
1.36c/i)

<DispatchQueue not seen for 17 samples, thread QoS background  
(requested background, workloop servicer override background), process  
unclamped, thread darwinbg, IO tier 2>

1 start\_wqthread + 15 (libsystem\_pthread.dylib + 7063) [0x7ff80be60b97]  
18

1 \_pthread\_wqthread + 327 (libsystem\_pthread.dylib + 11335)  
[0x7ff80be61c47] 18

1 \_dispatch\_workloop\_worker\_thread + 451 (libdispatch.dylib + 78845)  
[0x7ff80bccd3fd] 18

1 \_dispatch\_root\_queue\_drain\_deferred\_wlh + 271 (libdispatch.dylib +  
80622) [0x7ff80bccdaee] 18

1 \_dispatch\_lane\_invoke + 377 (libdispatch.dylib + 41216)  
[0x7ff80bcc4100] 18

1 \_dispatch\_lane\_serial\_drain + 816 (libdispatch.dylib + 38504)  
[0x7ff80bcc3668] 18

1 \_dispatch\_client\_callout + 8 (libdispatch.dylib + 13722)  
[0x7ff80bcbd59a] 18

1 \_dispatch\_call\_block\_and\_release + 12 (libdispatch.dylib + 8934)  
[0x7ff80bcbc2e6] 18

1 ??? (PowerlogCore + 381694) [0x7ff9160d62fe] 18

1 ??? (PowerlogLiteOperators + 1480682) [0x7ff9260957ea] 18

1 ??? (PowerlogLiteOperators + 1492107) [0x7ff92609848b] 18

1 ??? (CoreLocation + 11986) [0x7ff8161cbed2] 18

1 ??? (CoreLocation + 490437) [0x7ff816240bc5] 18

1 ??? (Foundation + 141138) [0x7ff80cea0752] 18

1 ??? (Foundation + 141340) [0x7ff80cea081c] 18

1 ??? (Foundation + 110886) [0x7ff80ce99126] 18

1 ??? (Foundation + 119200) [0x7ff80ce9b1a0] 18

1 xpc\_connection\_send\_message\_with\_reply\_sync +

261 (libxpc.dylib + 46483) [0x7ff80bb80593] 18  
 1  
 dispatch\_mach\_send\_with\_result\_and\_wait\_for\_reply + 50 (libdispatch.dylib + 111147) [0x7ff80bcd522b] 18  
 1 \_dispatch\_mach\_send\_and\_wait\_for\_reply + 521 (libdispatch.dylib + 110119) [0x7ff80bcd4e27] 18  
 1 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 18  
 1 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 18  
 1 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 18  
 \*1 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xfffff8000415fc0] (blocked by turnstile waiting for locationd [321] thread 0x3531 after 2 hops) 18

Binary Images:

0x10057d000 - 0x100588fff PerfPowerServices (1787.80.12)  
 <7B66E22C-CDA7-3C39-A946-330EB3F09518> /usr/libexec/  
 PerfPowerServices  
 0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
 <01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
 0x7ff80bb75000 - 0x7ff80bbb8ff2 libxpc.dylib (2679.80.5.0.1)  
 <902EB51F-373F-3AA3-B084-228AC4C1B80B> /usr/lib/system/libxpc.dylib  
 0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
 <C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
 libdispatch.dylib  
 0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
 <3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
 libsystem\_kernel.dylib  
 0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
 <0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
 libsystem\_pthread.dylib  
 0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
 (2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/  
 Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
 0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
 <6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
 Frameworks/Foundation.framework/Versions/C/Foundation  
 0x7ff8161c9000 - 0x7ff8162d8ff7 com.apple.corelocation 2890.8.3  
 (2890.8.3) <BB1B3491-AD72-3E48-81CC-823EF9A85549> /System/Library/  
 Frameworks/CoreLocation.framework/Versions/A/CoreLocation  
 0x7ff81654c000 - 0x7ff816571ff3 com.apple.audio.caulk 1.0 (149.1.3)  
 <C24466B5-64EA-376F-BDA3-3CA1AD870FC4> /System/Library/

PrivateFrameworks/caulk.framework/Versions/A/caulk  
0x7ff916079000 - 0x7ff916190ff9 com.apple.PowerlogCore 1.0 (1)  
<5CE5C5AB-5891-3863-A022-7B8942178357> /System/Library/  
PrivateFrameworks/PowerlogCore.framework/Versions/A/PowerlogCore  
0x7ff925f2c000 - 0x7ff92613bff4 com.apple.PowerlogLiteOperators  
1.0 (1) <46602453-E4A1-32AC-AA52-C80DBA4FD2A0> /System/Library/  
PrivateFrameworks/PowerlogLiteOperators.framework/Versions/A/  
PowerlogLiteOperators  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: PerfPowerTelemetryClientRegistrationService  
(PerfPowerTelemetryClientRegistrationService) [282]  
UUID: 07F1D325-9E19-36AE-BD72-DE72396A9E49  
Path: /System/Library/PrivateFrameworks/PowerLog.framework/  
Versions/A/XPCServices/PerfPowerTelemetryClientRegistrationService.xpc/  
Contents/MacOS/PerfPowerTelemetryClientRegistrationService  
Identifier: com.apple.PerfPowerTelemetryClientRegistrationService  
Version: 1.0 (1)  
Build Version: 25  
Project Name: PerfPowerServices\_Client\_Framework  
Source Version: 1787080012000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: powerd [100]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 800 KB  
Time Since Fork: 758s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x6af 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

Binary Images:

0x10a120000 - ???  
com.apple.PerfPowerTelemetryClientRegistrationService 1.0 (1)  
<07F1D325-9E19-36AE-BD72-DE72396A9E49> /System/Library/  
PrivateFrameworks/PowerLog.framework/Versions/A/XPCServices/  
PerfPowerTelemetryClientRegistrationService.xpc/Contents/MacOS/  
PerfPowerTelemetryClientRegistrationService  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: periodic-wrapper [858]  
UUID: F938C19C-254A-39A8-ACAE-D2CC95CB4765  
Path: /usr/libexec/periodic-wrapper  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 568 KB  
Time Since Fork: 415s  
Num samples: 24 (1-24)  
Note: 2 idle work queue threads omitted

Thread 0x29fd 24 samples (1-24) priority 20 (base 20)  
<thread QoS utility (requested default), process sudden termination clean,  
timers tier 3 (coalesced), IO tier 3>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

Binary Images:

0x100e93000 - ??? periodic-wrapper

<F938C19C-254A-39A8-ACAE-D2CC95CB4765> /usr/libexec/periodic-wrapper  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/libsystem\_kernel.dylib  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/kernel

Process: periodic-wrapper [937]  
UUID: F938C19C-254A-39A8-ACAE-D2CC95CB4765  
Path: /usr/libexec/periodic-wrapper  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 564 KB  
Time Since Fork: 303s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x3171 24 samples (1-24) priority 20 (base 20)  
<thread QoS utility (requested default), process sudden termination clean, timers tier 3 (coalesced), IO tier 3>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42] 1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774) [0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

Binary Images:  
0x1058a7000 - ??? periodic-wrapper  
<F938C19C-254A-39A8-ACAE-D2CC95CB4765> /usr/libexec/periodic-wrapper  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)

<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: photoanalysisd [622]  
UUID: 5FFE2971-9159-3EB4-AB76-2CB6EF5ED42C  
Path: /System/Library/PrivateFrameworks/PhotoAnalysis.framework/  
Versions/A/Support/photoanalysisd  
Codesigning ID: com.apple.photoanalysisd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 9764 KB  
Time Since Fork: 680s  
Num samples: 24 (1-24)  
CPU Time: <0.001s (400.4K cycles, 108.6K instructions, 3.69c/i)  
Note: 2 idle work queue threads omitted

Thread 0x171a DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (photoanalysisd + 6874) [0x104e60ada] 1-24  
24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0x30dd Thread name "com.apple.NSURLConnectionLoader" 24  
samples (1-24) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24

24 ??? (Foundation + 349980) [0x7ff80ced371c] 1-24

24 ??? (CFNetwork + 2391509) [0x7ff81129fdd5] 1-24

24 CFRunLoopRunLoopSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24

24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

#### Binary Images:

0x104e5f000 - 0x104e6afff photoanalysisd (630.0.150)  
<5FFE2971-9159-3EB4-AB76-2CB6EF5ED42C> /System/Library/  
PrivateFrameworks/PhotoAnalysis.framework/Versions/A/Support/  
photoanalysisd

0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib

0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib

0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation

0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
0x7ff811058000 - 0x7ff811406ff1 com.apple.CFNetwork 1.0  
(1492.0.1) <2847065D-8C66-3A44-B26C-B2A51A2897FB> /System/Library/  
Frameworks/CFNetwork.framework/Versions/A/CFNetwork  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: photolibraryd [618]  
UUID: 07E624BE-C6FF-3FBA-ADBC-921037DFBC35  
Path: /System/Library/PrivateFrameworks/  
PhotoLibraryServices.framework/Versions/A/Support/photolibraryd  
Codesigning ID: com.apple.photolibraryd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 6528 KB  
Time Since Fork: 685s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x16a3 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (photolibraryd + 28191) [0x1046e7e1f] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)



[0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)

[0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)

[0xfffff8000415fc0] 1-24

Binary Images:

0x1046e1000 - 0x104724fff photolibraryd (630.0.150)  
<07E624BE-C6FF-3FBA-ADBC-921037DFBC35> /System/Library/  
PrivateFrameworks/PhotoLibraryServices.framework/Versions/A/Support/  
photolibraryd  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: pkd [398]  
UUID: 11586AEA-BDB8-3941-B15E-B76BAF41B976  
Path: /usr/libexec/pkd  
Codesigning ID: com.apple.pluginkit.pkd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 2224 KB  
Time Since Fork: 748s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xaa9 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination  
 clean, thread darwinbg, process darwinbg, IO tier 2>  
 24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
 24 ??? (pkd + 14885) [0x10fcc7a25] 1-24  
 24 -[PKDServer run] + 158 (PlugInKitDaemon + 91646) [0x1102575fe]  
 1-24  
 24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
 1-24  
 24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
 [0x7ff80bf3f082] 1-24  
 24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
 [0x7ff80bf3fba5] 1-24  
 24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
 508213) [0x7ff80bf41135] 1-24  
 24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
 [0x7ff80be25d1f] 1-24  
 24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
 [0x7ff80be2cb62] 1-24  
 24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
 [0x7ff80be25a2e] 1-24  
 \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
 [0xfffff8000415fc0] 1-24

Binary Images:

0x10fcc4000 - 0x10fccffff pkd (473.0.1)  
 <11586AEA-BDB8-3941-B15E-B76BAF41B976> /usr/libexec/pkd  
 0x110241000 - 0x11027cfff PlugInKitDaemon (473.0.1)  
 <5607A43F-F2EB-386F-BA6B-C6583F2803EE> /Volumes/VOLUME/\*/  
 PlugInKitDaemon.framework/Versions/A/PlugInKitDaemon  
 0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
 <01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
 0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
 <3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
 libsystem\_kernel.dylib  
 0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
 (2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
 Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
 \*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
 <8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
 kernel

Process: PlugInLibraryService [216]  
 UUID: F2AD2813-7628-3E7C-9DBE-F4A2E95EEAEE

Path: /System/Library/Frameworks/NetFS.framework/Versions/A/XPCServices/PlugInLibraryService.xpc/Contents/MacOS/PlugInLibraryService  
Identifier: com.apple.filesystems.netfs.PlugInLibraryService  
Version: 1.0 (1)  
Build Version: 245  
Project Name: NetFSFramework  
Source Version: 58000000000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: mds [115]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 620 KB  
Time Since Fork: 764s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x46b 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42] 1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774) [0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x10cd5b000 - ???  
com.apple.filesystems.netfs.PlugInLibraryService 1.0 (1)  
<F2AD2813-7628-3E7C-9DBE-F4A2E95EEAEE> /System/Library/Frameworks/NetFS.framework/Versions/A/XPCServices/PlugInLibraryService.xpc/Contents/MacOS/PlugInLibraryService  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/kernel

Process: PlugInLibraryService [539]  
UUID: F2AD2813-7628-3E7C-9DBE-F4A2E95EEAEE  
Path: /System/Library/Frameworks/NetFS.framework/Versions/A/XPCServices/PlugInLibraryService.xpc/Contents/MacOS/PlugInLibraryService  
Identifier: com.apple.filesystems.netfs.PlugInLibraryService  
Version: 1.0 (1)  
Build Version: 245  
Project Name: NetFSFramework  
Source Version: 58000000000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: Dock [377]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 636 KB  
Time Since Fork: 715s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x123c 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42] 1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774) [0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

#### Binary Images:

0x100e11000 - ???  
com.apple.filesystems.netfs.PlugInLibraryService 1.0 (1)  
<F2AD2813-7628-3E7C-9DBE-F4A2E95EEAEE> /System/Library/Frameworks/NetFS.framework/Versions/A/XPCServices/PlugInLibraryService.xpc/Contents/MacOS/PlugInLibraryService  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/

libsystem\_kernel.dylib

\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: PodcastContentService [917]  
UUID: 6E9F8AF9-1C8D-339E-A310-7399E0798456  
Path: /System/Library/PrivateFrameworks/  
PodcastServices.framework/XPCServices/PodcastContentService.xpc/  
Contents/MacOS/PodcastContentService  
Identifier: com.apple.podcasts.PodcastContentService  
Version: 1.0 (???)  
Build Version: 2  
Project Name: Marmoset\_frameworks\_services  
Source Version: 4023440002000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1304 KB  
Time Since Fork: 345s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x2eaa 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x103fec000 - ???  
com.apple.podcasts.PodcastContentService 1.0 <6E9F8AF9-1C8D-339E-  
A310-7399E0798456> /System/Library/PrivateFrameworks/  
PodcastServices.framework/XPCServices/PodcastContentService.xpc/  
Contents/MacOS/PodcastContentService  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/

libdispatch.dylib

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/

libsystem\_kernel.dylib

\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: powerd [100]  
UUID: 8FBF43AE-6EC8-3B33-B9E5-ED2D64575A21  
Path: /System/Library/CoreServices/powerd.bundle/powerd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Footprint: 1564 KB  
Time Since Fork: 767s  
Num samples: 24 (1-24)  
CPU Time: 0.002s (3.2M cycles, 1010.5K instructions, 3.17c/i)  
Note: 2 idle work queue threads omitted

Thread 0x414 24 samples (1-24) priority 31 (base 31)  
<thread QoS default (requested default), IO tier 0>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

Binary Images:

0x109a44000 - ??? powerd  
<8FBF43AE-6EC8-3B33-B9E5-ED2D64575A21> /System/Library/  
CoreServices/powerd.bundle/powerd  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: PowerUIAgent [179]  
UUID: A2A4BE85-47F4-3440-95A1-CEF717D5DA1E  
Path: /usr/libexec/PowerUIAgent  
Codesigning ID: com.apple.PowerUIAgent  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 2044 KB  
Time Since Fork: 766s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x3d4 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (PowerUIAgent + 14976) [0x105911a80] 1-24  
24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x10590e000 - 0x105919fff PowerUIAgent (525.60.9)  
<A2A4BE85-47F4-3440-95A1-CEF717D5DA1E> /usr/libexec/PowerUIAgent  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)

<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: proactived [713]  
UUID: 5F399E00-D898-3C38-8438-5DD824E3C131  
Path: /usr/libexec/proactived  
Codesigning ID: com.apple.proactived  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1796 KB  
Time Since Fork: 622s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x1d5d DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (proactived + 12375) [0x103ae6057] 1-24  
24 ??? (proactived + 11704) [0x103ae5db8] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24



24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x103ae3000 - 0x103aeffff proactived (541.10.1)  
<5F399E00-D898-3C38-8438-5DD824E3C131> /usr/libexec/proactived  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: proactiveeventtrackerd [879]  
UUID: 365E040A-FE61-39FE-AC29-22DF41DCAC6F  
Path: /usr/libexec/proactiveeventtrackerd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1492 KB  
Time Since Fork: 413s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x2a57 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]

1-24

24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)

[0x7ff80be2b836] 1-24

\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x10f63a000 - ??? proactiveeventtrackerd  
<365E040A-FE61-39FE-AC29-22DF41DCAC6F> /usr/libexec/  
proactiveeventtrackerd  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: progressd [536]  
UUID: 19F2FE7F-E4A1-3DCB-894D-5CE7316874AA  
Path: /System/Library/Frameworks/ClassKit.framework/Versions/A/  
progressd  
Codesigning ID: com.apple.progressd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1816 KB  
Time Since Fork: 717s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x120e DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24

24 ??? (progressd + 1232419) [0x100483e23] 1-24

24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24

24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24

24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 1-24

Binary Images:

0x100357000 - 0x1005c6fff progressd (149.0.37)  
<19F2FE7F-E4A1-3DCB-894D-5CE7316874AA> /System/Library/  
Frameworks/ClassKit.framework/Versions/A/progressd  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: promotedcontentd [625]  
UUID: A5B3880F-2313-3EEF-A363-55BD9526A588  
Path: /usr/libexec/promotedcontentd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)

Footprint: 3068 KB  
Time Since Fork: 675s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x1a38 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x108645000 - ??? promotedcontentd  
<A5B3880F-2313-3EEF-A363-55BD9526A588> /usr/libexec/  
promotedcontentd  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: ProtectedCloudKeySyncing [517]  
UUID: 07913BBF-3351-3370-BF5A-2C980C1ECAD5  
Path: /System/Library/PrivateFrameworks/  
ProtectedCloudStorage.framework/Helpers/ProtectedCloudKeySyncing  
Codesigning ID:  
com.apple.protectedcloudstorage.protectedcloudkeysyncing  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1944 KB  
Time Since Fork: 728s  
Num samples: 24 (1-24)

Note: 1 idle work queue thread omitted

Thread 0xfe4 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (ProtectedCloudKeySyncing + 164152) [0x1062eb138] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunLoopSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 1-24

#### Binary Images:

0x1062c3000 - 0x106302fff ProtectedCloudKeySyncing  
(976.40.4) <07913BBF-3351-3370-BF5A-2C980C1ECAD5> /System/Library/  
PrivateFrameworks/ProtectedCloudStorage.framework/Helpers/  
ProtectedCloudKeySyncing  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: QuickLookSatellite [512]  
UUID: CCE574FC-D950-301C-976E-311B5EB51D97  
Path: /System/Library/Frameworks/QuickLook.framework/Versions/A/XPCServices/QuickLookSatellite.xpc/Contents/MacOS/QuickLookSatellite  
Identifier: com.apple.quicklook.satellite  
Version: 5.0 (521.1)  
Build Version: 213  
Project Name: QuickLook\_executables  
Source Version: 986003001000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: com.apple.quicklook.ThumbnailsAgent [502]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 2208 KB  
Time Since Fork: 729s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xf95 DispatchQueue "com.apple.main-thread"(1) 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 main + 16 (QuickLookSatellite + 14400) [0x100cf7840] 1-24  
24 xpc\_main + 56 (libxpc.dylib + 87766) [0x7ff80bb8a6d6] 1-24  
24 \_xpc\_main + 259 (libxpc.dylib + 137735) [0x7ff80bb96a07] 1-24  
24 \_xpc\_objc\_main + 606 (libxpc.dylib + 88755) [0x7ff80bb8aab3] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842) [0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693) [0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib +

35682) [0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x100cf4000 - 0x100d03fff com.apple.quicklook.satellite 5.0  
(521.1) <CCE574FC-D950-301C-976E-311B5EB51D97> /System/Library/  
Frameworks/QuickLook.framework/Versions/A/XPCServices/  
QuickLookSatellite.xpc/Contents/MacOS/QuickLookSatellite  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80bb75000 - 0x7ff80bbb8ff2 libxpc.dylib (2679.80.5.0.1)  
<902EB51F-373F-3AA3-B084-228AC4C1B80B> /usr/lib/system/libxpc.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: QuickLookUIService [399]  
UUID: C702959A-B1A8-353D-9DA9-2AFEF92BAD59  
Path: /System/Library/Frameworks/QuickLookUI.framework/Versions/  
A/XPCServices/QuickLookUIService.xpc/Contents/MacOS/  
QuickLookUIService  
Identifier: com.apple.quicklook.QuickLookUIService  
Version: 1.0 (1)  
Build Version: 213  
Project Name: QuickLook\_executables  
Source Version: 986003001000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: Finder [381]

UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 2796 KB  
Time Since Fork: 748s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xaaf DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS user interactive (requested user interactive), process sudden  
termination clean, process suppressed, timers tier 5 (throttled), IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 main + 42 (QuickLookUIService + 10682) [0x106d079ba] 1-24  
24 ??? (ViewBridge + 169707) [0x7ff8149a76eb] 1-24  
24 ??? (ViewBridge + 54043) [0x7ff81498b31b] 1-24  
24 xpc\_main + 56 (libxpc.dylib + 87766) [0x7ff80bb8a6d6] 1-24  
24 \_xpc\_main + 259 (libxpc.dylib + 137735) [0x7ff80bb96a07] 1-24  
24 \_xpc\_objc\_main + 700 (libxpc.dylib + 88849) [0x7ff80bb8ab11]  
1-24  
24 NSApplicationMain + 816 (AppKit + 16833) [0x7ff80f5151c1]  
1-24  
24 -[NSApplication run] + 603 (AppKit + 197042) [0x7ff80f5411b2]  
1-24  
24 ??? (ViewBridge + 76181) [0x7ff814990995] 1-24  
24 ??? (ViewBridge + 157375) [0x7ff8149a46bf] 1-24  
24 ??? (ViewBridge + 156884) [0x7ff8149a44d4] 1-24  
24 ??? (ViewBridge + 157501) [0x7ff8149a473d] 1-24  
24 -[NSApplication(NSEventRouting)  
\_nextEventMatchingEventMask:untilDate:inMode:dequeue:] + 1304 (AppKit +  
9734148) [0x7ff80fe59804] 1-24  
24 \_DPSNextEvent + 880 (AppKit + 257081)  
[0x7ff80f54fc39] 1-24  
24 \_BlockUntilNextEventMatchingListInModeWithFilter +  
66 (HIToolbox + 197937) [0x7ff816831531] 1-24  
24 ReceiveNextEventCommon + 665 (HIToolbox +  
198630) [0x7ff8168317e6] 1-24  
24 RunCurrentEventLoopInMode + 292 (HIToolbox +  
199129) [0x7ff8168319d9] 1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation +  
499842) [0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation +  
502693) [0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143  
(CoreFoundation + 508213) [0x7ff80bf41135] 1-24



```
24 mach_msg + 19 (libsystem_kernel.dylib +
7455) [0x7ff80be25d1f] 1-24
24 mach_msg_overwrite + 653
(libsystem_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24
24 mach_msg2_trap + 10
(libsystem_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24
*24 ipc_mqueue_receive_continue + 0 (kernel
+ 1269696) [0xffffffff8000415fc0] 1-24
```

Thread 0xb6d Thread name "com.apple.NSEventThread" 24 samples  
(1-24) priority 4 (base 4)

<thread QoS user interactive (requested user interactive), process sudden  
termination clean, process suppressed, timers tier 5 (throttled), IO tier 2>

```
24 thread_start + 15 (libsystem_pthread.dylib + 7083) [0x7ff80be60bab]
1-24
```

```
24 _pthread_start + 99 (libsystem_pthread.dylib + 25090)
[0x7ff80be65202] 1-24
```

```
24 _NSEventThread + 122 (UIKit + 1686188) [0x7ff80f6acaac] 1-24
```

```
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)
[0x7ff80bf3f082] 1-24
```

```
24 __CFRunLoopRun + 1371 (CoreFoundation + 502693)
[0x7ff80bf3fba5] 1-24
```

```
24 __CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)
[0x7ff80bf41135] 1-24
```

```
24 mach_msg + 19 (libsystem_kernel.dylib + 7455) [0x7ff80be25d1f]
1-24
```

```
24 mach_msg_overwrite + 653 (libsystem_kernel.dylib + 35682)
[0x7ff80be2cb62] 1-24
```

```
24 mach_msg2_trap + 10 (libsystem_kernel.dylib + 6702)
[0x7ff80be25a2e] 1-24
```

```
*24 ipc_mqueue_receive_continue + 0 (kernel + 1269696)
[0xffffffff8000415fc0] 1-24
```

#### Binary Images:

```
0x106d05000 - 0x106d18fff
com.apple.quicklook.QuickLookUIService 1.0 (1) <C702959A-
B1A8-353D-9DA9-2AFEF92BAD59> /System/Library/Frameworks/
QuickLookUI.framework/Versions/A/XPCServices/QuickLookUIService.xpc/
Contents/MacOS/QuickLookUIService
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld
0x7ff80bb75000 - 0x7ff80bbb8ff2 libxpc.dylib (2679.80.5.0.1)
<902EB51F-373F-3AA3-B084-228AC4C1B80B> /usr/lib/system/libxpc.dylib
0x7ff80be24000 - 0x7ff80be5eff7 libsystem_kernel.dylib (10002.81.5)
```

<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
    0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
    0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/  
Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
    0x7ff80f511000 - 0x7ff81092fff6 com.apple.AppKit 6.9 (2487.40.107)  
<660B78D6-113F-3ABD-8969-A6CB84FFF752> /System/Library/  
Frameworks/AppKit.framework/Versions/C/AppKit  
    0x7ff81497e000 - 0x7ff814a85ff6 com.apple.ViewBridge 737 (737)  
<6BC02045-6876-321D-B78A-01BD9696D1D5> /System/Library/  
PrivateFrameworks/ViewBridge.framework/Versions/A/ViewBridge  
    0x7ff816801000 - 0x7ff816a9cff4 com.apple.HIToolbox 2.1.1 (1202)  
<4CD47F03-ED80-3F2A-BBDF-D7AF11CB4CCB> /System/Library/  
Frameworks/Carbon.framework/Versions/A/Frameworks/  
HIToolbox.framework/Versions/A/HIToolbox  
    \*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process:    rapportd [362]  
UUID:      7FE35275-8130-33C6-969E-66BFACF83FF4  
Path:      /usr/libexec/rapportd  
Codesigning ID:  com.apple.rapportd  
Shared Cache:  812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture:  x86\_64  
Parent:      launchd [1]  
UID:        501  
Sudden Term:  Tracked (allows idle exit)  
Footprint:    3160 KB  
Time Since Fork:  750s  
Num samples:  24 (1-24)  
CPU Time:      0.009s (19.2M cycles, 11.8M instructions, 1.63c/i)  
Note:        2 idle work queue threads omitted

Thread 0x9d8  DispatchQueue "com.apple.main-thread"(1)  24 samples  
(1-24)  priority 31 (base 31)  cpu time 0.008s (17.7M cycles, 11.4M  
instructions, 1.56c/i)

<thread QoS default (requested default), process sudden termination dirty,  
IO tier 0>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
 24 ??? (rapportd + 316919) [0x10ec355f7] 1-24  
 24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
 24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
 24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
 [0x7ff80bf3f082] 1-24  
 24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
 [0x7ff80bf3fba5] 1-24  
 24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
 508213) [0x7ff80bf41135] 1-24  
 24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
 [0x7ff80be25d1f] 1-24  
 24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
 [0x7ff80be2cb62] 1-24  
 24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
 [0x7ff80be25a2e] 1-24  
 \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
 [0xfffff8000415fc0] 1-24

Binary Images:

0x10ebe8000 - 0x10ecffff rapportd (530.1.1)  
 <7FE35275-8130-33C6-969E-66BFACF83FF4> /usr/libexec/rapportd  
 0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
 <01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
 0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
 <3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
 libsystem\_kernel.dylib  
 0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
 (2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
 Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
 0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
 <6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
 Frameworks/Foundation.framework/Versions/C/Foundation  
 \*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
 <8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
 kernel

Process: remindd [583]  
 UUID: C3251334-A05C-3771-99B2-0603BE3424C6  
 Path: /usr/libexec/remindd  
 Codesigning ID: com.apple.remindd  
 Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
 address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 6852 KB  
Time Since Fork: 705s  
Num samples: 24 (1-24)  
CPU Time: <0.001s (176.2K cycles, 51.5K instructions, 3.42c/i)  
Note: 4 idle work queue threads omitted

Thread 0x1536 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (remindd + 731724) [0x1017d4a4c] 1-24  
24 ??? (remindd + 741613) [0x1017d70ed] 1-24  
24 CFRRunLoopRunLoopSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0x1ddf 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 ??? (Foundation + 349980) [0x7ff80ced371c] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunLoopSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 1-24

Thread 0x1e31 Thread name "com.apple.NSURLConnectionLoader" 24  
samples (1-24) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24

24 ??? (Foundation + 349980) [0x7ff80ced371c] 1-24

24 ??? (CFNetwork + 2391509) [0x7ff81129fdd5] 1-24

24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24

24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 1-24

#### Binary Images:

0x101722000 - 0x10202dfff remindd (1012)  
<C3251334-A05C-3771-99B2-0603BE3424C6> /usr/libexec/remindd  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)

<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
    0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
    0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
    0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
    0x7ff811058000 - 0x7ff811406ff1 com.apple.CFNetwork 1.0  
(1492.0.1) <2847065D-8C66-3A44-B26C-B2A51A2897FB> /System/Library/  
Frameworks/CFNetwork.framework/Versions/A/CFNetwork  
    \*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process:      remoted [106]  
UUID:        F7C6079B-C36C-3E0E-A959-AC5EA0E0B126  
Path:        /usr/libexec/remoted  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent:      launchd [1]  
UID:         0  
Sudden Term: Tracked  
Footprint:   1140 KB  
Time Since Fork: 767s  
Num samples: 24 (1-24)  
CPU Time:    <0.001s (125.5K cycles, 50.2K instructions, 2.50c/i)  
Note:       2 idle work queue threads omitted

Thread 0x373  24 samples (1-24)  priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination dirty,  
IO tier 0>  
  24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
  1-24  
  24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
  [0x7ff80be2b836] 1-24  
  \*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x10e318000 - ??? remoted <F7C6079B-C36C-3E0E-A959-AC5EA0E0B126> /usr/libexec/remoted  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: RemoteManagementAgent [880]  
UUID: A8767EF9-90F9-3F0D-B8CE-6963DE29353A  
Path: /System/Library/PrivateFrameworks/  
RemoteManagement.framework/RemoteManagementAgent  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1564 KB  
Time Since Fork: 413s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x2a93 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

#### Binary Images:

0x107e7d000 - ??? RemoteManagementAgent  
<A8767EF9-90F9-3F0D-B8CE-6963DE29353A> /System/Library/  
PrivateFrameworks/RemoteManagement.framework/  
RemoteManagementAgent  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/

libdispatch.dylib

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/

libsystem\_kernel.dylib

\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: remotemanagementd [694]

UUID: 06F042EA-0135-3AB2-B6BB-89CC6CE2233D

Path: /System/Library/PrivateFrameworks/

RemoteManagement.framework/remotemanagementd

Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64

Parent: launchd [1]

UID: 277

Sudden Term: Tracked (allows idle exit)

Footprint: 1636 KB

Time Since Fork: 635s

Num samples: 24 (1-24)

Note: 1 idle work queue thread omitted

Thread 0x1cc3 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x1044cd000 - ??? remotemanagementd  
<06F042EA-0135-3AB2-B6BB-89CC6CE2233D> /System/Library/  
PrivateFrameworks/RemoteManagement.framework/remotemanagementd

0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/

libdispatch.dylib

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/

libsystem\_kernel.dylib

\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)



<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: replayd [425]  
UUID: 9BC71428-8AB7-3712-BAA9-9B8094BE0CED  
Path: /usr/libexec/replayd  
Codesigning ID: com.apple.replayd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1472 KB  
Time Since Fork: 745s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xbce DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (replayd + 348005) [0x10132af65] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0xc0a DispatchQueue "com.apple.root.user-initiated-qos"(16) 24  
samples (1-24) priority 4 (base 4)

<thread QoS background (requested user initiated), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>  
 24 start\_wqthread + 15 (libsystem\_pthread.dylib + 7063) [0x7ff80be60b97] 1-24  
 24 \_pthread\_wqthread + 262 (libsystem\_pthread.dylib + 11270) [0x7ff80be61c06] 1-24  
 24 \_dispatch\_worker\_thread2 + 152 (libdispatch.dylib + 77602) [0x7ff80bcccf22] 1-24  
 24 \_dispatch\_root\_queue\_drain + 879 (libdispatch.dylib + 76189) [0x7ff80bcc99d] 1-24  
 24 \_dispatch\_client\_callout + 8 (libdispatch.dylib + 13722) [0x7ff80bcbd59a] 1-24  
 24 \_dispatch\_call\_block\_and\_release + 12 (libdispatch.dylib + 8934) [0x7ff80bcbc2e6] 1-24  
 24 ??? (replayd + 415876) [0x10133b884] 1-24  
 24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 1-24  
 24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24  
 24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24  
 \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xffffffff8000415fc0] 1-24

Binary Images:

0x1012d6000 - 0x1013b9fff replayd (526.7)  
 <9BC71428-8AB7-3712-BAA9-9B8094BE0CED> /usr/libexec/replayd  
 0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
 <01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
 0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
 <C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/libdispatch.dylib  
 0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
 <3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/libsystem\_kernel.dylib  
 0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
 <0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/libsystem\_pthread.dylib  
 0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9 (2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
 0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303) <6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/Frameworks/Foundation.framework/Versions/C/Foundation

\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: ReportCrash [812]  
UUID: 6BD9C782-FF23-3134-B1C9-FF86B276FBC6  
Path: /System/Library/CoreServices/ReportCrash  
Codesigning ID: com.apple.CrashReporter  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 772 KB  
Time Since Fork: 525s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x2414 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 20 (base 20)

<thread QoS utility (requested utility), process sudden termination clean,  
timers tier 3 (coalesced), IO tier 1>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (ReportCrash + 157088) [0x10a8965a0] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 1-24

Thread 0x2416 24 samples (1-24) priority 20 (base 20)

<thread QoS utility (requested default), process sudden termination clean, timers tier 3 (coalesced), IO tier 1>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab] 1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090) [0x7ff80be65202] 1-24

24 ??? (ReportCrash + 147696) [0x10a8940f0] 1-24

24 mach\_msg\_server\_once + 266 (libsystem\_kernel.dylib + 43874) [0x7ff80be2eb62] 1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xfffff8000415fc0] (blocked by turnstile UNKNOWN waiting for receive port name "com.apple.ReportCrash" in domain 2, mach\_msg receive on port name "com.apple.ReportCrash" in domain 2 name 0x180b) 1-24

#### Binary Images:

0x10a870000 - 0x10a8b7fff ReportCrash (614.60.3)  
<6BD9C782-FF23-3134-B1C9-FF86B276FBC6> /System/Library/CoreServices/ReportCrash

0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/libsystem\_kernel.dylib

0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/libsystem\_pthread.dylib

0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9 (2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation

0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303) <6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/Frameworks/Foundation.framework/Versions/C/Foundation

\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/kernel

Process: revisiond [144]

UUID: 3363EE05-A0CD-3748-B037-B6B800B20200

Path: /System/Library/PrivateFrameworks/

GenerationalStorage.framework/Versions/A/Support/revisiond  
Codesigning ID: com.apple.revisiond  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked  
Footprint: 1328 KB  
Time Since Fork: 767s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x31d DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (revisiond + 84928) [0x105d42bc0] 1-24  
24 ??? (revisiond + 83801) [0x105d42759] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 <patched truncated backtrace> 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0x71b 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)

```

[0x7ff80be65202] 1-24
  24 read + 10 (libsystem_kernel.dylib + 9362) [0x7ff80be26492] 1-24
  *24 hndl_unix_scall64 + 22 (kernel + 998838) [0xffffffff80003d3db6] 1-24
  *24 unix_syscall64 + 477 (kernel + 7810589) [0xffffffff8000a52e1d] 1-24
  *24 read + 280 (kernel + 6761992) [0xffffffff8000952e08] 1-24
  *24 ??? (kernel + 6761562) [0xffffffff8000952c5a] 1-24
  *24 ??? (kernel + 3517904) [0xffffffff800063add0] 1-24
  *24 ??? (kernel + 3522459) [0xffffffff800063bf9b] 1-24
  *24 spec_read + 871 (kernel + 3629015) [0xffffffff8000655fd7] 1-24
  *24 ???
(com.apple.AppleFSCompression.AppleFSCompressionTypeDataless + 6443)
[0xffffffff80018d192b] 1-24
  *24 ??? (kernel + 6623403) [0xffffffff80009310ab] 1-24
  *24 lck_mtx_sleep + 97 (kernel + 1503265)
[0xffffffff800044f021] 1-24
  *24 thread_block_reason + 240 (kernel + 1581040)
[0xffffffff8000461ff0] 1-24
  *24 ??? (kernel + 1588870) [0xffffffff8000463e86] 1-24
  *24 machine_switch_context + 215 (kernel + 2749095)
[0xffffffff800057f2a7] 1-24

```

#### Binary Images:

```

  0x105d2e000 - 0x105d8dfff revisiond (362)
<3363EE05-A0CD-3748-B037-B6B800B20200> /System/Library/
PrivateFrameworks/GenerationalStorage.framework/Versions/A/Support/
revisiond
  0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld
  0x7ff80be24000 - 0x7ff80be5eff7 libsystem_kernel.dylib (10002.81.5)
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/
libsystem_kernel.dylib
  0x7ff80be5f000 - 0x7ff80be6afff libsystem_pthread.dylib (519)
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/
libsystem_pthread.dylib
  0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /
System/Library/Frameworks/CoreFoundation.framework/Versions/A/
CoreFoundation
  0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/
Frameworks/Foundation.framework/Versions/C/Foundation
  *0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/
kernel

```

\*0xffffffff80018d0000 - 0xffffffff80018d3fff  
com.apple.AppleFSCompression.AppleFSCompressionTypeDataless (158)  
<1EDD9E32-C749-3D26-9405-6909DE4A9258>  
com.apple.AppleFSCompression.AppleFSCompressionTypeDataless

Process:        routined [410]  
UUID:           A9745B6E-86F4-3FFB-97D0-D1D5E7F6D2D1  
Path:           /usr/libexec/routined  
Codesigning ID: com.apple.routined  
Shared Cache:   812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture:   x86\_64  
Parent:         launchd [1]  
UID:            501  
Sudden Term:    Tracked (allows idle exit)  
Footprint:      7520 KB  
Time Since Fork: 747s  
Num samples:    24 (1-24)  
CPU Time:       0.003s (5.2M cycles, 2.6M instructions, 2.04c/i)  
Note:           6 idle work queue threads omitted

Thread 0xaf5 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
dirty, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (routined + 13859) [0x10a022623] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 1-24

Binary Images:

0x10a01f000 - 0x10a02afff routined (896.0.1)  
<A9745B6E-86F4-3FFB-97D0-D1D5E7F6D2D1> /usr/libexec/routined  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: rtcreportingd [569]  
UUID: 3C9F5F95-771D-385B-8E16-A2D0B00FB198  
Path: /usr/libexec/rtcreportingd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 2592 KB  
Time Since Fork: 706s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x13cd 24 samples (1-24) priority 20 (base 20)  
<thread QoS utility (requested default), process sudden termination clean,  
timers tier 3 (coalesced), IO tier 1>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

Thread 0x1c63 Thread name "com.apple.NSURLConnectionLoader" 24



samples (1-24) priority 20 (base 20)  
 <thread QoS utility (requested default), process sudden termination clean,  
 timers tier 3 (coalesced), IO tier 1>  
 24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
 1-24  
 24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
 [0x7ff80be65202] 1-24  
 24 ??? (Foundation + 349980) [0x7ff80ced371c] 1-24  
 24 ??? (CFNetwork + 2391509) [0x7ff81129fdd5] 1-24  
 24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
 [0x7ff80bf3f082] 1-24  
 24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
 [0x7ff80bf3fba5] 1-24  
 24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
 508213) [0x7ff80bf41135] 1-24  
 24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
 [0x7ff80be25d1f] 1-24  
 24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
 [0x7ff80be2cb62] 1-24  
 24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
 [0x7ff80be25a2e] 1-24  
 \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
 [0xfffff8000415fc0] 1-24

#### Binary Images:

0x10d853000 - ??? rtcreportingd  
 <3C9F5F95-771D-385B-8E16-A2D0B00FB198> /usr/libexec/rtcreportingd  
 0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
 <C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
 libdispatch.dylib  
 0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
 <3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
 libsystem\_kernel.dylib  
 0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
 <0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
 libsystem\_pthread.dylib  
 0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
 (2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
 Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
 0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
 <6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
 Frameworks/Foundation.framework/Versions/C/Foundation  
 0x7ff811058000 - 0x7ff811406ff1 com.apple.CFNetwork 1.0  
 (1492.0.1) <2847065D-8C66-3A44-B26C-B2A51A2897FB> /System/Library/

Frameworks/CFNetwork.framework/Versions/A/CFNetwork  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: runningboardd [165]  
UUID: B6025142-5699-3A27-B4C5-A397F09D0670  
Path: /usr/libexec/runningboardd  
Codesigning ID: com.apple.runningboardd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 2392 KB  
Time Since Fork: 766s  
Num samples: 24 (1-24)  
CPU Time: 0.004s (8.6M cycles, 4.1M instructions, 2.08c/i)  
Note: 7 idle work queue threads omitted

Thread 0x3ab DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination dirty,  
process unclamped, process received importance donation from  
loginwindow [158], IO tier 0>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (runningboardd + 16197) [0x104811f45] 1-24  
24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*18 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)

[0xffffffff8000415fc0] 1-18

<process received importance donation from WindowServer [154]>  
\*1 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)

[0xffffffff8000415fc0] 19

<process dropped importance donation from WindowServer [154]>  
\*5 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)

[0xffffffff8000415fc0] 20-24

Binary Images:

0x10480e000 - 0x104819fff runningboardd (858.80.1)  
<B6025142-5699-3A27-B4C5-A397F09D0670> /usr/libexec/runningboardd  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: SafariBookmarksSyncAgent (SafariSupport) [708]  
UUID: B37BDDF4-9020-37CB-8845-054EE71A53AF  
Path: /Volumes/VOLUME/\*/SafariSupport.bundle/Contents/MacOS/  
SafariBookmarksSyncAgent  
Identifier: com.apple.SafariBookmarksSyncAgent  
Version: 19617 (19617.2.4.11.12)  
Build Version: 7  
Project Name: SafariBookmarksSyncAgent  
Source Version: 7617002004011012  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 2660 KB  
Time Since Fork: 627s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x1ce2 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 20 (base 20)  
<thread QoS utility (requested utility), process sudden termination clean,  
timers tier 3 (coalesced), IO tier 1>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (SafariBookmarksSyncAgent + 9215) [0x1060b93ff] 1-24  
24 ??? (SafariCore + 377138) [0x7ff9132a2132] 1-24  
24 CFRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

#### Binary Images:

0x1060b7000 - 0x106202fff  
com.apple.SafariBookmarksSyncAgent 19617 (19617.2.4.11.12)  
<B37BDDF4-9020-37CB-8845-054EE71A53AF> /Volumes/VOLUME\*/  
SafariSupport.bundle/Contents/MacOS/SafariBookmarksSyncAgent  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /  
System/Library/Frameworks/CoreFoundation.framework/Versions/A/  
CoreFoundation  
0x7ff913246000 - 0x7ff913345ff4 com.apple.Safari.Core 19617  
(19617.2.4.11.12) <721B01B2-A475-3DF3-B8F5-C61395FFDB2A> /  
System/Library/PrivateFrameworks/SafariCore.framework/Versions/A/  
SafariCore  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/

kernel

Process: SafariLinkExtension [668] (suspended)  
UUID: C41FCFAD-0AE2-3121-848E-E9C3757D5A1F  
Path: /Volumes/VOLUME/\*/Safari.app/Contents/Extensions/  
SafariLinkExtension.appex/Contents/MacOS/SafariLinkExtension  
Identifier: com.apple.Safari.SafariLinkExtension  
Build Version: 2  
Project Name: Safari\_swift  
Source Version: 7617002004011012  
Is First Party: Yes  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: donotdisturbd [416]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 2008 KB  
Time Since Fork: 650s  
Num samples: 24 (1-24)  
Note: Suspended for 24 samples  
Note: 1 idle work queue thread omitted

Thread 0x1a59 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 0 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (Foundation + 918756) [0x7ff80cf5e4e4] 1-24  
24 ??? (ExtensionFoundation + 166691) [0x7ffb102dbb23] 1-24  
24 ??? (ExtensionFoundation + 12061) [0x7ffb102b5f1d] 1-24  
24 ??? (ExtensionFoundation + 12467) [0x7ffb102b60b3] 1-24  
24 ??? (Foundation + 514495) [0x7ff80cefb9bf] 1-24  
24 xpc\_main + 56 (libxpc.dylib + 87766) [0x7ff80bb8a6d6] 1-24  
24 \_xpc\_main + 259 (libxpc.dylib + 137735) [0x7ff80bb96a07] 1-24  
24 \_xpc\_objc\_main + 606 (libxpc.dylib + 88755) [0x7ff80bb8aab3]  
1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)

[0x7ff80bf3fba5] 1-24  
    24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24  
        24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
    24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24  
        24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24  
            \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xffffffff8000415fc0] (suspended) 1-24

Thread 0x1a63 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>  
    24 start\_wqthread + 0 (libsystem\_pthread.dylib + 7048) [0x7ff80be60b88] 1-24  
        \*24 ??? (kernel + 1763936) [0xffffffff800048ea60] (suspended) 1-24

#### Binary Images:

    0x102ed6000 - ??? com.apple.Safari.SafariLinkExtension  
<C41FCFAD-0AE2-3121-848E-E9C3757D5A1F> /Volumes/VOLUME/\*/Safari.app/Contents/Extensions/SafariLinkExtension.appex/Contents/MacOS/SafariLinkExtension  
    0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
    0x7ff80bb75000 - 0x7ff80bbb8ff2 libxpc.dylib (2679.80.5.0.1)  
<902EB51F-373F-3AA3-B084-228AC4C1B80B> /usr/lib/system/libxpc.dylib  
    0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/libsystem\_kernel.dylib  
    0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/libsystem\_pthread.dylib  
    0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9 (2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
    0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303) <6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/Frameworks/Foundation.framework/Versions/C/Foundation  
    0x7ffb102b3000 - 0x7ffb1033fffb com.apple.ExtensionFoundation 97 (97) <266249BC-CB4B-3B4B-82A2-80CA827479FC> /System/Library/Frameworks/ExtensionFoundation.framework/Versions/A/ExtensionFoundation

\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: SafeEjectGPUAgent [530]  
UUID: 6D42484E-3D50-3728-830D-48C79D926832  
Path: /System/Library/CoreServices/Menu Extras/  
SafeEjectGPUExtra.menu/Contents/MacOS/SafeEjectGPUAgent  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 892 KB  
Time Since Fork: 725s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x110b 24 samples (1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

Binary Images:

0x100f9b000 - ??? SafeEjectGPUAgent  
<6D42484E-3D50-3728-830D-48C79D926832> /System/Library/  
CoreServices/Menu Extras/SafeEjectGPUExtra.menu/Contents/MacOS/  
SafeEjectGPUAgent  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: SafeEjectGPUService [531]  
UUID: 2C9A0BAC-7EAA-3DE0-B10E-2AD25112B39B  
Path: /System/Library/CoreServices/Menu Extras/  
SafeEjectGPUExtra.menu/Contents/XPCServices/SafeEjectGPUService.xpc/  
Contents/MacOS/SafeEjectGPUService  
Identifier: com.apple.SafeEjectGPUService  
Version: 1.0 (1)  
Build Version: 8033  
Project Name: SafeEjectGPUExtra  
Source Version: 23001000000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1228 KB  
Time Since Fork: 725s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x1118 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:  
0x10fc92000 - ??? com.apple.SafeEjectGPUService 1.0 (1)  
<2C9A0BAC-7EAA-3DE0-B10E-2AD25112B39B> /System/Library/  
CoreServices/Menu Extras/SafeEjectGPUExtra.menu/Contents/XPCServices/  
SafeEjectGPUService.xpc/Contents/MacOS/SafeEjectGPUService  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/



kernel

Process: sandboxd [150]  
UUID: 4D4B54F5-DBED-389E-BB5F-C4BC4BF6B75E  
Path: /usr/libexec/sandboxd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1632 KB  
Time Since Fork: 767s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x352 24 samples (1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Thread 0x2554 24 samples (1-24) priority 20 (base 20)  
<thread QoS utility (requested utility), process sudden termination clean, IO  
tier 1>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 ??? (DebugSymbols + 8478) [0x7ff82273a11e] 1-24  
24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x10ae23000 - ??? sandboxd  
<4D4B54F5-DBED-389E-BB5F-C4BC4BF6B75E> /usr/libexec/sandboxd  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff822738000 - 0x7ff822776ff8 com.apple.DebugSymbols 195.1  
(195.1) <E6B09459-CDA5-339D-B731-7F37EB1893BB> /System/Library/  
PrivateFrameworks/DebugSymbols.framework/Versions/A/DebugSymbols  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: ScopedBookmarkAgent [586]  
UUID: B1872D20-2DD1-3101-9327-F3E28DB82C23  
Path: /System/Library/CoreServices/ScopedBookmarkAgent  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1324 KB  
Time Since Fork: 705s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x143a 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x1096a1000 - ??? ScopedBookmarkAgent  
<B1872D20-2DD1-3101-9327-F3E28DB82C23> /System/Library/  
CoreServices/ScopedBookmarkAgent  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: ScreenSharingSubscriber [711]  
UUID: B3938320-65D5-3CCA-8B71-7435746220DF  
Path: /System/Library/PrivateFrameworks/  
RemoteManagement.framework/XPCServices/ScreenSharingSubscriber.xpc/  
Contents/MacOS/ScreenSharingSubscriber  
Identifier: com.apple.remotemanagement.ScreenSharingSubscriber  
Version: 1.0 (1)  
Build Version: 458  
Project Name: ScreenSharing  
Source Version: 592001000000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: remotemanagementd [694]  
UID: 277  
Sudden Term: Tracked (allows idle exit)  
Footprint: 3908 KB  
Time Since Fork: 624s  
Num samples: 24 (1-24)

Note: 1 idle work queue thread omitted

Thread 0x1d7a 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x101678000 - ???  
com.apple.remotemanagement.ScreenSharingSubscriber 1.0 (1)  
<B3938320-65D5-3CCA-8B71-7435746220DF> /System/Library/  
PrivateFrameworks/RemoteManagement.framework/XPCServices/  
ScreenSharingSubscriber.xpc/Contents/MacOS/ScreenSharingSubscriber  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: ScreenSharingSubscriber [885]  
UUID: B3938320-65D5-3CCA-8B71-7435746220DF  
Path: /System/Library/PrivateFrameworks/  
RemoteManagement.framework/XPCServices/ScreenSharingSubscriber.xpc/  
Contents/MacOS/ScreenSharingSubscriber  
Identifier: com.apple.remotemanagement.ScreenSharingSubscriber  
Version: 1.0 (1)  
Build Version: 458  
Project Name: ScreenSharing  
Source Version: 592001000000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: RemoteManagementAgent [880]  
UID: 501

Sudden Term: Tracked (allows idle exit)  
Footprint: 3940 KB  
Time Since Fork: 405s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x2ae3 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x103e72000 - ???  
com.apple.remotemanagement.ScreenSharingSubscriber 1.0 (1)  
<B3938320-65D5-3CCA-8B71-7435746220DF> /System/Library/  
PrivateFrameworks/RemoteManagement.framework/XPCServices/  
ScreenSharingSubscriber.xpc/Contents/MacOS/ScreenSharingSubscriber  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: ScreenTimeAgent [470]  
UUID: 6525A2C6-B9E9-3498-A74D-A4CABDE3F7C1  
Path: /System/Library/PrivateFrameworks/  
ScreenTimeCore.framework/Versions/A/ScreenTimeAgent  
Codesigning ID: com.apple.ScreenTimeAgent  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Footprint: 3804 KB  
Time Since Fork: 738s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xd89 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (ScreenTimeAgent + 15853) [0x10b3d8ded] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

#### Binary Images:

0x10b3d5000 - 0x10b564fff ScreenTimeAgent (503.2.1)  
<6525A2C6-B9E9-3498-A74D-A4CABDE3F7C1> /System/Library/  
PrivateFrameworks/ScreenTimeCore.framework/Versions/A/  
ScreenTimeAgent  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: ScreenTimeWidgetExtension [447] (suspended)  
UUID: 335D0348-B76D-3B56-BAEE-80BE4D1B2EB4  
Path: /System/Library/CoreServices/Screen Time.app/Contents/  
PlugIns/ScreenTimeWidgetExtension.appex/Contents/MacOS/  
ScreenTimeWidgetExtension  
Identifier:  
com.apple.ScreenTimeWidgetApplication.ScreenTimeWidgetExtension  
Version: 3.0 (503.2.1)  
Build Version: 38  
Project Name: ScreenTime\_iosmac\_swift  
Source Version: 503002001000000  
Is First Party: Yes  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: chronod [434]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 6772 KB  
Time Since Fork: 743s  
Num samples: 24 (1-24)  
Note: Suspended for 24 samples  
Note: 3 idle work queue threads omitted

Thread 0xc7b DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 0 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (Foundation + 918756) [0x7ff80cf5e4e4] 1-24  
24 ??? (ExtensionFoundation + 166691) [0x7ffb102dbb23] 1-24  
24 ??? (ExtensionFoundation + 12061) [0x7ffb102b5f1d] 1-24  
24 ??? (ExtensionFoundation + 12467) [0x7ffb102b60b3] 1-24  
24 ??? (Foundation + 514495) [0x7ff80cefb9bf] 1-24  
24 xpc\_main + 56 (libxpc.dylib + 87766) [0x7ff80bb8a6d6] 1-24  
24 \_xpc\_main + 259 (libxpc.dylib + 137735) [0x7ff80bb96a07] 1-24  
24 \_xpc\_objc\_main + 606 (libxpc.dylib + 88755) [0x7ff80bb8aab3]  
1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRunLoopRunLoopSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation  
+ 508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib +  
35682) [0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib +  
6702) [0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel +  
1269696) [0xfffff8000415fc0] (suspended) 1-24

Thread 0xd2a DispatchQueue "com.apple.root.utility-qos"(10) 24  
samples (1-24) priority 4 (base 4)  
<thread QoS background (requested utility), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start\_wqthread + 15 (libsystem\_pthread.dylib + 7063) [0x7ff80be60b97]  
1-24  
24 \_pthread\_wqthread + 262 (libsystem\_pthread.dylib + 11270)  
[0x7ff80be61c06] 1-24  
24 \_dispatch\_worker\_thread2 + 152 (libdispatch.dylib + 77602)  
[0x7ff80bccccf22] 1-24  
24 \_dispatch\_root\_queue\_drain + 879 (libdispatch.dylib + 76189)  
[0x7ff80bcccc99d] 1-24  
24 \_dispatch\_client\_callout + 8 (libdispatch.dylib + 13722)  
[0x7ff80bcbdb59a] 1-24  
24 ??? (AttributeGraph + 120144) [0x7ff919c00550] 1-24  
24 ??? (AttributeGraph + 114269) [0x7ff919bfee5d] 1-24  
24 ??? (AttributeGraph + 24458) [0x7ff919be8f8a] 1-24  
24 ??? (AttributeGraph + 26468) [0x7ff919be9764] 1-24  
24 ??? (AttributeGraph + 110564) [0x7ff919bfdfe4] 1-24  
24 ??? (AttributeGraph + 110873) [0x7ff919bfe119] 1-24  
24 ??? (AttributeGraph + 115110) [0x7ff919bff1a6] 1-24  
24 ??? (AttributeGraph + 114269) [0x7ff919bfee5d] 1-24  
24 ??? (AttributeGraph + 24458) [0x7ff919be8f8a] 1-24  
24 ??? (AttributeGraph + 26468) [0x7ff919be9764] 1-24  
24 ??? (AttributeGraph + 110564) [0x7ff919bfdfe4] 1-24  
24 ??? (AttributeGraph + 110873) [0x7ff919bfe119]  
1-24  
24 ??? (AttributeGraph + 115110) [0x7ff919bff1a6]  
1-24  
24 ??? (AttributeGraph + 114269) [0x7ff919bfee5d]  
1-24



1-24	24 ??? (AttributeGraph + 24458) [0x7ff919be8f8a]
	24 ??? (AttributeGraph + 26468) [0x7ff919be9764]
1-24	24 ??? (AttributeGraph + 110564)
[0x7ff919bdfde4] 1-24	24 ??? (AttributeGraph + 110873)
[0x7ff919bfe119] 1-24	24 ??? (AttributeGraph + 115110)
[0x7ff919bff1a6] 1-24	24 ??? (AttributeGraph + 114269)
[0x7ff919bfee5d] 1-24	24 ??? (AttributeGraph + 24458)
[0x7ff919be8f8a] 1-24	24 ??? (AttributeGraph + 26468)
[0x7ff919be9764] 1-24	24 ??? (AttributeGraph + 110564)
[0x7ff919bdfde4] 1-24	24 ??? (AttributeGraph + 110873)
[0x7ff919bfe119] 1-24	24 ??? (AttributeGraph + 115110)
[0x7ff919bff1a6] 1-24	24 ??? (AttributeGraph + 114269)
[0x7ff919bfee5d] 1-24	24 ??? (AttributeGraph + 24458)
[0x7ff919be8f8a] 1-24	24 ??? (AttributeGraph + 26468)
[0x7ff919be9764] 1-24	24 ??? (AttributeGraph + 110564)
[0x7ff919bdfde4] 1-24	24 ??? (AttributeGraph +
110873) [0x7ff919bfe119] 1-24	24 ??? (AttributeGraph +
115110) [0x7ff919bff1a6] 1-24	24 ??? (AttributeGraph +
114269) [0x7ff919bfee5d] 1-24	24 ??? (AttributeGraph +
24167) [0x7ff919be8e67] 1-24	24 ??? (AttributeGraph +
110564) [0x7ff919bdfde4] 1-24	24 ??? (AttributeGraph +
110873) [0x7ff919bfe119] 1-24	24 ??? (AttributeGraph +
115110) [0x7ff919bff1a6] 1-24	24 ??? (AttributeGraph +

+ 114269) [0x7ff919bfee5d] 1-24	24 ??? (AttributeGraph
+ 24458) [0x7ff919be8f8a] 1-24	24 ??? (AttributeGraph
(AttributeGraph + 26468) [0x7ff919be9764] 1-24	24 ???
(AttributeGraph + 110564) [0x7ff919bfdfe4] 1-24	24 ???
(AttributeGraph + 110873) [0x7ff919bfe119] 1-24	24 ???
(AttributeGraph + 115110) [0x7ff919bff1a6] 1-24	24 ???
(AttributeGraph + 114269) [0x7ff919bfee5d] 1-24	24 ???
(AttributeGraph + 24458) [0x7ff919be8f8a] 1-24	24 ???
(AttributeGraph + 26415) [0x7ff919be972f] 1-24	24 ???
(AttributeGraph + 24800) [0x7ff919be90e0] 1-24	24 ???
(libswiftCore.dylib + 3352823) [0x7ff81c4448f7] 1-24	24 ???
(libswiftCore.dylib + 3352059) [0x7ff81c4445fb] 1-24	24 ???
(libswiftCore.dylib + 3371532) [0x7ff81c44920c] 1-24	24 ???
(libswiftCore.dylib + 3369499) [0x7ff81c448a1b] 1-24	24 ???
(libswiftCore.dylib + 3370152) [0x7ff81c448ca8] 1-24	24 ???
24 ??? (libswiftCore.dylib + 3386850) [0x7ff81c44cde2] 1-24	
24 ??? (libswiftCore.dylib + 3408341) [0x7ff81c4521d5] 1-24	
24 ??? (libswiftCore.dylib + 3419102) [0x7ff81c454bde] 1-24	
24 ??? (libswiftCore.dylib + 3394599) [0x7ff81c44ec27] 1-24	
24 ??? (libswiftCore.dylib + 3411623) [0x7ff81c452ea7] 1-24	
24 ??? (libswiftCore.dylib + 3449214) [0x7ff81c45c17e] 1-24	
24 ??? (libswiftCore.dylib + 3452253) [0x7ff81c45cd5d] 1-24	

24 ??? (libdyld.dylib + 12992) [0x7ff80be6e2c0] 1-24

\*24 ??? (kernel + 1763936) [0xfffff800048ea60] (suspended) 1-24

Thread 0xd53 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested user initiated), process sudden  
termination clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start\_wqthread + 0 (libsystem\_pthread.dylib + 7048) [0x7ff80be60b88]  
1-24

\*24 ??? (kernel + 1763936) [0xfffff800048ea60] (suspended) 1-24

Thread 0xe3a 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start\_wqthread + 0 (libsystem\_pthread.dylib + 7048) [0x7ff80be60b88]  
1-24

\*24 ??? (kernel + 1763936) [0xfffff800048ea60] (suspended) 1-24

#### Binary Images:

0x10650d000 - ???  
com.apple.ScreenTimeWidgetApplication.ScreenTimeWidgetExtension 3.0  
(503.2.1) <335D0348-B76D-3B56-BAEE-80BE4D1B2EB4> /System/Library/  
CoreServices/Screen Time.app/Contents/PlugIns/  
ScreenTimeWidgetExtension.appex/Contents/MacOS/  
ScreenTimeWidgetExtension  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80bb75000 - 0x7ff80bbb8ff2 libxpc.dylib (2679.80.5.0.1)  
<902EB51F-373F-3AA3-B084-228AC4C1B80B> /usr/lib/system/libxpc.dylib  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80be6b000 - 0x7ff80be8ffff libdyld.dylib (1125.5)  
<0DFAD73F-B4E7-305E-BC8C-91266B50560E> /usr/lib/system/libdyld.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-  
BA26-5CDA3166731E> /System/Library/Frameworks/

CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
0x7ff81c112000 - 0x7ff81c5bcffc libswiftCore.dylib (5.9.2.2.12)  
<44A954F1-CBDA-3C13-9F43-A290B64B6B7E> /usr/lib/swift/  
libswiftCore.dylib  
0x7ff919be3000 - 0x7ff919c20ffd com.apple.AttributeGraph 5.0.77  
(5.0.77) <2ACE31C9-9A18-38EB-B3D1-  
B9940B4FA711> /System/Library/PrivateFrameworks/  
AttributeGraph.framework/Versions/A/AttributeGraph  
0x7ffb102b3000 - 0x7ffb1033fffb com.apple.ExtensionFoundation 97  
(97) <266249BC-  
CB4B-3B4B-82A2-80CA827479FC> /System/Library/Frameworks/  
ExtensionFoundation.framework/Versions/A/ExtensionFoundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: searchpartyd [333]  
UUID: B56E5746-0AA0-3ED7-850D-A16FAE3F44E7  
Path: /usr/libexec/searchpartyd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 3344 KB  
Time Since Fork: 754s  
Num samples: 24 (1-24)  
Note: 3 idle work queue threads omitted

Thread 0x8c4 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
dirty, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

Binary Images:

0x109b3b000 - ??? searchpartyd  
<B56E5746-0AA0-3ED7-850D-A16FAE3F44E7> /usr/libexec/searchpartyd  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: secd [370]  
UUID: E9AAEBD4-8EA1-3429-9214-5AC435A86DDA  
Path: /usr/libexec/secd  
Codesigning ID: com.apple.secd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 5024 KB  
Time Since Fork: 750s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xa07 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (secd + 46945) [0x1016fa761] 1-24  
24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x1016ef000 - 0x101a9efff secd (61040.81.1)  
<E9AAEBD4-8EA1-3429-9214-5AC435A86DDA> /usr/libexec/secd  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: secinitd [320]  
UUID: 71316D23-FCE0-37CC-94B6-67FC3174C0E8  
Path: /usr/libexec/secinitd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1140 KB  
Time Since Fork: 755s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x81e 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24

\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x108399000 - ??? secinitd <71316D23-FCE0-37CC-94B6-67FC3174C0E8> /usr/libexec/secinitd  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/kernel

Process: secinitd [329]  
UUID: 71316D23-FCE0-37CC-94B6-67FC3174C0E8  
Path: /usr/libexec/secinitd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 205  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1032 KB  
Time Since Fork: 755s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x852 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42] 1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774) [0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x107c3e000 - ??? secinitd <71316D23-FCE0-37CC-94B6-67FC3174C0E8> /usr/libexec/secinitd  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/

libdispatch.dylib

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/

libsystem\_kernel.dylib

\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: secinitd [401]

UUID: 71316D23-FCE0-37CC-94B6-67FC3174C0E8

Path: /usr/libexec/secinitd

Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64

Parent: launchd [1]

UID: 501

Sudden Term: Tracked (allows idle exit)

Footprint: 1432 KB

Time Since Fork: 748s

Num samples: 24 (1-24)

Note: 1 idle work queue thread omitted

Thread 0xadb 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x107d0f000 - ??? secinitd <71316D23-  
FCE0-37CC-94B6-67FC3174C0E8> /usr/libexec/secinitd

0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/

libdispatch.dylib

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/

libsystem\_kernel.dylib

\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel



Process: securityd [131]  
UUID: F59411DC-2493-3F23-9F8D-A1BEECF7671C  
Path: /usr/sbin/securityd  
Codesigning ID: com.apple.securityd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked  
Footprint: 2412 KB  
Time Since Fork: 767s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x2f0 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination dirty,  
IO tier 0>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (securityd + 101134) [0x10a21cb0e] 1-24  
24 ??? (securityd + 31666) [0x10a20bbb2] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0x3b7 Thread name "AuditMonitor" 24 samples (1-24) priority  
31 (base 31)  
<thread QoS default (requested default), process sudden termination dirty,  
IO tier 0>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 ??? (securityd + 29839) [0x10a20b48f] 1-24  
24 ??? (securityd + 286030) [0x10a249d4e] 1-24  
24 ??? (libbsm.0.dylib + 3929) [0x7ff818174f59] 1-24  
24 ??? (libsystem\_c.dylib + 192507) [0x7ff80bd32ffb] 1-24  
24 ??? (libsystem\_c.dylib + 161783) [0x7ff80bd2b7f7] 1-24

```

    24 ??? (libsystem_c.dylib + 56336) [0x7ff80bd11c10] 1-24
    24 __read_nocancel + 10 (libsystem_kernel.dylib + 13082)
[0x7ff80be2731a] 1-24
    *24 hndl_unix_scall64 + 22 (kernel + 998838)
[0xfffff80003d3db6] 1-24
    *24 unix_syscall64 + 477 (kernel + 7810589)
[0xfffff8000a52e1d] 1-24
    *24 read_nocancel + 242 (kernel + 6761234)
[0xfffff8000952b12] 1-24
    *24 ??? (kernel + 6761562) [0xfffff8000952c5a] 1-24
    *24 ??? (kernel + 3517904) [0xfffff800063add0] 1-24
    *24 ??? (kernel + 3522459) [0xfffff800063bf9b] 1-24
    *24 spec_read + 871 (kernel + 3629015)
[0xfffff8000655fd7] 1-24
    *24 ??? (kernel + 6182180) [0xfffff80008c5524] 1-24
    *24 ??? (kernel + 6623403) [0xfffff80009310ab] 1-24
    *24 lck_mtx_sleep + 97 (kernel + 1503265)
[0xfffff800044f021] 1-24
    *24 thread_block_reason + 240 (kernel + 1581040)
[0xfffff8000461ff0] 1-24
    *24 ??? (kernel + 1588870) [0xfffff8000463e86]
1-24
    *24 machine_switch_context + 215 (kernel +
2749095) [0xfffff800057f2a7] 1-24

```

Thread 0x3563 Thread name "MachServer" 24 samples (1-24) priority 31 (base 31)

<thread QoS default (requested default), process sudden termination dirty, IO tier 0>

```

    24 thread_start + 15 (libsystem_pthread.dylib + 7083) [0x7ff80be60bab]
1-24

```

```

    24 _pthread_start + 99 (libsystem_pthread.dylib + 25090)
[0x7ff80be65202] 1-24

```

```

    24 ??? (securityd + 29839) [0x10a20b48f] 1-24

```

```

    24 ??? (securityd + 348198) [0x10a259026] 1-24

```

```

    24 ??? (securityd + 31666) [0x10a20bbb2] 1-24

```

```

    24 mach_msg_overwrite + 653 (libsystem_kernel.dylib + 35682)
[0x7ff80be2cb62] 1-24

```

```

    24 mach_msg2_trap + 10 (libsystem_kernel.dylib + 6702)
[0x7ff80be25a2e] 1-24

```

```

    *24 ipc_mqueue_receive_continue + 0 (kernel + 1269696)
[0xfffff8000415fc0] 1-24

```

Binary Images:

0x10a204000 - 0x10a287fff securityd (61040.81.1)  
<F59411DC-2493-3F23-9F8D-A1BEECF7671C> /usr/sbin/securityd  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80bd04000 - 0x7ff80bd8bfff libsystem\_c.dylib (1583.60.2)  
<6F840A77-9F88-3DA8-83AC-98E4892282D0> /usr/lib/system/  
libsystem\_c.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff818174000 - 0x7ff818183fff libbsm.0.dylib (89)  
<8C7DB7F4-728C-39AF-AC1B-A235F4DE7933> /usr/lib/libbsm.0.dylib  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: securityd\_service [357]  
UUID: 54786423-47E5-3053-9D17-41D74A565BC4  
Path: /usr/libexec/securityd\_service  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked  
Footprint: 596 KB  
Time Since Fork: 751s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x984 24 samples (1-24) priority 20 (base 20)  
<thread QoS utility (requested default), process sudden termination clean,  
timers tier 3 (coalesced), IO tier 1>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

Binary Images:

0x10566a000 - ??? securityd\_service  
<54786423-47E5-3053-9D17-41D74A565BC4> /usr/libexec/  
securityd\_service  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: securityd\_system [215]  
UUID: E095FD1F-F7DD-33DD-8058-D22F36501136  
Path: /usr/libexec/securityd\_system  
Codesigning ID: com.apple.securityd\_system  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1068 KB  
Time Since Fork: 764s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x464 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (securityd\_system + 90023) [0x1021c6fa7] 1-24  
24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]

1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x1021b1000 - 0x10221cfff securityd\_system (61040.81.1)  
<E095FD1F-F7DD-33DD-8058-D22F36501136> /usr/libexec/  
securityd\_system

0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib

0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation

\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: SecuritySubscriber [704]

UUID: 216CEA7A-05A7-3F38-B21A-B96104E49441

Path: /System/Library/PrivateFrameworks/

RemoteManagement.framework/XPCServices/SecuritySubscriber.xpc/

Contents/MacOS/SecuritySubscriber

Identifier: com.apple.remotemanagement.SecuritySubscriber

Version: ??? (2.0)

Build Version: 92

Project Name: RemoteManagement

Source Version: 500025003007000

Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64

Parent: launchd [1]

Responsible: remotemanagementd [694]

UID: 277

Sudden Term: Tracked (allows idle exit)

Footprint: 3664 KB

Time Since Fork: 628s

Num samples: 24 (1-24)

Note: 1 idle work queue thread omitted

Thread 0x1d01 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x10f135000 - ???  
com.apple.remotemanagement.SecuritySubscriber (2.0)  
<216CEA7A-05A7-3F38-B21A-B96104E49441> /System/Library/  
PrivateFrameworks/RemoteManagement.framework/XPCServices/  
SecuritySubscriber.xpc/Contents/MacOS/SecuritySubscriber  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: SecuritySubscriber [882]  
UUID: 216CEA7A-05A7-3F38-B21A-B96104E49441  
Path: /System/Library/PrivateFrameworks/  
RemoteManagement.framework/XPCServices/SecuritySubscriber.xpc/  
Contents/MacOS/SecuritySubscriber  
Identifier: com.apple.remotemanagement.SecuritySubscriber  
Version: ??? (2.0)  
Build Version: 92  
Project Name: RemoteManagement  
Source Version: 500025003007000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: RemoteManagementAgent [880]

UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 3664 KB  
Time Since Fork: 410s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x2a9c 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x10921e000 - ???  
com.apple.remotemanagement.SecuritySubscriber (2.0)  
<216CEA7A-05A7-3F38-B21A-B96104E49441> /System/Library/  
PrivateFrameworks/RemoteManagement.framework/XPCServices/  
SecuritySubscriber.xpc/Contents/MacOS/SecuritySubscriber  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: seld [360]  
UUID: C4714201-4A91-3B80-B996-70FC16D451F3  
Path: /usr/libexec/seld  
Codesigning ID: com.apple.seld  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 260  
Sudden Term: Tracked (allows idle exit)  
Footprint: 824 KB

Time Since Fork: 750s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x14a9 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background, process sudden termination clean, thread  
darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (seld + 105186) [0x10709aae2] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x107081000 - 0x1070e4fff seld (342.5)  
<C4714201-4A91-3B80-B996-70FC16D451F3> /usr/libexec/seld  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: seserviced [532]  
UUID: D61799A4-7CC7-3106-9EC2-E0EBD05E2FA1  
Path: /usr/libexec/seserviced



Codesigning ID: com.apple.secureelementservice  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1484 KB  
Time Since Fork: 725s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x1113 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
dirty, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (seserviced + 295593) [0x10c3432a9] 1-24  
24 CFRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x10c2fb000 - 0x10c4baff seserviced (42.9)  
<D61799A4-7CC7-3106-9EC2-E0EBD05E2FA1> /usr/libexec/seserviced  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9

(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: sharedfilelistd [409]  
UUID: 85293953-14FD-3D2E-8B01-DB7DEC2F30FE  
Path: /System/Library/CoreServices/sharedfilelistd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Footprint: 1544 KB  
Time Since Fork: 748s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xaf4 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), thread darwinbg, process  
darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

Binary Images:  
0x105aee000 - ??? sharedfilelistd  
<85293953-14FD-3D2E-8B01-DB7DEC2F30FE> /System/Library/  
CoreServices/sharedfilelistd  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: sharingd [454]  
UUID: 780709CF-55E8-31D9-975B-3C887299DF69  
Path: /usr/libexec/sharingd  
Codesigning ID: com.apple.sharingd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked  
Footprint: 7348 KB  
Time Since Fork: 742s  
Num samples: 24 (1-24)  
CPU Time: 0.009s (18.9M cycles, 10.9M instructions, 1.73c/i)  
Note: 2 idle work queue threads omitted

Thread 0xcbe DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 31 (base 31) cpu time 0.009s (17.8M cycles, 10.6M  
instructions, 1.68c/i)

<thread QoS default (requested default), process sudden termination dirty,  
IO tier 0>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (sharingd + 1605985) [0x104ce9161] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x104b61000 - 0x105118fff sharingd (1936.40.11.1)  
<780709CF-55E8-31D9-975B-3C887299DF69> /usr/libexec/sharingd  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)

<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: SidecarRelay [492]  
UUID: 4D835250-7033-36E9-A742-23281C42C4EE  
Path: /usr/libexec/SidecarRelay  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1332 KB  
Time Since Fork: 733s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xeb7 24 samples (1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

Binary Images:  
0x10552e000 - ??? SidecarRelay  
<4D835250-7033-36E9-A742-23281C42C4EE> /usr/libexec/SidecarRelay  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: Siri [577]  
UUID: 9B43BCD4-A97F-39EF-821F-38A662F2E451  
Path: /System/Library/CoreServices/Siri.app/Contents/MacOS/Siri  
Identifier: com.apple.Siri  
Version: 3302.5.1 (3302.5.1)  
Build Version: 29  
Project Name: AssistantUIX  
Source Version: 3302005001000000  
Is First Party: Yes  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Footprint: 3920 KB  
Time Since Fork: 705s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x140a DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 46 (base 46)  
<thread QoS user interactive (requested user interactive), IO tier 0>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (Siri + 14072) [0x106faa6f8] 1-24  
24 NSApplicationMain + 816 (AppKit + 16833) [0x7ff80f5151c1] 1-24  
24 -[NSApplication run] + 603 (AppKit + 197042) [0x7ff80f5411b2] 1-24  
24 -[NSApplication(NSEventRouting)  
\_nextEventMatchingEventMask:untilDate:inMode:dequeue:] + 1304 (AppKit +  
9734148) [0x7ff80fe59804] 1-24  
24 \_DPSNextEvent + 880 (AppKit + 257081) [0x7ff80f54fc39] 1-24  
24 \_BlockUntilNextEventMatchingListInModeWithFilter + 66  
(HIToolbox + 197937) [0x7ff816831531] 1-24  
24 ReceiveNextEventCommon + 665 (HIToolbox + 198630)  
[0x7ff8168317e6] 1-24  
24 RunCurrentEventLoopInMode + 292 (HIToolbox + 199129)  
[0x7ff8168319d9] 1-24

24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib +  
35682) [0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 1-24

Thread 0x144e Thread name "com.apple.NSEventThread" 24 samples  
(1-24) priority 46 (base 46)

<thread QoS user interactive (requested user interactive), IO tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24

24 \_NSEventThread + 122 (AppKit + 1686188) [0x7ff80f6acaac] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24

24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 1-24

Binary Images:

0x106fa7000 - 0x106fc2fff com.apple.Siri 3302.5.1 (3302.5.1)  
<9B43BCD4-A97F-39EF-821F-38A662F2E451> /System/Library/  
CoreServices/Siri.app/Contents/MacOS/Siri

0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80f511000 - 0x7ff81092fff6 com.apple.AppKit 6.9 (2487.40.107)  
<660B78D6-113F-3ABD-8969-A6CB84FFF752> /System/Library/  
Frameworks/AppKit.framework/Versions/C/AppKit  
0x7ff816801000 - 0x7ff816a9cff4 com.apple.HIToolbox 2.1.1 (1202)  
<4CD47F03-ED80-3F2A-BBDF-D7AF11CB4CCB> /System/Library/  
Frameworks/Carbon.framework/Versions/A/Frameworks/  
HIToolbox.framework/Versions/A/HIToolbox  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: siriactionsd [392]  
UUID: 83BBD8E1-84BA-30BA-941F-BE4ED13876DE  
Path: /System/Library/PrivateFrameworks/VoiceShortcuts.framework/  
Versions/A/Support/siriactionsd  
Codesigning ID: com.apple.siriactionsd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 3476 KB  
Time Since Fork: 749s  
Num samples: 24 (1-24)  
CPU Time: <0.001s (314.2K cycles, 129.0K instructions, 2.44c/i)  
Note: 3 idle work queue threads omitted

Thread 0xa74 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (siriactionsd + 13017) [0x1049812d9] 1-24

24 ??? (siriactionsd + 13517) [0x1049814cd] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x10497e000 - 0x104989fff siriactionsd (2302.0.4)  
<83BBD8E1-84BA-30BA-941F-BE4ED13876DE> /System/Library/  
PrivateFrameworks/VoiceShortcuts.framework/Versions/A/Support/  
siriactionsd  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: SiriAUSP [674] (suspended)  
UUID: B859AA00-F78C-3D4A-96A4-5A4B55E0CEA3  
Path: /System/Library/PrivateFrameworks/TextToSpeech.framework/  
PlugIns/SiriAUSP.appex/Contents/MacOS/SiriAUSP  
Identifier: com.apple.texttospeech.SiriAUSP



Version: 1.0 (1)  
Build Version: 1  
Project Name: TextToSpeech  
Source Version: 583001016001000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: axassetsd [573]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1780 KB  
Time Since Fork: 646s  
Num samples: 24 (1-24)  
Note: Suspended for 24 samples  
Note: 2 idle work queue threads omitted

Thread 0x1aca DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24

24 ??? (Foundation + 918756) [0x7ff80cf5e4e4] 1-24

24 ??? (ExtensionFoundation + 166763) [0x7ffb102dbb6b] 1-24

24 ??? (PlugInKit + 133729) [0x7ff81a798a61] 1-24

24 ??? (PlugInKit + 131493) [0x7ff81a7981a5] 1-24

24 ??? (PlugInKit + 132698) [0x7ff81a79865a] 1-24

24 ??? (Foundation + 514495) [0x7ff80cefb9bf] 1-24

24 xpc\_main + 56 (libxpc.dylib + 87766) [0x7ff80bb8a6d6] 1-24

24 \_xpc\_main + 259 (libxpc.dylib + 137735) [0x7ff80bb96a07]

1-24

24 \_xpc\_objc\_main + 606 (libxpc.dylib + 88755)

[0x7ff80bb8aab3] 1-24

24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24

24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24

24 CFRunLoopRunSpecific + 557 (CoreFoundation +  
499842) [0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24

24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation  
+ 508213) [0x7ff80bf41135] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib

+ 35682) [0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib +  
6702) [0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel +  
1269696) [0xfffff8000415fc0] (suspended) 1-24

Thread 0x1ad1 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start\_wqthread + 0 (libsystem\_pthread.dylib + 7048) [0x7ff80be60b88]  
1-24  
\*24 ??? (kernel + 1763936) [0xfffff800048ea60] (suspended) 1-24

#### Binary Images:

0x10230c000 - ??? com.apple.texttospeech.SiriAUSP 1.0 (1)  
<B859AA00-F78C-3D4A-96A4-5A4B55E0CEA3> /System/Library/  
PrivateFrameworks/TextToSpeech.framework/PlugIns/SiriAUSP.appex/  
Contents/MacOS/SiriAUSP  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80bb75000 - 0x7ff80bbb8ff2 libxpc.dylib (2679.80.5.0.1)  
<902EB51F-373F-3AA3-B084-228AC4C1B80B> /usr/lib/system/libxpc.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
0x7ff81a778000 - 0x7ff81a7b6ff0 com.apple.pluginkit.framework 1.0  
(1) <E63CDD4E-C41A-3684-9C6B-E2F9E27A1829> /System/Library/  
PrivateFrameworks/PlugInKit.framework/Versions/A/PlugInKit  
0x7ffb102b3000 - 0x7ffb1033fffb com.apple.ExtensionFoundation 97  
(97) <266249BC-CB4B-3B4B-82A2-80CA827479FC> /System/Library/  
Frameworks/ExtensionFoundation.framework/Versions/A/  
ExtensionFoundation  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: siriinferred [692]  
UUID: B4D5FD03-F8DD-3DAE-BFED-9FF524D20411  
Path: /System/Library/PrivateFrameworks/SiriInference.framework/  
Support/siriinferred  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1888 KB  
Time Since Fork: 636s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x1bc3 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:  
0x108ca6000 - ??? siriinferred <B4D5FD03-  
F8DD-3DAE-BFED-9FF524D20411> /System/Library/PrivateFrameworks/  
SiriInference.framework/Support/siriinferred  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: siriknowledged [525]  
UUID: 18B2A446-D65D-3420-B123-4BD26874A49A  
Path: /usr/libexec/siriknowledged

Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64

Parent: launchd [1]

UID: 501

Sudden Term: Tracked (allows idle exit)

Footprint: 3252 KB

Time Since Fork: 726s

Num samples: 24 (1-24)

Note: 1 idle work queue thread omitted

Thread 0x1993 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x10ca7b000 - ??? siriknowledged  
<18B2A446-D65D-3420-B123-4BD26874A49A> /usr/libexec/siriknowledged  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: SiriNCService [682]

UUID: 6CC55125-8411-31C1-92BC-41E615365260

Path: /System/Library/CoreServices/Siri.app/Contents/XPCServices/  
SiriNCService.xpc/Contents/MacOS/SiriNCService

Identifier: com.apple.SiriNCService

Version: 3302.5.1 (3302.5.1)

Build Version: 29

Project Name: AssistantUIX

Source Version: 3302005001000000

Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base

address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64

Parent: launchd [1]

Responsible: Siri [577]

UID: 501

Sudden Term: Tracked (allows idle exit)

Footprint: 3000 KB

Time Since Fork: 645s

Num samples: 24 (1-24)

Note: 1 idle work queue thread omitted

Thread 0x1afc DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)

<thread QoS user interactive (requested user interactive), process sudden  
termination clean, process suppressed, timers tier 5 (throttled), IO tier 2>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24

24 main + 171 (SiriNCService + 12012) [0x108fb2eec] 1-24

24 ??? (ViewBridge + 169707) [0x7ff8149a76eb] 1-24

24 ??? (ViewBridge + 54043) [0x7ff81498b31b] 1-24

24 xpc\_main + 56 (libxpc.dylib + 87766) [0x7ff80bb8a6d6] 1-24

24 \_xpc\_main + 259 (libxpc.dylib + 137735) [0x7ff80bb96a07] 1-24

24 \_xpc\_objc\_main + 700 (libxpc.dylib + 88849) [0x7ff80bb8ab11]

1-24

24 NSApplicationMain + 816 (AppKit + 16833) [0x7ff80f5151c1]

1-24

24 -[NSApplication run] + 603 (AppKit + 197042) [0x7ff80f5411b2]

1-24

24 ??? (ViewBridge + 76181) [0x7ff814990995] 1-24

24 ??? (ViewBridge + 157375) [0x7ff8149a46bf] 1-24

24 ??? (ViewBridge + 156884) [0x7ff8149a44d4] 1-24

24 ??? (ViewBridge + 157501) [0x7ff8149a473d] 1-24

24 -[NSApplication(NSEventRouting)

\_nextEventMatchingEventMask:untilDate:inMode:dequeue:] + 1304 (AppKit +  
9734148) [0x7ff80fe59804] 1-24

24 \_DPSNextEvent + 880 (AppKit + 257081)  
[0x7ff80f54fc39] 1-24

24 \_BlockUntilNextEventMatchingListInModeWithFilter +  
66 (HIToolbox + 197937) [0x7ff816831531] 1-24

24 ReceiveNextEventCommon + 665 (HIToolbox +  
198630) [0x7ff8168317e6] 1-24

24 RunCurrentEventLoopInMode + 292 (HIToolbox +  
199129) [0x7ff8168319d9] 1-24

24 CFRunLoopRunSpecific + 557 (CoreFoundation +  
499842) [0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693) [0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xffffffff8000415fc0] 1-24

Thread 0x1b0a Thread name "com.apple.NSEventThread" 24 samples (1-24) priority 4 (base 4)

<thread QoS user interactive (requested user interactive), process sudden termination clean, process suppressed, timers tier 5 (throttled), IO tier 2>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab] 1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090) [0x7ff80be65202] 1-24

24 \_NSEventThread + 122 (AppKit + 1686188) [0x7ff80f6acaac] 1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842) [0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693) [0x7ff80bf3fba5] 1-24

24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xffffffff8000415fc0] 1-24

Thread 0x1b14 Thread name "caulk.messenger.shared:17" 24 samples (1-24) priority 4 (base 4)

<thread QoS utility (requested utility), process sudden termination clean, process suppressed, timers tier 5 (throttled), IO tier 2>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab] 1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)

```
[0x7ff80be65202] 1-24
    24 void* caulk::thread_proxy<std::__1::tuple<caulk::thread::attributes,
void (caulk::concurrent::details::worker_thread::*),
std::__1::tuple<caulk::concurrent::details::worker_thread*>>>(void*) + 41
(caulk + 6332) [0x7ff81654d8bc] 1-24
    24 caulk::concurrent::details::worker_thread::run() + 30 (caulk + 7064)
[0x7ff81654db98] 1-24
    24 semaphore_wait_trap + 10 (libsystem_kernel.dylib + 6570)
[0x7ff80be259aa] 1-24
    *24 ??? (kernel + 1663616) [0xfffff8000476280] 1-24
```

Thread 0x1b15 Thread name "caulk.messenger.shared:high" 24 samples  
(1-24) priority 4 (base 4)

<process sudden termination clean, process suppressed, timers tier 5  
(throttled), IO tier 2>

```
24 thread_start + 15 (libsystem_pthread.dylib + 7083) [0x7ff80be60bab]
1-24
```

```
24 _pthread_start + 99 (libsystem_pthread.dylib + 25090)
[0x7ff80be65202] 1-24
```

```
24 void* caulk::thread_proxy<std::__1::tuple<caulk::thread::attributes,
void (caulk::concurrent::details::worker_thread::*),
std::__1::tuple<caulk::concurrent::details::worker_thread*>>>(void*) + 41
(caulk + 6332) [0x7ff81654d8bc] 1-24
```

```
24 caulk::concurrent::details::worker_thread::run() + 30 (caulk + 7064)
[0x7ff81654db98] 1-24
```

```
24 semaphore_wait_trap + 10 (libsystem_kernel.dylib + 6570)
[0x7ff80be259aa] 1-24
```

```
*24 ??? (kernel + 1663616) [0xfffff8000476280] 1-24
```

#### Binary Images:

```
0x108fb0000 - 0x108fcffff com.apple.SiriNCService 3302.5.1
(3302.5.1) <6CC55125-8411-31C1-92BC-41E615365260> /System/Library/
CoreServices/Siri.app/Contents/XPCServices/SiriNCService.xpc/Contents/
MacOS/SiriNCService
```

```
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld
```

```
0x7ff80bb75000 - 0x7ff80bbb8ff2 libxpc.dylib (2679.80.5.0.1)
<902EB51F-373F-3AA3-B084-228AC4C1B80B> /usr/lib/system/libxpc.dylib
```

```
0x7ff80be24000 - 0x7ff80be5eff7 libsystem_kernel.dylib (10002.81.5)
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/
libsystem_kernel.dylib
```

```
0x7ff80be5f000 - 0x7ff80be6afff libsystem_pthread.dylib (519)
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/
libsystem_pthread.dylib
```

0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9 (2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80f511000 - 0x7ff81092fff6 com.apple.AppKit 6.9 (2487.40.107) <660B78D6-113F-3ABD-8969-A6CB84FFF752> /System/Library/Frameworks/AppKit.framework/Versions/C/AppKit  
0x7ff81497e000 - 0x7ff814a85ff6 com.apple.ViewBridge 737 (737) <6BC02045-6876-321D-B78A-01BD9696D1D5> /System/Library/PrivateFrameworks/ViewBridge.framework/Versions/A/ViewBridge  
0x7ff81654c000 - 0x7ff816571ff3 com.apple.audio.caulk 1.0 (149.1.3) <C24466B5-64EA-376F-BDA3-3CA1AD870FC4> /System/Library/PrivateFrameworks/caulk.framework/Versions/A/caulk  
0x7ff816801000 - 0x7ff816a9cff4 com.apple.HIToolbox 2.1.1 (1202) <4CD47F03-ED80-3F2A-BBDF-D7AF11CB4CCB> /System/Library/Frameworks/Carbon.framework/Versions/A/Frameworks/HIToolbox.framework/Versions/A/HIToolbox  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5) <8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/kernel

Process: sirittsd [594]  
UUID: 201476A8-1CEC-3C80-8D5B-BCE08DFC110B  
Path: /System/Library/PrivateFrameworks/SiriTTSService.framework/sirittsd  
Codesigning ID: com.apple.sirittsd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1760 KB  
Time Since Fork: 699s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x14f5 DispatchQueue "com.apple.main-thread"(1) 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (sirittsd + 9996) [0x10918d70c] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24



24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x10918b000 - 0x1091baff sirittd (3303.5.1)  
<201476A8-1CEC-3C80-8D5B-BCE08DFC110B> /System/Library/  
PrivateFrameworks/SiriTTSService.framework/sirittd  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: smd [86]  
UUID: 5E495AB9-C381-3F11-B8E1-ECF0A03F6599  
Path: /usr/libexec/smd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0

Sudden Term: Tracked (allows idle exit)  
Footprint: 752 KB  
Time Since Fork: 767s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x6e4 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x10a45d000 - ??? smd <5E495AB9-  
C381-3F11-B8E1-ECF0A03F6599> /usr/libexec/smd  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: sociallayerd [426]  
UUID: 3FECF462-4D08-3113-A33A-37C27633A767  
Path: /System/Library/PrivateFrameworks/SocialLayer.framework/  
sociallayerd.app/Contents/MacOS/sociallayerd  
Identifier: com.apple.sociallayerd  
Version: 1.0 (1)  
Build Version: 32  
Project Name: SocialServices  
Source Version: 107400001000000  
Is First Party: Yes  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501

Sudden Term: Tracked (allows idle exit)  
Footprint: 1484 KB  
Time Since Fork: 745s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xbcf DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (sociallayerd + 13845) [0x106615615] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

#### Binary Images:

0x106612000 - 0x10661dfff com.apple.sociallayerd 1.0 (1)  
<3FECF462-4D08-3113-A33A-37C27633A767> /System/Library/  
PrivateFrameworks/SocialLayer.framework/sociallayerd.app/Contents/  
MacOS/sociallayerd  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/

Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: softwareupdated [109]  
UUID: D919B3CC-5EEC-3BD7-B367-E359603F6732  
Path: /System/Library/PrivateFrameworks/  
MobileSoftwareUpdate.framework/Support/softwareupdated  
Codesigning ID: com.apple.mobile.softwareupdated  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 200  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1292 KB  
Time Since Fork: 767s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x65c 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 main + 2330 (softwareupdated + 52437) [0x102e2fcd5] 1-24  
24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 <patched truncated backtrace> 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 1-24

Binary Images:

0x102e23000 - 0x102f82fff softwareupdated (1856.80.3.0.1)  
<D919B3CC-5EEC-3BD7-B367-E359603F6732> /System/Library/  
PrivateFrameworks/MobileSoftwareUpdate.framework/Support/  
softwareupdated  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: softwareupdated [260]  
UUID: 14613279-4CD8-3826-B722-74D08A98C1EE  
Path: /System/Library/CoreServices/Software Update.app/Contents/  
Resources/softwareupdated  
Codesigning ID: com.apple.softwareupdated  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Footprint: 16.50 MB  
Time Since Fork: 760s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x60e DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), thread darwinbg, process  
darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (softwareupdated + 14517) [0x100b908b5] 1-24  
24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24

24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xffffffff8000415fc0] 1-24

Thread 0x157f Thread name "com.apple.NSURLConnectionLoader" 24 samples (1-24) priority 4 (base 4)

<thread QoS background (requested default), thread darwinbg, process darwinbg, IO tier 2>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab] 1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090) [0x7ff80be65202] 1-24

24 ??? (Foundation + 349980) [0x7ff80ced371c] 1-24

24 ??? (CFNetwork + 2391509) [0x7ff81129fdd5] 1-24

24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842) [0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693) [0x7ff80bf3fba5] 1-24

24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xffffffff8000415fc0] 1-24

Thread 0x15c8 Thread name "LocalStorage" 24 samples (1-24) priority 4 (base 4)

<thread QoS background (requested user initiated), thread darwinbg, process darwinbg, IO tier 2>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab] 1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090) [0x7ff80be65202] 1-24

24 ??? (JavaScriptCore + 18025) [0x7ff828879669] 1-24  
24 ??? (JavaScriptCore + 2081629) [0x7ff828a7135d] 1-24  
24 ??? (WebKitLegacy + 387438) [0x7ff8264cb96e] 1-24  
24 ??? (JavaScriptCore + 1946974) [0x7ff828a5055e] 1-24  
24 ??? (JavaScriptCore + 2093962) [0x7ff828a7438a] 1-24  
24 \_\_psynch\_cvwait + 10 (libsystem\_kernel.dylib + 17870)  
[0x7ff80be285ce] 1-24  
\*24 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777)  
[0xfffff800307e129] 1-24

#### Binary Images:

0x100b8d000 - 0x100b98fff softwareupdated (1874.80.3)  
<14613279-4CD8-3826-B722-74D08A98C1EE> /System/Library/  
CoreServices/Software Update.app/Contents/Resources/softwareupdated  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/  
Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
0x7ff811058000 - 0x7ff811406ff1 com.apple.CFNetwork 1.0  
(1492.0.1) <2847065D-8C66-3A44-B26C-B2A51A2897FB> /  
System/Library/Frameworks/CFNetwork.framework/Versions/A/CFNetwork  
0x7ff82646d000 - 0x7ff826640ffd com.apple.WebKitLegacy 19617  
(19617.2.4.11.12) <BD49D92D-5C27-395F-B2D8-FAE86A5FECE0> /  
System/Library/Frameworks/WebKit.framework/Versions/A/Frameworks/  
WebKitLegacy.framework/Versions/A/WebKitLegacy  
0x7ff828875000 - 0x7ff82a408fda com.apple.JavaScriptCore 19617  
(19617.2.4.11.12) <FC784FCD-53F8-34EF-9A71-A7D5F9A595C2> /System/  
Library/Frameworks/JavaScriptCore.framework/Versions/A/JavaScriptCore  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel  
\*0xfffff8003079000 - 0xfffff8003081fff com.apple.kec.pthread (519)  
<07ED499F-25E6-3572-8464-FC4F7429D88C> com.apple.kec.pthread

Process: SoftwareUpdateNotificationManager  
(SoftwareUpdateNotificationManager) [597]  
UUID: 43E59E54-BD42-3078-94A0-554D326EA96E  
Path: /System/Library/PrivateFrameworks/  
SoftwareUpdate.framework/Versions/A/Resources/  
SoftwareUpdateNotificationManager.app/Contents/MacOS/  
SoftwareUpdateNotificationManager  
Identifier: com.apple.SoftwareUpdateNotificationManager  
Version: 1.0 (1)  
Build Version: 11  
Project Name: SoftwareUpdate\_binaries  
Source Version: 1874080003000000  
Is First Party: Yes  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 3032 KB  
Time Since Fork: 695s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x1556 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (SoftwareUpdateNotificationManager + 48800) [0x1027d8ea0]  
1-24  
24 NSApplicationMain + 816 (AppKit + 16833) [0x7ff80f5151c1] 1-24  
24 -[NSApplication run] + 603 (AppKit + 197042) [0x7ff80f5411b2] 1-24  
24 -[NSApplication(NSEventRouting)  
\_nextEventMatchingEventMask:untilDate:inMode:dequeue:] + 1304 (AppKit +  
9734148) [0x7ff80fe59804] 1-24  
24 \_DPSNextEvent + 880 (AppKit + 257081) [0x7ff80f54fc39] 1-24  
24 \_BlockUntilNextEventMatchingListInModeWithFilter + 66  
(HIToolbox + 197937) [0x7ff816831531] 1-24  
24 ReceiveNextEventCommon + 665 (HIToolbox + 198630)  
[0x7ff8168317e6] 1-24  
24 RunCurrentEventLoopInMode + 292 (HIToolbox + 199129)  
[0x7ff8168319d9] 1-24



24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib +  
35682) [0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0x1562 Thread name "com.apple.NSEventThread" 24 samples  
(1-24) priority 37 (base 37)

<thread QoS user initiated (requested user interactive), process sudden  
termination clean, IO tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 \_NSEventThread + 122 (UIKit + 1686188) [0x7ff80f6acaac] 1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x1027cd000 - 0x102818fff  
com.apple.SoftwareUpdateNotificationManager 1.0 (1) <43E59E54-  
BD42-3078-94A0-554D326EA96E> /System/Library/PrivateFrameworks/  
SoftwareUpdate.framework/Versions/A/Resources/

SoftwareUpdateNotificationManager.app/Contents/MacOS/  
SoftwareUpdateNotificationManager  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/  
Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80f511000 - 0x7ff81092fff6 com.apple.AppKit 6.9 (2487.40.107)  
<660B78D6-113F-3ABD-8969-A6CB84FFF752> /System/Library/  
Frameworks/AppKit.framework/Versions/C/AppKit  
0x7ff816801000 - 0x7ff816a9cff4 com.apple.HIToolbox 2.1.1 (1202)  
<4CD47F03-ED80-3F2A-BBDF-D7AF11CB4CCB> /System/Library/  
Frameworks/Carbon.framework/Versions/A/Frameworks/  
HIToolbox.framework/Versions/A/HIToolbox  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: SoftwareUpdateSubscriber [723]  
UUID: B7C9B1B3-0846-379F-8755-A1661C8CD636  
Path: /System/Library/PrivateFrameworks/  
RemoteManagement.framework/XPCServices/  
SoftwareUpdateSubscriber.xpc/Contents/MacOS/SoftwareUpdateSubscriber  
Identifier: com.apple.remotemanagement.SoftwareUpdateSubscriber  
Version: 1.0 (1)  
Build Version: 17  
Project Name: MobileSoftwareUpdate\_SUCore  
Source Version: 1856080003000001  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: remotemanagementd [694]  
UID: 277  
Sudden Term: Tracked (allows idle exit)  
Footprint: 3768 KB  
Time Since Fork: 610s

Num samples: 24 (1-24)

Note: 1 idle work queue thread omitted

Thread 0x1e62 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x108683000 - ???  
com.apple.remotemanagement.SoftwareUpdateSubscriber 1.0 (1)  
<B7C9B1B3-0846-379F-8755-A1661C8CD636> /System/Library/  
PrivateFrameworks/RemoteManagement.framework/XPCServices/  
SoftwareUpdateSubscriber.xpc/Contents/MacOS/SoftwareUpdateSubscriber  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: SoftwareUpdateSubscriber [893]  
UUID: B7C9B1B3-0846-379F-8755-A1661C8CD636  
Path: /System/Library/PrivateFrameworks/  
RemoteManagement.framework/XPCServices/  
SoftwareUpdateSubscriber.xpc/Contents/MacOS/SoftwareUpdateSubscriber  
Identifier: com.apple.remotemanagement.SoftwareUpdateSubscriber  
Version: 1.0 (1)  
Build Version: 17  
Project Name: MobileSoftwareUpdate\_SUCore  
Source Version: 1856080003000001  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: RemoteManagementAgent [880]

UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 3732 KB  
Time Since Fork: 399s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x2b61 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x106d6e000 - ???  
com.apple.remotemanagement.SoftwareUpdateSubscriber 1.0 (1)  
<B7C9B1B3-0846-379F-8755-A1661C8CD636> /System/Library/  
PrivateFrameworks/RemoteManagement.framework/XPCServices/  
SoftwareUpdateSubscriber.xpc/Contents/MacOS/SoftwareUpdateSubscriber  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: spindump [471]  
UUID: 132E22E6-1BE1-3084-9F04-C5B2A4EC3C65  
Path: /usr/sbin/spindump  
Codesigning ID: com.apple.spindump  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 6812 KB -> 7028 KB (+216 KB) (max 7868 KB at time index 4)

Pageins: 232 pages  
Time Since Fork: 738s  
Num samples: 24 (1-24)  
CPU Time: 0.529s (1172.8M cycles, 1245.4M instructions, 0.94c/i)  
Note: 4 idle work queue threads omitted

Thread 0xd90 24 samples (1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination dirty, IO tier 0>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Thread 0x3ffd 24 samples (1-24) priority 63 (base 63) cpu time 0.084s  
(137.3M cycles, 114.9M instructions, 1.20c/i)  
<process sudden termination dirty, IO tier 0>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 ??? (spindump + 734699) [0x10e2715eb] 1-24  
24 ??? (spindump + 729218) [0x10e270082] 1-24  
24 \_\_stack\_snapshot\_with\_config + 10 (libsystem\_kernel.dylib +  
51714) [0x7ff80be30a02] 1-24  
\*24 hndl\_unix\_scall64 + 22 (kernel + 998838) [0xfffff80003d3db6]  
1-24  
\*24 unix\_syscall64 + 477 (kernel + 7810589) [0xfffff8000a52e1d]  
1-24  
\*24 stack\_snapshot\_with\_config + 1840 (kernel + 6743392)  
[0xfffff800094e560] 1-24  
\*24 kern\_stack\_snapshot\_internal + 1009 (kernel + 1143937)  
[0xfffff80003f7481] 1-24  
\*24 ??? (kernel + 1142234) [0xfffff80003f6dda] 1-24  
\*24 DebuggerTrapWithState + 93 (kernel + 1404717)  
[0xfffff8000436f2d] (running) 1-24

Thread 0x3fff DispatchQueue  
"com.apple.spindump.stackshot\_parsing"(1329) 3 samples (2-4) priority  
37-46 (base 37) cpu time 0.212s (536.3M cycles, 553.1M instructions,  
0.97c/i)  
<DispatchQueue not seen for 1 sample, thread QoS user initiated  
(requested user initiated, workloop servicer override user initiated), process

```

sudden termination dirty, IO tier 0, priority 46 (37)>
  3 start_wqthread + 15 (libsystem_pthread.dylib + 7063) [0x7ff80be60b97]
2-4
  3 _pthread_wqthread + 327 (libsystem_pthread.dylib + 11335)
[0x7ff80be61c47] 2-4
  3 _dispatch_workloop_worker_thread + 451 (libdispatch.dylib + 78845)
[0x7ff80bccd3fd] 2-4
  3 _dispatch_root_queue_drain_deferred_wlh + 271 (libdispatch.dylib +
80622) [0x7ff80bccdaee] 2-4
  3 _dispatch_lane_invoke + 377 (libdispatch.dylib + 41216)
[0x7ff80bcc4100] 2-4
  3 _dispatch_lane_serial_drain + 1076 (libdispatch.dylib + 38764)
[0x7ff80bcc376c] 2-4
  3 _dispatch_client_callout + 8 (libdispatch.dylib + 13722)
[0x7ff80bcbd59a] 2-4
  3 _dispatch_call_block_and_release + 12 (libdispatch.dylib + 8934)
[0x7ff80bcbc2e6] 2-4
  3 ??? (spindump + 752765) [0x10e275c7d] 2-4
  3 ??? (SampleAnalysis + 139945) [0x7ff9229862a9] 2-4
  1 ??? (SampleAnalysis + 178610) [0x7ff92298f9b2] 2
  1 ??? (SampleAnalysis + 121778) [0x7ff922981bb2] 2
  1 ??? (SampleAnalysis + 118397) [0x7ff922980e7d] 2
  1 ??? (SampleAnalysis + 974994) [0x7ff922a52092] 2
  1 ??? (SampleAnalysis + 51829) [0x7ff922970a75] 2
  1 ??? (SampleAnalysis + 55629) [0x7ff92297194d] 2
  1 ??? (CoreSymbolication + 675728) [0x7ff82281bf90] 2
  1 ??? (CoreSymbolication + 326256) [0x7ff8227c6a70]
2
  1 ??? (CoreSymbolication + 322568)
[0x7ff8227c5c08] 2
  1 ??? (CoreSymbolication + 340945)
[0x7ff8227ca3d1] 2
  1 ??? (CoreSymbolication + 346091)
[0x7ff8227cb7eb] 2
  1 ??? (CoreSymbolication + 329331)
[0x7ff8227c7673] 2
  1 ??? (CoreSymbolication + 321401)
[0x7ff8227c5779] 2
  1 ??? (CoreSymbolication + 345867)
[0x7ff8227cb70b] 2
  *1 hndl_alltraps + 95 (kernel + 997535)
[0xfffff80003d389f] 2
  *1 user_trap + 718 (kernel + 2774286)
[0xfffff800058550e] 2

```

```

*1 ??? (kernel + 2077508)
[0xffffffff80004db344] 2
*1 vm_fault_page + 2275 (kernel +
2094291) [0xffffffff80004df4d3] 2
*1 vnode_pager_cluster_read + 72 (kernel
+ 2011688) [0xffffffff80004cb228] 2
*1 vnode_pagein + 1448 (kernel +
7232376) [0xffffffff80009c5b78] 2
*1 apfs_vnop_pagein + 264
(com.apple.filesystems.apfs + 440228) [0xffffffff8002e467a4] 2
*1 apfs_pagein + 1319
(com.apple.filesystems.apfs + 505171) [0xffffffff8002e56553] 2
*1 cluster_pagein + 21 (kernel +
3256949) [0xffffffff80005fb275] 2
*1 cluster_pagein_ext + 281 (kernel
+ 3257241) [0xffffffff80005fb399] 2
*1 ??? (kernel + 3252834)
[0xffffffff80005fa262] 2
*1 apfs_vnop_strategy + 929
(com.apple.filesystems.apfs + 450689) [0xffffffff8002e49081] 2
*1 apfs_slurp_file_data + 574
(com.apple.filesystems.apfs + 810076) [0xffffffff8002ea0c5c] 2
*1 jdev_fext_read_data + 202
(com.apple.filesystems.apfs + 936902) [0xffffffff8002ebfbc6] 2
*1 vnode_dev_read + 13
(com.apple.filesystems.apfs + 67900) [0xffffffff8002deb93c] 2
*1 _vnode_dev_read + 992
(com.apple.filesystems.apfs + 73345) [0xffffffff8002dece81] 2
*1 nx_buf_bread + 65
(com.apple.filesystems.apfs + 74411) [0xffffffff8002ded2ab] 2
*1 buf_biowait + 109
(kernel + 3211741) [0xffffffff80005f01dd] 2
*1 ??? (kernel +
6623403) [0xffffffff80009310ab] 2
*1 lck_mtx_sleep + 97
(kernel + 1503265) [0xffffffff800044f021] 2
*1
thread_block_reason + 240 (kernel + 1581040) [0xffffffff8000461ff0] 2
*1 ??? (kernel +
1588870) [0xffffffff8000463e86] 2
*1
machine_switch_context + 215 (kernel + 2749095) [0xffffffff800057f2a7] 2
<priority 37 (37)>
1 ??? (SampleAnalysis + 173331) [0x7ff92298e513] 3

```

```
1 ??? (SampleAnalysis + 135467) [0x7ff92298512b] 3
1 ??? (SampleAnalysis + 989053) [0x7ff922a5577d] 3
1 ??? (SampleAnalysis + 11288) [0x7ff922966c18] 3
1 ??? (SampleAnalysis + 21606) [0x7ff922969466] 3
1 ??? (SampleAnalysis + 17820) [0x7ff92296859c] 3
1 ??? (SampleAnalysis + 464586) [0x7ff9229d56ca] 3
1 ??? (SampleAnalysis + 464117) [0x7ff9229d54f5] 3
1 ??? (SampleAnalysis + 50950) [0x7ff922970706] 3
1 -[NSArray
indexOfObject:inSortedRange:options:usingComparator:] + 244
(CoreFoundation + 548512) [0x7ff80bf4aea0] 3
1 -[__NSFrozenArrayM objectAtIndex:] + 81
(CoreFoundation + 410255) [0x7ff80bf2928f] (running) 3
1 ??? (SampleAnalysis + 184756) [0x7ff9229911b4] 4
1 ??? (SampleAnalysis + 110699) [0x7ff92297f06b] 4
1 -[__NSDictionaryM
enumerateKeysAndObjectsWithOptions:usingBlock:] + 246 (CoreFoundation
+ 514734) [0x7ff80bf42aae] 4
1 __NSDICTIONARY_IS_CALLING_OUT_TO_A_BLOCK__ +
7 (CoreFoundation + 264487) [0x7ff80bf05927] 4
1 ??? (SampleAnalysis + 202065) [0x7ff922995551] 4
1 ??? (SampleAnalysis + 76754) [0x7ff922976bd2] 4
1 ??? (Symbolication + 15747) [0x7ffa0e81bd83] 4
1 ??? (Symbolication + 356388) [0x7ffa0e86f024] 4
1 ??? (Symbolication + 550814) [0x7ffa0e89e79e] 4
1 ??? (Symbolication + 549173) [0x7ffa0e89e135] 4
1 ??? (Symbolication + 14247) [0x7ffa0e81b7a7] 4
1 ??? (Symbolication + 14380) [0x7ffa0e81b82c]
4
1 ??? (Symbolication + 547111)
[0x7ffa0e89d927] 4
1 __sysctl + 10 (libsystem_kernel.dylib +
11678) [0x7ff80be26d9e] 4
*1 hndl_unix_scall64 + 22 (kernel + 998838)
[0xfffff80003d3db6] 4
*1 unix_syscall64 + 477 (kernel + 7810589)
[0xfffff8000a52e1d] 4
*1 sysctl + 503 (kernel + 6649879)
[0xfffff8000937817] 4
*1 ??? (kernel + 6649224)
[0xfffff8000937588] 4
*1 ??? (kernel + 6631476)
[0xfffff8000933034] 4
*1 ??? (kernel + 6630360)
```





\*1 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] (blocked by turnstile waiting for WindowServer [154] after  
2 hops) 3

Binary Images:

0x10e1be000 - 0x10e301fff spindump (341.1)  
<132E22E6-1BE1-3084-9F04-C5B2A4EC3C65> /usr/sbin/spindump  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/  
Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff8114c6000 - 0x7ff81191eff1 com.apple.SkyLight 1.600.0  
(844.10.1) <44C36221-6308-3DF3-821F-755130080968> /System/  
Library/PrivateFrameworks/SkyLight.framework/Versions/A/SkyLight  
0x7ff822777000 - 0x7ff822882ff7 com.apple.CoreSymbolication 15.0  
(64561.101.1) <2DB735AD-BBC6-3136-9932-D2F986DB7C24> /System/  
Library/PrivateFrameworks/CoreSymbolication.framework/Versions/A/  
CoreSymbolication  
0x7ff922964000 - 0x7ff922aa6ff1 com.apple.SampleAnalysis 1.0  
(341) <FB3A1022-E428-3A16-A388-04463E06C101> /System/  
Library/PrivateFrameworks/SampleAnalysis.framework/Versions/A/  
SampleAnalysis  
0x7ffa0e818000 - 0x7ffa0e8fbfeb com.apple.Symbolication 15.0  
(64561.91.2) <6A7264A5-DC61-33DE-AB5E-AA9D1FB4C50A> /System/  
Library/PrivateFrameworks/Symbolication.framework/Versions/A/  
Symbolication  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel  
\*0xfffff8002ddb000 - 0xfffff8002f9cfff com.apple.filesystems.apfs  
(2235.80.4.0.1) <CE13F364-BF8A-3955-BC8F-2ED75D98BBEE>  
com.apple.filesystems.apfs

Process: spindump\_agent [472]

UUID: BDF2158C-076F-35CE-9D89-6DC3EFA0940E

Path: /usr/libexec/spindump\_agent  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1132 KB  
Time Since Fork: 738s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xd95 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:  
0x1048a9000 - ??? spindump\_agent  
<BDF2158C-076F-35CE-9D89-6DC3EFA0940E> /usr/libexec/  
spindump\_agent  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: Spotlight [501]  
UUID: 07A56768-7999-37E1-A79B-21BC9F277335  
Path: /System/Library/CoreServices/Spotlight.app/Contents/MacOS/  
Spotlight  
Identifier: com.apple.Spotlight  
Version: 1.0 (77.2.2)  
Build Version: 187  
Project Name: SpotlightApp

Source Version: 77002002000000

Is First Party: Yes

Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64

Parent: launchd [1]

UID: 501

Footprint: 14.08 MB

Time Since Fork: 731s

Num samples: 24 (1-24)

CPU Time: <0.001s (179.0K cycles, 40.1K instructions, 4.46c/i)

Note: 1 idle work queue thread omitted

Thread 0xf2b DispatchQueue "com.apple.main-thread"(1) 24 samples (1-24) priority 46 (base 46)

<thread QoS user interactive (requested user interactive), IO tier 0>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24

24 NSApplicationMain + 816 (AppKit + 16833) [0x7ff80f5151c1] 1-24

24 -[NSApplication run] + 603 (AppKit + 197042) [0x7ff80f5411b2] 1-24

24 -[NSApplication(NSEventRouting)

\_nextEventMatchingEventMask:untilDate:inMode:dequeue:] + 1304 (AppKit + 9734148) [0x7ff80fe59804] 1-24

24 \_DPSNextEvent + 880 (AppKit + 257081) [0x7ff80f54fc39] 1-24

24 \_BlockUntilNextEventMatchingListInModeWithFilter + 66

(HIToolbox + 197937) [0x7ff816831531] 1-24

24 ReceiveNextEventCommon + 665 (HIToolbox + 198630)

[0x7ff8168317e6] 1-24

24 RunCurrentEventLoopInMode + 292 (HIToolbox + 199129)

[0x7ff8168319d9] 1-24

24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)

[0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)

[0x7ff80bf3fba5] 1-24

24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +

508213) [0x7ff80bf41135] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)

[0x7ff80be25d1f] 1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib +

35682) [0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)

[0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)

[0xfffff8000415fc0] 1-24

Thread 0xf46 24 samples (1-24) priority 31 (base 31)  
<thread QoS default (requested default), IO tier 0>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 ??? (Foundation + 349980) [0x7ff80ced371c] 1-24  
24 ??? (Spotlight + 62345) [0x10a4e6389] 1-24  
24 ??? (Foundation + 891637) [0x7ff80cf57af5] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib +  
35682) [0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0x1036 Thread name "com.apple.NSEventThread" 24 samples  
(1-24) priority 46 (base 46)  
<thread QoS user interactive (requested user interactive), IO tier 0>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 \_NSEventThread + 122 (AppKit + 1686188) [0x7ff80f6acaac] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)

[0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)

[0xffffffff8000415fc0] 1-24

Binary Images:

0x10a4d7000 - 0x10a53afff com.apple.Spotlight 1.0 (77.2.2)  
<07A56768-7999-37E1-A79B-21BC9F277335> /System/Library/  
CoreServices/Spotlight.app/Contents/MacOS/Spotlight  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
0x7ff80f511000 - 0x7ff81092fff6 com.apple.AppKit 6.9 (2487.40.107)  
<660B78D6-113F-3ABD-8969-A6CB84FFF752> /System/Library/  
Frameworks/AppKit.framework/Versions/C/AppKit  
0x7ff816801000 - 0x7ff816a9cff4 com.apple.HIToolbox 2.1.1 (1202)  
<4CD47F03-ED80-3F2A-BBDF-D7AF11CB4CCB> /System/Library/  
Frameworks/Carbon.framework/Versions/A/Frameworks/  
HIToolbox.framework/Versions/A/HIToolbox  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: spotlightknowledged [911]

UUID: 85590807-39B7-3AD2-971A-4A5E25D52F12

Path: /System/Library/Frameworks/CoreSpotlight.framework/  
spotlightknowledged

Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64

Parent: launchd [1]

UID: 501

Sudden Term: Tracked (allows idle exit)

Footprint: 1168 KB  
Time Since Fork: 352s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x2e2c 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
dirty, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x1026b8000 - ??? spotlightknowledged  
<85590807-39B7-3AD2-971A-4A5E25D52F12> /System/Library/  
Frameworks/CoreSpotlight.framework/spotlightknowledged  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: StatusKitAgent [459]  
UUID: 56FF6ED4-78F3-38FA-8469-59BA2429113D  
Path: /System/Library/PrivateFrameworks/StatusKit.framework/  
StatusKitAgent  
Codesigning ID: com.apple.StatusKitAgent  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 3388 KB  
Time Since Fork: 741s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xce1 DispatchQueue "com.apple.main-thread"(1) 24 samples (1-24) priority 31 (base 31)  
 <thread QoS default (requested default), process sudden termination dirty, process unclamped, process received importance donation from chronod [434], IO tier 0>  
 24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
 24 ??? (StatusKitAgent + 11054) [0x10172db2e] 1-24  
 24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
 24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
 24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842) [0x7ff80bf3f082] 1-24  
 24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693) [0x7ff80bf3fba5] 1-24  
 24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24  
 24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 1-24  
 24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24  
 24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24  
 \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xffffffff8000415fc0] 1-24

Binary Images:

0x10172b000 - 0x101736fff StatusKitAgent (25.300.51)  
 <56FF6ED4-78F3-38FA-8469-59BA2429113D> /System/Library/PrivateFrameworks/StatusKit.framework/StatusKitAgent  
 0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
 <01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
 0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
 <3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/libsystem\_kernel.dylib  
 0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9 (2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
 0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303) <6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/Frameworks/Foundation.framework/Versions/C/Foundation  
 \*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5) <8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/kernel



Process: StocksWidget [448] (suspended)  
UUID: CD56C5A8-9EDD-3E91-86FC-DCBE95008626  
Path: /System/Applications/Stocks.app/Contents/PlugIns/  
StocksWidget.appex/Contents/MacOS/StocksWidget  
Identifier: com.apple.stocks.widget  
Version: 6.2.1 (1310)  
Build Version: 29  
Project Name: Stocks  
Source Version: 1310000000000000  
Is First Party: Yes  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: chronod [434]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 12.49 MB  
Time Since Fork: 743s  
Num samples: 24 (1-24)  
Note: Suspended for 24 samples  
Note: 3 idle work queue threads omitted

Thread 0xc82 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (Foundation + 918756) [0x7ff80cf5e4e4] 1-24  
24 ??? (ExtensionFoundation + 166691) [0x7ffb102dbb23] 1-24  
24 ??? (ExtensionFoundation + 12061) [0x7ffb102b5f1d] 1-24  
24 ??? (ExtensionFoundation + 12467) [0x7ffb102b60b3] 1-24  
24 ??? (Foundation + 514495) [0x7ff80cefb9bf] 1-24  
24 xpc\_main + 56 (libxpc.dylib + 87766) [0x7ff80bb8a6d6] 1-24  
24 \_xpc\_main + 259 (libxpc.dylib + 137735) [0x7ff80bb96a07] 1-24  
24 \_xpc\_objc\_main + 606 (libxpc.dylib + 88755) [0x7ff80bb8aab3]  
1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24

24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xffffffff8000415fc0] (suspended) 1-24

Thread 0xd61 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default, workloop servicer override user initiated), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>

24 start\_wqthread + 0 (libsystem\_pthread.dylib + 7048) [0x7ff80be60b88] 1-24  
\*24 ??? (kernel + 1763936) [0xffffffff800048ea60] (suspended) 1-24

Thread 0xdf8 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>

24 start\_wqthread + 0 (libsystem\_pthread.dylib + 7048) [0x7ff80be60b88] 1-24  
\*24 ??? (kernel + 1763936) [0xffffffff800048ea60] (suspended) 1-24

Thread 0xe2e 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested user initiated), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>

24 start\_wqthread + 0 (libsystem\_pthread.dylib + 7048) [0x7ff80be60b88] 1-24  
\*24 ??? (kernel + 1763936) [0xffffffff800048ea60] (suspended) 1-24

#### Binary Images:

0x105138000 - ??? com.apple.stocks.widget 6.2.1 (1310)  
<CD56C5A8-9EDD-3E91-86FC-DCBE95008626> /System/Applications/Stocks.app/Contents/PlugIns/StocksWidget.appex/Contents/MacOS/StocksWidget

0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld

0x7ff80bb75000 - 0x7ff80bbb8ff2 libxpc.dylib (2679.80.5.0.1)

<902EB51F-373F-3AA3-B084-228AC4C1B80B> /usr/lib/system/libxpc.dylib

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/

libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
0x7ffb102b3000 - 0x7ffb1033fffb com.apple.ExtensionFoundation 97  
(97) <266249BC-CB4B-3B4B-82A2-80CA827479FC> /System/Library/  
Frameworks/ExtensionFoundation.framework/Versions/A/  
ExtensionFoundation  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: storagekitd [242]  
UUID: 396BBE75-344C-3435-822F-F7C108178EF1  
Path: /usr/libexec/storagekitd  
Codesigning ID: com.apple.storagekitd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 2088 KB  
Time Since Fork: 762s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x54c DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
dirty, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (storagekitd + 328622) [0x1083e13ae] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 1-24

Thread 0x55a Thread name "Storage Kit Work Thread" 24 samples  
(1-24) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination  
dirty, thread darwinbg, process darwinbg, IO tier 2>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24

24 ??? (Foundation + 349980) [0x7ff80ced371c] 1-24

24 ??? (storagekitd + 351981) [0x1083e6eed] 1-24

24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24

24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24

24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24

24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib +  
35682) [0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 1-24

Thread 0x55b Thread name "Storage Kit Disk Eject Thread" 24 samples  
(1-24) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination  
dirty, thread darwinbg, process darwinbg, IO tier 2>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 ??? (Foundation + 349980) [0x7ff80ced371c] 1-24  
24 ??? (storagekitd + 352214) [0x1083e6fd6] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib +  
35682) [0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0x566 24 samples (1-24) priority 0 (base 4)  
<thread QoS background (requested default), process sudden termination  
dirty, thread darwinbg, process darwinbg, IO tier 2>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 ??? (Foundation + 349980) [0x7ff80ced371c] 1-24  
24 ??? (storagekitd + 1268152) [0x1084c69b8] 1-24  
24 CFRunLoopRun + 40 (CoreFoundation + 1006446)  
[0x7ff80bfbab6e] 1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0x589 Thread name "Storage Kit Legacy Notifications Thread"  
24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
dirty, thread darwinbg, process darwinbg, IO tier 2>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24

24 ??? (Foundation + 8385544) [0x7ff80d67d408] 1-24

24 ??? (storagekitd + 351680) [0x1083e6dc0] 1-24

24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24

24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24

24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24

24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib +  
35682) [0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0x591 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
dirty, thread darwinbg, process darwinbg, IO tier 2>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24

24 ??? (Foundation + 349980) [0x7ff80ced371c] 1-24

24 ??? (storagekitd + 1268152) [0x1084c69b8] 1-24

24 CFRRunLoopRun + 40 (CoreFoundation + 1006446)  
[0x7ff80bfbab6e] 1-24

24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)

[0x7ff80bf3f082] 1-24  
    24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
    24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
    24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
    24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
    24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
    \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

    0x108391000 - 0x108664fff storagekitd (851.40.2)  
<396BBE75-344C-3435-822F-F7C108178EF1> /usr/libexec/storagekitd  
    0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
    0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
    0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
    0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
    0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
    \*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: storedownload [554]  
UUID: AA98BD24-80F2-3EA9-A258-049485834A8C  
Path: /System/Library/PrivateFrameworks/CommerceKit.framework/  
Versions/A/Resources/storedownload  
Codesigning ID: com.apple.storedownload  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64

Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked  
Footprint: 1068 KB  
Time Since Fork: 713s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x12e1 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 1 (base 4)

<thread QoS background (requested utility), process sudden termination  
clean, thread darwinbg, process darwinbg, timers tier 3 (coalesced), IO tier  
2>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (storedownloadd + 126150) [0x10a5ddcc6] 1-24  
24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

#### Binary Images:

0x10a5bf000 - 0x10a6e2fff storedownloadd (714.3.3)  
<AA98BD24-80F2-3EA9-A258-049485834A8C> /System/Library/  
PrivateFrameworks/CommerceKit.framework/Versions/A/Resources/  
storedownloadd  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/



Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: SubmitDiagInfo [220]  
UUID: 618DF484-1EF9-3F61-A8FF-3058AAF05048  
Path: /System/Library/CoreServices/SubmitDiagInfo  
Codesigning ID: com.apple.SubmitDiagInfo  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked  
Footprint: 1012 KB  
Time Since Fork: 763s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x688 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested background), process sudden  
termination clean, thread darwinbg, process darwinbg, IO tier 3>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (SubmitDiagInfo + 18567) [0x10c1b8887] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 <patched truncated backtrace> 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 1-24

Binary Images:

0x10c1b4000 - 0x10c1dbfff SubmitDiagInfo (614.60.3)  
<618DF484-1EF9-3F61-A8FF-3058AAF05048> /System/Library/  
CoreServices/SubmitDiagInfo  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: suggestd [427]  
UUID: 2BB004BD-7395-3696-8D18-F76B227601AC  
Path: /System/Library/PrivateFrameworks/  
CoreSuggestions.framework/Versions/A/Support/suggestd  
Codesigning ID: com.apple.suggestd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 6364 KB  
Time Since Fork: 745s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xbd2 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (suggestd + 22627) [0x106803863] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24

24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 1-24

Binary Images:

0x1067fe000 - 0x106811fff suggestd (1226.2.3)  
<2BB004BD-7395-3696-8D18-F76B227601AC> /System/Library/  
PrivateFrameworks/CoreSuggestions.framework/Versions/A/Support/  
suggestd  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: suhelperd [267]  
UUID: 79FC5CA7-DA09-3013-9E6B-7F7402F9E35E  
Path: /System/Library/CoreServices/Software Update.app/Contents/  
Resources/suhelperd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Footprint: 1932 KB

Time Since Fork: 759s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x6f5 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42] 1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774) [0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x10cf09000 - ??? suhelperd <79FC5CA7-DA09-3013-9E6B-7F7402F9E35E> /System/Library/CoreServices/Software Update.app/Contents/Resources/suhelperd  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1) <C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5) <3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5) <8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/kernel

Process: swcd [487]  
UUID: 54377668-085B-3DAB-ACD5-785F32659BD3  
Path: /usr/libexec/swcd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1120 KB  
Time Since Fork: 735s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xe84 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination

clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x109504000 - ??? swcd  
<54377668-085B-3DAB-ACD5-785F32659BD3> /usr/libexec/swcd  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: symptomsd [198]  
UUID: C3C8AFF5-D675-36E5-BA3B-F9A8F7D38413  
Path: /usr/libexec/symptomsd  
Codesigning ID: com.apple.symptomsd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 24  
Sudden Term: Tracked (allows idle exit)  
Footprint: 2948 KB  
Time Since Fork: 764s  
Num samples: 24 (1-24)  
CPU Time: <0.001s (1282.8K cycles, 383.5K instructions, 3.34c/i)  
Note: 1 idle work queue thread omitted

Thread 0x437 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
dirty, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (symptomsd + 14378) [0x10621c82a] 1-24  
24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]

1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x106219000 - 0x106224fff symptomsd (1848.80.6)  
<C3C8AFF5-D675-36E5-BA3B-F9A8F7D38413> /usr/libexec/symptomsd  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: symptomsd-diag [349]  
UUID: 7DB4676B-82A9-391F-A165-3DEB3BA3AB20  
Path: /usr/libexec/symptomsd-diag  
Codesigning ID: com.apple.symptomsd-diag  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1468 KB  
Time Since Fork: 752s

Num samples: 24 (1-24)

Note: 3 idle work queue threads omitted

Thread 0x95a DispatchQueue "com.apple.main-thread"(1) 24 samples (1-24) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24

24 ??? (symptomsd-diag + 12007) [0x100577ee7] 1-24

24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e] 1-24

24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842) [0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693) [0x7ff80bf3fba5] 1-24

24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xfffff8000415fc0] 1-24

Binary Images:

0x100575000 - 0x100580fff symptomsd-diag (308.80.4)  
<7DB4676B-82A9-391F-A165-3DEB3BA3AB20> /usr/libexec/symptomsd-diag

0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/libsystem\_kernel.dylib

0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9 (2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation

\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/kernel

Process: syncdefaultsd [429]

UUID: 48818B68-50F5-38E5-AB2D-B9859C1D6DBB  
Path: /System/Library/PrivateFrameworks/  
SyncedDefaults.framework/Support/syncdefaultsd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 2676 KB  
Time Since Fork: 745s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xd03 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:  
0x105d09000 - ??? syncdefaultsd  
<48818B68-50F5-38E5-AB2D-B9859C1D6DBB> /System/Library/  
PrivateFrameworks/SyncedDefaults.framework/Support/syncdefaultsd  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: sysdiagnosed [907]  
UUID: 6D396567-C3C8-3D56-8F95-42235B7960FF  
Path: /usr/libexec/sysdiagnosed  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64



Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1096 KB  
Time Since Fork: 358s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x2da0 24 samples (1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination clean,  
IO tier 0 and passive>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

Binary Images:

0x10ab77000 - ??? sysdiagnosed  
<6D396567-C3C8-3D56-8F95-42235B7960FF> /usr/libexec/sysdiagnosed  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: sysextd [253]  
UUID: E77C1041-38DA-3F12-9E83-26A7DD3B62D9  
Path: /System/Library/Frameworks/SystemExtensions.framework/  
Versions/A/Helpers/sysextd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1040 KB  
Time Since Fork: 761s  
Num samples: 24 (1-24)

Note: 1 idle work queue thread omitted

Thread 0x5f5 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x10b626000 - ??? sysextd  
<E77C1041-38DA-3F12-9E83-26A7DD3B62D9> /System/Library/  
Frameworks/SystemExtensions.framework/Versions/A/Helpers/sysextd  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: syslogd [122]  
UUID: 5F0E3813-7C81-34FF-B229-A44AC659DA93  
Path: /usr/sbin/syslogd  
Codesigning ID: com.apple.syslogd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked  
Footprint: 600 KB  
Time Since Fork: 767s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x346 DispatchQueue "com.apple.root.default-qos"(13) 24  
samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination

dirty, thread darwinbg, process darwinbg, IO tier 2 and passive>  
 24 start\_wqthread + 15 (libsystem\_pthread.dylib + 7063) [0x7ff80be60b97]  
 1-24  
 24 \_pthread\_wqthread + 262 (libsystem\_pthread.dylib + 11270)  
 [0x7ff80be61c06] 1-24  
 24 \_dispatch\_worker\_thread2 + 152 (libdispatch.dylib + 77602)  
 [0x7ff80bcccf22] 1-24  
 24 \_dispatch\_root\_queue\_drain + 879 (libdispatch.dylib + 76189)  
 [0x7ff80bcc99d] 1-24  
 24 \_dispatch\_client\_callout + 8 (libdispatch.dylib + 13722)  
 [0x7ff80bcbd59a] 1-24  
 24 \_dispatch\_call\_block\_and\_release + 12 (libdispatch.dylib + 8934)  
 [0x7ff80bcbc2e6] 1-24  
 24 ??? (syslogd + 36770) [0x10f18dfa2] 1-24  
 24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
 [0x7ff80be25d1f] 1-24  
 24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
 [0x7ff80be2cb62] 1-24  
 24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
 [0x7ff80be25a2e] 1-24  
 \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
 [0xfffff8000415fc0] 1-24

Thread 0x347 24 samples (1-24) priority 4 (base 4)  
 <thread QoS background (requested default), process sudden termination  
 dirty, thread darwinbg, process darwinbg, IO tier 2 and passive>  
 24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
 1-24  
 24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
 [0x7ff80be2b836] 1-24  
 \*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

#### Binary Images:

0x10f185000 - 0x10f1a4fff syslogd (398)  
 <5F0E3813-7C81-34FF-B229-A44AC659DA93> /usr/sbin/syslogd  
 0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
 <C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
 libdispatch.dylib  
 0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
 <3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
 libsystem\_kernel.dylib  
 0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
 <0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
 libsystem\_pthread.dylib

\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: sysmond [642]  
UUID: EFD13E63-2542-395F-80D2-A5AFFD1F16C0  
Path: /usr/libexec/sysmond  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 568 KB  
Time Since Fork: 667s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x18c0 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

Binary Images:

0x10f11b000 - ??? sysmond  
<EFD13E63-2542-395F-80D2-A5AFFD1F16C0> /usr/libexec/sysmond  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: syspolicyd [226]  
UUID: 7A2AD8E7-7812-3A42-B1F4-D3DA99210250

Path: /usr/libexec/syspolicyd  
Codesigning ID: com.apple.syspolicyd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Footprint: 32.44 MB  
Time Since Fork: 763s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x4b6 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 31 (base 31)

<thread QoS default (requested default), IO tier 0>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (syspolicyd + 382640) [0x1017266b0] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0x31b6 Thread name "com.apple.NSURLConnectionLoader" 24  
samples (1-24) priority 31 (base 31)

<thread QoS default (requested default), IO tier 0>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 ??? (Foundation + 349980) [0x7ff80ced371c] 1-24  
24 ??? (CFNetwork + 2391509) [0x7ff81129fdd5] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)

[0x7ff80bf3f082] 1-24  
    24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
    24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
    24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
    24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
    24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
    \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

    0x1016c9000 - 0x1017a0fff syspolicyd (557.60.2)  
<7A2AD8E7-7812-3A42-B1F4-D3DA99210250> /usr/libexec/syspolicyd  
    0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
    0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
    0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
    0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
    0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
    0x7ff811058000 - 0x7ff811406ff1 com.apple.CFNetwork 1.0  
(1492.0.1) <2847065D-8C66-3A44-B26C-B2A51A2897FB> /System/Library/  
Frameworks/CFNetwork.framework/Versions/A/CFNetwork  
    \*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: system\_installd [555]  
UUID: B7FD6A11-B1CC-354F-9137-346972465F8D  
Path: /System/Library/PrivateFrameworks/PackageKit.framework/  
Versions/A/Resources/system\_installd  
Codesigning ID: com.apple.system\_installd

Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64

Footprint: 1880 KB

Time Since Fork: 713s

Num samples: 24 (1-24)

Note: 1 idle work queue thread omitted

Thread 0x12e2 DispatchQueue "com.apple.main-thread"(1) 24 samples (1-24) priority 4 (base 4)

<thread QoS background (requested default), thread darwinbg, process darwinbg, IO tier 2>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24

24 ??? (system\_installd + 15234) [0x109a3fb82] 1-24

24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e] 1-24

24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842) [0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693) [0x7ff80bf3fba5] 1-24

24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xfffff8000415fc0] 1-24

Binary Images:

0x109a3c000 - 0x109a47fff system\_installd (1326.1)  
<B7FD6A11-B1CC-354F-9137-346972465F8D> /System/Library/PrivateFrameworks/PackageKit.framework/Versions/A/Resources/system\_installd

0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/libsystem\_kernel.dylib

0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9 (2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation

\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: systemsoundserverd [384]  
UUID: 9F423693-B1E4-3BED-9F04-1497C0F4E8E9  
Path: /usr/sbin/systemsoundserverd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1764 KB  
Time Since Fork: 749s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xa4b 24 samples (1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

Thread 0x124a Thread name "caulk.messenger.shared:17" 24 samples  
(1-24) priority 19 (base 19)  
<thread QoS utility (requested utility), process sudden termination clean, IO  
tier 1>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 void\* caulk::thread\_proxy<std::\_\_1::tuple<caulk::thread::attributes,  
void (caulk::concurrent::details::worker\_thread::\*)(),  
std::\_\_1::tuple<caulk::concurrent::details::worker\_thread\*>>>(void\*) + 41  
(caulk + 6332) [0x7ff81654d8bc] 1-24  
24 caulk::concurrent::details::worker\_thread::run() + 30 (caulk + 7064)  
[0x7ff81654db98] 1-24  
24 semaphore\_wait\_trap + 10 (libsystem\_kernel.dylib + 6570)  
[0x7ff80be259aa] 1-24



\*24 ??? (kernel + 1663616) [0xfffff8000476280] 1-24

Thread 0x124b Thread name "caulk.messenger.shared:high" 24 samples (1-24) priority 55 (base 55)

<process sudden termination clean, IO tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab] 1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090) [0x7ff80be65202] 1-24

24 void\* caulk::thread\_proxy<std::\_\_1::tuple<caulk::thread::attributes, void (caulk::concurrent::details::worker\_thread::\*), std::\_\_1::tuple<caulk::concurrent::details::worker\_thread\*>>>(void\*) + 41 (caulk + 6332) [0x7ff81654d8bc] 1-24

24 caulk::concurrent::details::worker\_thread::run() + 30 (caulk + 7064) [0x7ff81654db98] 1-24

24 semaphore\_wait\_trap + 10 (libsystem\_kernel.dylib + 6570) [0x7ff80be259aa] 1-24

\*24 ??? (kernel + 1663616) [0xfffff8000476280] 1-24

Thread 0x124f Thread name "caulk::deferred\_logger" 24 samples (1-24) priority 37 (base 37)

<thread QoS user initiated (requested user initiated), process sudden termination clean, IO tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab] 1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090) [0x7ff80be65202] 1-24

24 void\* caulk::thread\_proxy<std::\_\_1::tuple<caulk::thread::attributes, void (caulk::concurrent::details::worker\_thread::\*), std::\_\_1::tuple<caulk::concurrent::details::worker\_thread\*>>>(void\*) + 41 (caulk + 6332) [0x7ff81654d8bc] 1-24

24 caulk::concurrent::details::worker\_thread::run() + 30 (caulk + 7064) [0x7ff81654db98] 1-24

24 semaphore\_wait\_trap + 10 (libsystem\_kernel.dylib + 6570) [0x7ff80be259aa] 1-24

\*24 ??? (kernel + 1663616) [0xfffff8000476280] 1-24

Binary Images:

0x10b9d0000 - ??? systemsoundserverd  
<9F423693-B1E4-3BED-9F04-1497C0F4E8E9> /usr/sbin/  
systemsoundserverd

0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff81654c000 - 0x7ff816571ff3 com.apple.audio.caulk 1.0 (149.1.3)  
<C24466B5-64EA-376F-BDA3-3CA1AD870FC4> /System/Library/  
PrivateFrameworks/caulk.framework/Versions/A/caulk  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: systemstats [95]  
UUID: FD27954C-DF51-3C72-A751-5BA9823D280C  
Path: /usr/sbin/systemstats  
Codesigning ID: com.apple.systemstats  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked  
Footprint: 1388 KB  
Time Since Fork: 767s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x30b DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (systemstats + 75398) [0x105332686] 1-24  
24 ??? (systemstats + 110520) [0x10533afb8] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 <patched truncated backtrace> 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 1-24

Binary Images:

0x105320000 - 0x105483fff systemstats (490.40.2)  
<FD27954C-DF51-3C72-A751-5BA9823D280C> /usr/sbin/systemstats  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: systemstats [653]  
UUID: FD27954C-DF51-3C72-A751-5BA9823D280C  
Path: /usr/sbin/systemstats  
Codesigning ID: com.apple.systemstats  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: systemstats [95]  
Responsible: systemstats [95]  
UID: 0  
Footprint: 1412 KB  
Time Since Fork: 662s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x1945 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested background), thread darwinbg,  
process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (systemstats + 75398) [0x109ecb686] 1-24  
24 ??? (systemstats + 110658) [0x109ed4042] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRunLoopRunLoopSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0x19a5 Thread name "caulk.messenger.shared:17" 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested utility), thread darwinbg, process  
darwinbg, IO tier 2>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 void\* caulk::thread\_proxy<std::\_\_1::tuple<caulk::thread::attributes,  
void (caulk::concurrent::details::worker\_thread::\*),  
std::\_\_1::tuple<caulk::concurrent::details::worker\_thread\*>>>(void\*) + 41  
(caulk + 6332) [0x7ff81654d8bc] 1-24  
24 caulk::concurrent::details::worker\_thread::run() + 30 (caulk + 7064)  
[0x7ff81654db98] 1-24  
24 semaphore\_wait\_trap + 10 (libsystem\_kernel.dylib + 6570)  
[0x7ff80be259aa] 1-24  
\*24 ??? (kernel + 1663616) [0xfffff8000476280] 1-24

Thread 0x19a6 Thread name "caulk.messenger.shared:high" 24 samples  
(1-24) priority 4 (base 4)

```

<thread QoS background, thread darwinbg, process darwinbg, IO tier 2>
24 thread_start + 15 (libsystem_pthread.dylib + 7083) [0x7ff80be60bab]
1-24
24 _pthread_start + 99 (libsystem_pthread.dylib + 25090)
[0x7ff80be65202] 1-24
24 void* caulk::thread_proxy<std::__1::tuple<caulk::thread::attributes,
void (caulk::concurrent::details::worker_thread::*)(),
std::__1::tuple<caulk::concurrent::details::worker_thread*>>>(void*) + 41
(caulk + 6332) [0x7ff81654d8bc] 1-24
24 caulk::concurrent::details::worker_thread::run() + 30 (caulk + 7064)
[0x7ff81654db98] 1-24
24 semaphore_wait_trap + 10 (libsystem_kernel.dylib + 6570)
[0x7ff80be259aa] 1-24
*24 ??? (kernel + 1663616) [0xffffffff8000476280] 1-24

```

#### Binary Images:

```

0x109eb9000 - 0x10a01cfff systemstats (490.40.2)
<FD27954C-DF51-3C72-A751-5BA9823D280C> /usr/sbin/systemstats
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld
0x7ff80be24000 - 0x7ff80be5eff7 libsystem_kernel.dylib (10002.81.5)
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/
libsystem_kernel.dylib
0x7ff80be5f000 - 0x7ff80be6afff libsystem_pthread.dylib (519)
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/
libsystem_pthread.dylib
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/
Frameworks/Foundation.framework/Versions/C/Foundation
0x7ff81654c000 - 0x7ff816571ff3 com.apple.audio.caulk 1.0 (149.1.3)
<C24466B5-64EA-376F-BDA3-3CA1AD870FC4> /System/Library/
PrivateFrameworks/caulk.framework/Versions/A/caulk
*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/
kernel

```

```

Process:      systemstatusd [249]
UUID:        F20CFC3C-ACB9-3700-84C1-AAD6B39ED9C7
Path:        /System/Library/PrivateFrameworks/
SystemStatusServer.framework/Support/systemstatusd

```

Codesigning ID: com.apple.systemstatusd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Footprint: 948 KB  
Time Since Fork: 761s  
Num samples: 24 (1-24)  
Note: 4 idle work queue threads omitted

Thread 0x593 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)

<thread QoS background (requested default), thread darwinbg, process  
darwinbg, IO tier 2>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (systemstatusd + 12292) [0x10d25a004] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

#### Binary Images:

0x10d257000 - 0x10d262fff systemstatusd (165.19)  
<F20CFC3C-ACB9-3700-84C1-AAD6B39ED9C7> /System/Library/  
PrivateFrameworks/SystemStatusServer.framework/Support/systemstatusd  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation

0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: SystemUIServer [379]  
UUID: 48D69BC9-D74B-3BFA-97CC-B2E161EE491C  
Path: /System/Library/CoreServices/SystemUIServer.app/Contents/  
MacOS/SystemUIServer  
Identifier: com.apple.systemuiserver  
Version: 1.7 (524)  
Build Version: 1196  
Project Name: SystemUIServer  
Source Version: 5240000000000000  
Is First Party: Yes  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked  
Footprint: 4828 KB  
Time Since Fork: 750s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xa25 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 47 (base 47)  
<process frontmost, thread QoS user interactive (requested user  
interactive), process sudden termination clean, IO tier 0>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (SystemUIServer + 31592) [0x10bfa4b68] 1-24  
24 -[NSApplication run] + 603 (AppKit + 197042) [0x7ff80f5411b2] 1-24  
24 -[NSApplication(NSEventRouting)  
\_nextEventMatchingEventMask:untilDate:inMode:dequeue:] + 1304 (AppKit +  
9734148) [0x7ff80fe59804] 1-24  
24 \_DPSNextEvent + 880 (AppKit + 257081) [0x7ff80f54fc39] 1-24  
24 \_BlockUntilNextEventMatchingListInModeWithFilter + 66  
(HIToolbox + 197937) [0x7ff816831531] 1-24  
24 ReceiveNextEventCommon + 665 (HIToolbox + 198630)  
[0x7ff8168317e6] 1-24

24 RunCurrentEventLoopInMode + 292 (HIToolbox + 199129)  
[0x7ff8168319d9] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib +  
35682) [0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0xa9f Thread name "com.apple.NSEventThread" 24 samples  
(1-24) priority 47 (base 47)

<process frontmost, thread QoS user interactive (requested user  
interactive), process sudden termination clean, IO tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24

24 \_NSEventThread + 122 (AppKit + 1686188) [0x7ff80f6acaac] 1-24

24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24

24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x10bf9d000 - 0x10c008fff com.apple.systemuiserver 1.7 (524)  
<48D69BC9-D74B-3BFA-97CC-B2E161EE491C> /System/Library/



CoreServices/SystemUIServer.app/Contents/MacOS/SystemUIServer  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80f511000 - 0x7ff81092fff6 com.apple.AppKit 6.9 (2487.40.107)  
<660B78D6-113F-3ABD-8969-A6CB84FFF752> /System/Library/  
Frameworks/AppKit.framework/Versions/C/AppKit  
0x7ff816801000 - 0x7ff816a9cff4 com.apple.HIToolbox 2.1.1 (1202)  
<4CD47F03-ED80-3F2A-BBDF-D7AF11CB4CCB> /System/Library/  
Frameworks/Carbon.framework/Versions/A/Frameworks/  
HIToolbox.framework/Versions/A/HIToolbox  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: talagent [375]  
UUID: 84777131-45D8-38B9-A0CE-5CD781B9BCF5  
Path: /System/Library/CoreServices/talagent  
Codesigning ID: com.apple.talagent  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 2484 KB  
Time Since Fork: 750s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xa1e DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24

24 ??? (talagent + 10087) [0x10ca4d767] 1-24  
 24 ??? (talagent + 30512) [0x10ca52730] 1-24  
 24 -[NSApplication run] + 603 (AppKit + 197042) [0x7ff80f5411b2] 1-24  
 24 -[NSApplication(NSEventRouting)  
 \_nextEventMatchingEventMask:untilDate:inMode:dequeue:] + 1304 (AppKit +  
 9734148) [0x7ff80fe59804] 1-24  
 24 \_DPSNextEvent + 880 (AppKit + 257081) [0x7ff80f54fc39] 1-24  
 24 \_BlockUntilNextEventMatchingListInModeWithFilter + 66  
 (HIToolbox + 197937) [0x7ff816831531] 1-24  
 24 ReceiveNextEventCommon + 665 (HIToolbox + 198630)  
 [0x7ff8168317e6] 1-24  
 24 RunCurrentEventLoopInMode + 292 (HIToolbox + 199129)  
 [0x7ff8168319d9] 1-24  
 24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
 [0x7ff80bf3f082] 1-24  
 24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
 [0x7ff80bf3fba5] 1-24  
 24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
 508213) [0x7ff80bf41135] 1-24  
 24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
 [0x7ff80be25d1f] 1-24  
 24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib +  
 35682) [0x7ff80be2cb62] 1-24  
 24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
 [0x7ff80be25a2e] 1-24  
 \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
 [0xfffff8000415fc0] 1-24

#### Binary Images:

0x10ca4b000 - 0x10ca7efff talagent (353)  
 <84777131-45D8-38B9-A0CE-5CD781B9BCF5> /System/Library/  
 CoreServices/talagent  
 0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
 <01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
 0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
 <3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
 libsystem\_kernel.dylib  
 0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
 (2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
 Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
 0x7ff80f511000 - 0x7ff81092fff6 com.apple.AppKit 6.9 (2487.40.107)  
 <660B78D6-113F-3ABD-8969-A6CB84FFF752> /System/Library/  
 Frameworks/AppKit.framework/Versions/C/AppKit  
 0x7ff816801000 - 0x7ff816a9cff4 com.apple.HIToolbox 2.1.1 (1202)

<4CD47F03-ED80-3F2A-BBDF-D7AF11CB4CCB> /System/Library/  
Frameworks/Carbon.framework/Versions/A/Frameworks/  
HIToolbox.framework/Versions/A/HIToolbox  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: taskgated [609]  
UUID: 1F4C0A7A-E1D7-31F6-93BD-D9EA9A7E99A7  
Path: /usr/libexec/taskgated  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked  
Footprint: 620 KB  
Time Since Fork: 692s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x15b3 24 samples (1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:  
0x1032fb000 - ??? taskgated <1F4C0A7A-  
E1D7-31F6-93BD-D9EA9A7E99A7> /usr/libexec/taskgated  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: tccd [156]  
UUID: 92D7350E-A113-36C4-B395-71C8AC4220C1  
Path: /System/Library/PrivateFrameworks/TCC.framework/Support/  
tccd  
Codesigning ID: com.apple.tccd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 2212 KB  
Time Since Fork: 766s  
Num samples: 24 (1-24)  
CPU Time: <0.001s (164.9K cycles, 60.1K instructions, 2.74c/i)  
Note: 2 idle work queue threads omitted

Thread 0x338 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (tccd + 28241) [0x1081d5e51] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x1081cf000 - 0x10827afff tccd (771.0.11)  
<92D7350E-A113-36C4-B395-71C8AC4220C1> /System/Library/

PrivateFrameworks/TCC.framework/Support/tccd  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: tccd [368]  
UUID: 92D7350E-A113-36C4-B395-71C8AC4220C1  
Path: /System/Library/PrivateFrameworks/TCC.framework/Support/  
tccd  
Codesigning ID: com.apple.tccd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1760 KB  
Time Since Fork: 750s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x9ee DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (tccd + 28241) [0x10d3f0e51] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)

[0x7ff80bf3fba5] 1-24  
    24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
    24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
    24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
    24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
    \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

    0x10d3ea000 - 0x10d495fff tccd (771.0.11)  
<92D7350E-A113-36C4-B395-71C8AC4220C1> /System/Library/  
PrivateFrameworks/TCC.framework/Support/tccd  
    0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
    0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
    0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
    0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
    \*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process:        TextInputMenuAgent [582]  
UUID:           7ABDBD18-4314-39AA-B695-7D0C601C0887  
Path:           /System/Library/CoreServices/TextInputMenuAgent.app/  
Contents/MacOS/TextInputMenuAgent  
Identifier:     com.apple.TextInputMenuAgent  
Version:        1.0 (306)  
Build Version:  431  
Project Name:   TextInputMenuExtra  
Source Version: 320000000000000  
Is First Party: Yes  
Shared Cache:   812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked  
Footprint: 8052 KB  
Time Since Fork: 705s  
Num samples: 24 (1-24)  
CPU Time: <0.001s (1955.0K cycles, 689.6K instructions, 2.83c/i)  
Note: 1 idle work queue thread omitted

Thread 0x140c DispatchQueue "com.apple.main-thread"(1) 24 samples (1-24) priority 46 (base 46) cpu time <0.001s (1955.0K cycles, 689.6K instructions, 2.83c/i)

<thread QoS user interactive (requested user interactive), process sudden termination clean, IO tier 0>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 NSApplicationMain + 816 (AppKit + 16833) [0x7ff80f5151c1] 1-24  
24 -[NSApplication run] + 603 (AppKit + 197042) [0x7ff80f5411b2] 1-24  
24 -[NSApplication(NSEventRouting)  
\_nextEventMatchingEventMask:untilDate:inMode:dequeue:] + 1304 (AppKit + 9734148) [0x7ff80fe59804] 1-24  
24 \_DPSNextEvent + 880 (AppKit + 257081) [0x7ff80f54fc39] 1-24  
24 \_BlockUntilNextEventMatchingListInModeWithFilter + 66 (HIToolbox + 197937) [0x7ff816831531] 1-24  
24 ReceiveNextEventCommon + 665 (HIToolbox + 198630) [0x7ff8168317e6] 1-24  
24 RunCurrentEventLoopInMode + 292 (HIToolbox + 199129) [0x7ff8168319d9] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842) [0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693) [0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24  
\*3 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xfffff8000415fc0] 1-3  
<process unclamped>  
\*11 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)

[0xffffffff8000415fc0] 4-14  
<process clamped>

\*6 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)

[0xffffffff8000415fc0] 15-20

<process unclamped>

\*4 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)

[0xffffffff8000415fc0] 21-24

Thread 0x1441 Thread name "com.apple.NSEventThread" 24 samples  
(1-24) priority 46 (base 46)

<thread QoS user interactive (requested user interactive), process sudden  
termination clean, IO tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)

[0x7ff80be65202] 1-24

24 \_NSEventThread + 122 (UIKit + 1686188) [0x7ff80f6acaac] 1-24

24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)

[0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)

[0x7ff80bf3fba5] 1-24

24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)

[0x7ff80bf41135] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]

1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)

[0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)

[0x7ff80be25a2e] 1-24

\*3 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)

[0xffffffff8000415fc0] 1-3

<process unclamped>

\*11 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)

[0xffffffff8000415fc0] 4-14

<process clamped>

\*6 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)

[0xffffffff8000415fc0] 15-20

<process unclamped>

\*4 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)

[0xffffffff8000415fc0] 21-24

Binary Images:

0x105da6000 - ??? com.apple.TextInputMenuAgent 1.0  
(306) <7ABDBD18-4314-39AA-B695-7D0C601C0887> /System/Library/



CoreServices/TextInputMenuAgent.app/Contents/MacOS/  
TextInputMenuAgent  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80f511000 - 0x7ff81092fff6 com.apple.AppKit 6.9 (2487.40.107)  
<660B78D6-113F-3ABD-8969-A6CB84FFF752> /System/Library/  
Frameworks/AppKit.framework/Versions/C/AppKit  
0x7ff816801000 - 0x7ff816a9cff4 com.apple.HIToolbox 2.1.1 (1202)  
<4CD47F03-ED80-3F2A-BBDF-D7AF11CB4CCB> /System/Library/  
Frameworks/Carbon.framework/Versions/A/Frameworks/  
HIToolbox.framework/Versions/A/HIToolbox  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: TextInputSwitcher [587]  
UUID: 746905FE-E18B-354E-AEAA-DC56F434F98B  
Path: /System/Library/CoreServices/TextInputSwitcher.app/Contents/  
MacOS/TextInputSwitcher  
Identifier: com.apple.TextInputSwitcher  
Version: 1.1 (306)  
Build Version: 431  
Project Name: TextInputMenuExtra  
Source Version: 3200000000000000  
Is First Party: Yes  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 3716 KB  
Time Since Fork: 705s  
Num samples: 24 (1-24)

Note: 1 idle work queue thread omitted

Thread 0x143f DispatchQueue "com.apple.main-thread"(1) 24 samples (1-24) priority 31 (base 31)

<thread QoS default (requested default), process sudden termination clean, IO tier 0>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 NSApplicationMain + 816 (AppKit + 16833) [0x7ff80f5151c1] 1-24  
24 -[NSApplication run] + 603 (AppKit + 197042) [0x7ff80f5411b2] 1-24  
24 -[NSApplication(NSEventRouting)  
\_nextEventMatchingEventMask:untilDate:inMode:dequeue:] + 1304 (AppKit + 9734148) [0x7ff80fe59804] 1-24  
24 \_DPSNextEvent + 880 (AppKit + 257081) [0x7ff80f54fc39] 1-24  
24 \_BlockUntilNextEventMatchingListInModeWithFilter + 66 (HIToolbox + 197937) [0x7ff816831531] 1-24  
24 ReceiveNextEventCommon + 665 (HIToolbox + 198630) [0x7ff8168317e6] 1-24  
24 RunCurrentEventLoopInMode + 292 (HIToolbox + 199129) [0x7ff8168319d9] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842) [0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693) [0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xfffff8000415fc0] 1-24

Thread 0x145e Thread name "com.apple.NSEventThread" 24 samples (1-24) priority 37 (base 37)

<thread QoS user initiated (requested user interactive), process sudden termination clean, IO tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab] 1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090) [0x7ff80be65202] 1-24  
24 \_NSEventThread + 122 (AppKit + 1686188) [0x7ff80f6acaac] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)

[0x7ff80bf3f082] 1-24  
    24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
    24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
    24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
    24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
    24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
    \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

    0x108612000 -           ??? com.apple.TextInputSwitcher 1.1 (306)  
<746905FE-E18B-354E-AEAA-DC56F434F98B> /System/Library/  
CoreServices/TextInputSwitcher.app/Contents/MacOS/TextInputSwitcher  
    0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
    0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
    0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
    0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
    0x7ff80f511000 - 0x7ff81092fff6 com.apple.AppKit 6.9 (2487.40.107)  
<660B78D6-113F-3ABD-8969-A6CB84FFF752> /System/Library/  
Frameworks/AppKit.framework/Versions/C/AppKit  
    0x7ff816801000 - 0x7ff816a9cff4 com.apple.HIToolbox 2.1.1 (1202)  
<4CD47F03-ED80-3F2A-BBDF-D7AF11CB4CCB> /System/Library/  
Frameworks/Carbon.framework/Versions/A/Frameworks/  
HIToolbox.framework/Versions/A/HIToolbox  
    \*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process:        thermald [315]  
UUID:           A5B1E90D-45CE-33CE-8044-AC4DA5E959A9  
Path:           /usr/libexec/thermald

Codesigning ID: com.apple.thermald  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked  
Footprint: 612 KB  
Time Since Fork: 756s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x7b6 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 63 (base 63)

<process sudden termination dirty, IO tier 0>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24

24 ??? (thermald + 33467) [0x10ca282bb] 1-24

24 \_\_ioctl + 10 (libsystem\_kernel.dylib + 20722) [0x7ff80be290f2] 1-24

\*24 hndl\_unix\_scall64 + 22 (kernel + 998838) [0xffffffff80003d3db6] 1-24

\*24 unix\_syscall64 + 477 (kernel + 7810589) [0xffffffff8000a52e1d] 1-24

\*24 ioctl + 1156 (kernel + 6766932) [0xffffffff8000954154] 1-24

\*24 ??? (kernel + 6362852) [0xffffffff80008f16e4] 1-24

\*24 ??? (kernel + 3519611) [0xffffffff800063b47b] 1-24

\*24 VNOP\_IOCTL + 196 (kernel + 3574420) [0xffffffff8000648a94]

1-24

\*24 spec\_ioctl + 152 (kernel + 3630808) [0xffffffff80006566d8]

1-24

\*24 xcpm\_cpu\_control + 432 (kernel + 2900624)

[0xffffffff80005a4290] 1-24

\*24 ??? (kernel + 2909740) [0xffffffff80005a662c] 1-24

\*24 ??? (kernel + 6623403) [0xffffffff80009310ab] 1-24

\*24 lck\_mtx\_sleep + 97 (kernel + 1503265)

[0xffffffff800044f021] 1-24

\*24 thread\_block\_reason + 240 (kernel + 1581040)

[0xffffffff8000461ff0] 1-24

\*24 ??? (kernel + 1588870) [0xffffffff8000463e86] 1-24

\*24 machine\_switch\_context + 215 (kernel + 2749095)

[0xffffffff800057f2a7] 1-24

Binary Images:

0x10ca20000 - 0x10ca33fff thermald (90)

<A5B1E90D-45CE-33CE-8044-AC4DA5E959A9> /usr/libexec/thermald

0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)

<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: thermalmonitord [125]  
UUID: 51E04778-595A-3F51-9A32-B84DF052A24E  
Path: /usr/libexec/thermalmonitord  
Codesigning ID: com.apple.thermalmonitord  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Footprint: 560 KB  
Time Since Fork: 767s  
Num samples: 24 (1-24)

Thread 0x2ff DispatchQueue 140704458799480 24 samples (1-24)  
priority 37 (base 37)  
<thread QoS user initiated (requested user initiated), IO tier 0>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (thermalmonitord + 68245) [0x1004e4a95] 1-24  
24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 1-24

Binary Images:

0x1004d4000 - 0x10055ffff thermalmonitord (1947.80.2)  
<51E04778-595A-3F51-9A32-B84DF052A24E> /usr/libexec/  
thermalmonitord  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: timed [129]  
UUID: EE650932-239D-359D-88A9-50012E807CB3  
Path: /usr/libexec/timed  
Codesigning ID: com.apple.timed  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 266  
Footprint: 1136 KB  
Time Since Fork: 767s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x363 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 31 (base 31)  
<thread QoS default (requested default), IO tier 0>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (timed + 12863) [0x105dda23f] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)

[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x105dd7000 - 0x105e0afff timed (326.0.1)  
<EE650932-239D-359D-88A9-50012E807CB3> /usr/libexec/timed  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: tipspd [731]  
UUID: 30F95A95-24D3-3D4C-87BF-7870E645465C  
Path: /usr/libexec/tipsd  
Codesigning ID: com.apple.tipsd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 4220 KB  
Time Since Fork: 603s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x1eb8 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>

- 24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24
- 24 ??? (tipsd + 67814) [0x10561b8e6] 1-24
- 24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24
- 24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24
- 24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842) [0x7ff80bf3f082] 1-24
- 24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693) [0x7ff80bf3fba5] 1-24
- 24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24
- 24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 1-24
- 24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24
- 24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24
- \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xfffff8000415fc0] 1-24

Thread 0x1f19 Thread name "caulk.messenger.shared:17" 24 samples (1-24) priority 4 (base 4)

<thread QoS background (requested utility), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>

- 24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab] 1-24
- 24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090) [0x7ff80be65202] 1-24
- 24 void\* caulk::thread\_proxy<std::\_\_1::tuple<caulk::thread::attributes, void (caulk::concurrent::details::worker\_thread::\*), std::\_\_1::tuple<caulk::concurrent::details::worker\_thread\*>>>(void\*) + 41 (caulk + 6332) [0x7ff81654d8bc] 1-24
- 24 caulk::concurrent::details::worker\_thread::run() + 30 (caulk + 7064) [0x7ff81654db98] 1-24
- 24 semaphore\_wait\_trap + 10 (libsystem\_kernel.dylib + 6570) [0x7ff80be259aa] 1-24
- \*24 ??? (kernel + 1663616) [0xfffff8000476280] 1-24

Thread 0x1f1a Thread name "caulk.messenger.shared:high" 24 samples (1-24) priority 4 (base 4)

<thread QoS background, process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>

- 24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]



1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24

24 void\* caulk::thread\_proxy<std::\_\_1::tuple<caulk::thread::attributes,  
void (caulk::concurrent::details::worker\_thread::\*)(),  
std::\_\_1::tuple<caulk::concurrent::details::worker\_thread\*>>>(void\*) + 41  
(caulk + 6332) [0x7ff81654d8bc] 1-24

24 caulk::concurrent::details::worker\_thread::run() + 30 (caulk + 7064)  
[0x7ff81654db98] 1-24

24 semaphore\_wait\_trap + 10 (libsystem\_kernel.dylib + 6570)  
[0x7ff80be259aa] 1-24

\*24 ??? (kernel + 1663616) [0xffffffff8000476280] 1-24

#### Binary Images:

0x10560b000 - 0x10562afff tipspd (720.1)  
<30F95A95-24D3-3D4C-87BF-7870E645465C> /usr/libexec/tipsd  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
0x7ff81654c000 - 0x7ff816571ff3 com.apple.audio.caulk 1.0 (149.1.3)  
<C24466B5-64EA-376F-BDA3-3CA1AD870FC4> /System/Library/  
PrivateFrameworks/caulk.framework/Versions/A/caulk  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: transparencyd [430]

UUID: 5137D1F4-30AF-3752-85AB-4CF525F20E51

Path: /usr/libexec/transparencyd

Codesigning ID: com.apple.transparencyd

Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 6152 KB  
Time Since Fork: 745s  
Num samples: 24 (1-24)  
CPU Time: <0.001s (122.0K cycles, 34.6K instructions, 3.53c/i)  
Note: 1 idle work queue thread omitted

Thread 0xbd8 DispatchQueue "com.apple.main-thread"(1) 24 samples (1-24) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (transparencyd + 358284) [0x103f7378c] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842) [0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693) [0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xfffff8000415fc0] 1-24

Thread 0xf86 Thread name "com.apple.NSURLConnectionLoader" 24 samples (1-24) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab] 1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090) [0x7ff80be65202] 1-24  
24 ??? (Foundation + 349980) [0x7ff80ced371c] 1-24  
24 ??? (CFNetwork + 2391509) [0x7ff81129fdd5] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)

[0x7ff80bf3f082] 1-24  
    24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
    24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
    24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
    24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
    24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
    \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

    0x103f1c000 - 0x1041effff transparencyd (1033.80.17.0.1)  
<5137D1F4-30AF-3752-85AB-4CF525F20E51> /usr/libexec/transparencyd  
    0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
    0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
    0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
    0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
    0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
    0x7ff811058000 - 0x7ff811406ff1 com.apple.CFNetwork 1.0  
(1492.0.1) <2847065D-8C66-3A44-B26C-B2A51A2897FB> /System/Library/  
Frameworks/CFNetwork.framework/Versions/A/CFNetwork  
    \*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process:    triald [514]  
UUID:      58D6C732-5CA6-32EF-AEE4-BBA3BC5FBB7C  
Path:      /usr/libexec/triald  
Codesigning ID:  com.apple.triald  
Shared Cache:  812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base

address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64

Parent: launchd [1]

UID: 501

Sudden Term: Tracked (allows idle exit)

Footprint: 2152 KB

Time Since Fork: 728s

Num samples: 24 (1-24)

Note: 1 idle work queue thread omitted

Thread 0xfdc DispatchQueue "com.apple.main-thread"(1) 24 samples (1-24) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24

24 ??? (triald + 11943) [0x10d154ea7] 1-24

24 ??? (TrialServer + 1407490) [0x7ff9225b7a02] 1-24

24 ??? (TrialServer + 1411910) [0x7ff9225b8b46] 1-24

24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24

24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842) [0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693) [0x7ff80bf3fba5] 1-24

24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xfffff8000415fc0] 1-24

Binary Images:

0x10d152000 - 0x10d15dfff triald (396.5.1)  
<58D6C732-5CA6-32EF-AEE4-BBA3BC5FBB7C> /usr/libexec/triald

0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib

0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/

Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
0x7ff922460000 - 0x7ff92267bffb com.apple.TrialServer 1.0 (396.5.1)  
<399B34D6-9D0E-3CF3-8BC5-0CD3D5E5F26D> /System/Library/  
PrivateFrameworks/TrialServer.framework/Versions/A/TrialServer  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: triald\_system [693]  
UUID: 25A6FDE2-78F4-3243-A997-4940EFA4C4BB  
Path: /usr/libexec/triald\_system  
Codesigning ID: com.apple.triald.system  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1020 KB  
Time Since Fork: 635s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x1bcc DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 3 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (triald\_system + 13642) [0x10e4c354a] 1-24  
24 ??? (TrialServer + 1407962) [0x7ff9225b7bda] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)

[0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)

[0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)

[0xfffff8000415fc0] 1-24

Binary Images:

0x10e4c0000 - 0x10e4cbfff triald\_system (396.5.1)  
<25A6FDE2-78F4-3243-A997-4940EFA4C4BB> /usr/libexec/triald\_system  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
0x7ff922460000 - 0x7ff92267bffb com.apple.TrialServer 1.0 (396.5.1)  
<399B34D6-9D0E-3CF3-8BC5-0CD3D5E5F26D> /System/Library/  
PrivateFrameworks/TrialServer.framework/Versions/A/TrialServer  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: trustd [785]

UUID: B43AAAF8-4044-36C3-81AE-BA1FD6D7263B

Path: /usr/libexec/trustd

Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64

Parent: launchd [1]

UID: 282

Sudden Term: Tracked (allows idle exit)

Footprint: 3736 KB

Time Since Fork: 545s

Num samples: 24 (1-24)

CPU Time: <0.001s (503.0K cycles, 179.0K instructions, 2.81c/i)

Note: 2 idle work queue threads omitted

Thread 0x226c 24 samples (1-24) priority 31 (base 31)

<thread QoS default (requested default), process sudden termination clean, process unclamped, process received importance donation from syspolicyd [226], IO tier 0>

24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42] 1-24

24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774) [0x7ff80be2b836] 1-24

\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

#### Binary Images:

0x10ac5a000 - ??? trustd  
<B43AAAF8-4044-36C3-81AE-BA1FD6D7263B> /usr/libexec/trustd  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: trustd [789]  
UUID: B43AAAF8-4044-36C3-81AE-BA1FD6D7263B  
Path: /usr/libexec/trustd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 2584 KB  
Time Since Fork: 545s  
Num samples: 24 (1-24)  
CPU Time: <0.001s (285.1K cycles, 79.6K instructions, 3.58c/i)  
Note: 2 idle work queue threads omitted

Thread 0x227e 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>

24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42] 1-24

24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)

[0x7ff80be2b836] 1-24

\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

Binary Images:

0x104449000 - ??? trustd  
<B43AAAF8-4044-36C3-81AE-BA1FD6D7263B> /usr/libexec/trustd  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: trustd [790]

UUID: B43AAAF8-4044-36C3-81AE-BA1FD6D7263B

Path: /usr/libexec/trustd

Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64

Parent: launchd [1]

UID: 89

Sudden Term: Tracked (allows idle exit)

Footprint: 2268 KB

Time Since Fork: 545s

Num samples: 24 (1-24)

Note: 1 idle work queue thread omitted

Thread 0x227d 24 samples (1-24) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>

24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24

24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)

[0x7ff80be2b836] 1-24

\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

Binary Images:

0x102ea0000 - ??? trustd  
<B43AAAF8-4044-36C3-81AE-BA1FD6D7263B> /usr/libexec/trustd  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)



<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
    0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
    \*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process:      trustdFileHelper [183]  
UUID:         02AF4AD1-C932-3DD5-B308-60C1D3A7E4AC  
Path:          /usr/libexec/trustdFileHelper  
Shared Cache:  812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture:  x86\_64  
Parent:        launchd [1]  
UID:           0  
Sudden Term:   Tracked (allows idle exit)  
Footprint:     840 KB  
Time Since Fork: 766s  
Num samples:   24 (1-24)  
Note:          1 idle work queue thread omitted

Thread 0x65f  24 samples (1-24)  priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24  \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24  <patched truncated backtrace> 1-24  
24  \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24  ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

Binary Images:  
    0x10ee3e000 -          ??? trustdFileHelper  
<02AF4AD1-C932-3DD5-B308-60C1D3A7E4AC> /usr/libexec/  
trustdFileHelper  
    0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
    0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib

\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: TrustedPeersHelper [400]  
UUID: B5A8112F-6A4C-3477-8046-5C3D40FF1F04  
Path: /System/Library/Frameworks/Security.framework/Versions/A/  
XPCServices/TrustedPeersHelper.xpc/Contents/MacOS/TrustedPeersHelper  
Identifier: com.apple.TrustedPeersHelper  
Version: 1.0 (1)  
Build Version: 1  
Project Name: Security\_executables\_swift  
Source Version: 61040081001000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 5588 KB  
Time Since Fork: 748s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xadf 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

Binary Images:  
0x10d876000 - ??? com.apple.TrustedPeersHelper 1.0 (1)  
<B5A8112F-6A4C-3477-8046-5C3D40FF1F04> /System/Library/  
Frameworks/Security.framework/Versions/A/XPCServices/  
TrustedPeersHelper.xpc/Contents/MacOS/TrustedPeersHelper  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/

libsystem\_kernel.dylib

\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: tzd [262]  
UUID: 851ED1F0-5AE6-33E5-9D50-D5C20161D76A  
Path: /usr/libexec/tzd  
Codesigning ID: com.apple.tzd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1076 KB  
Time Since Fork: 760s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x69b 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (tzd + 7757) [0x101a30e4d] 1-24  
24 ??? (tzd + 54235) [0x101a3c3db] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 <patched truncated backtrace> 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 1-24

Binary Images:

0x101a2f000 - 0x101a4afff tzd (87.2)  
<851ED1F0-5AE6-33E5-9D50-D5C20161D76A> /usr/libexec/tzd  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: UIKitSystem [453]  
UUID: 0FAB9256-B053-3C41-9595-D4B0E70EC9B4  
Path: /System/Library/CoreServices/UIKitSystem.app/Contents/  
MacOS/UIKitSystem  
Identifier: com.apple.UIKitSystemApp  
Version: 1.0 (504)  
Build Version: 1103  
Project Name: UIKitSystemApp  
Source Version: 5040000000000000  
Is First Party: Yes  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 3840 KB  
Time Since Fork: 742s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xca2 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 47 (base 47)  
<process frontmost, thread QoS user interactive (requested user

```

interactive), process sudden termination clean, IO tier 0>
  24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24
  24 main + 787 (UIKitSystem + 14611) [0x10f275913] 1-24
  24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24
  24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24
  24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)
[0x7ff80bf3f082] 1-24
  24 __CFRunLoopRun + 1371 (CoreFoundation + 502693)
[0x7ff80bf3fba5] 1-24
  24 __CFRunLoopServiceMachPort + 143 (CoreFoundation +
508213) [0x7ff80bf41135] 1-24
  24 mach_msg + 19 (libsystem_kernel.dylib + 7455)
[0x7ff80be25d1f] 1-24
  24 mach_msg_overwrite + 653 (libsystem_kernel.dylib + 35682)
[0x7ff80be2cb62] 1-24
  24 mach_msg2_trap + 10 (libsystem_kernel.dylib + 6702)
[0x7ff80be25a2e] 1-24
  *24 ipc_mqueue_receive_continue + 0 (kernel + 1269696)
[0xffffffff8000415fc0] 1-24

```

Binary Images:

```

  0x10f272000 - 0x10f27dfff com.apple.UIKitSystemApp 1.0 (504)
<0FAB9256-B053-3C41-9595-D4B0E70EC9B4> /System/Library/
CoreServices/UIKitSystem.app/Contents/MacOS/UIKitSystem
  0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld
  0x7ff80be24000 - 0x7ff80be5eff7 libsystem_kernel.dylib (10002.81.5)
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/
libsystem_kernel.dylib
  0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation
  0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/
Frameworks/Foundation.framework/Versions/C/Foundation
  *0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/
kernel

```

```

Process:      UJAMInstallService [301]
UUID:        D0514728-5F96-3652-8210-A83E233DF703
Path:        /Library/PrivilegedHelperTools/UJAM Install Service.app/
Contents/MacOS/UJAMInstallService

```

Identifier: com.ujam.UJAMInstallService  
Version: 0.9.8 (0.9.8, Copyright 2023 UJAM Music Technology GmbH)  
Team ID: 9PRN6T272N  
Is First Party: No  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Footprint: 17.45 MB  
Time Since Fork: 758s  
Num samples: 24 (1-24)

Thread 0x6e7 DispatchQueue 140704458799480 24 samples (1-24)  
priority 20 (base 20)

<thread QoS utility (requested utility), timers tier 3 (coalesced), IO tier 1>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 node::Start(int, char\*\*) + 579 (UJAMInstallService + 2762307)  
[0x1055f7643] 1-24  
24 node::NodeMainInstance::Run() + 197 (UJAMInstallService +  
3516325) [0x1056af7a5] 1-24  
24 node::SpinEventLoop(node::Environment\*) + 403  
(UJAMInstallService + 1909603) [0x105527363] 1-24  
24 uv\_run + 1032 (UJAMInstallService + 16836664) [0x106363838]  
1-24  
24 kevent + 10 (libsystem\_kernel.dylib + 26362) [0x7ff80be2a6fa]  
1-24  
\*24 ??? (kernel + 6405664) [0xfffff80008fbe20] 1-24

Thread 0x70b 24 samples (1-24) priority 20 (base 20)  
<thread QoS utility (requested default), timers tier 3 (coalesced), IO tier 1>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 ??? (UJAMInstallService + 3733299) [0x1056e4733] 1-24  
24 uv\_run + 1032 (UJAMInstallService + 16836664) [0x106363838] 1-24  
24 kevent + 10 (libsystem\_kernel.dylib + 26362) [0x7ff80be2a6fa] 1-24  
\*24 ??? (kernel + 6405664) [0xfffff80008fbe20] 1-24

Thread 0x70c 24 samples (1-24) priority 20 (base 20)  
<thread QoS utility (requested default), timers tier 3 (coalesced), IO tier 1>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 ??? (UJAMInstallService + 3732443) [0x1056e43db] 1-24  
24 ??? (UJAMInstallService + 3732696) [0x1056e44d8] 1-24  
24 \_\_psynch\_cvwait + 10 (libsystem\_kernel.dylib + 17870)  
[0x7ff80be285ce] 1-24  
\*24 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777)  
[0xfffff800307e129] 1-24

Thread 0x70d 24 samples (1-24) priority 20 (base 20)  
<thread QoS utility (requested default), timers tier 3 (coalesced), IO tier 1>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 ??? (UJAMInstallService + 3732443) [0x1056e43db] 1-24  
24 ??? (UJAMInstallService + 3732696) [0x1056e44d8] 1-24  
24 \_\_psynch\_cvwait + 10 (libsystem\_kernel.dylib + 17870)  
[0x7ff80be285ce] 1-24  
\*24 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777)  
[0xfffff800307e129] 1-24

Thread 0x70e 24 samples (1-24) priority 20 (base 20)  
<thread QoS utility (requested default), timers tier 3 (coalesced), IO tier 1>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 ??? (UJAMInstallService + 3732443) [0x1056e43db] 1-24  
24 ??? (UJAMInstallService + 3732696) [0x1056e44d8] 1-24  
24 \_\_psynch\_cvwait + 10 (libsystem\_kernel.dylib + 17870)  
[0x7ff80be285ce] 1-24  
\*24 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777)  
[0xfffff800307e129] 1-24

Thread 0x70f 24 samples (1-24) priority 20 (base 20)  
<thread QoS utility (requested default), timers tier 3 (coalesced), IO tier 1>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 ??? (UJAMInstallService + 3732443) [0x1056e43db] 1-24  
24 ??? (UJAMInstallService + 3732696) [0x1056e44d8] 1-24  
24 \_\_psynch\_cvwait + 10 (libsystem\_kernel.dylib + 17870)

[0x7ff80be285ce] 1-24

\*24 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777)

[0xffffffff800307e129] 1-24

Binary Images:

0x105355000 - 0x107e08fff com.ujam.UJAMInstallService 0.9.8  
(0.9.8, Copyright 2023 UJAM Music Technology GmbH)

<D0514728-5F96-3652-8210-A83E233DF703> /Library/  
PrivilegedHelperTools/UJAM Install Service.app/Contents/MacOS/  
UJAMInstallService

0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)

<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)

<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib

0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)

<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib

\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)

<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

\*0xffffffff8003079000 - 0xffffffff8003081fff com.apple.kec.pthread (519)

<07ED499F-25E6-3572-8464-FC4F7429D88C> com.apple.kec.pthread

Process: uninstalld [90]

UUID: 43DDD4F1-E21F-376F-ADBE-D3196DDCFF6F

Path: /System/Library/PrivateFrameworks/Uninstall.framework/  
Versions/A/Resources/uninstalld

Codesigning ID: com.apple.uninstalld

Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64

Parent: launchd [1]

UID: 0

Footprint: 636 KB

Time Since Fork: 767s

Num samples: 24 (1-24)

Note: 2 idle work queue threads omitted

Thread 0x2dd DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 20 (base 20)

<thread QoS utility (requested utility), timers tier 3 (coalesced), IO tier 3>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24



24 ??? (uninstallld + 19640) [0x102c7fcb8] 1-24  
24 ??? (Foundation + 891637) [0x7ff80cf57af5] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 1-24

#### Binary Images:

0x102c7b000 - 0x102c8efff uninstallld (255.1)  
<43DDD4F1-E21F-376F-ADBE-D3196DDCFF6F> /System/Library/  
PrivateFrameworks/Uninstall.framework/Versions/A/Resources/uninstallld  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: universalaccessd [364]  
UUID: A36FFF75-98DA-36F2-A5D7-E81FDB0A3B0B  
Path: /usr/sbin/universalaccessd  
Codesigning ID: com.apple.universalaccessd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked  
Footprint: 3416 KB  
Time Since Fork: 750s  
Num samples: 24 (1-24)  
CPU Time: 0.001s (3.0M cycles, 1092.8K instructions, 2.73c/i)  
Note: 2 idle work queue threads omitted

Thread 0x9ca DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 31 (base 31) cpu time 0.001s (2.4M cycles, 896.8K  
instructions, 2.72c/i)

<thread QoS default (requested user interactive), process sudden  
termination clean, process unclamped, IO tier 0>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (universalaccessd + 11596) [0x103ab9d4c] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*2 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-2  
<process clamped>  
\*14 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 3-16  
<process unclamped>  
\*8 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 17-24

Thread 0xa37 Thread name "caulk.messenger.shared:17" 24 samples  
(1-24) priority 19 (base 19)

<thread QoS utility (requested utility), process sudden termination clean,  
process unclamped, IO tier 1>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24

```
24 _pthread_start + 99 (libsystem_pthread.dylib + 25090)
[0x7ff80be65202] 1-24
24 void* caulk::thread_proxy<std::__1::tuple<caulk::thread::attributes,
void (caulk::concurrent::details::worker_thread::*),
std::__1::tuple<caulk::concurrent::details::worker_thread*>>>(void*) + 41
(caulk + 6332) [0x7ff81654d8bc] 1-24
24 caulk::concurrent::details::worker_thread::run() + 30 (caulk + 7064)
[0x7ff81654db98] 1-24
24 semaphore_wait_trap + 10 (libsystem_kernel.dylib + 6570)
[0x7ff80be259aa] 1-24
*2 ??? (kernel + 1663616) [0xfffff8000476280] 1-2
<process clamped>
*14 ??? (kernel + 1663616) [0xfffff8000476280] 3-16
<process unclamped>
*8 ??? (kernel + 1663616) [0xfffff8000476280] 17-24
```

Thread 0xa38 Thread name "caulk.messenger.shared:high" 24 samples  
(1-24) priority 55 (base 55)

<process sudden termination clean, process unclamped, IO tier 0>

```
24 thread_start + 15 (libsystem_pthread.dylib + 7083) [0x7ff80be60bab]
1-24
```

```
24 _pthread_start + 99 (libsystem_pthread.dylib + 25090)
[0x7ff80be65202] 1-24
```

```
24 void* caulk::thread_proxy<std::__1::tuple<caulk::thread::attributes,
void (caulk::concurrent::details::worker_thread::*),
std::__1::tuple<caulk::concurrent::details::worker_thread*>>>(void*) + 41
(caulk + 6332) [0x7ff81654d8bc] 1-24
```

```
24 caulk::concurrent::details::worker_thread::run() + 30 (caulk + 7064)
[0x7ff81654db98] 1-24
```

```
24 semaphore_wait_trap + 10 (libsystem_kernel.dylib + 6570)
[0x7ff80be259aa] 1-24
```

```
*2 ??? (kernel + 1663616) [0xfffff8000476280] 1-2
<process clamped>
```

```
*14 ??? (kernel + 1663616) [0xfffff8000476280] 3-16
<process unclamped>
```

```
*8 ??? (kernel + 1663616) [0xfffff8000476280] 17-24
```

Binary Images:

```
0x103ab7000 - 0x103ac2fff universalaccessd (657.2.2)
<A36FFF75-98DA-36F2-A5D7-E81FDB0A3B0B> /usr/sbin/universalaccessd
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld
0x7ff80be24000 - 0x7ff80be5eff7 libsystem_kernel.dylib (10002.81.5)
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/
```

libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff81654c000 - 0x7ff816571ff3 com.apple.audio.caulk 1.0 (149.1.3)  
<C24466B5-64EA-376F-BDA3-3CA1AD870FC4> /System/Library/  
PrivateFrameworks/caulk.framework/Versions/A/caulk  
\*0xffffffff80002e0000 - 0xffffffff8000cdf000 kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: UniversalControl [473]  
UUID: 21CF028C-95AD-3062-9202-C1C313E81AEA  
Path: /System/Library/CoreServices/UniversalControl.app/Contents/  
MacOS/UniversalControl  
Identifier: com.apple.universalcontrol  
Version: 1.0 (140.2.1)  
Build Version: 216  
Project Name: Ensemble\_executables  
Source Version: 140002001000000  
Is First Party: Yes  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 4136 KB  
Time Since Fork: 738s  
Num samples: 24 (1-24)  
CPU Time: 0.019s (33.2M cycles, 10.8M instructions, 3.08c/i)  
Note: 1 idle work queue thread omitted

Thread 0xda3 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 47 (base 47) cpu time 0.016s (27.3M cycles, 9.2M  
instructions, 2.96c/i)

<process frontmost, process sudden termination dirty, IO tier 0>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24

24 ??? (UniversalControl + 17897) [0x10cad45e9] 1-24

24 ??? (UniversalControl + 18752) [0x10cad4940] 1-24

```

    24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]
1-24
    24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)
[0x7ff80bf3f082] 1-24
    9 __CFRunLoopRun + 1371 (CoreFoundation + 502693)
[0x7ff80bf3fba5] 1-9
    9 __CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)
[0x7ff80bf41135] 1-9
    9 mach_msg + 19 (libsystem_kernel.dylib + 7455)
[0x7ff80be25d1f] 1-9
    9 mach_msg_overwrite + 653 (libsystem_kernel.dylib + 35682)
[0x7ff80be2cb62] 1-9
    9 mach_msg2_trap + 10 (libsystem_kernel.dylib + 6702)
[0x7ff80be25a2e] 1-9
    *9 ipc_mqueue_receive_continue + 0 (kernel + 1269696)
[0xfffff8000415fc0] 1-9
    <thread QoS unspecified (requested override default)>
    1 __CFRunLoopRun + 2459 (CoreFoundation + 503781)
[0x7ff80bf3ffe5] 10
    1
__CFRUNLOOP_IS_SERVICING_THE_MAIN_DISPATCH_QUEUE__ + 9
(CoreFoundation + 769558) [0x7ff80bf80e16] 10
    1 _dispatch_main_queue_callback_4CF + 31 (libdispatch.dylib +
62706) [0x7ff80bcc94f2] 10
    1 _dispatch_main_queue_drain + 747 (libdispatch.dylib + 63467)
[0x7ff80bcc97eb] 10
    1 _dispatch_source_invoke + 2076 (libdispatch.dylib + 91896)
[0x7ff80bcd06f8] 10
    1 _dispatch_continuation_pop + 523 (libdispatch.dylib +
24775) [0x7ff80bcc00c7] 10
    1 _dispatch_client_callout + 8 (libdispatch.dylib + 13722)
[0x7ff80bcbd59a] 10
    1 ??? (UniversalControl + 85689) [0x10cae4eb9] 10
    1 ??? (UniversalControl + 927563) [0x10cbb274b] 10
    1 ??? (UniversalControl + 927623) [0x10cbb2787] 10
    1 ??? (SkyLight + 1291995) [0x7ff8116016db] 10
    1 ??? (SkyLight + 3624250) [0x7ff81183ad3a] 10
    1 ??? (SkyLight + 37174) [0x7ff8114cf136] 10
    1 mach_msg + 19 (libsystem_kernel.dylib + 7455)
[0x7ff80be25d1f] 10
    1 mach_msg_overwrite + 653
(libsystem_kernel.dylib + 35682) [0x7ff80be2cb62] 10
    1 mach_msg2_trap + 10 (libsystem_kernel.dylib +
6702) [0x7ff80be25a2e] 10

```

```

*1 ipc_mqueue_receive_continue + 0 (kernel +
1269696) [0xfffff8000415fc0] (blocked by turnstile waiting for WindowServer
[154] after 2 hops) 10
<thread QoS unspecified (requested override unspecified)>
  14 __CFRunLoopRun + 1371 (CoreFoundation + 502693)
[0x7ff80bf3fba5] 11-24
  14 __CFRunLoopServiceMachPort + 143 (CoreFoundation +
508213) [0x7ff80bf41135] 11-24
  14 mach_msg + 19 (libsystem_kernel.dylib + 7455)
[0x7ff80be25d1f] 11-24
  14 mach_msg_overwrite + 653 (libsystem_kernel.dylib + 35682)
[0x7ff80be2cb62] 11-24
  14 mach_msg2_trap + 10 (libsystem_kernel.dylib + 6702)
[0x7ff80be25a2e] 11-24
  *14 ipc_mqueue_receive_continue + 0 (kernel + 1269696)
[0xfffff8000415fc0] 11-24

```

Binary Images:

```

0x10cad0000 - 0x10cde7fff com.apple.universalcontrol 1.0
(140.2.1) <21CF028C-95AD-3062-9202-C1C313E81AEA> /System/Library/
CoreServices/UniversalControl.app/Contents/MacOS/UniversalControl
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/
libdispatch.dylib
0x7ff80be24000 - 0x7ff80be5eff7 libsystem_kernel.dylib (10002.81.5)
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/
libsystem_kernel.dylib
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation
0x7ff8114c6000 - 0x7ff81191eff1 com.apple.SkyLight 1.600.0
(844.10.1) <44C36221-6308-3DF3-821F-755130080968> /System/Library/
PrivateFrameworks/SkyLight.framework/Versions/A/SkyLight
*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/
kernel

```

```

Process:      UsageTrackingAgent [656]
UUID:        720DEC49-25CC-38BE-B357-D539F849D039
Path:        /System/Library/PrivateFrameworks/UsageTracking.framework/
Versions/A/UsageTrackingAgent

```

Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64

Footprint: 2472 KB

Time Since Fork: 657s

Num samples: 24 (1-24)

Note: 1 idle work queue thread omitted

Thread 0x1b6e 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42] 1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774) [0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

Binary Images:

0x10d052000 - ??? UsageTrackingAgent  
<720DEC49-25CC-38BE-B357-D539F849D039> /System/Library/PrivateFrameworks/UsageTracking.framework/Versions/A/UsageTrackingAgent  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/libsystem\_kernel.dylib  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/kernel

Process: usbd [241]

UUID: 17D129C8-E87F-351C-BB08-856EE30DF3C4

Path: /usr/libexec/usbd

Codesigning ID: com.apple.usbd

Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64

Parent: launchd [1]

UID: 0

Sudden Term: Tracked (allows idle exit)

Footprint: 852 KB

Time Since Fork: 762s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x68e 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested background), process sudden  
termination clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (usbd + 9610) [0x1034c458a] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

#### Binary Images:

0x1034c2000 - 0x1034d1fff usbd (1022)  
<17D129C8-E87F-351C-BB08-856EE30DF3C4> /usr/libexec/usbd  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel



Process: usbmuxd [130]  
UUID: E420F901-BB32-3652-8AC4-747F0F75F455  
Path: /Library/Apple/\*/MobileDevice.framework/Versions/A/  
Resources/usbmuxd  
Codesigning ID: com.apple.usbmuxd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 213  
Sudden Term: Tracked  
Footprint: 1312 KB  
Time Since Fork: 767s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x361 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (usbmuxd + 7359) [0x10d9c7cbf] 1-24  
24 CFRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0x492 Thread name "com.apple.CFSocket.private" 24 samples  
(1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab] 1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090) [0x7ff80be65202] 1-24  
24 \_\_select + 10 (libsystem\_kernel.dylib + 43294) [0x7ff80be2e91e] 1-24  
\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

Binary Images:

0x10d9c6000 - 0x10d9e9fff usbmuxd (538)  
<E420F901-BB32-3652-8AC4-747F0F75F455> /Library/Apple/\*/MobileDevice.framework/Versions/A/Resources/usbmuxd  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9 (2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/kernel

Process: useractivityd [432]  
UUID: 36ECF419-58B3-32FE-976B-0DCD045BF16D  
Path: /System/Library/PrivateFrameworks/UserActivity.framework/Agents/useractivityd  
Codesigning ID: com.apple.coreservices.useractivityd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1044 KB  
Time Since Fork: 745s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xc1b DispatchQueue "com.apple.main-thread"(1) 24 samples

(1-24) priority 4 (base 4)  
 <thread QoS background (requested default), process sudden termination  
 dirty, thread darwinbg, process darwinbg, IO tier 2>  
 24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
 24 ??? (useractivityd + 60893) [0x1036e7ddd] 1-24  
 24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
 24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
 24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
 [0x7ff80bf3f082] 1-24  
 24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
 [0x7ff80bf3fba5] 1-24  
 24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
 508213) [0x7ff80bf41135] 1-24  
 24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
 [0x7ff80be25d1f] 1-24  
 24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
 [0x7ff80be2cb62] 1-24  
 24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
 [0x7ff80be25a2e] 1-24  
 \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
 [0xfffff8000415fc0] 1-24

Binary Images:

0x1036d9000 - 0x1037dcfff useractivityd (567)  
 <36ECF419-58B3-32FE-976B-0DCD045BF16D> /System/Library/  
 PrivateFrameworks/UserActivity.framework/Agents/useractivityd  
 0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
 <01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
 0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
 <3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
 libsystem\_kernel.dylib  
 0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
 (2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
 Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
 0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
 <6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
 Frameworks/Foundation.framework/Versions/C/Foundation  
 \*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
 <8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
 kernel

Process: UserEventAgent [87]  
 UUID: 22034159-8AD7-36C6-B30E-BDE10064E8B1

Path: /usr/libexec/UserEventAgent  
Codesigning ID: com.apple.UserEventAgent  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked  
Footprint: 2316 KB  
Time Since Fork: 767s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x2d9 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (UserEventAgent + 4902) [0x10b1e9326] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 1-24

Thread 0x3d9 24 samples (1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 ??? (MemoryMonitor + 13890) [0x10b283642] 1-24

24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842) [0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693) [0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xfffff8000415fc0] 1-24

Thread 0x3da Thread name "com.apple.CFSocket.private" 24 samples (1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination clean, IO tier 0>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab] 1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090) [0x7ff80be65202] 1-24  
24 \_\_select + 10 (libsystem\_kernel.dylib + 43294) [0x7ff80be2e91e] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

#### Binary Images:

0x10b1e8000 - 0x10b1f3fff UserEventAgent (324.40.2)  
<22034159-8AD7-36C6-B30E-BDE10064E8B1> /usr/libexec/  
UserEventAgent  
0x10b280000 - 0x10b287fff com.apple.MemoryMonitor 278 (1)  
<CA2CDD97-520A-339D-A1A1-1D6190F7D3BA> /System/Library/  
UserEventPlugins/MemoryMonitor.plugin/Contents/MacOS/MemoryMonitor  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9

(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: UserEventAgent [358]  
UUID: 22034159-8AD7-36C6-B30E-BDE10064E8B1  
Path: /usr/libexec/UserEventAgent  
Codesigning ID: com.apple.UserEventAgent  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked  
Footprint: 2628 KB  
Time Since Fork: 751s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x9d7 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (UserEventAgent + 4902) [0x109292326] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)

[0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)

[0xffffffff8000415fc0] 1-24

Binary Images:

0x109291000 - 0x10929cfff UserEventAgent (324.40.2)  
<22034159-8AD7-36C6-B30E-BDE10064E8B1> /usr/libexec/  
UserEventAgent  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: usermanagerd [146]  
UUID: 1EF39A2A-F54B-3F88-8586-1FACFE2D549F  
Path: /usr/libexec/usermanagerd  
Codesigning ID: com.apple.usermanagerd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 808 KB  
Time Since Fork: 767s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x31e DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24

24 ??? (usermanagerd + 119787) [0x10a6a33eb] 1-24  
 24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
 1-24  
 24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
 [0x7ff80bf3f082] 1-24  
 24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
 [0x7ff80bf3fba5] 1-24  
 24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
 [0x7ff80bf41135] 1-24  
 24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
 1-24  
 24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
 [0x7ff80be2cb62] 1-24  
 24 <patched truncated backtrace> 1-24  
 24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
 [0x7ff80be25a2e] 1-24  
 \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
 [0xfffff8000415fc0] 1-24

Binary Images:

0x10a686000 - 0x10a705fff usermanagerd (384.60.3)  
 <1EF39A2A-F54B-3F88-8586-1FACFE2D549F> /usr/libexec/usermanagerd  
 0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
 <01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
 0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
 <3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
 libsystem\_kernel.dylib  
 0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
 (2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
 Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
 \*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
 <8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
 kernel

Process: usernoted [407]  
 UUID: 68E2001F-ECAB-308E-9703-1F7645A943E6  
 Path: /usr/sbin/usernoted  
 Codesigning ID: com.apple.usernoted  
 Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
 address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
 Architecture: x86\_64  
 Parent: launchd [1]  
 UID: 501



Footprint: 3504 KB  
Time Since Fork: 748s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xae DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 31 (base 31)  
<thread QoS default (requested default), IO tier 0>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (usernoted + 9057) [0x10d991361] 1-24  
24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x10d98f000 - 0x10db16fff usernoted (1341.15)  
<68E2001F-ECAB-308E-9703-1F7645A943E6> /usr/sbin/usernoted  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: UserNotificationCenter [980]

UUID: 0AC177BF-5882-3AF6-BA6B-A8DF386A0E36  
Path: /System/Library/CoreServices/UserNotificationCenter.app/  
Contents/MacOS/UserNotificationCenter  
Identifier: com.apple.UserNotificationCenter  
Version: 82 (82)  
Build Version: 1029  
Project Name: UserNotificationCenter  
Source Version: 86000000000000  
Is First Party: Yes  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Footprint: 6768 KB  
Time Since Fork: 169s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x379e DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 31 (base 31)  
<thread QoS default (requested default), IO tier 0>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (UserNotificationCenter + 5284) [0x108de74a4] 1-24  
24 -[NSApplication run] + 603 (AppKit + 197042) [0x7ff80f5411b2] 1-24  
24 -[NSApplication(NSEventRouting)  
\_nextEventMatchingEventMask:untilDate:inMode:dequeue:] + 1304 (AppKit +  
9734148) [0x7ff80fe59804] 1-24  
24 \_DPSNextEvent + 880 (AppKit + 257081) [0x7ff80f54fc39] 1-24  
24 \_BlockUntilNextEventMatchingListInModeWithFilter + 66  
(HIToolbox + 197937) [0x7ff816831531] 1-24  
24 ReceiveNextEventCommon + 665 (HIToolbox + 198630)  
[0x7ff8168317e6] 1-24  
24 RunCurrentEventLoopInMode + 292 (HIToolbox + 199129)  
[0x7ff8168319d9] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib +

35682) [0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0x37b5 Thread name "com.apple.NSEventThread" 24 samples  
(1-24) priority 37 (base 37)

<thread QoS user initiated (requested user interactive), IO tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24

24 \_NSEventThread + 122 (AppKit + 1686188) [0x7ff80f6acaac] 1-24

24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24

24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

#### Binary Images:

0x108de6000 - 0x108dfdfdf com.apple.UserNotificationCenter 82  
(82) <0AC177BF-5882-3AF6-BA6B-A8DF386A0E36> /System/Library/  
CoreServices/UserNotificationCenter.app/Contents/MacOS/  
UserNotificationCenter

0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib

0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib

0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/

Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80f511000 - 0x7ff81092fff6 com.apple.AppKit 6.9 (2487.40.107)  
<660B78D6-113F-3ABD-8969-A6CB84FFF752> /System/Library/  
Frameworks/AppKit.framework/Versions/C/AppKit  
0x7ff816801000 - 0x7ff816a9cff4 com.apple.HIToolbox 2.1.1 (1202)  
<4CD47F03-ED80-3F2A-BBDF-D7AF11CB4CCB> /System/Library/  
Frameworks/Carbon.framework/Versions/A/Frameworks/  
HIToolbox.framework/Versions/A/HIToolbox  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: usernotificationsd [395]  
UUID: 6E5B8A26-133E-3B74-ABE0-6A228A4D6DE5  
Path: /System/Library/PrivateFrameworks/  
UserNotificationsCore.framework/Support/usernotificationsd  
Codesigning ID: com.apple.usernotificationsd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 4324 KB  
Time Since Fork: 748s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xa9b DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
dirty, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (usernotificationsd + 10103) [0x10ac58777] 1-24  
24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)  
[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]

1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x10ac56000 - 0x10ac61fff usernotificationsd (491.9)  
<6E5B8A26-133E-3B74-ABE0-6A228A4D6DE5> /System/Library/  
PrivateFrameworks/UserNotificationsCore.framework/Support/  
usernotificationsd

0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib

0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation

\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: UVCAssistant [259]

UUID: 780A03A9-7ECD-3C9D-BDC7-B3027F423C14

Path: /System/Library/Frameworks/CoreMediaIO.framework/Versions/  
A/Resources/UVCAssistant.systemextension/Contents/MacOS/UVCAssistant

Identifier: com.apple.cmio.uvcassistanttextension

Version: 1.0 (1)

Build Version: 434

Project Name: AppleUSBCamera

Source Version: 423001000000000

Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64

Parent: launchd [1]

UID: 262

Sudden Term: Tracked (allows idle exit)

Footprint: 1340 KB

Time Since Fork: 760s

Num samples: 24 (1-24)

CPU Time: <0.001s (179.4K cycles, 74.2K instructions, 2.42c/i)

Note: 2 idle work queue threads omitted

Thread 0x97b 24 samples (1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination dirty,  
IO tier 0>

24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24

24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24

\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x10621c000 - ??? com.apple.cmio.uvcassistantextension  
1.0 (1) <780A03A9-7ECD-3C9D-BDC7-B3027F423C14> /System/Library/  
Frameworks/CoreMediaIO.framework/Versions/A/Resources/  
UVCAssistant.systemextension/Contents/MacOS/UVCAssistant

0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib

\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: VDCAssistant [261]

UUID: 253E6AE2-94D8-3F76-86A7-782D8A216EC1

Path: /System/Library/Frameworks/CoreMediaIO.framework/Versions/  
A/Resources/VDC.plugin/Contents/Resources/VDCAssistant

Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64

Parent: launchd [1]

UID: 262

Sudden Term: Tracked

Footprint: 1016 KB

Time Since Fork: 760s

Num samples: 24 (1-24)

Note: 1 idle work queue thread omitted

Thread 0x987 24 samples (1-24) priority 31 (base 31)

<thread QoS default (requested default), process sudden termination clean, IO tier 0>

24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42] 1-24

24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774) [0x7ff80be2b836] 1-24

\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

#### Binary Images:

0x103db6000 - ??? VDCAssistant  
<253E6AE2-94D8-3F76-86A7-782D8A216EC1> /System/Library/Frameworks/CoreMediaIO.framework/Versions/A/Resources/VDC.plugin/Contents/Resources/VDCAssistant  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/kernel

Process: ViewBridgeAuxiliary [341]  
UUID: 426591BB-5BA5-3B82-9EBC-3C034385BB32  
Path: /System/Library/PrivateFrameworks/ViewBridge.framework/Versions/A/XPCServices/ViewBridgeAuxiliary.xpc/Contents/MacOS/ViewBridgeAuxiliary  
Identifier: com.apple.ViewBridgeAuxiliary  
Build Version: 140  
Project Name: ViewBridge  
Source Version: 7370000000000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1548 KB  
Time Since Fork: 753s  
Num samples: 24 (1-24)  
CPU Time: <0.001s (1603.8K cycles, 613.5K instructions, 2.61c/i)  
Note: 2 idle work queue threads omitted

Thread 0x8ec DispatchQueue "com.apple.main-thread"(1) 24 samples (1-24) priority 4 (base 4) cpu time <0.001s (1517.3K cycles, 579.8K instructions, 2.62c/i)

<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24

24 ??? (ViewBridge + 50949) [0x7ff81498a705] 1-24

24 ??? (ViewBridge + 54043) [0x7ff81498b31b] 1-24

24 xpc\_main + 56 (libxpc.dylib + 87766) [0x7ff80bb8a6d6] 1-24

24 \_xpc\_main + 259 (libxpc.dylib + 137735) [0x7ff80bb96a07] 1-24

24 \_xpc\_objc\_main + 606 (libxpc.dylib + 88755) [0x7ff80bb8aab3] 1-24

24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24

24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24

24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842) [0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693) [0x7ff80bf3fba5] 1-24

24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xfffff8000415fc0] 1-24

#### Binary Images:

0x10d481000 - ??? com.apple.ViewBridgeAuxiliary  
<426591BB-5BA5-3B82-9EBC-3C034385BB32> /System/Library/PrivateFrameworks/ViewBridge.framework/Versions/A/XPCServices/ViewBridgeAuxiliary.xpc/Contents/MacOS/ViewBridgeAuxiliary

0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld

0x7ff80bb75000 - 0x7ff80bbb8ff2 libxpc.dylib (2679.80.5.0.1)  
<902EB51F-373F-3AA3-B084-228AC4C1B80B> /usr/lib/system/libxpc.dylib

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/libsystem\_kernel.dylib

0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9 (2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/



Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
0x7ff81497e000 - 0x7ff814a85ff6 com.apple.ViewBridge 737 (737)  
<6BC02045-6876-321D-B78A-01BD9696D1D5> /System/Library/  
PrivateFrameworks/ViewBridge.framework/Versions/A/ViewBridge  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: ViewBridgeAuxiliary [419]  
UUID: 426591BB-5BA5-3B82-9EBC-3C034385BB32  
Path: /System/Library/PrivateFrameworks/ViewBridge.framework/  
Versions/A/XPCServices/ViewBridgeAuxiliary.xpc/Contents/MacOS/  
ViewBridgeAuxiliary  
Identifier: com.apple.ViewBridgeAuxiliary  
Build Version: 140  
Project Name: ViewBridge  
Source Version: 7370000000000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1832 KB  
Time Since Fork: 747s  
Num samples: 24 (1-24)  
CPU Time: <0.001s (1457.8K cycles, 544.1K instructions, 2.68c/i)  
Note: 2 idle work queue threads omitted

Thread 0xb59 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 31 (base 31) cpu time <0.001s (1354.3K cycles, 512.0K  
instructions, 2.65c/i)

<thread QoS default (requested default), process sudden termination dirty,  
process unclamped, process received importance donation from  
CursorUIViewService [508], IO tier 0>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24

24 ??? (ViewBridge + 50949) [0x7ff81498a705] 1-24

24 ??? (ViewBridge + 54043) [0x7ff81498b31b] 1-24

24 xpc\_main + 56 (libxpc.dylib + 87766) [0x7ff80bb8a6d6] 1-24

24 \_xpc\_main + 259 (libxpc.dylib + 137735) [0x7ff80bb96a07] 1-24

24 \_xpc\_objc\_main + 606 (libxpc.dylib + 88755) [0x7ff80bb8aab3]  
 1-24  
 24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
 24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
 24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
 [0x7ff80bf3f082] 1-24  
 24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
 [0x7ff80bf3fba5] 1-24  
 24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
 508213) [0x7ff80bf41135] 1-24  
 24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
 [0x7ff80be25d1f] 1-24  
 24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib +  
 35682) [0x7ff80be2cb62] 1-24  
 24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
 [0x7ff80be25a2e] 1-24  
 \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
 [0xfffff8000415fc0] 1-24

#### Binary Images:

0x102a45000 - ??? com.apple.ViewBridgeAuxiliary  
 <426591BB-5BA5-3B82-9EBC-3C034385BB32> /System/Library/  
 PrivateFrameworks/ViewBridge.framework/Versions/A/XPCServices/  
 ViewBridgeAuxiliary.xpc/Contents/MacOS/ViewBridgeAuxiliary  
 0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
 <01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
 0x7ff80bb75000 - 0x7ff80bbb8ff2 libxpc.dylib (2679.80.5.0.1)  
 <902EB51F-373F-3AA3-B084-228AC4C1B80B> /usr/lib/system/libxpc.dylib  
 0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
 <3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
 libsystem\_kernel.dylib  
 0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
 (2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
 Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
 0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
 <6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
 Frameworks/Foundation.framework/Versions/C/Foundation  
 0x7ff81497e000 - 0x7ff814a85ff6 com.apple.ViewBridge 737 (737)  
 <6BC02045-6876-321D-B78A-01BD9696D1D5> /System/Library/  
 PrivateFrameworks/ViewBridge.framework/Versions/A/ViewBridge  
 \*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
 <8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
 kernel

Process: voicebankingd [684]  
UUID: 5B613478-9840-3F9A-886F-B3B882E16F66  
Path: /System/Library/PrivateFrameworks/  
TextToSpeechVoiceBankingSupport.framework/Support/voicebankingd  
Codesigning ID: com.apple.voicebankingd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 2860 KB  
Time Since Fork: 644s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x1b37 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (voicebankingd + 107829) [0x10f7fe535] 1-24  
24 ??? (voicebankingd + 60405) [0x10f7f2bf5] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x10f7e4000 - 0x10f80bfff voicebankingd (583.1.16.1)  
<5B613478-9840-3F9A-886F-B3B882E16F66> /System/Library/

PrivateFrameworks/TextToSpeechVoiceBankingSupport.framework/Support/  
voicebankingd

0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: VTDecoderXPCService [522]  
UUID: 09E94418-0E2D-3CE1-A4D1-1E239CF9C388  
Path: /System/Library/Frameworks/VideoToolbox.framework/  
Versions/A/XPCServices/VTDecoderXPCService.xpc/Contents/MacOS/  
VTDecoderXPCService  
Identifier: com.apple.coremedia.videodecoder  
Version: 1.0 (1)  
Build Version: 15  
Project Name: CoreMedia\_VideoToolbox  
Source Version: 3095004002000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: WallpaperAgent [388]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 9972 KB  
Time Since Fork: 727s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x1051 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>

```

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24
  24 main + 16 (VTDecoderXPService + 16306) [0x101824fb2] 1-24
    24 xpc_main + 56 (libxpc.dylib + 87766) [0x7ff80bb8a6d6] 1-24
      24 _xpc_main + 259 (libxpc.dylib + 137735) [0x7ff80bb96a07] 1-24
        24 _xpc_objc_main + 606 (libxpc.dylib + 88755) [0x7ff80bb8aab3]
1-24
  24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24
    24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24
      24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)
[0x7ff80bf3f082] 1-24
        24 __CFRunLoopRun + 1371 (CoreFoundation + 502693)
[0x7ff80bf3fba5] 1-24
          24 __CFRunLoopServiceMachPort + 143 (CoreFoundation +
508213) [0x7ff80bf41135] 1-24
            24 mach_msg + 19 (libsystem_kernel.dylib + 7455)
[0x7ff80be25d1f] 1-24
              24 mach_msg_overwrite + 653 (libsystem_kernel.dylib +
35682) [0x7ff80be2cb62] 1-24
                24 mach_msg2_trap + 10 (libsystem_kernel.dylib + 6702)
[0x7ff80be25a2e] 1-24
                  *24 ipc_mqueue_receive_continue + 0 (kernel + 1269696)
[0xfffff8000415fc0] 1-24

```

#### Binary Images:

```

0x101821000 - 0x101828fff com.apple.coremedia.videodecoder
1.0 (1) <09E94418-0E2D-3CE1-A4D1-1E239CF9C388> /System/Library/
Frameworks/VideoToolbox.framework/Versions/A/XPCServices/
VTDecoderXPService.xpc/Contents/MacOS/VTDecoderXPService
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld
0x7ff80bb75000 - 0x7ff80bbb8ff2 libxpc.dylib (2679.80.5.0.1)
<902EB51F-373F-3AA3-B084-228AC4C1B80B> /usr/lib/system/libxpc.dylib
0x7ff80be24000 - 0x7ff80be5eff7 libsystem_kernel.dylib (10002.81.5)
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/
libsystem_kernel.dylib
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/
Frameworks/Foundation.framework/Versions/C/Foundation
*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/
kernel

```

Process: WallpaperAgent [388]  
UUID: 0061371B-76A6-3C7C-B84A-F981B6D9CF53  
Path: /System/Library/CoreServices/WallpaperAgent.app/Contents/  
MacOS/WallpaperAgent  
Identifier: com.apple.wallpaper.agent  
Version: 1.0 (95.18)  
Build Version: 138  
Project Name: WallpaperMac\_executables  
Source Version: 95018000000000  
Is First Party: Yes  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Footprint: 5528 KB  
Time Since Fork: 749s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xa58 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 47 (base 47)

<process unclamped, process received importance donation from Dock  
[377], IO tier 0>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (WallpaperAgent + 99661) [0x10002c54d] 1-24  
24 ??? (WallpaperAgent + 14307) [0x1000177e3] 1-24  
24 NSApplicationMain + 816 (AppKit + 16833) [0x7ff80f5151c1] 1-24  
24 -[NSApplication run] + 603 (AppKit + 197042) [0x7ff80f5411b2]  
1-24

24 -[NSApplication(NSEventRouting)  
\_nextEventMatchingEventMask:untilDate:inMode:dequeue:] + 1304 (AppKit +  
9734148) [0x7ff80fe59804] 1-24

24 \_DPSNextEvent + 880 (AppKit + 257081) [0x7ff80f54fc39] 1-24  
24 \_BlockUntilNextEventMatchingListInModeWithFilter + 66  
(HIToolbox + 197937) [0x7ff816831531] 1-24

24 ReceiveNextEventCommon + 665 (HIToolbox + 198630)  
[0x7ff8168317e6] 1-24

24 RunCurrentEventLoopInMode + 292 (HIToolbox + 199129)  
[0x7ff8168319d9] 1-24

24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24

```
24 __CFRunLoopRun + 1371 (CoreFoundation + 502693)
[0x7ff80bf3fba5] 1-24
24 __CFRunLoopServiceMachPort + 143 (CoreFoundation +
508213) [0x7ff80bf41135] 1-24
24 mach_msg + 19 (libsystem_kernel.dylib + 7455)
[0x7ff80be25d1f] 1-24
24 mach_msg_overwrite + 653 (libsystem_kernel.dylib +
35682) [0x7ff80be2cb62] 1-24
24 mach_msg2_trap + 10 (libsystem_kernel.dylib + 6702)
[0x7ff80be25a2e] 1-24
*24 ipc_mqueue_receive_continue + 0 (kernel +
1269696) [0xffffffff8000415fc0] 1-24
```

Thread 0xaa Thread name "com.apple.NSEventThread" 24 samples  
(1-24) priority 46 (base 46)

<thread QoS user interactive (requested user interactive), process  
unclamped, process received importance donation from Dock [377], IO tier  
0>

```
24 thread_start + 15 (libsystem_pthread.dylib + 7083) [0x7ff80be60bab]
1-24
24 _pthread_start + 99 (libsystem_pthread.dylib + 25090)
[0x7ff80be65202] 1-24
24 _NSEventThread + 122 (UIKit + 1686188) [0x7ff80f6acaac] 1-24
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)
[0x7ff80bf3f082] 1-24
24 __CFRunLoopRun + 1371 (CoreFoundation + 502693)
[0x7ff80bf3fba5] 1-24
24 __CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)
[0x7ff80bf41135] 1-24
24 mach_msg + 19 (libsystem_kernel.dylib + 7455) [0x7ff80be25d1f]
1-24
24 mach_msg_overwrite + 653 (libsystem_kernel.dylib + 35682)
[0x7ff80be2cb62] 1-24
24 mach_msg2_trap + 10 (libsystem_kernel.dylib + 6702)
[0x7ff80be25a2e] 1-24
*24 ipc_mqueue_receive_continue + 0 (kernel + 1269696)
[0xffffffff8000415fc0] 1-24
```

#### Binary Images:

```
0x100014000 - 0x10022ffff com.apple.wallpaper.agent 1.0 (95.18)
<0061371B-76A6-3C7C-B84A-F981B6D9CF53> /System/Library/
CoreServices/WallpaperAgent.app/Contents/MacOS/WallpaperAgent
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld
```

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80f511000 - 0x7ff81092fff6 com.apple.AppKit 6.9 (2487.40.107)  
<660B78D6-113F-3ABD-8969-A6CB84FFF752> /System/Library/  
Frameworks/AppKit.framework/Versions/C/AppKit  
0x7ff816801000 - 0x7ff816a9cff4 com.apple.HIToolbox 2.1.1 (1202)  
<4CD47F03-ED80-3F2A-BBDF-D7AF11CB4CCB> /System/Library/  
Frameworks/Carbon.framework/Versions/A/Frameworks/  
HIToolbox.framework/Versions/A/HIToolbox  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: wallpaperexportd [394]  
UUID: 7D52D9FC-8A56-38AB-84A6-27AB889E75F3  
Path: /usr/libexec/wallpaperexportd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 928 KB  
Time Since Fork: 749s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xa95 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24



Binary Images:

0x10d73f000 - ??? wallpaperexportd  
<7D52D9FC-8A56-38AB-84A6-27AB889E75F3> /usr/libexec/  
wallpaperexportd  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: WallpaperVideoExtension [406]  
UUID: 95B9213A-06BE-3D3C-9591-6EFBF89CFA80  
Path: /System/Library/ExtensionKit/Extensions/  
WallpaperVideoExtension.appex/Contents/MacOS/WallpaperVideoExtension  
Identifier: com.apple.wallpaper.extension.video  
Version: 1.0 (95.18)  
Build Version: 138  
Project Name: WallpaperMac\_executables  
Source Version: 95018000000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: WallpaperAgent [388]  
UID: 501  
Footprint: 4336 KB  
Time Since Fork: 748s  
Num samples: 24 (1-24)  
Note: 3 idle work queue threads omitted

Thread 0xad0 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 47 (base 47)

<IO tier 0>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24

24 ??? (Foundation + 918756) [0x7ff80cf5e4e4] 1-24

24 ??? (ExtensionFoundation + 166691) [0x7ffb102dbb23] 1-24

24 ??? (ExtensionFoundation + 12061) [0x7ffb102b5f1d] 1-24

24 ??? (ExtensionFoundation + 12467) [0x7ffb102b60b3] 1-24

24 ??? (Foundation + 514495) [0x7ff80cefb9bf] 1-24

24 xpc\_main + 56 (libxpc.dylib + 87766) [0x7ff80bb8a6d6] 1-24  
24 \_xpc\_main + 259 (libxpc.dylib + 137735) [0x7ff80bb96a07] 1-24  
24 \_xpc\_objc\_main + 606 (libxpc.dylib + 88755) [0x7ff80bb8aab3]  
1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation  
+ 508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib +  
35682) [0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib +  
6702) [0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel +  
1269696) [0xfffff8000415fc0] 1-24

Thread 0x106e Thread name  
"com.apple.coremedia.imagequeue.coreanimation.common" 24 samples  
(1-24) priority 54 (base 54)

<IO tier 0>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 ??? (CoreMedia + 121999) [0x7ff81658fc8f] 1-24  
24 ??? (MediaToolbox + 4110970) [0x7ff81bba5a7a] 1-24  
24 ??? (CoreMedia + 41567) [0x7ff81657c25f] 1-24  
24 ??? (CoreMedia + 127389) [0x7ff81659119d] 1-24  
24 \_\_psynch\_cvwait + 10 (libsystem\_kernel.dylib + 17870)  
[0x7ff80be285ce] 1-24  
\*24 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777)  
[0xfffff800307e129] 1-24

Thread 0x106f Thread name "com.apple.coremedia.videomediaconverter"  
24 samples (1-24) priority 49 (base 49)

<IO tier 0>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)

[0x7ff80be65202] 1-24  
24 ??? (CoreMedia + 121999) [0x7ff81658fc8f] 1-24  
24 ??? (MediaToolbox + 4071935) [0x7ff81bb9c1ff] 1-24  
24 ??? (CoreMedia + 41567) [0x7ff81657c25f] 1-24  
24 ??? (CoreMedia + 127389) [0x7ff81659119d] 1-24  
24 \_\_psynch\_cvwait + 10 (libsystem\_kernel.dylib + 17870)  
[0x7ff80be285ce] 1-24  
\*24 psynch\_cvcontinue + 0 (com.apple.kec.pthread + 20777)  
[0xfffff800307e129] 1-24

#### Binary Images:

0x106a50000 - ??? com.apple.wallpaper.extension.video 1.0  
(95.18) <95B9213A-06BE-3D3C-9591-6EFBF89CFA80> /System/Library/  
ExtensionKit/Extensions/WallpaperVideoExtension.appex/Contents/MacOS/  
WallpaperVideoExtension  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80bb75000 - 0x7ff80bbb8ff2 libxpc.dylib (2679.80.5.0.1)  
<902EB51F-373F-3AA3-B084-228AC4C1B80B> /usr/lib/system/libxpc.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/  
Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
0x7ff816572000 - 0x7ff8166a0ff0 com.apple.CoreMedia 1.0  
(3095.4.2) <F3B9F41A-07E7-36FC-A191-4DC4785ABBF8> /  
System/Library/Frameworks/CoreMedia.framework/Versions/A/CoreMedia  
0x7ff81b7ba000 - 0x7ff81c0aef4 com.apple.MediaToolbox 1.0  
(3095.4.2) <6E9AA471-ECDD-3D07-AA10-C207CE0C8131> /System/  
Library/Frameworks/MediaToolbox.framework/Versions/A/MediaToolbox  
0x7ffb102b3000 - 0x7ffb1033fffb com.apple.ExtensionFoundation 97  
(97) <266249BC-CB4B-3B4B-82A2-80CA827479FC> /System/  
Library/Frameworks/ExtensionFoundation.framework/Versions/A/  
ExtensionFoundation  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

\*0xffffffff8003079000 - 0xffffffff8003081fff com.apple.kec.pthread (519)  
<07ED499F-25E6-3572-8464-FC4F7429D88C> com.apple.kec.pthread

Process: WardaSynthesizer\_x86\_64 [676] (suspended)  
UUID: 2F64316E-990A-3DB1-83F6-DA71FAE237A2  
Path: /System/Library/PrivateFrameworks/MacInTalk.framework/  
Versions/A/PlugIns/WardaSynthesizer\_x86\_64.appex/Contents/MacOS/  
WardaSynthesizer\_x86\_64  
Identifier:  
com.apple.speech.MacInTalkFramework.WardaSynthesizer.x86-64  
Version: 1.0 (1)  
Build Version: 152  
Project Name: MacInTalk  
Source Version: 63001003000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: axassetsd [573]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 4152 KB  
Time Since Fork: 646s  
Num samples: 24 (1-24)  
Note: Suspended for 24 samples  
Note: 2 idle work queue threads omitted

Thread 0x1ad2 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (Foundation + 918756) [0x7ff80cf5e4e4] 1-24  
24 ??? (ExtensionFoundation + 166763) [0x7ffb102dbb6b] 1-24  
24 ??? (PlugInKit + 133729) [0x7ff81a798a61] 1-24  
24 ??? (PlugInKit + 131493) [0x7ff81a7981a5] 1-24  
24 ??? (PlugInKit + 132698) [0x7ff81a79865a] 1-24  
24 ??? (Foundation + 514495) [0x7ff80cefb9bf] 1-24  
24 xpc\_main + 56 (libxpc.dylib + 87766) [0x7ff80bb8a6d6] 1-24  
24 \_xpc\_main + 259 (libxpc.dylib + 137735) [0x7ff80bb96a07]  
1-24  
24 \_xpc\_objc\_main + 606 (libxpc.dylib + 88755)  
[0x7ff80bb8aab3] 1-24

24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
 24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
 24 CFRunLoopRunSpecific + 557 (CoreFoundation +  
 499842) [0x7ff80bf3f082] 1-24  
 24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
 [0x7ff80bf3fba5] 1-24  
 24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation  
 + 508213) [0x7ff80bf41135] 1-24  
 24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
 [0x7ff80be25d1f] 1-24  
 24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib  
 + 35682) [0x7ff80be2cb62] 1-24  
 24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib +  
 6702) [0x7ff80be25a2e] 1-24  
 \*24 ipc\_mqueue\_receive\_continue + 0 (kernel +  
 1269696) [0xfffff8000415fc0] (suspended) 1-24

Thread 0x1adb 24 samples (1-24) priority 4 (base 4)  
 <thread QoS background (requested default), process sudden termination  
 clean, thread darwinbg, process darwinbg, IO tier 2>  
 24 start\_wqthread + 0 (libsystem\_pthread.dylib + 7048) [0x7ff80be60b88]  
 1-24  
 \*24 ??? (kernel + 1763936) [0xfffff800048ea60] (suspended) 1-24

#### Binary Images:

0x1029be000 - ???  
 com.apple.speech.MacInTalkFramework.WardaSynthesizer.x86-64 1.0 (1)  
 <2F64316E-990A-3DB1-83F6-DA71FAE237A2> /System/Library/  
 PrivateFrameworks/MacInTalk.framework/Versions/A/PlugIns/  
 WardaSynthesizer\_x86\_64.apex/Contents/MacOS/  
 WardaSynthesizer\_x86\_64  
 0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
 <01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
 0x7ff80bb75000 - 0x7ff80bbb8ff2 libxpc.dylib (2679.80.5.0.1)  
 <902EB51F-373F-3AA3-B084-228AC4C1B80B> /usr/lib/system/libxpc.dylib  
 0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
 <3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
 libsystem\_kernel.dylib  
 0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
 <0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
 libsystem\_pthread.dylib  
 0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
 (2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /  
 System/Library/Frameworks/CoreFoundation.framework/Versions/A/

## CoreFoundation

0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
0x7ff81a778000 - 0x7ff81a7b6ff0 com.apple.pluginframework 1.0  
(1) <E63CDD4E-C41A-3684-9C6B-E2F9E27A1829> /  
System/Library/PrivateFrameworks/PlugInKit.framework/Versions/A/PlugInKit  
0x7ffb102b3000 - 0x7ffb1033ffff com.apple.ExtensionFoundation 97  
(97) <266249BC-CB4B-3B4B-82A2-80CA827479FC> /  
System/Library/Frameworks/ExtensionFoundation.framework/Versions/A/  
ExtensionFoundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: watchdogd [111]  
UUID: E8969CA2-BB97-3920-BBB4-459388186E11  
Path: /usr/libexec/watchdogd  
Codesigning ID: com.apple.watchdogd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked  
Footprint: 760 KB  
Time Since Fork: 767s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x2e9 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 31 (base 31)  
<thread QoS default (requested default), process sudden termination clean,  
IO tier 0>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (watchdogd + 31885) [0x10dc57c8d] 1-24  
24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)

[0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0x340 Thread name "watchdogd service monitoring thread" 24  
samples (1-24) priority 97 (base 97)  
<process sudden termination clean, IO tier 0>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 ??? (watchdogd + 38375) [0x10dc595e7] 1-24  
24 ??? (watchdogd + 38527) [0x10dc5967f] 1-24  
24 \_dispatch\_semaphore\_wait\_slow + 58 (libdispatch.dylib + 16183)  
[0x7ff80bcbdf37] 1-24  
24 semaphore\_timedwait\_trap + 10 (libsystem\_kernel.dylib + 6594)  
[0x7ff80be259c2] 1-24  
\*24 ??? (kernel + 1663616) [0xfffff8000476280] 1-24

#### Binary Images:

0x10dc50000 - 0x10dc6bfff watchdogd (250)  
<E8969CA2-BB97-3920-BBB4-459388186E11> /usr/libexec/watchdogd  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/

kernel

Process: weatherd [701]  
UUID: 81344F3B-B6D6-3354-ABCC-0E79052D8997  
Path: /System/Library/PrivateFrameworks/  
WeatherDaemon.framework/weatherd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 2004 KB  
Time Since Fork: 632s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x1c7e 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:  
0x1073e9000 - ??? weatherd <81344F3B-  
B6D6-3354-ABCC-0E79052D8997> /System/Library/PrivateFrameworks/  
WeatherDaemon.framework/weatherd  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: WeatherWidget [449] (suspended)  
UUID: 98D0EDF8-8541-3180-9820-8CF3B868AD4D



Path: /System/Applications/Weather.app/Contents/PlugIns/  
WeatherWidget.appex/Contents/MacOS/WeatherWidget  
Identifier: com.apple.weather.widget  
Version: 4.2.1 (524)  
Build Version: 14  
Project Name: Weather  
Source Version: 5240000000000000  
Is First Party: Yes  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: chronod [434]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 11.23 MB  
Time Since Fork: 743s  
Num samples: 24 (1-24)  
Note: Suspended for 24 samples  
Note: 3 idle work queue threads omitted

Thread 0xc84 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (Foundation + 918756) [0x7ff80cf5e4e4] 1-24  
24 ??? (ExtensionFoundation + 166691) [0x7ffb102dbb23] 1-24  
24 ??? (ExtensionFoundation + 12061) [0x7ffb102b5f1d] 1-24  
24 ??? (ExtensionFoundation + 12467) [0x7ffb102b60b3] 1-24  
24 ??? (Foundation + 514495) [0x7ff80cefb9bf] 1-24  
24 xpc\_main + 56 (libxpc.dylib + 87766) [0x7ff80bb8a6d6] 1-24  
24 \_xpc\_main + 259 (libxpc.dylib + 137735) [0x7ff80bb96a07] 1-24  
24 \_xpc\_objc\_main + 606 (libxpc.dylib + 88755) [0x7ff80bb8aab3]  
1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation  
+ 508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)

[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xffffffff8000415fc0] (suspended) 1-24

Thread 0xd19 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start\_wqthread + 0 (libsystem\_pthread.dylib + 7048) [0x7ff80be60b88] 1-24  
\*24 ??? (kernel + 1763936) [0xffffffff800048ea60] (suspended) 1-24

Thread 0xdc3 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested user initiated), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start\_wqthread + 0 (libsystem\_pthread.dylib + 7048) [0x7ff80be60b88] 1-24  
\*24 ??? (kernel + 1763936) [0xffffffff800048ea60] (suspended) 1-24

Thread 0x2a64 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default, workloop servicer override user initiated), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start\_wqthread + 0 (libsystem\_pthread.dylib + 7048) [0x7ff80be60b88] 1-24  
\*24 ??? (kernel + 1763936) [0xffffffff800048ea60] (suspended) 1-24

#### Binary Images:

0x10f8ff000 - ??? com.apple.weather.widget 4.2.1 (524)  
<98D0EDF8-8541-3180-9820-8CF3B868AD4D> /System/Applications/Weather.app/Contents/PlugIns/WeatherWidget.appex/Contents/MacOS/WeatherWidget  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80bb75000 - 0x7ff80bbb8ff2 libxpc.dylib (2679.80.5.0.1)  
<902EB51F-373F-3AA3-B084-228AC4C1B80B> /usr/lib/system/libxpc.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/

libsystem\_pthread.dylib

0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9 (2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation

0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303) <6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/Frameworks/Foundation.framework/Versions/C/Foundation

0x7ffb102b3000 - 0x7ffb1033ffff com.apple.ExtensionFoundation 97 (97) <266249BC-CB4B-3B4B-82A2-80CA827479FC> /System/Library/Frameworks/ExtensionFoundation.framework/Versions/A/ExtensionFoundation

\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5) <8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/kernel

Process: webprivacyd [616]

UUID: FD834753-BE25-373D-B29D-785BD2ABFBAC

Path: /System/Library/PrivateFrameworks/WebPrivacy.framework/Versions/A/webprivacyd

Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64

Parent: launchd [1]

UID: 501

Sudden Term: Tracked (allows idle exit)

Footprint: 700 KB

Time Since Fork: 689s

Num samples: 24 (1-24)

Note: 1 idle work queue thread omitted

Thread 0x163a 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>

24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42] 1-24

24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774) [0x7ff80be2b836] 1-24

\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Binary Images:

0x10ed07000 - ??? webprivacyd  
<FD834753-BE25-373D-B29D-785BD2ABFBAC> /System/Library/PrivateFrameworks/WebPrivacy.framework/Versions/A/webprivacyd

0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: WiFiAgent [456]  
UUID: FE691273-7CA5-320A-844E-3C83F4839955  
Path: /System/Library/CoreServices/WiFiAgent.app/Contents/MacOS/  
WiFiAgent  
Identifier: com.apple.wifi.WiFiAgent  
Version: 17.0 (1728)  
Build Version: 16  
Project Name: AirPort\_executables  
Source Version: 18910001000000000  
Is First Party: Yes  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked  
Footprint: 3444 KB  
Time Since Fork: 742s  
Num samples: 24 (1-24)  
CPU Time: <0.001s (848.5K cycles, 271.2K instructions, 3.13c/i)  
Note: 3 idle work queue threads omitted

Thread 0xcd3 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 NSApplicationMain + 816 (AppKit + 16833) [0x7ff80f5151c1] 1-24  
24 -[NSApplication run] + 603 (AppKit + 197042) [0x7ff80f5411b2] 1-24  
24 -[NSApplication(NSEventRouting)  
\_nextEventMatchingEventMask:untilDate:inMode:dequeue:] + 1304 (AppKit +  
9734148) [0x7ff80fe59804] 1-24  
24 \_DPSNextEvent + 880 (AppKit + 257081) [0x7ff80f54fc39] 1-24

24 \_BlockUntilNextEventMatchingListInModeWithFilter + 66  
 (HIToolbox + 197937) [0x7ff816831531] 1-24  
     24 ReceiveNextEventCommon + 665 (HIToolbox + 198630)  
 [0x7ff8168317e6] 1-24  
     24 RunCurrentEventLoopInMode + 292 (HIToolbox + 199129)  
 [0x7ff8168319d9] 1-24  
     24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
 [0x7ff80bf3f082] 1-24  
     24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
 [0x7ff80bf3fba5] 1-24  
     24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
 508213) [0x7ff80bf41135] 1-24  
     24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
 [0x7ff80be25d1f] 1-24  
     24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib +  
 35682) [0x7ff80be2cb62] 1-24  
     24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
 [0x7ff80be25a2e] 1-24  
         \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
 [0xfffff8000415fc0] 1-24

Thread 0xd59 Thread name "Cloud Sync Engine" 24 samples (1-24)  
 priority 4 (base 4)

<thread QoS background (requested default), process sudden termination  
 clean, thread darwinbg, process darwinbg, IO tier 2>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
 1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
 [0x7ff80be65202] 1-24

24 ??? (Foundation + 349980) [0x7ff80ced371c] 1-24

24 ??? (WiFiAgent + 52748) [0x100defe0c] 1-24

24 ??? (Foundation + 891637) [0x7ff80cf57af5] 1-24

24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24

24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
 [0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
 [0x7ff80bf3fba5] 1-24

24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
 508213) [0x7ff80bf41135] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
 [0x7ff80be25d1f] 1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib +  
 35682) [0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)

```

[0x7ff80be25a2e] 1-24
    *24 ipc_mqueue_receive_continue + 0 (kernel + 1269696)
[0xffffffff8000415fc0] 1-24

Thread 0xd6d Thread name "com.apple.NSEventThread" 24 samples
(1-24) priority 4 (base 4)
  <thread QoS background (requested user interactive), process sudden
  termination clean, thread darwinbg, process darwinbg, IO tier 2>
  24 thread_start + 15 (libsystem_pthread.dylib + 7083) [0x7ff80be60bab]
  1-24
  24 _pthread_start + 99 (libsystem_pthread.dylib + 25090)
[0x7ff80be65202] 1-24
  24 _NSEventThread + 122 (AppKit + 1686188) [0x7ff80f6acaac] 1-24
  24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)
[0x7ff80bf3f082] 1-24
  24 __CFRunLoopRun + 1371 (CoreFoundation + 502693)
[0x7ff80bf3fba5] 1-24
  24 __CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213)
[0x7ff80bf41135] 1-24
  24 mach_msg + 19 (libsystem_kernel.dylib + 7455) [0x7ff80be25d1f]
  1-24
  24 mach_msg_overwrite + 653 (libsystem_kernel.dylib + 35682)
[0x7ff80be2cb62] 1-24
  24 mach_msg2_trap + 10 (libsystem_kernel.dylib + 6702)
[0x7ff80be25a2e] 1-24
    *24 ipc_mqueue_receive_continue + 0 (kernel + 1269696)
[0xffffffff8000415fc0] 1-24

```

Binary Images:

```

0x100de3000 - 0x100e1efff com.apple.wifi.WiFiAgent 17.0 (1728)
<FE691273-7CA5-320A-844E-3C83F4839955> /System/Library/
CoreServices/WiFiAgent.app/Contents/MacOS/WiFiAgent
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld
0x7ff80be24000 - 0x7ff80be5eff7 libsystem_kernel.dylib (10002.81.5)
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/
libsystem_kernel.dylib
0x7ff80be5f000 - 0x7ff80be6afff libsystem_pthread.dylib (519)
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/
libsystem_pthread.dylib
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)

```

<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
0x7ff80f511000 - 0x7ff81092fff6 com.apple.AppKit 6.9 (2487.40.107)  
<660B78D6-113F-3ABD-8969-A6CB84FFF752> /System/Library/  
Frameworks/AppKit.framework/Versions/C/AppKit  
0x7ff816801000 - 0x7ff816a9cff4 com.apple.HIToolbox 2.1.1 (1202)  
<4CD47F03-ED80-3F2A-BBDF-D7AF11CB4CCB> /System/Library/  
Frameworks/Carbon.framework/Versions/A/Frameworks/  
HIToolbox.framework/Versions/A/HIToolbox  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: wifianalyticd [327]  
UUID: 29A3EFE3-3D8D-3D34-8813-F08D252E0D72  
Path: /usr/libexec/wifianalyticd  
Codesigning ID: com.apple.wifianalyticd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked  
Footprint: 1380 KB  
Time Since Fork: 755s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x845 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (wifianalyticd + 619122) [0x105ebd272] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)

[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x105e26000 - 0x105f25fff wifianalyticssd (540.1)  
<29A3EFE3-3D8D-3D34-8813-F08D252E0D72> /usr/libexec/wifianalyticssd  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: WiFiCloudAssetsXPService [316]  
UUID: 31023994-BEC3-336B-910F-11A69AE41C2B  
Path: /System/Library/PrivateFrameworks/WiFiPolicy.framework/  
XPCCServices/WiFiCloudAssetsXPService.xpc/Contents/MacOS/  
WiFiCloudAssetsXPService  
Identifier: com.apple.wifi.WiFiCloudAssetsXPService  
Version: 1.0 (1)  
Build Version: 51  
Project Name: WiFiPolicy  
Source Version: 7060280000000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: airportd [197]  
UID: 0  
Sudden Term: Tracked (allows idle exit)



Footprint: 1008 KB  
Time Since Fork: 756s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x800 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

Binary Images:

0x10e441000 - ???  
com.apple.wifi.WiFiCloudAssetsXPCService 1.0 (1) <31023994-  
BEC3-336B-910F-11A69AE41C2B> /System/Library/PrivateFrameworks/  
WiFiPolicy.framework/XPCServices/WiFiCloudAssetsXPCService.xpc/  
Contents/MacOS/WiFiCloudAssetsXPCService  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: wifip2pd [245]  
UUID: A6F0A51B-5B29-3720-9505-51BCA48B318F  
Path: /usr/libexec/wifip2pd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 1604 KB  
Time Since Fork: 762s  
Num samples: 24 (1-24)  
CPU Time: 0.003s (7.3M cycles, 4.6M instructions, 1.57c/i)

Note: 2 idle work queue threads omitted

Thread 0x58b 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

Binary Images:

0x101410000 - ??? wifip2pd  
<A6F0A51B-5B29-3720-9505-51BCA48B318F> /usr/libexec/wifip2pd  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)  
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: WiFiVelocityAgent [468]  
UUID: 5969E237-D9A2-3605-A804-3847B5E09E1B  
Path: /usr/libexec/WiFiVelocityAgent  
Codesigning ID: com.apple.WiFiVelocityAgent  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 764 KB  
Time Since Fork: 739s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0xd6c DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>

```

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24
  24 ??? (WiFiVelocityAgent + 24600) [0x10a019018] 1-24
    24 ??? (WiFiVelocityAgent + 39166) [0x10a01c8fe] 1-24
      24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24
        24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24
          24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)
[0x7ff80bf3f082] 1-24
            24 __CFRunLoopRun + 1371 (CoreFoundation + 502693)
[0x7ff80bf3fba5] 1-24
              24 __CFRunLoopServiceMachPort + 143 (CoreFoundation +
508213) [0x7ff80bf41135] 1-24
                24 mach_msg + 19 (libsystem_kernel.dylib + 7455)
[0x7ff80be25d1f] 1-24
                  24 mach_msg_overwrite + 653 (libsystem_kernel.dylib + 35682)
[0x7ff80be2cb62] 1-24
                    24 mach_msg2_trap + 10 (libsystem_kernel.dylib + 6702)
[0x7ff80be25a2e] 1-24
                      *24 ipc_mqueue_receive_continue + 0 (kernel + 1269696)
[0xfffff8000415fc0] 1-24

```

Binary Images:

```

0x10a013000 - 0x10a032fff WiFiVelocityAgent (935.17)
<5969E237-D9A2-3605-A804-3847B5E09E1B> /usr/libexec/
WiFiVelocityAgent
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld
0x7ff80be24000 - 0x7ff80be5eff7 libsystem_kernel.dylib (10002.81.5)
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/
libsystem_kernel.dylib
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/
Frameworks/Foundation.framework/Versions/C/Foundation
*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/
kernel

```

```

Process:      wifivelocityd [534]
UUID:        1B36249E-C6B2-36DA-A2AA-A557C1599D50
Path:        /usr/libexec/wifivelocityd
Codesigning ID:  com.apple.wifivelocityd

```

Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64

Parent: launchd [1]

UID: 0

Sudden Term: Tracked (allows idle exit)

Footprint: 1100 KB

Time Since Fork: 720s

Num samples: 24 (1-24)

Note: 1 idle work queue thread omitted

Thread 0x11c5 DispatchQueue "com.apple.main-thread"(1) 24 samples (1-24) priority 4 (base 4)

<thread QoS background (requested default), process sudden termination clean, thread darwinbg, process darwinbg, IO tier 2>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24

24 ??? (wifivelocityd + 482943) [0x104fb3e7f] 1-24

24 ??? (wifivelocityd + 57950) [0x104f4c25e] 1-24

24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24

24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24

24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842) [0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693) [0x7ff80bf3fba5] 1-24

24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xfffff8000415fc0] 1-24

Binary Images:

0x104f3e000 - 0x104fe9fff wifivelocityd (935.17)  
<1B36249E-C6B2-36DA-A2AA-A557C1599D50> /usr/libexec/wifivelocityd

0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib

0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9

(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: WindowManager [376]  
UUID: AE164813-CE7A-3997-8A38-289501601543  
Path: /System/Library/CoreServices/WindowManager.app/Contents/  
MacOS/WindowManager  
Identifier: com.apple.WindowManager  
Version: ??? (175.12)  
Build Version: 24  
Project Name: WindowManager  
Source Version: 175012000000000  
Is First Party: Yes  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 501  
Footprint: 9080 KB  
Time Since Fork: 750s  
Num samples: 24 (1-24)  
CPU Time: 0.088s (206.5M cycles, 139.0M instructions, 1.49c/i)  
Note: 2 idle work queue threads omitted

Thread 0xa1c DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 48 (base 48) cpu time 0.068s (159.7M cycles, 119.2M  
instructions, 1.34c/i)

<process frontmost, process unclamped, IO tier 0>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (WindowManager + 21872) [0x10b4f6570] 1-24  
24 ??? (WindowManager + 22277) [0x10b4f6705] 1-24  
24 NSApplicationMain + 816 (AppKit + 16833) [0x7ff80f5151c1] 1-24  
24 -[NSApplication run] + 603 (AppKit + 197042) [0x7ff80f5411b2]  
1-24  
24 -[NSApplication(NSEventRouting)  
\_nextEventMatchingEventMask:untilDate:inMode:dequeue:] + 1304 (AppKit +  
9734148) [0x7ff80fe59804] 1-24

24 \_DPSNextEvent + 880 (AppKit + 257081) [0x7ff80f54fc39] 1-24  
24 \_BlockUntilNextEventMatchingListInModeWithFilter + 66  
(HI Toolbox + 197937) [0x7ff816831531] 1-24  
24 ReceiveNextEventCommon + 665 (HI Toolbox + 198630)  
[0x7ff8168317e6] 1-24  
24 RunCurrentEventLoopInMode + 292 (HI Toolbox + 199129)  
[0x7ff8168319d9] 1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib +  
35682) [0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*14 ipc\_mqueue\_receive\_continue + 0 (kernel +  
1269696) [0xfffff8000415fc0] 1-14  
<process clamped>  
\*2 ipc\_mqueue\_receive\_continue + 0 (kernel +  
1269696) [0xfffff8000415fc0] 15-16  
<process unclamped>  
\*8 ipc\_mqueue\_receive\_continue + 0 (kernel +  
1269696) [0xfffff8000415fc0] 17-24

Thread 0xa52 24 samples (1-24) priority 31 (base 31)  
<process frontmost, thread QoS default (requested default), process  
unclamped, IO tier 0>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 ??? (Foundation + 349980) [0x7ff80ced371c] 1-24  
24 ??? (WindowManager + 129173) [0x10b510895] 1-24  
24 ??? (WindowManager + 4654777) [0x10b9616b9] 1-24  
24 CFRunLoopRun + 40 (CoreFoundation + 1006446)  
[0x7ff80bfbab6e] 1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24

24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24  
\*14 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xfffff8000415fc0] 1-14  
<process clamped>  
\*2 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xfffff8000415fc0] 15-16  
<process unclamped>  
\*8 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xfffff8000415fc0] 17-24

Thread 0xa6c Thread name "com.apple.NSEventThread" 24 samples (1-24) priority 47 (base 47) cpu time <0.001s (520.4K cycles, 142.4K instructions, 3.66c/i)

<process frontmost, thread QoS user interactive (requested user interactive), process unclamped, IO tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab] 1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090) [0x7ff80be65202] 1-24  
24 \_NSEventThread + 122 (UIKit + 1686188) [0x7ff80f6acaac] 1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842) [0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693) [0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24  
\*14 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xfffff8000415fc0] 1-14  
<process clamped>  
\*2 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xfffff8000415fc0] 15-16

<process unclamped>  
\*8 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 17-24

Binary Images:

0x10b4f1000 - 0x10bc84fff com.apple.WindowManager (175.12)  
<AE164813-CE7A-3997-8A38-289501601543> /System/Library/  
CoreServices/WindowManager.app/Contents/MacOS/WindowManager  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/  
Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
0x7ff80f511000 - 0x7ff81092fff6 com.apple.AppKit 6.9 (2487.40.107)  
<660B78D6-113F-3ABD-8969-A6CB84FFF752> /System/Library/  
Frameworks/AppKit.framework/Versions/C/AppKit  
0x7ff816801000 - 0x7ff816a9cff4 com.apple.HIToolbox 2.1.1 (1202)  
<4CD47F03-ED80-3F2A-BBDF-D7AF11CB4CCB> /System/Library/  
Frameworks/Carbon.framework/Versions/A/Frameworks/  
HIToolbox.framework/Versions/A/HIToolbox  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: WindowServer [154]  
UUID: 24767787-C546-348B-8A8C-8F8CDC00CDAD  
Path: /System/Library/PrivateFrameworks/SkyLight.framework/  
Versions/A/Resources/WindowServer  
Codesigning ID: com.apple.WindowServer  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 88



Footprint: 129.91 MB -> 144.71 MB (+14.80 MB)  
Time Since Fork: 766s  
Num samples: 24 (1-24)  
CPU Time: 0.551s (1083.5M cycles, 528.4M instructions, 2.05c/i)  
Note: 5 idle work queue threads omitted

Thread 0x32b DispatchQueue "com.apple.main-thread"(1) Thread name  
"ws\_main\_thread" 24 samples (1-24) priority 79 (base 79) cpu time  
0.342s (678.3M cycles, 375.4M instructions, 1.81c/i)

<IO tier 0>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (WindowServer + 13452) [0x10f72148c] 1-24  
24 ??? (SkyLight + 3569516) [0x7ff81182d76c] 1-24  
24 ??? (SkyLight + 3569938) [0x7ff81182d912] 1-24  
2 ??? (SkyLight + 3566527) [0x7ff81182cbbf] 1-2  
2 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-2  
2 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-2  
2 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-2  
\*2 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 1-2  
1 ??? (SkyLight + 3566481) [0x7ff81182cb91] 3  
1 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 3  
1 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 3  
\*1 call\_continuation + 35 (kernel + 995731) [0xffffffff80003d3193] 3  
\*1 ml\_set\_interrupts\_enabled + 17 (kernel + 2741969)  
[0xffffffff800057d6d1] (running) 3  
6 ??? (SkyLight + 3566527) [0x7ff81182cbbf] 4-9  
6 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
4-9  
6 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 4-9  
6 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 4-9  
\*6 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xffffffff8000415fc0] 4-9  
1 ??? (SkyLight + 3567467) [0x7ff81182cf6b] 10  
1 ??? (SkyLight + 3568160) [0x7ff81182d220] 10  
1 ??? (SkyLight + 1146412) [0x7ff8115dde2c] 10  
1 ??? (SkyLight + 3151813) [0x7ff8117c77c5] 10

```

1 ??? (SkyLight + 1147046) [0x7ff8115de0a6] 10
  1 ??? (SkyLight + 3565352) [0x7ff81182c728] 10
    1 mach_msg + 19 (libsystem_kernel.dylib + 7455)
[0x7ff80be25d1f] 10
      1 mach_msg_overwrite + 653 (libsystem_kernel.dylib +
35682) [0x7ff80be2cb62] 10
        1 mach_msg2_trap + 10 (libsystem_kernel.dylib + 6702)
[0x7ff80be25a2e] 10
          *1 hndl_mach_scall64 + 22 (kernel + 998870)
[0xfffff80003d3dd6] 10
            *1 mach_call_munger64 + 498 (kernel + 2663170)
[0xfffff800056a302] 10
              *1 mach_msg2_trap + 952 (kernel + 1342760)
[0xfffff8000427d28] 10
                *1 ??? (kernel + 1341073) [0xfffff8000427691] 10
                  *1 ipc_kmsg_copyin_from_user + 5555 (kernel +
1255043) [0xfffff8000412683] 10
                    *1 ??? (kernel + 2210334) [0xfffff80004fba1e] 10
                      *1 ??? (kernel + 2148885) [0xfffff80004eca15] 10
                        *1 vm_map_store_entry_unlink + 142 (kernel +
2242206) [0xfffff800050369e] 10
                          *1 vm_map_store_entry_unlink_rb + 56 (kernel +
2248136) [0xfffff8000504dc8] (running) 10
                            14 ??? (SkyLight + 3566527) [0x7ff81182cbbf] 11-24
                              14 mach_msg + 19 (libsystem_kernel.dylib + 7455) [0x7ff80be25d1f]
11-24
                                14 mach_msg_overwrite + 653 (libsystem_kernel.dylib + 35682)
[0x7ff80be2cb62] 11-24
                                  14 mach_msg2_trap + 10 (libsystem_kernel.dylib + 6702)
[0x7ff80be25a2e] 11-24
                                    *14 ipc_mqueue_receive_continue + 0 (kernel + 1269696)
[0xfffff8000415fc0] 11-24

```

```

Thread 0x7e8 DispatchQueue "com.apple.VirtualDisplayListener"(327)
24 samples (1-24) priority 37 (base 37)
<thread QoS user initiated (requested user interactive, workloop servicer
override user interactive), IO tier 0>
  24 start_wqthread + 15 (libsystem_pthread.dylib + 7063) [0x7ff80be60b97]
1-24
    24 _pthread_wqthread + 327 (libsystem_pthread.dylib + 11335)
[0x7ff80be61c47] 1-24
      24 _dispatch_workloop_worker_thread + 451 (libdispatch.dylib + 78845)
[0x7ff80bccd3fd] 1-24
        24 _dispatch_root_queue_drain_deferred_wlh + 271 (libdispatch.dylib +

```

80622) [0x7ff80bccdaee] 1-24  
 24 \_dispatch\_lane\_invoke + 377 (libdispatch.dylib + 41216)  
 [0x7ff80bcc4100] 1-24  
 24 \_dispatch\_lane\_serial\_drain + 816 (libdispatch.dylib + 38504)  
 [0x7ff80bcc3668] 1-24  
 24 \_dispatch\_client\_callout + 8 (libdispatch.dylib + 13722)  
 [0x7ff80bcbd59a] 1-24  
 24 \_dispatch\_call\_block\_and\_release + 12 (libdispatch.dylib +  
 8934) [0x7ff80bcbc2e6] 1-24  
 24 ??? (CoreDisplay + 69577) [0x7ff80dc8ffc9] 1-24  
 24 mach\_msg\_server\_once + 266 (libsystem\_kernel.dylib +  
 43874) [0x7ff80be2eb62] 1-24  
 24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib +  
 35682) [0x7ff80be2cb62] 1-24  
 24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
 [0x7ff80be25a2e] 1-24  
 \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
 [0xfffff8000415fc0] 1-24

Thread 0x7e6 Thread name "com.apple.coreanimation.render-server" 24  
 samples (1-24) priority 79 (base 79) cpu time 0.068s (152.8M cycles,  
 70.2M instructions, 2.18c/i)

<IO tier 0>  
 24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
 1-24  
 24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
 [0x7ff80be65202] 1-24  
 24 ??? (QuartzCore + 297777) [0x7ff814472b31] 1-24  
 24 ??? (QuartzCore + 298328) [0x7ff814472d58] 1-24  
 24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
 1-24  
 24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
 [0x7ff80be2cb62] 1-24  
 24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
 [0x7ff80be25a2e] 1-24  
 \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
 [0xfffff8000415fc0] 1-24

Thread 0x805 Thread name "IOHIDService -  
 RunLoopCompatibilityThread" 24 samples (1-24) priority 79 (base 79)

<IO tier 0>  
 24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
 1-24  
 24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)

[0x7ff80be65202] 1-24  
    24 ??? (IOKit + 366414) [0x7ff80f44374e] 1-24  
    24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24  
    24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
    24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
    24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
    24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
    24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
    24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
    \*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0x83c 24 samples (1-24) priority 31 (base 31)

<thread QoS default (requested default), IO tier 0>

24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)

[0x7ff80be65202] 1-24

24 ??? (AppleHIDALS + 62501) [0x10f8eb425] 1-24

24 CFRRunLoopRun + 40 (CoreFoundation + 1006446) [0x7ff80bfbab6e]  
1-24

24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)

[0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)

[0x7ff80bf3fba5] 1-24

24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)

[0x7ff80be25d1f] 1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)

[0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)

[0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)

[0xfffff8000415fc0] 1-24

Thread 0x8a7 24 samples (1-24) priority 31 (base 31)

<thread QoS default (requested default), IO tier 0>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 ??? (CoreDisplay + 960912) [0x7ff80dd69990] 1-24  
24 ??? (CoreDisplay + 960711) [0x7ff80dd698c7] 1-24  
24 ??? (CoreDisplay + 192668) [0x7ff80dcae09c] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f]  
1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Thread 0x3d18 Thread name "com.apple.windowserver.root\_queue" 24  
samples (1-24) priority 79 (base 79) cpu time 0.012s (25.2M cycles, 7.2M  
instructions, 3.50c/i)

<IO tier 0>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 \_dispatch\_worker\_thread + 321 (libdispatch.dylib + 75181)  
[0x7ff80bccc5ad] 1-24  
24 \_dispatch\_semaphore\_wait\_slow + 58 (libdispatch.dylib + 16183)  
[0x7ff80bcbdf37] 1-24  
24 semaphore\_timedwait\_trap + 10 (libsystem\_kernel.dylib + 6594)  
[0x7ff80be259c2] 1-24  
\*24 ??? (kernel + 1663616) [0xfffff8000476280] 1-24

Thread 0x3eb0 Thread name "com.apple.windowserver.root\_queue" 24  
samples (1-24) priority 79 (base 79) cpu time 0.023s (39.6M cycles, 11.7M  
instructions, 3.38c/i)

<IO tier 0>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24  
24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24  
24 \_dispatch\_worker\_thread + 321 (libdispatch.dylib + 75181)  
[0x7ff80bccc5ad] 1-24  
24 \_dispatch\_semaphore\_wait\_slow + 58 (libdispatch.dylib + 16183)

[0x7ff80bcbdf37] 1-24  
24 semaphore\_timedwait\_trap + 10 (libsystem\_kernel.dylib + 6594)  
[0x7ff80be259c2] 1-24  
\*24 ??? (kernel + 1663616) [0xfffff8000476280] 1-24

Thread 0x3f8e Thread name "com.apple.windowserver.root\_queue" 24  
samples (1-24) priority 79 (base 79) cpu time 0.010s (20.0M cycles, 6.0M  
instructions, 3.33c/i)

<IO tier 0>  
24 thread\_start + 15 (libsystem\_pthread.dylib + 7083) [0x7ff80be60bab]  
1-24

24 \_pthread\_start + 99 (libsystem\_pthread.dylib + 25090)  
[0x7ff80be65202] 1-24

24 \_dispatch\_worker\_thread + 321 (libdispatch.dylib + 75181)  
[0x7ff80bcc5ad] 1-24

24 \_dispatch\_semaphore\_wait\_slow + 58 (libdispatch.dylib + 16183)  
[0x7ff80bcbdf37] 1-24

24 semaphore\_timedwait\_trap + 10 (libsystem\_kernel.dylib + 6594)  
[0x7ff80be259c2] 1-24

\*24 ??? (kernel + 1663616) [0xfffff8000476280] 1-24

Thread 0x3bf4,0x3d5d DispatchQueue 84 2 samples (1-9 with gaps of 7)  
priority 79 (base 79) cpu time 0.012s (22.0M cycles, 3.4M instructions,  
6.49c/i)

<Thread 0x3bf4, thread QoS unspecified (workloop servicer override user  
interactive), IO tier 0>

1 start\_wqthread + 15 (libsystem\_pthread.dylib + 7063) [0x7ff80be60b97] 1  
1 \_pthread\_wqthread + 327 (libsystem\_pthread.dylib + 11335)  
[0x7ff80be61c47] 1

1 \_dispatch\_workloop\_worker\_thread + 451 (libdispatch.dylib + 78845)  
[0x7ff80bccd3fd] 1

1 \_dispatch\_root\_queue\_drain\_deferred\_wlh + 271 (libdispatch.dylib +  
80622) [0x7ff80bccdae] 1

1 \_dispatch\_workloop\_invoke + 803 (libdispatch.dylib + 44864)  
[0x7ff80bcc4f40] 1

1 \_dispatch\_lane\_invoke + 377 (libdispatch.dylib + 41216)  
[0x7ff80bcc4100] 1

1 \_dispatch\_lane\_serial\_drain + 387 (libdispatch.dylib + 38075)  
[0x7ff80bcc34bb] 1

1 \_dispatch\_source\_invoke + 2076 (libdispatch.dylib + 91896)  
[0x7ff80bcd06f8] 1

1 \_dispatch\_continuation\_pop + 523 (libdispatch.dylib + 24775)  
[0x7ff80bcc00c7] 1

1 \_dispatch\_client\_callout + 8 (libdispatch.dylib + 13722)

```
[0x7ff80bcbd59a] 1
    1 ??? (MultitouchSupport + 21063) [0x7ff81aeb6247] 1
    1 ??? (MultitouchSupport + 47206) [0x7ff81aebc866] 1
    1 ??? (MultitouchSupport + 51690) [0x7ff81aebd9ea] 1
    1 ??? (MultitouchSupport + 53064) [0x7ff81aebdf48] 1
    1 ??? (MultitouchSupport + 76743) [0x7ff81aec3bc7] 1
    1 ??? (MultitouchHID + 193382) [0x7ffa23565366] 1
    1 ??? (MultitouchHID + 32234) [0x7ffa2353ddea] 1
    1 ??? (MultitouchHID + 268708) [0x7ffa235779a4] 1
    1 ??? (MultitouchHID + 268293) [0x7ffa23577805] 1
    1 ??? (MultitouchHID + 43517) [0x7ffa235409fd] 1
    1 ??? (MultitouchHID + 287640) [0x7ffa2357c398]
1
    1 ??? (MultitouchHID + 287964)
[0x7ffa2357c4dc] 1
    1 ??? (MultitouchHID + 262347)
[0x7ffa235760cb] 1
    1 ??? (MultitouchHID + 261104)
[0x7ffa23575bf0] 1
    1 ??? (MultitouchHID + 258770)
[0x7ffa235752d2] 1
    1 ??? (MultitouchHID + 258677)
[0x7ffa23575275] (running) 1
    <DispatchQueue not seen for 7 samples, Thread 0x3d5d>
    1 start_wqthread + 15 (libsystem_pthread.dylib + 7063) [0x7ff80be60b97] 9
    1 _pthread_wqthread + 327 (libsystem_pthread.dylib + 11335)
[0x7ff80be61c47] 9
    1 _dispatch_workloop_worker_thread + 451 (libdispatch.dylib + 78845)
[0x7ff80bccd3fd] 9
    1 _dispatch_root_queue_drain_deferred_wlh + 271 (libdispatch.dylib +
80622) [0x7ff80bccdaee] 9
    1 _dispatch_workloop_invoke + 803 (libdispatch.dylib + 44864)
[0x7ff80bcc4f40] 9
    1 _dispatch_lane_invoke + 377 (libdispatch.dylib + 41216)
[0x7ff80bcc4100] 9
    1 _dispatch_lane_serial_drain + 387 (libdispatch.dylib + 38075)
[0x7ff80bcc34bb] 9
    1 _dispatch_source_invoke + 2076 (libdispatch.dylib + 91896)
[0x7ff80bcd06f8] 9
    1 _dispatch_continuation_pop + 523 (libdispatch.dylib + 24775)
[0x7ff80bcc00c7] 9
    1 _dispatch_client_callout + 8 (libdispatch.dylib + 13722)
[0x7ff80bcbd59a] 9
    1 ??? (MultitouchSupport + 21063) [0x7ff81aeb6247] 9
```

```

1 ??? (MultitouchSupport + 47206) [0x7ff81aebc866] 9
1 ??? (MultitouchSupport + 51690) [0x7ff81aebd9ea] 9
1 ??? (MultitouchSupport + 53064) [0x7ff81aebdf48] 9
1 ??? (MultitouchSupport + 76743) [0x7ff81aec3bc7] 9
1 ??? (MultitouchHID + 193477) [0x7ffa235653c5] 9
1 ??? (MultitouchHID + 165668) [0x7ffa2355e724] 9
1 ??? (MultitouchHID + 137157) [0x7ffa235577c5] 9
1 ??? (MultitouchHID + 133477) [0x7ffa23556965] 9
1 ??? (IOKit + 380224) [0x7ff80f446d40] 9
1 ??? (IOKit + 409895) [0x7ff80f44e127] 9
1 CFSetApplyFunction + 162 (CoreFoundation +
280867) [0x7ff80bf09923] 9
1 CFBasicHashApply + 123 (CoreFoundation +
281022) [0x7ff80bf099be] 9
1 __CFSetApplyFunction_block_invoke + 18
(CoreFoundation + 281438) [0x7ff80bf09b5e] 9
1 ??? (IOKit + 410466) [0x7ff80f44e362] 9
1 ??? (IOKit + 356461) [0x7ff80f44106d] 9
1 ??? (IOKit + 548785) [0x7ff80f46ffb1] 9
1 _dispatch_event_loop_poke + 168
(libdispatch.dylib + 136981) [0x7ff80bcdb715] 9
1 _dispatch_kq_drain + 208
(libdispatch.dylib + 138326) [0x7ff80bcdbc56] 9
1 kevent_qos + 10
(libsystem_kernel.dylib + 12674) [0x7ff80be27182] 9
*1 hndl_unix_scall64 + 10 (kernel +
998826) [0xfffff80003d3daa] (running) 9

```

Binary Images:

```

0x10f71e000 - 0x10f72dfff WindowServer (844.10.1)
<24767787-C546-348B-8A8C-8F8CDC00CDAD> /System/Library/
PrivateFrameworks/SkyLight.framework/Versions/A/Resources/
WindowServer
0x10f8dc000 - 0x10f8f7fff
com.apple.hid.AppleHIDALSServicePlugin 1.0 (1)
<F4F7C1F2-155A-34B5-AD4E-8228F8B59DD6> /System/Library/
Extensions/AppleHIDALSService.kext/Contents/PlugIns/AppleHIDALS.plugin/
Contents/MacOS/AppleHIDALS
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)
<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/
libdispatch.dylib
0x7ff80be24000 - 0x7ff80be5eff7 libsystem_kernel.dylib (10002.81.5)

```



<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)  
<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/  
Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80dc7f000 - 0x7ff80ddaaffd com.apple.CoreDisplay 284 (284)  
<42F84BEC-BC70-3419-ABA1-1F5EA126C2B9> /System/Library/  
Frameworks/CoreDisplay.framework/Versions/A/CoreDisplay  
0x7ff80f3ea000 - 0x7ff80f4acff7 com.apple.framework.IOKit 2.0.2  
(100065.80.2) <90A18E6D-863D-386D-AE4E-8217C6DC7F96> /  
System/Library/Frameworks/IOKit.framework/Versions/A/IOKit  
0x7ff8114c6000 - 0x7ff81191eff1 com.apple.SkyLight 1.600.0  
(844.10.1) <44C36221-6308-3DF3-821F-755130080968> /System/  
Library/PrivateFrameworks/SkyLight.framework/Versions/A/SkyLight  
0x7ff81442a000 - 0x7ff8147d1ff9 com.apple.QuartzCore 1.11  
(1114.6) <A3EE0B69-3EFD-3505-BF79-1068EA77FE90> /  
System/Library/Frameworks/QuartzCore.framework/Versions/A/QuartzCore  
0x7ff81aeb1000 - 0x7ff81aeefff8  
com.apple.MultitouchSupport.framework 7430.5 (7430.5)  
<C720EC2E-6BA0-38E8-ACBE-13279C43F77A> /System/Library/  
PrivateFrameworks/MultitouchSupport.framework/Versions/A/  
MultitouchSupport  
0x7ffa23536000 - 0x7ffa23589ff6  
com.apple.iokit.plugin.MultitouchHID 7430.5 (7430.5) <413F61BE-  
CFE6-3640-A037-9682A671353C> /System/Library/Extensions/  
AppleMultitouchDriver.kext/Contents/PlugIns/MultitouchHID.plugin/Contents/  
MacOS/MultitouchHID  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: WirelessRadioManagerd [323]  
UUID: 876E3D81-8B2F-33CD-B4BD-923BC5119667  
Path: /usr/sbin/WirelessRadioManagerd  
Codesigning ID: com.apple.WirelessRadioManagerd  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
UID: 0

Sudden Term: Tracked (allows idle exit)  
Footprint: 1128 KB  
Time Since Fork: 755s  
Num samples: 24 (1-24)  
CPU Time: <0.001s (521.5K cycles, 216.3K instructions, 2.41c/i)  
Note: 2 idle work queue threads omitted

Thread 0x80d DispatchQueue "com.apple.main-thread"(1) 24 samples (1-24) priority 31 (base 31)

<thread QoS default (requested default), process sudden termination clean, IO tier 0>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (WirelessRadioManagerd + 213305) [0x10026e139] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842) [0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693) [0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xfffff8000415fc0] 1-24

#### Binary Images:

0x10023a000 - 0x100361fff WirelessRadioManagerd (1600.0.36) <876E3D81-8B2F-33CD-B4BD-923BC5119667> /usr/sbin/WirelessRadioManagerd  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5) <01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5) <3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9 (2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303) <6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/

Frameworks/Foundation.framework/Versions/C/Foundation  
\*Oxfffff80002e0000 - Oxfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: WorldClockWidget [504] (suspended)  
UUID: 089D2DE3-8604-3054-881D-00A3B5B46810  
Path: /System/Applications/Clock.app/Contents/PlugIns/  
WorldClockWidget.appex/Contents/MacOS/WorldClockWidget  
Identifier: com.apple.clock.WorldClockWidget  
Version: 1.1 (1.1)  
Build Version: 3  
Project Name: ClockApp\_iosmac  
Source Version: 146009003008006  
Is First Party: Yes  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: chronod [434]  
UID: 501  
Sudden Term: Tracked (allows idle exit)  
Footprint: 6708 KB  
Time Since Fork: 730s  
Num samples: 24 (1-24)  
Note: Suspended for 24 samples  
Note: 1 idle work queue thread omitted

Thread 0xf49 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 0 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (Foundation + 918756) [0x7ff80cf5e4e4] 1-24  
24 ??? (ExtensionFoundation + 166691) [0x7ffb102dbb23] 1-24  
24 ??? (ExtensionFoundation + 12061) [0x7ffb102b5f1d] 1-24  
24 ??? (ExtensionFoundation + 12467) [0x7ffb102b60b3] 1-24  
24 ??? (Foundation + 514495) [0x7ff80cefb9bf] 1-24  
24 xpc\_main + 56 (libxpc.dylib + 87766) [0x7ff80bb8a6d6] 1-24  
24 \_xpc\_main + 259 (libxpc.dylib + 137735) [0x7ff80bb96a07] 1-24  
24 \_xpc\_objc\_main + 606 (libxpc.dylib + 88755) [0x7ff80bb8aab3]  
1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24

24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation  
+ 508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib +  
35682) [0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib +  
6702) [0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel +  
1269696) [0xfffff8000415fc0] (suspended) 1-24

Thread 0xfa2 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 start\_wqthread + 0 (libsystem\_pthread.dylib + 7048) [0x7ff80be60b88]  
1-24  
\*24 ??? (kernel + 1763936) [0xfffff800048ea60] (suspended) 1-24

Thread 0xffc 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested background, workloop servicer  
override background), process sudden termination clean, thread darwinbg,  
process darwinbg, IO tier 2>  
24 start\_wqthread + 0 (libsystem\_pthread.dylib + 7048) [0x7ff80be60b88]  
1-24  
\*24 ??? (kernel + 1763936) [0xfffff800048ea60] (suspended) 1-24

#### Binary Images:

0x108e22000 - ??? com.apple.clock.WorldClockWidget 1.1  
(1.1) <089D2DE3-8604-3054-881D-00A3B5B46810> /System/Applications/  
Clock.app/Contents/PlugIns/WorldClockWidget.appex/Contents/MacOS/  
WorldClockWidget  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80bb75000 - 0x7ff80bbb8ff2 libxpc.dylib (2679.80.5.0.1)  
<902EB51F-373F-3AA3-B084-228AC4C1B80B> /usr/lib/system/libxpc.dylib  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80be5f000 - 0x7ff80be6afff libsystem\_pthread.dylib (519)

<0F6C8ECC-A9BD-39C6-9F41-A8B9159201EB> /usr/lib/system/  
libsystem\_pthread.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/  
Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
0x7ffb102b3000 - 0x7ffb1033ffff com.apple.ExtensionFoundation 97  
(97) <266249BC-CB4B-3B4B-82A2-80CA827479FC> /System/Library/  
Frameworks/ExtensionFoundation.framework/Versions/A/  
ExtensionFoundation  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: XProtect [802]  
UUID: EE623AD1-AE7D-3CF8-AA1F-834ABB7F6772  
Path: /Library/Apple/\*/XProtect.app/Contents/MacOS/XProtect  
Identifier: com.apple.XProtectFramework.XProtect  
Version: 126 (1)  
Build Version: 1  
Project Name: XProtectPayloads  
Source Version: 1260000000000000  
Is First Party: Yes  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Footprint: 864 KB  
Time Since Fork: 543s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x22c1 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)  
<thread QoS background (requested background), thread darwinbg,  
process darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 main + 3243 (XProtect + 18363) [0x105dad7bb] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunLoopSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682)  
[0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

Binary Images:

0x105da9000 - 0x105dc0fff  
com.apple.XProtectFramework.XProtect 126 (1) <EE623AD1-AE7D-3CF8-AA1F-834ABB7F6772> /Library/Apple/\*/XProtect.app/Contents/MacOS/XProtect  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/  
Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: XProtect [804]  
UUID: EE623AD1-AE7D-3CF8-AA1F-834ABB7F6772  
Path: /Library/Apple/\*/XProtect.app/Contents/MacOS/XProtect  
Identifier: com.apple.XProtectFramework.XProtect  
Version: 126 (1)  
Build Version: 1  
Project Name: XProtectPayloads  
Source Version: 1260000000000000  
Is First Party: Yes  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base

address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64

Footprint: 828 KB

Time Since Fork: 543s

Num samples: 24 (1-24)

Note: 2 idle work queue threads omitted

Thread 0x22c0 DispatchQueue "com.apple.main-thread"(1) 24 samples (1-24) priority 4 (base 4)

<thread QoS background (requested background), thread darwinbg, process darwinbg, IO tier 2>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24

24 main + 3243 (XProtect + 18363) [0x10be727bb] 1-24

24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24

24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24

24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842) [0x7ff80bf3f082] 1-24

24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693) [0x7ff80bf3fba5] 1-24

24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation + 508213) [0x7ff80bf41135] 1-24

24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455) [0x7ff80be25d1f] 1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24

24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24

\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xfffff8000415fc0] 1-24

Binary Images:

0x10be6e000 - 0x10be85fff

com.apple.XProtectFramework.XProtect 126 (1) <EE623AD1-AE7D-3CF8-AA1F-834ABB7F6772> /Library/Apple/\*/XProtect.app/Contents/MacOS/XProtect

0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5) <01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5) <3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/libsystem\_kernel.dylib

0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9 (2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation

0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)

<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: XProtectBridgeService [544]  
UUID: 935CBB40-A57C-396D-9B06-447DE6A6A58A  
Path: /System/Library/PrivateFrameworks/  
XprotectFramework.framework/Versions/A/XPCServices/  
XProtectBridgeService.xpc/Contents/MacOS/XProtectBridgeService  
Identifier: com.apple.XProtectBridgeService  
Version: 1.0 (1)  
Build Version: 108  
Project Name: XprotectFramework\_BridgeService  
Source Version: 1750000000000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Parent: launchd [1]  
Responsible: syspolicyd [226]  
UID: 0  
Sudden Term: Tracked (allows idle exit)  
Footprint: 3652 KB  
Time Since Fork: 715s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x126e 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), process sudden termination  
clean, thread darwinbg, process darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

#### Binary Images:

0x108553000 - ??? com.apple.XProtectBridgeService 1.0 (1)  
<935CBB40-A57C-396D-9B06-447DE6A6A58A> /System/Library/  
PrivateFrameworks/XprotectFramework.framework/Versions/A/XPCServices/  
XProtectBridgeService.xpc/Contents/MacOS/XProtectBridgeService  
0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)



<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib  
    0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
    \*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process:    XProtectPluginService [285]  
UUID:      31B20C91-7191-3D66-8D56-FF6B0B1C0FB2  
Path:      /Library/Apple/\*/XProtect.app/Contents/XPCServices/  
XProtectPluginService.xpc/Contents/MacOS/XProtectPluginService  
Identifier:  com.apple.XprotectFramework.PluginService  
Version:    74 (1)  
Build Version:  1  
Project Name:  XProtectPayloads  
Source Version:  1260000000000000  
Shared Cache:  812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture:  x86\_64  
Footprint:    1256 KB  
Time Since Fork:  758s  
Num samples:   24 (1-24)  
Note:        1 idle work queue thread omitted

Thread 0x6cf  24 samples (1-24)  priority 4 (base 4)  
<thread QoS background (requested default), thread darwinbg, process  
darwinbg, IO tier 2>  
24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (XProtectPluginService + 18308) [0x100942784] 1-24  
24 ??? (libswiftCore.dylib + 267244) [0x7ff81c1533ec] 1-24  
24 ??? (XProtectPluginService + 19189) [0x100942af5] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24

24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib + 35682) [0x7ff80be2cb62] 1-24  
24 <patched truncated backtrace> 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702) [0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696) [0xfffff8000415fc0] 1-24

Binary Images:

0x10093e000 - ???  
com.apple.XprotectFramework.PluginService 74 (1)  
<31B20C91-7191-3D66-8D56-FF6B0B1C0FB2> /Library/Apple/\*/XProtect.app/Contents/XPCServices/XProtectPluginService.xpc/Contents/MacOS/XProtectPluginService  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9 (2303)  
<D9705B29-47AF-343B-BA26-5CDA3166731E> /System/Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/Frameworks/Foundation.framework/Versions/C/Foundation  
0x7ff81c112000 - 0x7ff81c5bcffc libswiftCore.dylib (5.9.2.2.12)  
<44A954F1-CBDA-3C13-9F43-A290B64B6B7E> /usr/lib/swift/libswiftCore.dylib  
\*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/kernel

Process: XProtectPluginService [620]  
UUID: 31B20C91-7191-3D66-8D56-FF6B0B1C0FB2  
Path: /Library/Apple/\*/XProtect.app/Contents/XPCServices/XProtectPluginService.xpc/Contents/MacOS/XProtectPluginService  
Identifier: com.apple.XprotectFramework.PluginService  
Version: 74 (1)  
Build Version: 1  
Project Name: XProtectPayloads  
Source Version: 126000000000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)

Architecture: x86\_64  
Footprint: 1272 KB  
Time Since Fork: 683s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x1736 DispatchQueue "com.apple.main-thread"(1) 24 samples  
(1-24) priority 4 (base 4)

<thread QoS background (requested default), thread darwinbg, process  
darwinbg, IO tier 2>

24 start + 1942 (dyld + 25478) [0x7ff80bada386] 1-24  
24 ??? (XProtectPluginService + 18308) [0x1087d0784] 1-24  
24 ??? (libswiftCore.dylib + 267244) [0x7ff81c1533ec] 1-24  
24 ??? (XProtectPluginService + 19189) [0x1087d0af5] 1-24  
24 ??? (Foundation + 910075) [0x7ff80cf5c2fb] 1-24  
24 ??? (Foundation + 377873) [0x7ff80ceda411] 1-24  
24 CFRRunLoopRunSpecific + 557 (CoreFoundation + 499842)  
[0x7ff80bf3f082] 1-24  
24 \_\_CFRunLoopRun + 1371 (CoreFoundation + 502693)  
[0x7ff80bf3fba5] 1-24  
24 \_\_CFRunLoopServiceMachPort + 143 (CoreFoundation +  
508213) [0x7ff80bf41135] 1-24  
24 mach\_msg + 19 (libsystem\_kernel.dylib + 7455)  
[0x7ff80be25d1f] 1-24  
24 mach\_msg\_overwrite + 653 (libsystem\_kernel.dylib +  
35682) [0x7ff80be2cb62] 1-24  
24 mach\_msg2\_trap + 10 (libsystem\_kernel.dylib + 6702)  
[0x7ff80be25a2e] 1-24  
\*24 ipc\_mqueue\_receive\_continue + 0 (kernel + 1269696)  
[0xfffff8000415fc0] 1-24

#### Binary Images:

0x1087cc000 - ???  
com.apple.XprotectFramework.PluginService 74 (1)  
<31B20C91-7191-3D66-8D56-FF6B0B1C0FB2> /Library/Apple/\*/  
XProtect.app/Contents/XPCServices/XProtectPluginService.xpc/Contents/  
MacOS/XProtectPluginService  
0x7ff80bad4000 - 0x7ff80bb703ff dyld (1125.5)  
<01AE3AE3-F6CA-34D1-A2F8-462EDE5FA818> /usr/lib/dyld  
0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)  
<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib  
0x7ff80bec5000 - 0x7ff80c35ffec com.apple.CoreFoundation 6.9  
(2303) <D9705B29-47AF-343B-BA26-5CDA3166731E> /System/

Library/Frameworks/CoreFoundation.framework/Versions/A/CoreFoundation  
0x7ff80ce7e000 - 0x7ff80dab5ff3 com.apple.Foundation 6.9 (2303)  
<6589CC92-B39E-392C-808B-B20538F9312F> /System/Library/  
Frameworks/Foundation.framework/Versions/C/Foundation  
0x7ff81c112000 - 0x7ff81c5bcffc libswiftCore.dylib (5.9.2.2.12)  
<44A954F1-CBDA-3C13-9F43-A290B64B6B7E> /usr/lib/swift/  
libswiftCore.dylib  
\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)  
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: XprotectService [952]  
UUID: 5BD366B0-0432-3E93-934B-B4786474E9A0  
Path: /System/Library/PrivateFrameworks/  
XprotectFramework.framework/Versions/A/XPCServices/  
XprotectService.xpc/Contents/MacOS/XprotectService  
Identifier: com.apple.XprotectFramework.AnalysisService  
Version: 1.0 (1)  
Build Version: 132  
Project Name: XprotectFramework  
Source Version: 1750000000000000  
Shared Cache: 812473CC-F3EE-3C27-A996-84E3EBDC0DC8 slid base  
address 0x7ff80ba2a000, slide 0xba2a000 (System Primary)  
Architecture: x86\_64  
Responsible: syspolicyd [226]  
Footprint: 932 KB  
Time Since Fork: 302s  
Num samples: 24 (1-24)  
Note: 1 idle work queue thread omitted

Thread 0x3198 24 samples (1-24) priority 4 (base 4)  
<thread QoS background (requested default), thread darwinbg, process  
darwinbg, IO tier 2>  
24 \_dispatch\_sig\_thread + 49 (libdispatch.dylib + 81218) [0x7ff80bccdd42]  
1-24  
24 \_\_sigsuspend\_nocancel + 10 (libsystem\_kernel.dylib + 30774)  
[0x7ff80be2b836] 1-24  
\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

Binary Images:  
0x106e41000 - ???  
com.apple.XprotectFramework.AnalysisService 1.0 (1)  
<5BD366B0-0432-3E93-934B-B4786474E9A0> /System/Library/

PrivateFrameworks/XprotectFramework.framework/Versions/A/XPCServices/  
XprotectService.xpc/Contents/MacOS/XprotectService

0x7ff80bcba000 - 0x7ff80bd00ffd libdispatch.dylib (1462.80.1)

<C964889C-7792-333D-93F6-8F3E51A9F4C2> /usr/lib/system/  
libdispatch.dylib

0x7ff80be24000 - 0x7ff80be5eff7 libsystem\_kernel.dylib (10002.81.5)

<3E22FB41-20E3-3568-A00B-D8E901E333BF> /usr/lib/system/  
libsystem\_kernel.dylib

\*0xffffffff80002e0000 - 0xffffffff8000cdffff kernel (10002.81.5)

<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/  
kernel

Process: kernel\_task [0]

UUID: 8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA

Path: /System/Library/Kernels/kernel

Version: Darwin Kernel Version 23.3.0: Wed Dec 20 21:28:58 PST 2023;

root:xnu-10002.81.5~7/RELEASE\_X86\_64

Architecture: x86\_64

UID: 0

Footprint: 160.87 MB -> 164.57 MB (+3796 KB) (max 169.59 MB at time  
index 19)

Time Since Fork: 769s

Num samples: 24 (1-24)

CPU Time: 0.203s (372.6M cycles, 177.1M instructions, 2.10c/i)

Thread 0x65 Thread name "VM\_pageout\_scan" 24 samples (1-24)

priority 91 (base 91)

<IO tier 0>

\*24 vm\_pageout\_continue + 0 (kernel + 2308000) [0xffffffff80005137a0] 1-24

Thread 0x66 Thread name "idle #0" 24 samples (1-24) priority 0 (base  
0) idle time 1.222s (108.7M cycles, 21.9M instructions, 4.97c/i)

<IO tier 0>

\*5 idle\_thread + 0 (kernel + 1611952) [0xffffffff80004698b0] (running) 1-5

\*1 call\_continuation + 46 (kernel + 995742) [0xffffffff80003d319e] 6

\*1 idle\_thread + 84 (kernel + 1612036) [0xffffffff8000469904] 6

\*1 processor\_idle + 328 (kernel + 1611448) [0xffffffff80004696b8] 6

\*1 machine\_idle + 748 (kernel + 2782220) [0xffffffff800058740c] (running)

6

\*8 idle\_thread + 0 (kernel + 1611952) [0xffffffff80004698b0] (running) 7-14

\*1 call\_continuation + 46 (kernel + 995742) [0xffffffff80003d319e] 15

\*1 idle\_thread + 84 (kernel + 1612036) [0xffffffff8000469904] 15

\*1 processor\_idle + 328 (kernel + 1611448) [0xffffffff80004696b8] 15

\*1 machine\_idle + 748 (kernel + 2782220) [0xffffffff800058740c] (running)  
15

\*9 idle\_thread + 0 (kernel + 1611952) [0xffffffff80004698b0] (running) 16-24

Thread 0x67 Thread name "sched\_maintenance\_thread" 24 samples  
(1-24) priority 95 (base 95) cpu time <0.001s (358.3K cycles, 127.7K  
instructions, 2.81c/i)

<IO tier 0>

\*24 sched\_timeshare\_maintenance\_continue + 0 (kernel + 1592720)  
[0xffffffff8000464d90] 1-24

Thread 0x68 24 samples (1-24) priority 95 (base 95)

<IO tier 0>

\*24 ??? (kernel + 1612976) [0xffffffff8000469cb0] 1-24

Thread 0x69 Thread name "daemon.deferred-deallocation" 24 samples  
(1-24) priority 80 (base 80) cpu time 0.007s (13.5M cycles, 6.7M  
instructions, 2.01c/i)

<IO tier 0>

\*9 ??? (kernel + 1528128) [0xffffffff8000455140] 1-9

\*1 ??? (kernel + 1528128) [0xffffffff8000455140] (runnable) 10

\*14 ??? (kernel + 1528128) [0xffffffff8000455140] 11-24

Thread 0x6a Thread name "daemon.thread-stack" 24 samples (1-24)  
priority 93 (base 93)

<IO tier 0>

\*24 ??? (kernel + 1528128) [0xffffffff8000455140] 1-24

Thread 0x6b Thread name "daemon.thread-exception" 24 samples  
(1-24) priority 80 (base 80)

<IO tier 0>

\*24 ??? (kernel + 1528128) [0xffffffff8000455140] 1-24

Thread 0x6c Thread name "daemon.thread-backtrace" 24 samples  
(1-24) priority 80 (base 80)

<IO tier 0>

\*24 Thread\_continue + 0 (kernel + 995392) [0xffffffff80003d3040] 1-24

Thread 0x6d Thread name "thread\_call\_daemon" 24 samples (1-24)  
priority 94 (base 94)

<IO tier 0>

\*24 ??? (kernel + 1773584) [0xffffffff8000491010] 1-24

Thread 0x6e Thread name "smr.reclaim:0" 24 samples (1-24) priority

80 (base 80)

<IO tier 0>

\*24 ??? (kernel + 1635600) [0xffffffff800046f510] 1-24

Thread 0x6f 24 samples (1-24) priority 95 (base 95)

<IO tier 0>

\*24 call\_continuation + 46 (kernel + 995742) [0xffffffff80003d319e] 1-24

\*24 mapping\_replenish + 501 (kernel + 2656405) [0xffffffff8000568895] 1-24

\*24 thread\_block\_reason + 240 (kernel + 1581040) [0xffffffff8000461ff0]

1-24

\*24 ??? (kernel + 1588870) [0xffffffff8000463e86] 1-24

\*24 machine\_switch\_context + 215 (kernel + 2749095)

[0xffffffff800057f2a7] 1-24

Thread 0x70 Thread name "IOServiceTerminateThread" 24 samples  
(1-24) priority 81 (base 81)

<IO tier 0>

\*24 call\_continuation + 46 (kernel + 995742) [0xffffffff80003d319e] 1-24

\*24 IOService::terminateThread(void\*, int) + 220 (kernel + 8429420)

[0xffffffff8000ae9f6c] 1-24

\*24 lck\_mtx\_sleep + 97 (kernel + 1503265) [0xffffffff800044f021] 1-24

\*24 thread\_block\_reason + 240 (kernel + 1581040) [0xffffffff8000461ff0]

1-24

\*24 ??? (kernel + 1588870) [0xffffffff8000463e86] 1-24

\*24 machine\_switch\_context + 215 (kernel + 2749095)

[0xffffffff800057f2a7] 1-24

Thread 0x71 Thread name "AppleCyrus" 24 samples (1-24) priority 81  
(base 81)

<IO tier 0>

\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xffffffff8000b0c720]

1-24

Thread 0x73 Thread name "VM\_reclaim" 24 samples (1-24) priority 91  
(base 91)

<IO tier 0>

\*24 ??? (kernel + 2359264) [0xffffffff800051ffe0] 1-24

Thread 0x74 Thread name "VM\_pageout\_garbage\_collect" 24 samples  
(1-24) priority 31 (base 31)

<IO tier 0>

\*24 vm\_pageout\_garbage\_collect + 0 (kernel + 2290288) [0xffffffff800050f270]

1-24

Thread 0x75 Thread name "daemon.core-analytics-events" 24 samples (1-24) priority 63 (base 63)

<IO tier 0>

\*24 Thread\_continue + 0 (kernel + 995392) [0xfffff80003d3040] 1-24

Thread 0x79 Thread name "IOPMrootDomain" 24 samples (1-24) priority 81 (base 81) cpu time 0.003s (6.3M cycles, 1755.6K instructions, 3.57c/i)

<IO tier 0>

\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xfffff8000b0c720] 1-24

Thread 0x7c Thread name "AppleCredentialManager" 24 samples (1-24) priority 81 (base 81)

<IO tier 0>

\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xfffff8000b0c720] 1-24

Thread 0x82 Thread name "AppleKeyStore" 24 samples (1-24) priority 81 (base 81)

<IO tier 0>

\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xfffff8000b0c720] 1-24

Thread 0x83 Thread name "aks events" 24 samples (1-24) priority 81 (base 81)

<IO tier 0>

\*24 call\_continuation + 46 (kernel + 995742) [0xfffff80003d319e] 1-24  
\*24 AppleKeyStore::handle\_events() + 82 (com.apple.driver.AppleKeyStore + 33316) [0xfffff80019c9224] 1-24

\*24 lck\_mtx\_sleep + 97 (kernel + 1503265) [0xfffff800044f021] 1-24

\*24 thread\_block\_reason + 240 (kernel + 1581040) [0xfffff8000461ff0] 1-24

\*24 ??? (kernel + 1588870) [0xfffff8000463e86] 1-24

\*24 machine\_switch\_context + 215 (kernel + 2749095) [0xfffff800057f2a7] 1-24

Thread 0x86 Thread name "AppleSSE" 24 samples (1-24) priority 81 (base 81)

<IO tier 0>

\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xfffff8000b0c720] 1-24

Thread 0x88 Thread name "CoreAnalyticsHub" 24 samples (1-24)



priority 81 (base 81)

<IO tier 0>

\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xfffff8000b0c720]  
1-24

Thread 0x8a 24 samples (1-24) priority 81 (base 81)

<IO tier 0>

\*24 call\_continuation + 46 (kernel + 995742) [0xfffff80003d319e] 1-24

\*24

spar::Thread<spar::WorkQueue<EndpointSecurityClient>\*>::threadEntry(void\*  
, int) + 31 (com.apple.iokit.EndpointSecurity + 469263) [0xfffff8001fde90f]  
1-24

\*24 invocation function for block in

spar::WorkQueue<EndpointSecurityClient>::create(void  
(spar::ScopedPointer<EndpointSecurityClient>&&) block\_pointer) + 114  
(com.apple.iokit.EndpointSecurity + 468386) [0xfffff8001fde5a2] 1-24

\*24 lck\_mtx\_sleep + 97 (kernel + 1503265) [0xfffff800044f021] 1-24

\*24 thread\_block\_reason + 240 (kernel + 1581040) [0xfffff8000461ff0]  
1-24

\*24 ??? (kernel + 1588870) [0xfffff8000463e86] 1-24

\*24 machine\_switch\_context + 215 (kernel + 2749095)  
[0xfffff800057f2a7] 1-24

Thread 0x8c Thread name "IOBluetoothHCIController" 24 samples  
(1-24) priority 81 (base 81)

<IO tier 0>

\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xfffff8000b0c720]  
1-24

Thread 0x96 24 samples (1-24) priority 81 (base 81)

<IO tier 0>

\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xfffff8000b0c720]  
1-24

Thread 0x99 Thread name "IOPCIConfigurator" 24 samples (1-24)  
priority 81 (base 81)

<IO tier 0>

\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xfffff8000b0c720]  
1-24

Thread 0xa5 Thread name "smr.reclaim:1" 24 samples (1-24) priority  
80 (base 80)

<IO tier 0>

\*24 ??? (kernel + 1635600) [0xfffff800046f510] 1-24

Thread 0xa6 Thread name "smr.reclaim:2" 24 samples (1-24) priority  
80 (base 80)  
<IO tier 0>  
\*24 ??? (kernel + 1635600) [0xfffff800046f510] 1-24

Thread 0xa7 Thread name "smr.reclaim:3" 24 samples (1-24) priority  
80 (base 80)  
<IO tier 0>  
\*24 ??? (kernel + 1635600) [0xfffff800046f510] 1-24

Thread 0xa9 Thread name "idle #2" 24 samples (1-24) priority 0 (base  
0) idle time 1.338s (121.6M cycles, 18.8M instructions, 6.47c/i)  
<IO tier 0>

\*4 idle\_thread + 0 (kernel + 1611952) [0xfffff80004698b0] (running) 1-4  
\*1 call\_continuation + 46 (kernel + 995742) [0xfffff80003d319e] 5  
\*1 idle\_thread + 84 (kernel + 1612036) [0xfffff8000469904] 5  
\*1 processor\_idle + 328 (kernel + 1611448) [0xfffff80004696b8] 5  
\*1 machine\_idle + 748 (kernel + 2782220) [0xfffff800058740c] (running)

5

\*1 idle\_thread + 0 (kernel + 1611952) [0xfffff80004698b0] (running) 6  
\*1 call\_continuation + 46 (kernel + 995742) [0xfffff80003d319e] 7  
\*1 idle\_thread + 84 (kernel + 1612036) [0xfffff8000469904] 7  
\*1 processor\_idle + 328 (kernel + 1611448) [0xfffff80004696b8] 7  
\*1 machine\_idle + 748 (kernel + 2782220) [0xfffff800058740c] (running)

7

\*1 idle\_thread + 0 (kernel + 1611952) [0xfffff80004698b0] (running) 8  
\*1 call\_continuation + 46 (kernel + 995742) [0xfffff80003d319e] 9  
\*1 idle\_thread + 84 (kernel + 1612036) [0xfffff8000469904] 9  
\*1 processor\_idle + 328 (kernel + 1611448) [0xfffff80004696b8] 9  
\*1 machine\_idle + 748 (kernel + 2782220) [0xfffff800058740c] (running)

9

\*1 idle\_thread + 0 (kernel + 1611952) [0xfffff80004698b0] (running) 10  
\*3 call\_continuation + 46 (kernel + 995742) [0xfffff80003d319e] 11-13  
\*3 idle\_thread + 84 (kernel + 1612036) [0xfffff8000469904] 11-13  
\*3 processor\_idle + 328 (kernel + 1611448) [0xfffff80004696b8] 11-13  
\*3 machine\_idle + 748 (kernel + 2782220) [0xfffff800058740c] (running)

11-13

\*3 idle\_thread + 0 (kernel + 1611952) [0xfffff80004698b0] (running) 14-16  
\*1 call\_continuation + 46 (kernel + 995742) [0xfffff80003d319e] 17  
\*1 idle\_thread + 84 (kernel + 1612036) [0xfffff8000469904] 17  
\*1 processor\_idle + 328 (kernel + 1611448) [0xfffff80004696b8] 17  
\*1 machine\_idle + 748 (kernel + 2782220) [0xfffff800058740c] (running)

17

```

*1 idle_thread + 0 (kernel + 1611952) [0xfffff80004698b0] (running) 18
*1 call_continuation + 46 (kernel + 995742) [0xfffff80003d319e] 19
  *1 idle_thread + 84 (kernel + 1612036) [0xfffff8000469904] 19
    *1 processor_idle + 328 (kernel + 1611448) [0xfffff80004696b8] 19
      *1 machine_idle + 748 (kernel + 2782220) [0xfffff800058740c] (running)
19
*1 idle_thread + 0 (kernel + 1611952) [0xfffff80004698b0] (running) 20
*1 call_continuation + 46 (kernel + 995742) [0xfffff80003d319e] 21
  *1 idle_thread + 84 (kernel + 1612036) [0xfffff8000469904] 21
    *1 processor_idle + 328 (kernel + 1611448) [0xfffff80004696b8] 21
      *1 machine_idle + 748 (kernel + 2782220) [0xfffff800058740c] (running)
21
*1 idle_thread + 0 (kernel + 1611952) [0xfffff80004698b0] (running) 22
*2 call_continuation + 46 (kernel + 995742) [0xfffff80003d319e] 23-24
  *2 idle_thread + 84 (kernel + 1612036) [0xfffff8000469904] 23-24
    *2 processor_idle + 328 (kernel + 1611448) [0xfffff80004696b8] 23-24
      *2 machine_idle + 748 (kernel + 2782220) [0xfffff800058740c] (running)
23-24

```

Thread 0xac Thread name "idle #1" 24 samples (1-24) priority 0 (base 0) idle time 1.746s (118.6M cycles, 15.1M instructions, 7.86c/i)

```

<IO tier 0>
*2 idle_thread + 0 (kernel + 1611952) [0xfffff80004698b0] (running) 1-2
*3 call_continuation + 46 (kernel + 995742) [0xfffff80003d319e] 3-5
  *3 idle_thread + 84 (kernel + 1612036) [0xfffff8000469904] 3-5
    *3 processor_idle + 328 (kernel + 1611448) [0xfffff80004696b8] 3-5
      *3 machine_idle + 748 (kernel + 2782220) [0xfffff800058740c] (running)
3-5
*1 idle_thread + 0 (kernel + 1611952) [0xfffff80004698b0] (running) 6
*2 call_continuation + 46 (kernel + 995742) [0xfffff80003d319e] 7-8
  *2 idle_thread + 84 (kernel + 1612036) [0xfffff8000469904] 7-8
    *2 processor_idle + 328 (kernel + 1611448) [0xfffff80004696b8] 7-8
      *2 machine_idle + 748 (kernel + 2782220) [0xfffff800058740c] (running)
7-8
*2 idle_thread + 0 (kernel + 1611952) [0xfffff80004698b0] (running) 9-10
*1 call_continuation + 46 (kernel + 995742) [0xfffff80003d319e] 11
  *1 idle_thread + 84 (kernel + 1612036) [0xfffff8000469904] 11
    *1 processor_idle + 328 (kernel + 1611448) [0xfffff80004696b8] 11
      *1 machine_idle + 748 (kernel + 2782220) [0xfffff800058740c] (running)
11
*1 idle_thread + 0 (kernel + 1611952) [0xfffff80004698b0] (running) 12
*1 call_continuation + 46 (kernel + 995742) [0xfffff80003d319e] 13
  *1 idle_thread + 84 (kernel + 1612036) [0xfffff8000469904] 13
    *1 processor_idle + 328 (kernel + 1611448) [0xfffff80004696b8] 13

```

```

*1 machine_idle + 748 (kernel + 2782220) [0xfffff800058740c] (running)
13
*1 idle_thread + 0 (kernel + 1611952) [0xfffff80004698b0] (running) 14
*3 call_continuation + 46 (kernel + 995742) [0xfffff80003d319e] 15-17
*3 idle_thread + 84 (kernel + 1612036) [0xfffff8000469904] 15-17
*3 processor_idle + 328 (kernel + 1611448) [0xfffff80004696b8] 15-17
*3 machine_idle + 748 (kernel + 2782220) [0xfffff800058740c] (running)
15-17
*1 idle_thread + 0 (kernel + 1611952) [0xfffff80004698b0] (running) 18
*1 call_continuation + 46 (kernel + 995742) [0xfffff80003d319e] 19
*1 idle_thread + 84 (kernel + 1612036) [0xfffff8000469904] 19
*1 processor_idle + 328 (kernel + 1611448) [0xfffff80004696b8] 19
*1 machine_idle + 748 (kernel + 2782220) [0xfffff800058740c] (running)
19
*1 idle_thread + 0 (kernel + 1611952) [0xfffff80004698b0] (running) 20
*3 call_continuation + 46 (kernel + 995742) [0xfffff80003d319e] 21-23
*3 idle_thread + 84 (kernel + 1612036) [0xfffff8000469904] 21-23
*3 processor_idle + 328 (kernel + 1611448) [0xfffff80004696b8] 21-23
*3 machine_idle + 748 (kernel + 2782220) [0xfffff800058740c] (running)
21-23
*1 idle_thread + 0 (kernel + 1611952) [0xfffff80004698b0] (running) 24

Thread 0xaf Thread name "idle #3" 24 samples (1-24) priority 0 (base
0) idle time 1.836s (111.2M cycles, 14.0M instructions, 7.92c/i)
<IO tier 0>
*5 idle_thread + 0 (kernel + 1611952) [0xfffff80004698b0] (running) 1-5
*4 call_continuation + 46 (kernel + 995742) [0xfffff80003d319e] 6-9
*4 idle_thread + 84 (kernel + 1612036) [0xfffff8000469904] 6-9
*4 processor_idle + 328 (kernel + 1611448) [0xfffff80004696b8] 6-9
*4 machine_idle + 748 (kernel + 2782220) [0xfffff800058740c] (running)
6-9
*1 idle_thread + 0 (kernel + 1611952) [0xfffff80004698b0] (running) 10
*2 call_continuation + 46 (kernel + 995742) [0xfffff80003d319e] 11-12
*2 idle_thread + 84 (kernel + 1612036) [0xfffff8000469904] 11-12
*2 processor_idle + 328 (kernel + 1611448) [0xfffff80004696b8] 11-12
*2 machine_idle + 748 (kernel + 2782220) [0xfffff800058740c] (running)
11-12
*2 idle_thread + 0 (kernel + 1611952) [0xfffff80004698b0] (running) 13-14
*3 call_continuation + 46 (kernel + 995742) [0xfffff80003d319e] 15-17
*3 idle_thread + 84 (kernel + 1612036) [0xfffff8000469904] 15-17
*3 processor_idle + 328 (kernel + 1611448) [0xfffff80004696b8] 15-17
*3 machine_idle + 748 (kernel + 2782220) [0xfffff800058740c] (running)
15-17
*1 idle_thread + 0 (kernel + 1611952) [0xfffff80004698b0] (running) 18

```

\*1 call\_continuation + 46 (kernel + 995742) [0xfffff80003d319e] 19  
\*1 idle\_thread + 84 (kernel + 1612036) [0xfffff8000469904] 19  
\*1 processor\_idle + 328 (kernel + 1611448) [0xfffff80004696b8] 19  
\*1 machine\_idle + 748 (kernel + 2782220) [0xfffff800058740c] (running)  
19  
\*1 idle\_thread + 0 (kernel + 1611952) [0xfffff80004698b0] (running) 20  
\*4 call\_continuation + 46 (kernel + 995742) [0xfffff80003d319e] 21-24  
\*4 idle\_thread + 84 (kernel + 1612036) [0xfffff8000469904] 21-24  
\*4 processor\_idle + 328 (kernel + 1611448) [0xfffff80004696b8] 21-24  
\*4 machine\_idle + 748 (kernel + 2782220) [0xfffff800058740c] (running)  
21-24

Thread 0xb4 Thread name "AppleACPIEC" 24 samples (1-24) priority  
81 (base 81)  
<IO tier 0>  
\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xfffff8000b0c720]  
1-24

Thread 0xd3 Thread name "AppleACPIButton" 24 samples (1-24)  
priority 81 (base 81)  
<IO tier 0>  
\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xfffff8000b0c720]  
1-24

Thread 0xd5 Thread name "AppleSMC" 24 samples (1-24) priority 81  
(base 81) cpu time <0.001s (516.6K cycles, 79.2K instructions, 6.52c/i)  
<IO tier 0>  
\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xfffff8000b0c720]  
1-24

Thread 0xd9 24 samples (1-24) priority 97 (base 97) cpu time <0.001s  
(136.0K cycles, 18.4K instructions, 7.37c/i)  
<IO tier 0>  
\*24 call\_continuation + 46 (kernel + 995742) [0xfffff80003d319e] 1-24  
\*24 SMCWatchDogTimer::watchdogThread() + 214  
(com.apple.driver.AppleSMC + 73852) [0xfffff8001b9907c] 1-24  
\*24 thread\_block\_reason + 240 (kernel + 1581040) [0xfffff8000461ff0]  
1-24  
\*24 ??? (kernel + 1588870) [0xfffff8000463e86] 1-24  
\*24 machine\_switch\_context + 215 (kernel + 2749095)  
[0xfffff800057f2a7] 1-24

Thread 0xdf Thread name "AppleUSBXHCISPTLP@14000000" 24  
samples (1-24) priority 81 (base 81) cpu time 0.004s (7.1M cycles,

1245.0K instructions, 5.72c/i)

<IO tier 0>

\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xfffff8000b0c720]  
1-24

Thread 0xe4 Thread name "AppleUSBHostResourcesTypeCBPC" 24  
samples (1-24) priority 81 (base 81)

<IO tier 0>

\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xfffff8000b0c720]  
1-24

Thread 0xe6 Thread name "AppleUSBLegacyRoot" 24 samples (1-24)  
priority 81 (base 81)

<IO tier 0>

\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xfffff8000b0c720]  
1-24

Thread 0xed Thread name "VM\_io\_reprioritize\_thread" 24 samples (1-24)  
priority 95 (base 95)

<IO tier 0>

\*24 ??? (kernel + 2250560) [0xfffff8000505740] 1-24

Thread 0xef Thread name "thread call kernel #2" 24 samples (1-24)  
priority 81 (base 81) cpu time 0.002s (3.1M cycles, 498.4K instructions,  
6.21c/i)

<IO tier 0>

\*24 ??? (kernel + 1774592) [0xfffff8000491400] 1-24

Thread 0xf0 24 samples (1-24) priority 81 (base 81)

<IO tier 0>

\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Thread 0xfb 24 samples (1-24) priority 81 (base 81)

<IO tier 0>

\*24 ??? (kernel + 3332144) [0xfffff800060d830] 1-24

Thread 0xfc 24 samples (1-24) priority 81 (base 81)

<IO tier 0>

\*24 ??? (kernel + 3332336) [0xfffff800060d8f0] 1-24

Thread 0x102 Thread name "IOBufferCopyController" 24 samples (1-24)  
priority 81 (base 81) cpu time 0.005s (7.5M cycles, 2.1M instructions, 3.63c/  
i)

<IO tier 0>

\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xffffffff8000b0c720] 1-24

Thread 0x103 24 samples (1-24) priority 81 (base 81)  
<IO tier 0>

\*24 ??? (kernel + 6910592) [0xffffffff8000977280] 1-24

Thread 0x104 24 samples (1-24) priority 81 (base 81)  
<IO tier 0>

\*24 ??? (kernel + 6194800) [0xffffffff80008c8670] 1-24

Thread 0x105 24 samples (1-24) priority 81 (base 81)  
<IO tier 0>

\*24 ??? (kernel + 6286384) [0xffffffff80008dec30] 1-24

Thread 0x106 24 samples (1-24) priority 81 (base 81)  
<IO tier 0>

\*24 ??? (kernel + 6286384) [0xffffffff80008dec30] 1-24

Thread 0x107 24 samples (1-24) priority 81 (base 81)  
<IO tier 0>

\*24 ??? (kernel + 6286384) [0xffffffff80008dec30] 1-24

Thread 0x108 24 samples (1-24) priority 81 (base 81)  
<IO tier 0>

\*24 ??? (kernel + 6286384) [0xffffffff80008dec30] 1-24

Thread 0x109 24 samples (1-24) priority 81 (base 81)  
<IO tier 0>

\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

Thread 0x10a 24 samples (1-24) priority 81 (base 81)  
<IO tier 0>

\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

Thread 0x10b 24 samples (1-24) priority 81 (base 81)  
<IO tier 0>

\*24 ??? (kernel + 6623952) [0xffffffff80009312d0] 1-24

Thread 0x10c 24 samples (1-24) priority 81 (base 81) cpu time <0.001s  
(228.3K cycles, 52.7K instructions, 4.34c/i)

<IO tier 0>

\*24 ??? (kernel + 3861984) [0xffffffff800068ede0] 1-24

Thread 0x10d 24 samples (1-24) priority 81 (base 81)

<IO tier 0>

\*24 ??? (kernel + 3838464) [0xfffff8000689200] 1-24

Thread 0x10e 24 samples (1-24) priority 81 (base 81)

<IO tier 0>

\*24 call\_continuation + 46 (kernel + 995742) [0xfffff80003d319e] 1-24

\*24 IOWorkLoop::threadMain() + 297 (kernel + 8570953)  
[0xfffff8000b0c849] 1-24

\*24 thread\_block\_reason + 240 (kernel + 1581040) [0xfffff8000461ff0]  
1-24

\*24 ??? (kernel + 1588870) [0xfffff8000463e86] 1-24

\*24 machine\_switch\_context + 215 (kernel + 2749095)  
[0xfffff800057f2a7] 1-24

Thread 0x10f Thread name "AppleSEPIntellOP" 24 samples (1-24)

priority 81 (base 81)

<IO tier 0>

\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xfffff8000b0c720]  
1-24

Thread 0x110 24 samples (1-24) priority 81 (base 81)

<IO tier 0>

\*24 ??? (kernel + 6623952) [0xfffff80009312d0] 1-24

Thread 0x111 Thread name "VM\_memorystatus\_1" 24 samples (1-24)

priority 95 (base 95)

<IO tier 0>

\*24 ??? (kernel + 6654688) [0xfffff8000938ae0] 1-24

Thread 0x112 Thread name "VM\_memorystatus\_2" 24 samples (1-24)

priority 95 (base 95)

<IO tier 0>

\*24 ??? (kernel + 6654688) [0xfffff8000938ae0] 1-24

Thread 0x113 Thread name "VM\_memorystatus\_3" 24 samples (1-24)

priority 95 (base 95)

<IO tier 0>

\*24 ??? (kernel + 6654688) [0xfffff8000938ae0] 1-24

Thread 0x115 Thread name "AppleSEPManager" 24 samples (1-24)

priority 81 (base 81)

<IO tier 0>

\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xfffff8000b0c720]



1-24

Thread 0x116 Thread name "AppleSEPManager" 24 samples (1-24)  
priority 81 (base 81)

<IO tier 0>

\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xffffffff8000b0c720]  
1-24

Thread 0x11c Thread name "dlil\_input\_gif0" 24 samples (1-24) priority  
81 (base 81)

<IO tier 0>

\*24 ??? (kernel + 3858272) [0xffffffff800068df60] 1-24

Thread 0x11d Thread name "CFIL\_STATS\_REPORT" 24 samples (1-24)  
priority 81 (base 81)

<IO tier 0>

\*24 ??? (kernel + 4867264) [0xffffffff80007844c0] 1-24

Thread 0x11e 24 samples (1-24) priority 81 (base 81) cpu time <0.001s  
(43.2K cycles, 8.4K instructions, 5.12c/i)

<IO tier 0>

\*24 sockwall\_gc\_thread + 0 (com.apple.nke.applicationfirewall + 26430)  
[0xffffffff800139673e] 1-24

Thread 0x11f Thread name "dlil\_input\_stf0" 24 samples (1-24) priority  
81 (base 81)

<IO tier 0>

\*24 ??? (kernel + 3858272) [0xffffffff800068df60] 1-24

Thread 0x120 Thread name "AppleEffaceableBCE" 24 samples (1-24)  
priority 81 (base 81)

<IO tier 0>

\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xffffffff8000b0c720]  
1-24

Thread 0x121 Thread name "AppleEffaceableNOR" 24 samples (1-24)  
priority 81 (base 81)

<IO tier 0>

\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xffffffff8000b0c720]  
1-24

Thread 0x122 Thread name "AppleImage4" 24 samples (1-24) priority  
81 (base 81)

<IO tier 0>

\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xfffff8000b0c720]  
1-24

Thread 0x125 Thread name "AppleGCResourceDeviceUserClient" 24  
samples (1-24) priority 81 (base 81)  
<IO tier 0>

\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xfffff8000b0c720]  
1-24

Thread 0x128 Thread name "IOHIDResourceDeviceUserClient" 24  
samples (1-24) priority 81 (base 81)  
<IO tier 0>

\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xfffff8000b0c720]  
1-24

Thread 0x12c Thread name "AppleOLYHAL" 24 samples (1-24) priority  
81 (base 81)  
<IO tier 0>

\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xfffff8000b0c720]  
1-24

Thread 0x12d Thread name "IOHIDSystem" 24 samples (1-24) priority  
81 (base 81)  
<IO tier 0>

\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xfffff8000b0c720]  
1-24

Thread 0x133 Thread name "CCLogPipe" 24 samples (1-24) priority 81  
(base 81) cpu time 0.011s (20.6M cycles, 8.0M instructions, 2.58c/i)  
<IO tier 0>

\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xfffff8000b0c720]  
1-24

Thread 0x134 Thread name "IOSurfaceRoot" 24 samples (1-24)  
priority 81 (base 81)  
<IO tier 0>

\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xfffff8000b0c720]  
1-24

Thread 0x142 Thread name "AppleANS2Controller" 24 samples (1-24)  
priority 81 (base 81) cpu time 0.009s (22.6M cycles, 12.4M instructions,  
1.81c/i)  
<IO tier 0>

\*24 call\_continuation + 46 (kernel + 995742) [0xfffff80003d319e] 1-24

\*24 IOWorkLoop::threadMain() + 297 (kernel + 8570953)  
[0xffffffff8000b0c849] 1-24  
\*24 thread\_block\_reason + 240 (kernel + 1581040) [0xffffffff8000461ff0]  
1-24  
\*24 ??? (kernel + 1588870) [0xffffffff8000463e86] 1-24  
\*24 machine\_switch\_context + 215 (kernel + 2749095)  
[0xffffffff800057f2a7] 1-24

Thread 0x143 Thread name "AppleANS2Controller" 24 samples (1-24)  
priority 81 (base 81)

<IO tier 0>

\*24 call\_continuation + 46 (kernel + 995742) [0xffffffff80003d319e] 1-24  
\*24 IOWorkLoop::threadMain() + 297 (kernel + 8570953)  
[0xffffffff8000b0c849] 1-24  
\*24 thread\_block\_reason + 240 (kernel + 1581040) [0xffffffff8000461ff0]  
1-24  
\*24 ??? (kernel + 1588870) [0xffffffff8000463e86] 1-24  
\*24 machine\_switch\_context + 215 (kernel + 2749095)  
[0xffffffff800057f2a7] 1-24

Thread 0x145 Thread name "AppleUSBVHCIBCE@80000000" 24  
samples (1-24) priority 81 (base 81) cpu time 0.010s (16.9M cycles, 5.7M  
instructions, 2.94c/i)

<IO tier 0>

\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xffffffff8000b0c720]  
1-24

Thread 0x149 Thread name "AppleUSBXHCITR@00000000" 24 samples  
(1-24) priority 81 (base 81) cpu time <0.001s (44.0K cycles, 6.9K  
instructions, 6.34c/i)

<IO tier 0>

\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xffffffff8000b0c720]  
1-24

Thread 0x158 Thread name "AppleUSB20XHCITTypeCPort@14100000"  
24 samples (1-24) priority 81 (base 81)

<IO tier 0>

\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xffffffff8000b0c720]  
1-24

Thread 0x15c Thread name "AppleUSB20XHCITTypeCPort@14200000"  
24 samples (1-24) priority 81 (base 81)

<IO tier 0>

\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xffffffff8000b0c720]

1-24

Thread 0x161 Thread name "AppleThunderboltHAL" 24 samples (1-24)  
priority 81 (base 81)

<IO tier 0>

\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xffffffff8000b0c720]  
1-24

Thread 0x168 Thread name "apfs\_swcrypto\_worker" 24 samples (1-24)  
priority 81 (base 81)

<IO tier 0>

\*24 swcrypto\_threadpool\_worker\_thread(void\*, int) + 0  
(com.apple.filesystems.apfs + 369724) [0xffffffff8002e3543c] 1-24

Thread 0x169 Thread name "apfs\_swcrypto\_worker" 24 samples (1-24)  
priority 81 (base 81)

<IO tier 0>

\*24 swcrypto\_threadpool\_worker\_thread(void\*, int) + 0  
(com.apple.filesystems.apfs + 369724) [0xffffffff8002e3543c] 1-24

Thread 0x16a Thread name "apfs\_swcrypto\_worker" 24 samples (1-24)  
priority 81 (base 81)

<IO tier 0>

\*24 swcrypto\_threadpool\_worker\_thread(void\*, int) + 0  
(com.apple.filesystems.apfs + 369724) [0xffffffff8002e3543c] 1-24

Thread 0x16b Thread name "apfs\_swcrypto\_worker" 24 samples (1-24)  
priority 81 (base 81)

<IO tier 0>

\*24 swcrypto\_threadpool\_worker\_thread(void\*, int) + 0  
(com.apple.filesystems.apfs + 369724) [0xffffffff8002e3543c] 1-24

Thread 0x16c Thread name "apfs\_specread\_worker" 24 samples (1-24)  
priority 81 (base 81)

<IO tier 0>

\*24 specread\_do\_work + 0 (com.apple.filesystems.apfs + 1424522)  
[0xffffffff8002f36c8a] 1-24

Thread 0x16d Thread name "apfs\_specread\_worker" 24 samples (1-24)  
priority 81 (base 81)

<IO tier 0>

\*24 specread\_do\_work + 0 (com.apple.filesystems.apfs + 1424522)  
[0xffffffff8002f36c8a] 1-24

Thread 0x16e Thread name "apfs\_specread\_worker" 24 samples (1-24)  
priority 81 (base 81)  
<IO tier 0>  
\*24 specread\_do\_work + 0 (com.apple.filesystems.apfs + 1424522)  
[0xffffffff8002f36c8a] 1-24

Thread 0x16f Thread name "AppleUSB30XHCTypeCPort@00100000"  
24 samples (1-24) priority 81 (base 81)  
<IO tier 0>  
\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xffffffff8000b0c720]  
1-24

Thread 0x171 Thread name "AppleUSB30XHCTypeCPort@00200000"  
24 samples (1-24) priority 81 (base 81)  
<IO tier 0>  
\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xffffffff8000b0c720]  
1-24

Thread 0x189 Thread name "AppleUSBVHCIPort@80100000" 24  
samples (1-24) priority 81 (base 81) cpu time 0.003s (3.5M cycles, 236.2K  
instructions, 14.84c/i)

<IO tier 0>  
\*4 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xffffffff8000b0c720]  
1-4  
\*1 call\_continuation + 46 (kernel + 995742) [0xffffffff80003d319e] 5  
\*1 IOWorkLoop::threadMain() + 54 (kernel + 8570710) [0xffffffff8000b0c756]  
5  
\*1 IOWorkLoop::runEventSources() + 318 (kernel + 8573230)  
[0xffffffff8000b0d12e] 5  
\*1 AppleUSBRequestCompleter::checkForWork() + 323  
(com.apple.driver.usb.AppleUSBCommon + 10551) [0xffffffff8001d7b937] 5  
\*1  
AppleUSBRequestCompleter::completeRequestQueue(queue\_entry\*) + 1092  
(com.apple.driver.usb.AppleUSBCommon + 11672) [0xffffffff8001d7bd98] 5  
\*1 AppleUSBIORequest::complete() + 772  
(com.apple.iokit.IOUSBHostFamily + 349644) [0xffffffff8002b695cc] (running) 5  
\*19 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xffffffff8000b0c720]  
6-24

Thread 0x18b Thread name "AppleUSBVHCIPort@80200000" 24  
samples (1-24) priority 81 (base 81)  
<IO tier 0>  
\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xffffffff8000b0c720]  
1-24

Thread 0x18d Thread name "AppleUSBVHCIPort@80300000" 24  
samples (1-24) priority 81 (base 81)  
<IO tier 0>  
\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xfffff8000b0c720]  
1-24

Thread 0x18f Thread name "AppleUSBVHCIPort@80400000" 24  
samples (1-24) priority 81 (base 81)  
<IO tier 0>  
\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xfffff8000b0c720]  
1-24

Thread 0x191 Thread name "AppleUSBVHCIPort@80500000" 24  
samples (1-24) priority 81 (base 81) cpu time 0.005s (8.6M cycles,  
1760.9K instructions, 4.86c/i)  
<IO tier 0>  
\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xfffff8000b0c720]  
1-24

Thread 0x193 Thread name "AppleUSBVHCIPort@80600000" 24  
samples (1-24) priority 81 (base 81)  
<IO tier 0>  
\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xfffff8000b0c720]  
1-24

Thread 0x195 Thread name "AppleUSBVHCIPort@80700000" 24  
samples (1-24) priority 81 (base 81)  
<IO tier 0>  
\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xfffff8000b0c720]  
1-24

Thread 0x197 Thread name "AppleUSBVHCIPort@80800000" 24  
samples (1-24) priority 81 (base 81)  
<IO tier 0>  
\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xfffff8000b0c720]  
1-24

Thread 0x199 Thread name "AppleUSBVHCIPort@80900000" 24  
samples (1-24) priority 81 (base 81)  
<IO tier 0>  
\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xfffff8000b0c720]  
1-24

Thread 0x1d6 Thread name "apfs\_purgatory\_cleaner" 24 samples (1-24)  
priority 31 (base 31)  
<IO tier 0>  
\*24 apfs\_cleanup\_purgatory\_continuation + 0 (com.apple.filesystems.apfs +  
662846) [0xfffff8002e7cd3e] 1-24

Thread 0x1dd Thread name "VM\_pageout\_external\_iothread" 24  
samples (1-24) priority 91 (base 91)  
<IO tier 2>  
\*24 ??? (kernel + 2311664) [0xfffff80005145f0] 1-24

Thread 0x1de Thread name "VM\_pressure" 24 samples (1-24) priority  
31 (base 31)  
<IO tier 0>  
\*24 vm\_pressure\_thread + 0 (kernel + 2307680) [0xfffff8000513660] 1-24

Thread 0x1df Thread name "VM\_object\_reaper\_thread" 24 samples  
(1-24) priority 91 (base 91)  
<IO tier 0>  
\*24 ??? (kernel + 2251024) [0xfffff8000505910] 1-24

Thread 0x1e0 Thread name "VM\_cswap\_trigger" 24 samples (1-24)  
priority 91 (base 91)  
<IO tier 0>  
\*24 ??? (kernel + 2019840) [0xfffff80004cd200] 1-24

Thread 0x1e1 Thread name "VM\_compressor" 24 samples (1-24)  
priority 91 (base 91)  
<IO tier 0>  
\*24 ??? (kernel + 2313552) [0xfffff8000514d50] 1-24

Thread 0x1e2 Thread name "VM\_swapout" 24 samples (1-24) priority  
91 (base 91)  
<IO tier 0>  
\*24 vm\_swapout\_thread + 0 (kernel + 2048688) [0xfffff80004d42b0] 1-24

Thread 0x1e3 Thread name "VM\_swapfile\_create" 24 samples (1-24)  
priority 91 (base 91)  
<IO tier 0>  
\*24 ??? (kernel + 2050928) [0xfffff80004d4b70] 1-24

Thread 0x1e4 Thread name "VM\_swapfile\_gc" 24 samples (1-24)  
priority 91 (base 91)  
<IO tier 0 and passive>

\*24 ??? (kernel + 2051664) [0xfffff80004d4e50] 1-24

Thread 0x1f5 Thread name "AppleUSBController" 24 samples (1-24)  
priority 81 (base 81)

<IO tier 0>

\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xfffff8000b0c720]  
1-24

Thread 0x1f6 Thread name "AppleUSBRootHubDevice" 24 samples  
(1-24) priority 81 (base 81)

<IO tier 0>

\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xfffff8000b0c720]  
1-24

Thread 0x1fb Thread name "thread call high #7" 24 samples (1-24)  
priority 93 (base 93)

<IO tier 0>

\*24 ??? (kernel + 1774592) [0xfffff8000491400] 1-24

Thread 0x20a Thread name "AppleUSBController" 24 samples (1-24)  
priority 81 (base 81)

<IO tier 0>

\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xfffff8000b0c720]  
1-24

Thread 0x20b Thread name "AppleUSBRootHubDevice" 24 samples  
(1-24) priority 81 (base 81)

<IO tier 0>

\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xfffff8000b0c720]  
1-24

Thread 0x20e Thread name "AppleUSB30HubPort@00210000" 24  
samples (1-24) priority 81 (base 81)

<IO tier 0>

\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xfffff8000b0c720]  
1-24

Thread 0x210 Thread name "AppleUSB30HubPort@00220000" 24  
samples (1-24) priority 81 (base 81)

<IO tier 0>

\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xfffff8000b0c720]  
1-24

Thread 0x212 Thread name "AppleUSB30HubPort@00230000" 24



samples (1-24) priority 81 (base 81)  
<IO tier 0>  
\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xffffffff8000b0c720]  
1-24

Thread 0x214 Thread name "AppleUSB30HubPort@00240000" 24  
samples (1-24) priority 81 (base 81)  
<IO tier 0>  
\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xffffffff8000b0c720]  
1-24

Thread 0x219 Thread name "thread call high #6" 24 samples (1-24)  
priority 93 (base 93)  
<IO tier 0>  
\*24 ??? (kernel + 1774592) [0xffffffff8000491400] 1-24

Thread 0x21a Thread name "AppleUSBController" 24 samples (1-24)  
priority 81 (base 81)  
<IO tier 0>  
\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xffffffff8000b0c720]  
1-24

Thread 0x21b Thread name "AppleUSBRootHubDevice" 24 samples  
(1-24) priority 81 (base 81)  
<IO tier 0>  
\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xffffffff8000b0c720]  
1-24

Thread 0x21f Thread name "AppleUSB20HubPort@14210000" 24  
samples (1-24) priority 81 (base 81)  
<IO tier 0>  
\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xffffffff8000b0c720]  
1-24

Thread 0x221 Thread name "AppleUSB20HubPort@14220000" 24  
samples (1-24) priority 81 (base 81)  
<IO tier 0>  
\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xffffffff8000b0c720]  
1-24

Thread 0x223 Thread name "AppleUSB20HubPort@14230000" 24  
samples (1-24) priority 81 (base 81)  
<IO tier 0>  
\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xffffffff8000b0c720]

1-24

Thread 0x225 Thread name "AppleUSB20HubPort@14240000" 24 samples (1-24) priority 81 (base 81) cpu time 0.005s (8.4M cycles, 1866.8K instructions, 4.50c/i)  
<IO tier 0>  
\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xfffff8000b0c720]  
1-24

Thread 0x227 Thread name "thread call high #8" 24 samples (1-24) priority 93 (base 93)  
<IO tier 0>  
\*24 ??? (kernel + 1774592) [0xfffff8000491400] 1-24

Thread 0x239 Thread name "apfs\_purgatory\_cleaner" 24 samples (1-24) priority 31 (base 31)  
<IO tier 0>  
\*24 apfs\_cleanup\_purgatory\_continuation + 0 (com.apple.filesystems.apfs + 662846) [0xfffff8002e7cd3e] 1-24

Thread 0x23a Thread name "apfs\_purgatory\_cleaner" 24 samples (1-24) priority 31 (base 31)  
<IO tier 0>  
\*24 apfs\_cleanup\_purgatory\_continuation + 0 (com.apple.filesystems.apfs + 662846) [0xfffff8002e7cd3e] 1-24

Thread 0x23f Thread name "apfs\_purgatory\_cleaner" 24 samples (1-24) priority 31 (base 31)  
<IO tier 0>  
\*24 apfs\_cleanup\_purgatory\_continuation + 0 (com.apple.filesystems.apfs + 662846) [0xfffff8002e7cd3e] 1-24

Thread 0x240 Thread name "apfs\_transaction\_flusher" 24 samples (1-24) priority 81 (base 81)  
<IO tier 0 and passive>  
\*24 call\_continuation + 46 (kernel + 995742) [0xfffff80003d319e] 1-24  
\*24 tx\_flush\_thread + 723 (com.apple.filesystems.apfs + 1384945) [0xfffff8002f2d1f1] 1-24  
\*24 ??? (kernel + 6623170) [0xfffff8000930fc2] 1-24  
\*24 lck\_mtx\_sleep\_deadline + 105 (kernel + 1503465) [0xfffff800044f0e9] 1-24  
\*24 thread\_block\_reason + 240 (kernel + 1581040) [0xfffff8000461ff0]  
1-24  
\*24 ??? (kernel + 1588870) [0xfffff8000463e86] 1-24

\*24 machine\_switch\_context + 215 (kernel + 2749095)  
[0xffffffff800057f2a7] 1-24

Thread 0x26f 24 samples (1-24) priority 81 (base 81) cpu time <0.001s  
(49.1K cycles, 21.1K instructions, 2.33c/i)

<IO tier 0>

\*24 call\_continuation + 46 (kernel + 995742) [0xffffffff80003d319e] 1-24

\*24 ??? (kernel + 7157396) [0xffffffff80009b3694] 1-24

\*24 ??? (kernel + 6623403) [0xffffffff80009310ab] 1-24

\*24 lck\_mtx\_sleep + 97 (kernel + 1503265) [0xffffffff800044f021] 1-24

\*24 thread\_block\_reason + 240 (kernel + 1581040) [0xffffffff8000461ff0]  
1-24

\*24 ??? (kernel + 1588870) [0xffffffff8000463e86] 1-24

\*24 machine\_switch\_context + 215 (kernel + 2749095)  
[0xffffffff800057f2a7] 1-24

Thread 0x348 Thread name "thread call qos-ui #1" 24 samples (1-24)  
priority 47 (base 47) cpu time <0.001s (244.0K cycles, 86.6K instructions,  
2.82c/i)

<IO tier 0>

\*24 ??? (kernel + 1774592) [0xffffffff8000491400] 1-24

Thread 0x34c Thread name "SOFLOW\_GC" 24 samples (1-24) priority  
81 (base 81) cpu time <0.001s (15.1K cycles, 5.9K instructions, 2.56c/i)

<IO tier 0>

\*24 ??? (kernel + 7224544) [0xffffffff80009c3ce0] 1-24

Thread 0x3fd Thread name "dlil\_input\_en3" 24 samples (1-24) priority  
81 (base 81) cpu time <0.001s (128.2K cycles, 39.9K instructions, 3.22c/i)

<IO tier 0>

\*24 ??? (kernel + 3858272) [0xffffffff800068df60] 1-24

Thread 0x3fe Thread name "ifnet\_start\_en3" 24 samples (1-24) priority  
82 (base 82) cpu time <0.001s (153.6K cycles, 37.7K instructions, 4.08c/i)

<IO tier 0>

\*24 ??? (kernel + 3895696) [0xffffffff8000697190] 1-24

Thread 0x4ca Thread name "dlil\_input\_ap1" 24 samples (1-24) priority  
81 (base 81)

<IO tier 0>

\*24 ??? (kernel + 3858272) [0xffffffff800068df60] 1-24

Thread 0x4cb Thread name "skywalk\_doorbell\_ap1\_tx" 24 samples  
(1-24) priority 82 (base 82)

<IO tier 0>

\*24 ??? (kernel + 3895696) [0xffffffff8000697190] 1-24

Thread 0x4d1 Thread name "dlil\_input\_en0" 24 samples (1-24) priority 81 (base 81) cpu time <0.001s (703.0K cycles, 145.2K instructions, 4.84c/i)

<IO tier 0>

\*24 ??? (kernel + 3858272) [0xffffffff800068df60] 1-24

Thread 0x4d2 Thread name "skywalk\_doorbell\_en0\_tx" 24 samples (1-24) priority 82 (base 82) cpu time <0.001s (258.9K cycles, 65.9K instructions, 3.93c/i)

<IO tier 0>

\*24 ??? (kernel + 3895696) [0xffffffff8000697190] 1-24

Thread 0x4d6 Thread name "skywalk\_fsw\_reap\_en0" 24 samples (1-24) priority 81 (base 81) cpu time <0.001s (136.0K cycles, 81.9K instructions, 1.66c/i)

<IO tier 0>

\*24 ??? (kernel + 7550624) [0xffffffff8000a136a0] 1-24

Thread 0x547 Thread name "thread call user #1" 24 samples (1-24) priority 31 (base 31) cpu time <0.001s (782.5K cycles, 247.1K instructions, 3.17c/i)

<IO tier 0>

\*24 ??? (kernel + 1774592) [0xffffffff8000491400] 1-24

Thread 0x572 Thread name "skywalk\_fsw\_reap\_ap1" 24 samples (1-24) priority 81 (base 81) cpu time <0.001s (119.4K cycles, 71.2K instructions, 1.68c/i)

<IO tier 0>

\*24 ??? (kernel + 7550624) [0xffffffff8000a136a0] 1-24

Thread 0x5a8 Thread name "dlil\_input\_awdl0" 24 samples (1-24) priority 81 (base 81)

<IO tier 0>

\*24 ??? (kernel + 3858272) [0xffffffff800068df60] 1-24

Thread 0x5a9 Thread name "skywalk\_doorbell\_awdl0\_tx" 24 samples (1-24) priority 82 (base 82)

<IO tier 0>

\*24 ??? (kernel + 3895696) [0xffffffff8000697190] 1-24

Thread 0x5bd Thread name "dlil\_input\_llw0" 24 samples (1-24) priority 81 (base 81)

<IO tier 0>

\*24 ??? (kernel + 3858272) [0xffffffff800068df60] 1-24

Thread 0x5be Thread name "skywalk\_doorbell\_llw0\_tx" 24 samples  
(1-24) priority 82 (base 82)

<IO tier 0>

\*24 ??? (kernel + 3895696) [0xffffffff8000697190] 1-24

Thread 0x742 Thread name "dlil\_input\_en2" 24 samples (1-24) priority  
81 (base 81)

<IO tier 0>

\*24 ??? (kernel + 3858272) [0xffffffff800068df60] 1-24

Thread 0x743 Thread name "ifnet\_start\_en2" 24 samples (1-24) priority  
82 (base 82)

<IO tier 0>

\*24 ??? (kernel + 3895696) [0xffffffff8000697190] 1-24

Thread 0x746 Thread name "IOGraphicsSystem" 24 samples (1-24)  
priority 81 (base 81)

<IO tier 0>

\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xffffffff8000b0c720]  
1-24

Thread 0x748 Thread name "AppleGFXHDA8086\_9D71Controller" 24  
samples (1-24) priority 81 (base 81)

<IO tier 0>

\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xffffffff8000b0c720]  
1-24

Thread 0x749 Thread name "com\_apple\_AVEBridge" 24 samples (1-24)  
priority 81 (base 81)

<IO tier 0>

\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xffffffff8000b0c720]  
1-24

Thread 0x74a Thread name "com\_apple\_AVEBridge" 24 samples (1-24)  
priority 81 (base 81)

<IO tier 0>

\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xffffffff8000b0c720]  
1-24

Thread 0x74b Thread name "com\_apple\_AVEBridge" 24 samples (1-24)  
priority 81 (base 81)

<IO tier 0>  
\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xffffffff8000b0c720]  
1-24

Thread 0x74c Thread name "com\_apple\_AVEBridge" 24 samples (1-24)  
priority 81 (base 81)  
<IO tier 0>  
\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xffffffff8000b0c720]  
1-24

Thread 0x752 Thread name "IOTimeSyncDaemonService" 24 samples  
(1-24) priority 81 (base 81)  
<IO tier 0>  
\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xffffffff8000b0c720]  
1-24

Thread 0x754 Thread name "AGDCBacklightControl" 24 samples (1-24)  
priority 81 (base 81)  
<IO tier 0>  
\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xffffffff8000b0c720]  
1-24

Thread 0x756 Thread name "AppleIntelPanelA" 24 samples (1-24)  
priority 81 (base 81)  
<IO tier 0>  
\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xffffffff8000b0c720]  
1-24

Thread 0x758 Thread name "X86PlatformPlugin" 24 samples (1-24)  
priority 81 (base 81)  
<IO tier 0>  
\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xffffffff8000b0c720]  
1-24

Thread 0x761 24 samples (1-24) priority 81 (base 81)  
<IO tier 0>  
\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xffffffff8000b0c720]  
1-24

Thread 0x762 Thread name "AppleIntelSlowAdaptiveClockingManager"  
24 samples (1-24) priority 81 (base 81)  
<IO tier 0>  
\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xffffffff8000b0c720]  
1-24

Thread 0x764 Thread name "AppleGPUWrangler" 24 samples (1-24)  
priority 81 (base 81)  
<IO tier 0>  
\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xffffffff8000b0c720]  
1-24

Thread 0x769 Thread name "AppleIPDormancyHandler" 24 samples  
(1-24) priority 81 (base 81)  
<IO tier 0>  
\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xffffffff8000b0c720]  
1-24

Thread 0x76c 24 samples (1-24) priority 81 (base 81)  
<IO tier 0>  
\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xffffffff8000b0c720]  
1-24

Thread 0x76f Thread name "IOHIDPowerSource" 24 samples (1-24)  
priority 81 (base 81)  
<IO tier 0>  
\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xffffffff8000b0c720]  
1-24

Thread 0x771 24 samples (1-24) priority 81 (base 81)  
<IO tier 0>  
\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xffffffff8000b0c720]  
1-24

Thread 0x772 Thread name "dlil\_input\_en1" 24 samples (1-24) priority  
81 (base 81)  
<IO tier 0>  
\*24 ??? (kernel + 3858272) [0xffffffff800068df60] 1-24

Thread 0x773 Thread name "ifnet\_start\_en1" 24 samples (1-24) priority  
82 (base 82)  
<IO tier 0>  
\*24 ??? (kernel + 3895696) [0xffffffff8000697190] 1-24

Thread 0x77a Thread name "com\_apple\_driver\_pm\_uncore\_reporter" 24  
samples (1-24) priority 81 (base 81)  
<IO tier 0>  
\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xffffffff8000b0c720]  
1-24

Thread 0x77d 24 samples (1-24) priority 81 (base 81)  
<IO tier 0>  
\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xfffff8000b0c720]  
1-24

Thread 0x77e Thread name "AppleIntelFramebuffer" 24 samples (1-24)  
priority 81 (base 81)  
<IO tier 0>  
\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xfffff8000b0c720]  
1-24

Thread 0x77f 24 samples (1-24) priority 81 (base 81)  
<IO tier 0>  
\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xfffff8000b0c720]  
1-24

Thread 0x780 Thread name "IOTimeSyncTimeSyncTimePort" 24  
samples (1-24) priority 81 (base 81) cpu time <0.001s (1657.8K cycles,  
322.7K instructions, 5.14c/i)  
<IO tier 0>  
\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xfffff8000b0c720]  
1-24

Thread 0x785 Thread name "AppleIntelMEIDriver" 24 samples (1-24)  
priority 81 (base 81)  
<IO tier 0>  
\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xfffff8000b0c720]  
1-24

Thread 0x787 Thread name "IOGraphics-IGPU-0x2b7" 24 samples  
(1-24) priority 81 (base 81) cpu time 0.002s (3.4M cycles, 874.6K  
instructions, 3.94c/i)  
<IO tier 0>  
\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xfffff8000b0c720]  
1-24

Thread 0x79a Thread name "AppleMCCSPParameterHandler" 24  
samples (1-24) priority 81 (base 81)  
<IO tier 0>  
\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xfffff8000b0c720]  
1-24

Thread 0x7a4 Thread name "IGAccelEventMachine" 24 samples (1-24)



priority 81 (base 81) cpu time <0.001s (30.6K cycles, 13.7K instructions, 2.24c/i)  
<IO tier 0>  
\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xfffff8000b0c720]  
1-24

Thread 0x7a5 Thread name "IntelAccelerator" 24 samples (1-24)  
priority 81 (base 81) cpu time 0.074s (134.1M cycles, 75.3M instructions, 1.78c/i)  
<IO tier 0>  
\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xfffff8000b0c720]  
1-24

Thread 0x7a6 Thread name "IOAccelFenceMachine" 24 samples (1-24)  
priority 81 (base 81) cpu time 0.005s (10.1M cycles, 3.5M instructions, 2.91c/i)  
<IO tier 0>  
\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xfffff8000b0c720]  
1-24

Thread 0x7a9 Thread name "IGGuC" 24 samples (1-24) priority 81  
(base 81) cpu time 0.004s (8.5M cycles, 2.8M instructions, 3.01c/i)  
<IO tier 0>  
\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xfffff8000b0c720]  
1-24

Thread 0x7b0 Thread name "X86PlatformShim" 24 samples (1-24)  
priority 81 (base 81)  
<IO tier 0>  
\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xfffff8000b0c720]  
1-24

Thread 0x7b1 24 samples (1-24) priority 95 (base 95)  
<IO tier 0>  
\*24 call\_continuation + 46 (kernel + 995742) [0xfffff80003d319e] 1-24  
\*24 ??? (kernel + 2867756) [0xfffff800059c22c] 1-24  
\*24 ??? (kernel + 2868287) [0xfffff800059c43f] 1-24  
\*24 lck\_mtx\_sleep + 97 (kernel + 1503265) [0xfffff800044f021] 1-24  
\*24 thread\_block\_reason + 240 (kernel + 1581040) [0xfffff8000461ff0]  
1-24  
\*24 ??? (kernel + 1588870) [0xfffff8000463e86] 1-24  
\*24 machine\_switch\_context + 215 (kernel + 2749095)  
[0xfffff800057f2a7] 1-24

Thread 0x7b2 24 samples (1-24) priority 95 (base 95)  
<IO tier 0>  
\*24 call\_continuation + 46 (kernel + 995742) [0xfffff80003d319e] 1-24  
\*24 ??? (kernel + 2867890) [0xfffff800059c2b2] 1-24  
\*24 lck\_mtx\_sleep + 97 (kernel + 1503265) [0xfffff800044f021] 1-24  
\*24 thread\_block\_reason + 240 (kernel + 1581040) [0xfffff8000461ff0]  
1-24  
\*24 ??? (kernel + 1588870) [0xfffff8000463e86] 1-24  
\*24 machine\_switch\_context + 215 (kernel + 2749095)  
[0xfffff800057f2a7] 1-24

Thread 0x7b3 24 samples (1-24) priority 95 (base 95)  
<IO tier 0>  
\*24 call\_continuation + 46 (kernel + 995742) [0xfffff80003d319e] 1-24  
\*24 ??? (kernel + 2867890) [0xfffff800059c2b2] 1-24  
\*24 lck\_mtx\_sleep + 97 (kernel + 1503265) [0xfffff800044f021] 1-24  
\*24 thread\_block\_reason + 240 (kernel + 1581040) [0xfffff8000461ff0]  
1-24  
\*24 ??? (kernel + 1588870) [0xfffff8000463e86] 1-24  
\*24 machine\_switch\_context + 215 (kernel + 2749095)  
[0xfffff800057f2a7] 1-24

Thread 0x7b4 24 samples (1-24) priority 95 (base 95)  
<IO tier 0>  
\*24 call\_continuation + 46 (kernel + 995742) [0xfffff80003d319e] 1-24  
\*24 ??? (kernel + 2867890) [0xfffff800059c2b2] 1-24  
\*24 lck\_mtx\_sleep + 97 (kernel + 1503265) [0xfffff800044f021] 1-24  
\*24 thread\_block\_reason + 240 (kernel + 1581040) [0xfffff8000461ff0]  
1-24  
\*24 ??? (kernel + 1588870) [0xfffff8000463e86] 1-24  
\*24 machine\_switch\_context + 215 (kernel + 2749095)  
[0xfffff800057f2a7] 1-24

Thread 0x7cd Thread name "AppleActuatorDevice" 24 samples (1-24)  
priority 81 (base 81)  
<IO tier 0>  
\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xfffff8000b0c720]  
1-24

Thread 0x7dd Thread name "AppleMultitouchTrackpadHIDEventDriver"  
24 samples (1-24) priority 81 (base 81)  
<IO tier 0>  
\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xfffff8000b0c720]  
1-24

Thread 0x7e7 Thread name "dlil\_input\_bridge0" 24 samples (1-24)  
priority 81 (base 81)  
<IO tier 0>  
\*24 ??? (kernel + 3858272) [0xfffff800068df60] 1-24

Thread 0x807 Thread name "skywalk\_fsw\_reap\_awdl0" 24 samples  
(1-24) priority 81 (base 81) cpu time <0.001s (60.5K cycles, 46.9K  
instructions, 1.29c/i)  
<IO tier 0>  
\*24 ??? (kernel + 7550624) [0xfffff8000a136a0] 1-24

Thread 0x847 24 samples (1-24) priority 81 (base 81) cpu time <0.001s  
(285.9K cycles, 79.2K instructions, 3.61c/i)  
<IO tier 0>  
\*24 call\_continuation + 46 (kernel + 995742) [0xfffff80003d319e] 1-24  
\*24 IOSerialBSDClient::rxFunc() + 291 (com.apple.iokit.IOSerialFamily +  
22333) [0xfffff800283573d] 1-24  
\*24 IOSerialBSDClient::getData(IOSerialBSDClient::Session\*) + 222  
(com.apple.iokit.IOSerialFamily + 21374) [0xfffff800283537e] 1-24  
\*24 AppleSimpleUARTSync::dequeueData(unsigned char\*, unsigned int,  
unsigned int\*, unsigned int) + 123 (com.apple.driver.AppleOnboardSerial +  
30005) [0xfffff7f94fa0535] 1-24  
\*24 IOCommandGate::runAction(int (\*)(OSObject\*, void\*, void\*, void\*,  
void\*), void\*, void\*, void\*, void\*) + 168 (kernel + 8584776) [0xfffff8000b0fe48]  
1-24  
\*24 AppleSimpleUARTSync::rxDataGated(unsigned char\*, unsigned  
int, unsigned int\*, unsigned int) + 1025 (com.apple.driver.AppleOnboardSerial  
+ 31143) [0xfffff7f94fa09a7] 1-24  
\*24 IOConditionGate::conditionSleep(unsigned long long, int) + 247  
(com.apple.driver.AppleOnboardSerial + 46955) [0xfffff7f94fa476b] 1-24  
\*24 thread\_block\_reason + 240 (kernel + 1581040)  
[0xfffff8000461ff0] 1-24  
\*24 ??? (kernel + 1588870) [0xfffff8000463e86] 1-24  
\*24 machine\_switch\_context + 215 (kernel + 2749095)  
[0xfffff800057f2a7] 1-24

Thread 0x848 24 samples (1-24) priority 81 (base 81) cpu time <0.001s  
(225.6K cycles, 85.7K instructions, 2.63c/i)  
<IO tier 0>  
\*24 call\_continuation + 46 (kernel + 995742) [0xfffff80003d319e] 1-24  
\*24 IOSerialBSDClient::txFunc() + 284 (com.apple.iokit.IOSerialFamily +  
23604) [0xfffff8002835c34] 1-24  
\*24 IOCommandGate::runAction(int (\*)(OSObject\*, void\*, void\*, void\*,

void\*), void\*, void\*, void\*, void\*) + 168 (kernel + 8584776) [0xfffff8000b0fe48] 1-24

\*24 AppleSimpleUARTSync::watchState(unsigned int\*, unsigned int)::  
\$\_4::\_\_invoke(AppleSimpleUARTSync&, unsigned int&, unsigned int) + 136  
(com.apple.driver.AppleOnboardSerial + 40986) [0xfffff7f94fa301a] 1-24

\*24 AppleSimpleUARTSync::watchStateInternal(unsigned int, unsigned  
int, unsigned int) const + 133 (com.apple.driver.AppleOnboardSerial + 20439)  
[0xfffff7f94f9dfd7] 1-24

\*24 IOEventSource::sleepGate(void\*, unsigned int) + 78 (kernel +  
8578286) [0xfffff8000b0e4ee] 1-24

\*24 IOWorkLoop::sleepGate(void\*, unsigned int) + 128 (kernel +  
8572672) [0xfffff8000b0cf00] 1-24

\*24 lck\_mtx\_sleep + 97 (kernel + 1503265) [0xfffff800044f021] 1-24

\*24 thread\_block\_reason + 240 (kernel + 1581040)  
[0xfffff8000461ff0] 1-24

\*24 ??? (kernel + 1588870) [0xfffff8000463e86] 1-24

\*24 machine\_switch\_context + 215 (kernel + 2749095)  
[0xfffff800057f2a7] 1-24

Thread 0x86b Thread name "thread call high #5" 24 samples (1-24)  
priority 93 (base 93) cpu time 0.007s (11.7M cycles, 3.6M instructions,  
3.21c/i)

<IO tier 0>

\*24 ??? (kernel + 1774592) [0xfffff8000491400] 1-24

Thread 0x871 Thread name "IGAccelDisplayPipe" 24 samples (1-24)  
priority 81 (base 81) cpu time 0.013s (23.5M cycles, 5.1M instructions,  
4.64c/i)

<IO tier 0>

\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xfffff8000b0c720]  
1-24

Thread 0x87c Thread name "IGAccelDisplayPipe" 24 samples (1-24)  
priority 81 (base 81)

<IO tier 0>

\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xfffff8000b0c720]  
1-24

Thread 0x880 Thread name "IGAccelDisplayPipe" 24 samples (1-24)  
priority 81 (base 81)

<IO tier 0>

\*24 IOWorkLoop::threadMain() + 0 (kernel + 8570656) [0xfffff8000b0c720]  
1-24

Thread 0x935 Thread name "TRACKER\_GC" 24 samples (1-24) priority  
81 (base 81)  
<IO tier 0>  
\*24 ??? (kernel + 7209856) [0xffffffff80009c0380] 1-24

Thread 0x9f5 Thread name "dlil\_input\_utun0" 24 samples (1-24)  
priority 81 (base 81)  
<IO tier 0>  
\*24 ??? (kernel + 3858272) [0xffffffff800068df60] 1-24

Thread 0x9f6 Thread name "ifnet\_start\_utun0" 24 samples (1-24)  
priority 82 (base 82)  
<IO tier 0>  
\*24 ??? (kernel + 3895696) [0xffffffff8000697190] 1-24

Thread 0xa3d Thread name "thread call low #1" 24 samples (1-24)  
priority 4 (base 4)  
<IO tier 0>  
\*24 ??? (kernel + 1774592) [0xffffffff8000491400] 1-24

Thread 0xc4a Thread name "dlil\_input\_utun1" 24 samples (1-24)  
priority 81 (base 81)  
<IO tier 0>  
\*24 ??? (kernel + 3858272) [0xffffffff800068df60] 1-24

Thread 0xc4b Thread name "ifnet\_start\_utun1" 24 samples (1-24)  
priority 82 (base 82)  
<IO tier 0>  
\*24 ??? (kernel + 3895696) [0xffffffff8000697190] 1-24

Thread 0xca9 Thread name "dlil\_input\_utun2" 24 samples (1-24)  
priority 81 (base 81)  
<IO tier 0>  
\*24 ??? (kernel + 3858272) [0xffffffff800068df60] 1-24

Thread 0xcaa Thread name "ifnet\_start\_utun2" 24 samples (1-24)  
priority 82 (base 82)  
<IO tier 0>  
\*24 ??? (kernel + 3895696) [0xffffffff8000697190] 1-24

Thread 0xcac Thread name "dlil\_input\_utun3" 24 samples (1-24)  
priority 81 (base 81)  
<IO tier 0>  
\*24 ??? (kernel + 3858272) [0xffffffff800068df60] 1-24

Thread 0xcad Thread name "ifnet\_start\_utun3" 24 samples (1-24)  
priority 82 (base 82)  
<IO tier 0>  
\*24 ??? (kernel + 3895696) [0xfffff8000697190] 1-24

Thread 0x3e91 Thread name "thread call kernel-high #3" 24 samples  
(1-24) priority 92 (base 92) cpu time 0.017s (32.5M cycles, 17.6M  
instructions, 1.84c/i)

<IO tier 0>  
\*1 call\_continuation + 46 (kernel + 995742) [0xfffff80003d319e] 1  
\*1 ??? (kernel + 1775304) [0xfffff80004916c8] 1  
\*1 ??? (kernel + 1771064) [0xfffff8000490638] 1  
\*1 IOTimerEventSource::timeoutAndRelease(void\*, void\*) + 198 (kernel  
+ 8600246) [0xfffff8000b13ab6] 1  
\*1 ??? (kernel + 8600476) [0xfffff8000b13b9c] 1  
\*1

AppleBCM WLANPCleDoorbell::handleCoalescingTimer(IO80211TimerSource  
\*) + 64 (com.apple.driver.AppleBCM WLANBusInterfacePCleMac + 324256)  
[0xfffff80014b52a0] 1

\*1 AppleBCM WLANBusInterfacePCle::commitRings() + 154  
(com.apple.driver.AppleBCM WLANBusInterfacePCleMac + 125060)  
[0xfffff8001484884] 1

\*1 AppleBCM WLANBusInterfacePCle::retainCTS(unsigned int,  
DSWaitCondition, unsigned int) + 421  
(com.apple.driver.AppleBCM WLANBusInterfacePCleMac + 204551)  
[0xfffff8001497f07] 1

\*1  
AppleOLYHALPlatformFunctionMac::setDeviceWakeEnable(bool) + 51  
(com.apple.driver.AppleOLYHALMac + 49117) [0xfffff8001b12fdd] 1  
\*1

AppleOLYHALPlatformFunctionMac::evalACPIObject(IOACPIPlatformDevice\*,  
char const\*, unsigned int, unsigned char&, bool) + 137  
(com.apple.driver.AppleOLYHALMac + 46495) [0xfffff8001b1259f] 1

\*1 IOACPIPlatformDevice::evaluateObject(char const\*,  
OSObject\*\*, OSObject\*\*, unsigned int, unsigned int) + 47  
(com.apple.iokit.IOACPIFamily + 4791) [0xfffff80022e82b7] 1  
\*1

IOACPIPlatformExpert::evaluateObject(IOACPIPlatformDevice\*, char const\*,  
OSObject\*\*, OSObject\*\*, unsigned int, unsigned int) + 84  
(com.apple.iokit.IOACPIFamily + 7686) [0xfffff80022e8e06] 1  
\*1

AppleACPIPlatformExpert::evaluateObject(IOACPIPlatformDevice\*,  
OSSymbol const\*, OSObject\*\*, OSObject\*\*, unsigned int, unsigned int) + 522

```

(com.apple.driver.AppleACPIPlatform + 25416) [0xfffff800139f348] 1
    *1 AcpiEvaluateObject + 576
(com.apple.driver.AppleACPIPlatform + 318183) [0xfffff80013e6ae7] 1
    *1 AcpiNsEvaluate + 820
(com.apple.driver.AppleACPIPlatform + 299911) [0xfffff80013e2387] 1
    *1 AcpiPsExecuteMethod + 445
(com.apple.driver.AppleACPIPlatform + 335178) [0xfffff80013ead4a] 1
    *1 AcpiPsParseAml + 309
(com.apple.driver.AppleACPIPlatform + 332045) [0xfffff80013ea10d] 1
    *1 AcpiPsParseLoop + 1048
(com.apple.driver.AppleACPIPlatform + 326192) [0xfffff80013e8a30] 1
    *1 AcpiDsExecEndOp + 288
(com.apple.driver.AppleACPIPlatform + 190518) [0xfffff80013c7836] 1
    *1 AcpiDsCreateOperands + 353
(com.apple.driver.AppleACPIPlatform + 188211) [0xfffff80013c6f33] 1
    *1 AcpiDsCreateOperand + 707
(com.apple.driver.AppleACPIPlatform + 187442) [0xfffff80013c6c32] 1
    *1 AcpiDsInitObjectFromOp + 259
(com.apple.driver.AppleACPIPlatform + 181793) [0xfffff80013c5621] (running)
1
*23 ??? (kernel + 1774592) [0xfffff8000491400] 2-24

```

```

Thread 0x3f94 Thread name "thread call kernel-high #3" 24 samples
(1-24) priority 92 (base 92) cpu time 0.014s (24.7M cycles, 24.3M
instructions, 1.02c/i)

```

```
<IO tier 0>
```

```
*24 ??? (kernel + 1774592) [0xfffff8000491400] 1-24
```

#### Binary Images:

```
*0xfffff7f94f99000 - 0xfffff7f94faffff com.apple.driver.AppleOnboardSerial
(200) <B7466C2B-6516-33DF-A245-CE29042A128A>
```

```
com.apple.driver.AppleOnboardSerial
```

```
*0xfffff7f9576f000 - 0xfffff7f95778fff com.apple.filesystems.autofs (312)
<06A383DF-0DBA-34F8-828D-E74CD8B45999>
```

```
com.apple.filesystems.autofs
```

```
*0xfffff80002e0000 - 0xfffff8000cdffff kernel (10002.81.5)
<8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA> /System/Library/Kernels/
kernel
```

```
*0xfffff8001390000 - 0xfffff8001398fff com.apple.nke.applicationfirewall
(204) <CDCDC5C-D95A-3D10-8CAF-65235B1C9CD8>
```

```
com.apple.nke.applicationfirewall
```

```
*0xfffff8001399000 - 0xfffff800141ffff
com.apple.driver.AppleACPIPlatform (350)
<883F9A5B-137F-31E7-AE96-ACB107CEE36F>
```

```

com.apple.driver.AppleACPIPlatform
  *0xffffffff8001466000 - 0xffffffff80014ddfff
com.apple.driver.AppleBCM WLANBusInterfacePCleMac (1113.5)
<30405EE4-E3E2-3CBB-B306-41CA4075D36F>
com.apple.driver.AppleBCM WLANBusInterfacePCleMac
  *0xffffffff80018d0000 - 0xffffffff80018d3fff
com.apple.AppleFSCompression.AppleFSCompressionTypeDataless (158)
<1EDD9E32-C749-3D26-9405-6909DE4A9258>
com.apple.AppleFSCompression.AppleFSCompressionTypeDataless
  *0xffffffff80019c1000 - 0xffffffff8001a5dfff com.apple.driver.AppleKeyStore
(1555.80.3) <D8EBBC57-B601-3C28-A94A-F70342A8BE01>
com.apple.driver.AppleKeyStore
  *0xffffffff8001b07000 - 0xffffffff8001b1bfff
com.apple.driver.AppleOLYHALMac (97.15)
<B2508564-2159-3E30-8B54-B69B04563996>
com.apple.driver.AppleOLYHALMac
  *0xffffffff8001b87000 - 0xffffffff8001ba6fff com.apple.driver.AppleSMC
(687.0.3) <452EA208-4E08-3D68-A294-1C0DC5323BAE>
com.apple.driver.AppleSMC
  *0xffffffff8001d79000 - 0xffffffff8001d7efff
com.apple.driver.usb.AppleUSBCommon (1309.80.2)
<39FF85EF-7544-313F-A92C-B20E953C4173>
com.apple.driver.usb.AppleUSBCommon
  *0xffffffff8001f6c000 - 0xffffffff8002008fff com.apple.iokit.EndpointSecurity
(458.80.2) <91EDCA66-87FE-3780-B757-8EFE91E2EA8D>
com.apple.iokit.EndpointSecurity
  *0xffffffff80022e7000 - 0xffffffff80022ebfff com.apple.iokit.IOACPIFamily (15)
<04DDFFBA-0499-3590-B6C5-C40851E28B4F>
com.apple.iokit.IOACPIFamily
  *0xffffffff8002830000 - 0xffffffff800283bfff com.apple.iokit.IOSerialFamily
(111.40.3) <6B8A085F-7861-3439-8FEC-DFC11F6D7CB4>
com.apple.iokit.IOSerialFamily
  *0xffffffff8002b14000 - 0xffffffff8002ba3fff com.apple.iokit.IOUSBHostFamily
(1309.80.2) <44131898-6020-37B4-86C3-220A2E2D94DA>
com.apple.iokit.IOUSBHostFamily
  *0xffffffff8002ddb000 - 0xffffffff8002f9cfff com.apple.filesystems.apfs
(2235.80.4.0.1) <CE13F364-BF8A-3955-
BC8F-2ED75D98BBEE> com.apple.filesystems.apfs
  *0xffffffff8003079000 - 0xffffffff8003081fff com.apple.kec.pthread (519)
<07ED499F-25E6-3572-8464-FC4F7429D88C> com.apple.kec.pthread

```

Kextstat:

Index	Refs	Address	Size	Wired	Name (Version)	UUID	<Linked
-------	------	---------	------	-------	----------------	------	---------



Against>

```
1 138 0 0 0 com.apple.kpi.bsd (23.3.0)
8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA <>
2 11 0 0 0 com.apple.kpi.dsep (23.3.0)
8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA <>
3 172 0 0 0 com.apple.kpi.iokit (23.3.0)
8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA <>
4 0 0 0 0 com.apple.kpi.kasan (23.3.0)
8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA <>
5 0 0 0 0 com.apple.kpi.kcov (23.3.0)
8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA <>
6 177 0 0 0 com.apple.kpi.libkern (23.3.0)
8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA <>
7 157 0 0 0 com.apple.kpi.mach (23.3.0)
8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA <>
8 111 0 0 0 com.apple.kpi.private (23.3.0)
8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA <>
9 101 0 0 0 com.apple.kpi.unsupported (23.3.0)
8C96896D-43A3-3BF0-8F4C-4118DA6AC9AA <>
10 15 0xffffffff8002fce000 0x7cfd0 0x7cfd0 com.apple.kec.corecrypto
(14.0) DFE2B195-25A0-3CB4-8283-067C1F1804A5 <9 8 7 6 3 1>
11 0 0xffffffff80018c3000 0x3000 0x3000
com.apple.kec.AppleEncryptedArchive (1) 00E10ADB-C1E7-3BEE-A794-
AB10B9D0730F <10 8 7 6>
12 0 0xffffffff8001e79000 0x4000 0x4000
com.apple.kec.Compression (1.0) C07FA058-B561-30DE-B37E-
D60B31EA1C41 <10 8 7 6>
13 2 0xffffffff8002d2a000 0xdfef0 0xdfef0 com.apple.kec.Libm (1)
495882C2-FA72-3AB0-9CE5-ED16313E2C66 <6>
14 0 0xffffffff8002dd8000 0x1ffc 0x1ffc com.apple.kec.XrtHostedXnu
(1) D039F651-4F34-34C4-A2F9-D74A030045D8 <8 6>
15 0 0xffffffff8003079000 0x7000 0x7000 com.apple.kec.pthread (1)
07ED499F-25E6-3572-8464-FC4F7429D88C <9 8 7 6 3 1>
16 1 0xffffffff800308f000 0x2fff 0x2fff com.apple.driver.watchdog (1)
F1797B78-7645-3FC6-AD29-624DD0826DA0 <9 8 7 6 3 1>
17 31 0xffffffff80022e7000 0x2000 0x2000
com.apple.iokit.IOACPIFamily (1.4) 04DDFFBA-0499-3590-B6C5-
C40851E28B4F <9 8 6 3>
18 39 0xffffffff8002755000 0x32000 0x32000
com.apple.iokit.IOPCIFamily (2.9) 1B194276-
D13F-32DD-8B6D-4751C1C73603 <9 8 7 6 3>
19 13 0xffffffff8001b87000 0x1c000 0x1c000
com.apple.driver.AppleSMC (3.1.9) 452EA208-4E08-3D68-
A294-1C0DC5323BAE <18 17 16 9 8 7 6 3 1>
```

20 2 0xffffffff8001399000 0x77ff1 0x77ff1  
com.apple.driver.AppleACPIPlatform (6.1) 883F9A5B-137F-31E7-AE96-  
ACB107CEE36F <19 18 17 9 8 7 6 3 1>

21 6 0xffffffff8002882000 0x1fff 0x1fff  
com.apple.driver.IOSlaveProcessor (1) B9477531-A0FC-398E-A6FB-  
CC94944380F8 <8 7 6 3>

22 4 0xffffffff8001b6b000 0xeffc 0xeffc  
com.apple.driver.AppleSEPManager (1.0.1) 94C8A0F6-2DAB-3C89-A65F-  
F558C556981B <21 18 10 9 8 7 6 3 1>

23 1 0xffffffff8001787000 0x4000 0x4000  
com.apple.driver.AppleBusPowerController (1.0) CE07B87D-8655-34ED-  
B009-ADE4D2194529 <19 17 8 7 6 3>

24 8 0xffffffff8001e7e000 0x9ff7 0x9ff7  
com.apple.iokit.CoreAnalyticsFamily (1)  
AD49AD95-220B-3FA9-8BB0-6DC8A16C7545 <9 8 7 6 3 1>

25 4 0xffffffff8001f5a000 0x9ffa 0x9ffa com.apple.kext.CoreTrust (1)  
EA89363F-B48E-3C8D-A398-0A5E9FA592A9 <10 8 6>

26 2 0xffffffff8001941000 0x1efff 0x1efff  
com.apple.security.AppleImage4 (5.0.0) 4770809D-18FB-3AD7-  
BAFB-719EC52FAC36 <25 10 9 8 7 6 3 2 1>

27 11 0xffffffff8001a9e000 0x36ff1 0x36ff1  
com.apple.driver.AppleMobileFileIntegrity (1.0.5) 07852425-8607-3C1A-  
B273-92FC0221EC02 <26 25 24 10 9 8 7 6 3 2 1>

28 14 0xffffffff8001d79000 0x3ffc 0x3ffc  
com.apple.driver.usb.AppleUSBCommon (1.0) 39FF85EF-7544-313F-A92C-  
B20E953C4173 <7 6 3 1>

29 2 0xffffffff8002bee000 0xfff 0xfff  
com.apple.driver.AppleUSBHostMergeProperties (1.2) B78298D2-  
F79A-3860-8A23-D92C217CB547 <6 3 1>

30 22 0xffffffff8002b14000 0x78ff4 0x78ff4  
com.apple.iokit.IOUSBHostFamily (1.2)  
44131898-6020-37B4-86C3-220A2E2D94DA <29 28 27 23 19 17 9 8 7 6 3  
1>

31 1 0xffffffff8002d12000 0xefff 0xefff  
com.apple.driver.KernelRelayHost (1) CD076177-5101-3E54-9AF6-  
E1AF41E93B46 <30 7 6 3>

32 2 0xffffffff80017fc000 0x7bffc 0x7bffc  
com.apple.driver.AppleCredentialManager (1.0) 5668E8E6-33F0-3ED2-  
A8E6-72F8A6F74704 <31 24 22 21 10 9 8 7 6 3 1>

33 0 0xffffffff8001883000 0x2ff8 0x2ff8 com.apple.driver.AppleCyrus  
(1) 16F569E8-8B20-327F-A484-C4E9BACA9969 <27 25 22 21 9 8 7 6 3 1>

34 10 0xffffffff800288d000 0x18000 0x18000  
com.apple.iokit.IOStorageFamily (2.1) A96D850A-038F-31D7-9F3D-  
A6775064548E <9 8 7 6 3 1>

35 0 0xffffffff8001889000 0xeff5 0xeff5  
com.apple.driver.AppleDiskImages2 (273) 58127EA1-E227-300D-9E3A-  
F822770BDD4F <34 8 7 6 3 1>

36 3 0xffffffff80018b7000 0x6000 0x6000  
com.apple.driver.AppleEraseableStorage (1.0) CF96F8BB-A693-33AD-  
B264-3C194F0B0F35 <9 7 6 3 1>

37 0 0xffffffff80018c7000 0x6000 0x6000  
com.apple.driver.AppleFDEKeyStore (28.30) 1592DE84-CB15-3F0B-  
A9A2-188DD509E2C4 <36 10 9 8 7 6 3 1>

38 3 0xffffffff800279d000 0x14fff 0x14fff  
com.apple.iokit.IO SCSI Architecture Model Family (492) 800BCCC0-  
E68E-35AF-A9E8-44EB14C18FBC <8 7 6 3 1>

39 1 0xffffffff80027c5000 0x11fff 0x11fff  
com.apple.iokit.IO SCSI Block Commands Device (492)  
58BF559E-18A5-3438-9993-45068C5A46A3 <38 34 8 7 6 3 1>

40 1 0xffffffff8002cec000 0x1b000 0x1b000  
com.apple.iokit.IO USB Mass Storage Driver (243) 291458CD-  
A701-351B-8C55-4E46D5DDA060 <38 34 30 18 8 7 6 3 1>

41 2 0xffffffff8001bfd000 0x7ffd 0x7ffd  
com.apple.driver.AppleUSBTDM (556) 74B79D75-46CB-3380-  
A2CF-2F7B82A42645 <40 39 38 34 30 27 9 8 7 6 3 1>

42 0 0xffffffff80019c1000 0x91ffa 0x91ffa  
com.apple.driver.AppleKeyStore (2) D8EBBC57-B601-3C28-A94A-  
F70342A8BE01 <41 32 27 25 22 21 10 9 8 7 6 3 1>

43 0 0xffffffff8001a78000 0x17ff8 0x17ff8  
com.apple.driver.AppleLockdownMode (1) BA42208D-B278-3658-A4B5-  
A3D0F5A79C75 <32 9 8 7 6 3 1>

44 0 0xffffffff8001bad000 0x8000 0x8000 com.apple.driver.AppleSSE  
(1.0) A9AFA2D3-0A92-3AB7-A143-0CA6D320C135 <22 21 9 8 7 6 3 1>

45 0 0xffffffff8001f66000 0x2ff8 0x2ff8  
com.apple.Dont\_Steal\_Mac\_OS\_X (7.0.0)  
88B19885-8C01-3F7D-8D39-17076CE347A9 <19 10 9 8 6 3 1>

46 2 0xffffffff8001a99000 0x3000 0x3000 com.apple.kext.AppleMatch  
(1.0.0d1) 74235925-EDFA-3965-A6B8-DC9D310080BE <8 6 3 1>

47 3 0xffffffff8002d60000 0x5c000 0x5c000  
com.apple.security.sandbox (300.0) FDAE9B9F-843C-3D69-  
AABA-750623225A60 <46 34 27 9 8 7 6 3 2 1>

48 2 0xffffffff8002d54000 0x9ff1 0x9ff1 com.apple.security.quarantine  
(4) A0F9767B-B850-3107-82CE-33176F962DF1 <47 46 9 8 7 6 3 2 1>

49 0 0xffffffff8001f6c000 0x93ffa 0x93ffa  
com.apple.iokit.EndpointSecurity (1) 91EDCA66-87FE-3780-  
B757-8EFE91E2EA8D <48 27 9 8 7 6 3 2 1>

50 10 0xffffffff8002797000 0x2ff8 0x2ff8  
com.apple.iokit.IOReportFamily (47) 7EE0B816-0F22-3141-992C-

ECEA9CA4B021 <8 7 6 3>

51 2 0xffffffff800235b000 0x37000 0x37000  
com.apple.iokit.IOBluetoothFamily (9.0.0) 7FDFA5F8-792C-3756-AF74-  
CF2D9F039EBB <50 30 17 9 8 7 6 3 1>

52 0 0xffffffff80023d7000 0xc000 0xc000  
com.apple.driver.DiskImages (493.0.0) 33ADC154-C856-3A0B-  
B19A-60ACF92FC74D <34 9 8 7 6 3 1>

53 0 0xffffffff80024be000 0xffff 0xffff  
com.apple.iokit.IOKitRegistryCompatibility (1) 28005F3C-6CA4-30BD-A4A3-  
E8D6B936FA9B <6 3>

54 13 0xffffffff80024f4000 0x17ff4 0x17ff4  
com.apple.iokit.IONetworkingFamily (3.4) 5D912FD8-C4CD-3CF6-B214-  
DF5BF7AB4FA0 <9 8 7 6 3 1>

55 2 0xffffffff800274e000 0x5000 0x5000  
com.apple.driver.mDNSOffloadUserClient (1.0.1b8) FF5CF7B9-1643-3CA5-  
A871-DBAF3D1A167B <54 8 6 3 1>

56 7 0xffffffff8002842000 0x2eff8 0x2eff8  
com.apple.iokit.IOSkywalkFamily (1.0) 426DDC50-CDB9-3EFE-  
B798-177C7E41955F <55 54 9 8 7 6 3 1>

57 3 0xffffffff8002a21000 0x30ff8 0x30ff8  
com.apple.iokit.IOTimeSyncFamily (1230.2)  
AB964C54-2D2A-3EE6-8A29-9C9275FD736E <56 54 8 7 6 3 1>

58 0 0xffffffff8001390000 0x7ff4 0x7ff4  
com.apple.nke.applicationfirewall (404) CDCDCC5C-  
D95A-3D10-8CAF-65235B1C9CD8 <9 8 7 6 3 1>

59 0 0xffffffff8001c28000 0xefff 0xefff com.apple.AppleSystemPolicy  
(2.0.0) FAC07F3D-CD09-3EB7-A62A-9E08520F9B69 <48 47 27 9 8 7 6 3 2  
1>

60 0 0xffffffff8001456000 0x2000 0x2000 com.apple.driver.AppleAPIC  
(1.7) 58DAF093-4F07-3976-9D9A-AFDD41C78F16 <18 6 3>

61 12 0xffffffff8002422000 0x64000 0x64000  
com.apple.iokit.IOHIDFamily (2.0.0) 0D1955FD-  
F7D4-3FE2-9F52-940A201A9ECA <50 9 8 7 6 3 2 1>

62 3 0xffffffff800282d000 0xffe 0xffe com.apple.iokit.IOSMBusFamily  
(1.1) 3D75C6A0-5AFF-38E5-89B6-CF5F96104E8A <7 6 3>

63 0 0xffffffff8001427000 0x6000 0x6000  
com.apple.driver.AppleACPIEC (6.1) F7B46893-0A2C-3238-B47B-  
D11224588240 <62 61 50 20 17 9 8 7 6 3 1>

64 0 0xffffffff8001b82000 0x3000 0x3000  
com.apple.driver.AppleSMBIOS (2.1) 35BCC09D-08BA-3D42-BCAC-  
DD3A100FF6BC <9 6 3>

65 0 0xffffffff8001ba7000 0x3ff4 0x3ff4  
com.apple.driver.AppleSMCRTC (1.0) 06CC152A-E4EE-35AE-8EEB-  
B68F5A580978 <19 17 9 7 6 3 1>

66 1 0xffffffff800189d000 0x2000 0x2000  
com.apple.driver.AppleEFIRuntime (2.1) A286161F-178A-3C2C-BA0B-  
AB695D4B7B9D <24 9 8 7 6 3>  
67 1 0xffffffff80018a1000 0xa000 0xa000  
com.apple.driver.AppleEFINVRAM (2.1) 44300A2B-359D-3EEB-  
B88C-06853EF6B0D1 <66 9 8 7 6 3 1>  
68 0 0xffffffff8001bb8000 0x1cff4 0x1cff4  
com.apple.driver.AppleSmartBatteryManager (161.0.0) A84BFB3C-  
CFDA-366C-8202-3FD5CF027082 <62 19 17 8 7 6 3 1>  
69 0 0xffffffff8001420000 0x2ffa 0x2ffa  
com.apple.driver.AppleACPIButtons (6.1) 40C37BF3-1488-3A20-AD19-  
D3907C8443D1 <61 50 20 17 9 8 7 6 3 1>  
70 1 0xffffffff8002c3e000 0x3cffc 0x3cffc  
com.apple.driver.usb.AppleUSBXHCI (1.2)  
41FA1EC9-3ACB-3351-8F13-3E8B92013A6F <30 28 17 9 8 7 6 3 1>  
71 0 0xffffffff8002c86000 0x24ff5 0x24ff5  
com.apple.driver.usb.AppleUSBXHCIPCI (1.2) 1F3FD3B5-20C0-302E-  
AC29-0C3D690FDEE9 <70 30 28 18 17 9 8 7 6 3 1>  
72 0 0xffffffff800198a000 0x7000 0x7000  
com.apple.driver.AppleIntelLpssGspi (3.0.60) 0176C4EB-  
EF38-358A-9CA8-21C926C234D0 <18 17 9 7 6 3>  
73 0 0xffffffff8002d26000 0x1000 0x1000 com.apple.private.KextAudit  
(1.0) 8B66B079-5EB6-3089-97CC-DACACEA0CB01 <19 9 8 7 6 3>  
74 0 0xffffffff8002a68000 0x63ff5 0x63ff5 com.apple.iokit.IOUSBFamily  
(900.4.2) E4E8CCBD-A941-3456-BC41-9B621A2213FB <30 28 18 9 7 6 3 1>  
75 0 0xffffffff8002bf1000 0x2ff5 0x2ff5  
com.apple.driver.usb.AppleUSBHostPacketFilter (1.0)  
5A2331CA-96BA-3AA3-986E-B35A064F3142 <30 28 9 8 7 6 3 1>  
76 6 0xffffffff80023ba000 0x7000 0x7000  
com.apple.iokit.IOBufferCopyEngineFamily (1)  
DEB13FC0-4CDD-3DC9-914F-20C3B84E246C <7 6 3 1>  
77 0 0xffffffff80023b4000 0x3000 0x3000  
com.apple.iokit.IOBufferCopyController (1.1.0) D5D8F954-59A4-3CAB-8DB3-  
FA7FCE526346 <76 18 9 8 7 6 3 1>  
78 0 0xffffffff80024c1000 0x2b000 0x2b000  
com.apple.iokit.IONVMeFamily (2.1.0)  
5985F50F-0A7D-3A4B-88B3-9D4C9EC4E43B <50 34 27 18 9 8 7 6 3 1>  
79 11 0xffffffff8002f9d000 0x22ff5 0x22ff5 com.apple.driver.corecapture  
(1.0.4) 0DED4F91-AC29-379C-9A48-83E6009E40F0 <9 8 7 6 3 1>  
80 6 0xffffffff8002830000 0x7000 0x7000  
com.apple.iokit.IOSerialFamily (11) 6B8A085F-7861-3439-8FEC-  
DFC11F6D7CB4 <9 8 7 6 3 1>  
81 2 0xffffffff8001b07000 0x11000 0x11000  
com.apple.driver.AppleOLYHALMac (1) B2508564-2159-3E30-8B54-

B69B04563996 <80 79 18 9 8 7 6 3 1>  
82 0 0xffffffff80018d0000 0x2000 0x2000  
com.apple.AppleFSCCompression.AppleFSCCompressionTypeDataless  
(1.0.0d1) 1EDD9E32-C749-3D26-9405-6909DE4A9258 <9 8 6 3 2 1>  
83 0 0xffffffff80018d4000 0x11ff1 0x11ff1  
com.apple.AppleFSCCompression.AppleFSCCompressionTypeZlib (1.0.0)  
46D256D7-2673-31FC-BC28-70D8F4845CE7 <8 6 3 2 1>  
84 0 0xffffffff80018ae000 0x5000 0x5000  
com.apple.driver.AppleEffaceableNOR (1.0) A8E65353-EB6E-32FC-B6E9-  
DC64B0B938FC <76 41 36 9 7 6 3 1>  
85 3 0xffffffff8001d7f000 0x4ff3 0x4ff3  
com.apple.driver.usb.AppleUSBVHCICommon (1.0) 18AB42A7-C0AE-30AA-  
B38B-52C2CD431265 <30 28 9 7 6 3 1>  
86 1 0xffffffff8002c1e000 0x15ffc 0x15ffc  
com.apple.driver.usb.AppleUSBVHCI (1.2) B24F9C5D-7FC7-35F4-  
B160-9046E0A06F24 <85 30 28 9 8 7 6 3 1>  
87 1 0xffffffff8001d86000 0x7ff4 0x7ff4  
com.apple.driver.usb.AppleUSBVHCICommonBCE (1.0)  
FD690FD6-4387-38CA-A782-071CC9A82779 <85 76 28 9 7 6 3 1>  
88 0 0xffffffff8002c3a000 0x1ffc 0x1ffc  
com.apple.driver.usb.AppleUSBVHCIBCE (1.2) E41A74FC-0E0A-358C-8062-  
E7AD95043994 <87 86 85 76 30 28 17 9 8 7 6 3 1>  
89 0 0xffffffff8001c1f000 0x4ff9 0x4ff9  
com.apple.driver.AppleSyntheticGameController (11.3.1) AC4068E6-  
A93B-3615-94EF-23383BA5B53C <61 8 6 3>  
90 0 0xffffffff8001e68000 0xcff4 0xcff4 com.apple.BootCache (40)  
1713D75D-77C9-302C-82AC-FEF8AF15D00B <9 8 7 6 3 1>  
91 1 0xffffffff800206d000 0x1ff9 0x1ff9  
com.apple.filesystems.hfs.encodings.kext (1)  
4DE1B6EC-8BBB-3736-89A5-98F08FFB78CC <9 8 7 6 3 1>  
92 0 0xffffffff8002009000 0x5dff5 0x5dff5  
com.apple.filesystems.hfs.kext (650.0.2)  
B1E2D44C-0102-3061-8731-8E5AB306CB41 <91 9 8 7 6 3 1>  
93 8 0xffffffff80024a7000 0x12000 0x12000  
com.apple.driver.IOImageLoader (1.0.0) 6E3C613F-BE8C-3A50-A0A5-  
CAA1C3CAC3BE <79 10 9 8 7 6 3 1>  
94 2 0xffffffff8002071000 0x23eff9 0x23eff9  
com.apple.iokit.IO80211Family (1200.13.0) CBAC76A7-  
A56B-3455-9D93-641DB349625A <79 56 54 27 24 10 9 8 7 6 3 1>  
95 1 0xffffffff80014de000 0x259ff6 0x259ff6  
com.apple.driver.AppleBCMWWLANCoreMac (1.0.0) 93DA8231-9B60-3F63-  
AAA8-EA5E27012ACE <94 93 81 80 79 57 56 55 54 27 24 18 10 9 8 7 6 3 1>  
96 0 0xffffffff8001466000 0x6affd 0x6affd  
com.apple.driver.AppleBCMWWLANBusInterfacePCleMac (1) 30405EE4-

E3E2-3CBB-B306-41CA4075D36F <95 94 93 81 79 56 54 24 18 9 8 7 6 3 1>  
97 2 0xffffffff80028bc000 0x2a000 0x2a000 com.apple.iokit.IOSurface  
(352.0.3) 93D55571-8050-3A8B-9159-B33939D35C99 <9 8 7 6 3 1>  
98 1 0xffffffff8002ddb000 0x1adff0 0x1adff0 com.apple.filesystems.apfs  
(2235.80.4) CE13F364-BF8A-3955-BC8F-2ED75D98BBEE <67 36 34 26 24  
10 9 8 7 6 3 2 1>  
99 0 0xffffffff8003058000 0x1cffc 0x1cffc com.apple.filesystems.lifs (1)  
2E1E004B-AB5E-33DA-AEF4-4968F862B211 <9 8 7 6 3 1>  
100 0 0xffffffff800175d000 0x1000 0x1000  
com.apple.driver.AppleBSDKextStarter (3) 2125999B-50BA-3CDD-878C-  
E14F3DB05ABE <6 3>  
101 0 0xffffffff8003082000 0xb000 0xb000  
com.apple.filesystems.tmpfs (1) D3057387-BCDB-3919-9672-  
A73B906E270E <9 8 7 6 3 1>  
102 0 0xffffffff80018ea000 0x2000 0x2000  
com.apple.driver.AppleFileSystemDriver (3.0.1) 4FA5BCFD-7F1F-348B-  
B05D-B75AC481E953 <34 6 3>  
103 0 0xffffffff8001e05000 0x3000 0x3000  
com.apple.driver.AppleXsanScheme (3) 5B47FE6C-  
D898-3B8C-947B-5530B811472A <34 7 6 3 1>  
104 7 0xffffffff80028ef000 0x100000 0x100000  
com.apple.iokit.IOThunderboltFamily (9.3.3) 839C4296-BD30-392D-8C65-  
FCA2275C0386 <19 7 6 3 1>  
105 0 0xffffffff8001ceb000 0x31000 0x31000  
com.apple.driver.AppleThunderboltNHI (7.2.81) E1A6FC32-8203-3BAB-  
B796-5EFE1C2FC151 <104 18 17 8 7 6 3 1>  
106 0 0xffffffff8001e1d000 0x1ffd 0x1ffd  
com.apple.driver.BCMWLANFirmware4355.Hashstore (1) B35E6DF6-  
B408-38A2-AB49-EFFD3B9014A1 <93 79 7 6 3 1>  
107 0 0xffffffff8001e21000 0x6fff 0x6fff  
com.apple.driver.BCMWLANFirmware4364.Hashstore (1)  
48C966E0-0968-39F3-A526-14DA59F1BCEE <93 79 7 6 3 1>  
108 0 0xffffffff8001e2e000 0x3fff 0x3fff  
com.apple.driver.BCMWLANFirmware4377.Hashstore (1)  
1EBB0F3C-7C9F-32B0-BB45-39C5ABE00385 <93 79 7 6 3 1>  
109 0 0xffffffff8001e36000 0x4ffd 0x4ffd  
com.apple.driver.BCMWLANFirmware4378.Hashstore (1)  
0CD58167-458F-32AB-894F-7A92AE481E83 <93 79 7 6 3 1>  
110 0 0xffffffff8001e3f000 0x6fff 0x6fff  
com.apple.driver.BCMWLANFirmware4387.Hashstore (1)  
1459D2A6-7A32-3057-B958-C40C1DC286DC <93 79 7 6 3 1>  
111 0 0xffffffff8001e4c000 0xffff 0xffff  
com.apple.driver.BCMWLANFirmware4388.Hashstore (1)  
73B8F05F-22B0-377A-8422-76E3A7584E08 <93 79 7 6 3 1>

112 1 0xffffffff8001983000 0x5000 0x5000  
com.apple.driver.AppleIntelLpssDmac (3.0.60) 9E1365C4-16FE-3F14-B14C-  
ED26C2AA9479 <18 17 7 6 3>

113 1 0xffffffff8001993000 0x6ff4 0x6ff4  
com.apple.driver.AppleIntelLpssl2C (3.0.60) D260B920-EAF1-3CA0-8D9B-  
A79C1A10065E <18 17 9 7 6 3>

114 1 0xffffffff800199c000 0xdffc 0xdffc  
com.apple.driver.AppleIntelLpssl2CController (3.0.60)  
DBDE3422-0C28-37A1-8C41-480CE3E6A73F <113 112 17 9 7 6 3>

115 0 0xffffffff8001910000 0x7ff4 0x7ff4 com.apple.driver.AppleHPM  
(3.4.4) 26BD9D63-FFC1-331D-9D0D-F5285D5471EC <114 104 17 7 6 3 1>

116 2 0xffffffff8001c3b000 0x32ffd 0x32ffd  
com.apple.driver.AppleThunderboltDPAdapterFamily (8.5.1)  
2CB40AFF-5BC7-3C28-B2C6-647E336BCB64 <104 7 6 3 1>

117 0 0xffffffff8001c72000 0x14ffe 0x14ffe  
com.apple.driver.AppleThunderboltDPInAdapter (8.5.1) FFC7DCD9-  
F449-3B4A-ADAF-59783D542585 <116 104 17 7 6 3 1>

118 0 0xffffffff8001d27000 0x3fff 0x3fff  
com.apple.driver.AppleThunderboltPCIDownAdapter (4.1.1) 2E63456C-  
F946-3BFA-92CF-F0AF32F30701 <104 18 7 6 3 1>

119 2 0xffffffff8002be7000 0x3ffb 0x3ffb  
com.apple.driver.usb.AppleUSBHostCompositeDevice (1.2)  
24BCEF43-9582-326F-995E-EC7C184759DD <30 28 8 7 6 3 1>

120 3 0xffffffff8001db8000 0x2000 0x2000  
com.apple.driver.usb.networking (5.0.0) 0E49144F-9EE7-3D91-8989-  
F8EBFAFAA6AC <30 8 7 6 3 1>

121 2 0xffffffff8001d74000 0x1fff 0x1fff com.apple.driver.usb.cdc  
(5.0.0) 12E0C1F5-DB59-39BB-A039-A57C55AD6CB5 <120 119 30 7 6 3 1>

122 0 0xffffffff8001dad000 0x8000 0x8000  
com.apple.driver.usb.cdc.ncm (5.0.0) ABD44399-  
DBA2-3F58-84F4-9B021E8AC5B2 <121 120 119 54 50 30 8 7 6 3 1>

123 0 0xffffffff8001d94000 0x3ff8 0x3ff8 com.apple.driver.usb.cdc.ecm  
(5.0.0) 2C920DE9-C532-3D54-83C3-C6DA2D9D4561 <121 120 54 30 29 7 6  
3 1>

124 0 0xffffffff8002ce1000 0x7ffe 0x7ffe  
com.apple.driver.usb.IOUSBHostHIDDevice (1.2)  
9D7E3ED4-1769-3F82-898C-FFC7BF121CAD <61 30 28 7 6 3 1>

125 0 0xffffffff8002bf6000 0x1cff8 0x1cff8  
com.apple.driver.usb.AppleUSBHub (1.2)  
58864633-0BD6-3AA4-9248-5175F8E11981 <30 28 17 7 6 3 1>

126 0 0xffffffff8002be3000 0x1ff5 0x1ff5  
com.apple.driver.usb.AppleUSBHostBillboardDevice (1.0)  
866B69BB-7182-3935-92B1-A7A89A463EBF <30 28 7 6 3 1>

127 0 0xffffffff7f9555e000 0x7000 0x7000



com.apple.driver.driverkit.serial (6.0.0) 4BE13E1D-C783-3E0D-8A3A-93E87C6A376C <80 7 6 3 1>  
129 0 0xffffffff8001c8e000 0x54000 0x54000  
com.apple.driver.AppleThunderboltDPOutAdapter (8.5.1)  
B9072F2B-4907-3CC3-9E6D-C29F132B4D99 <116 104 17 7 6 3 1>  
131 0 0xffffffff7f95041000 0x3e000 0x3e000  
com.apple.driver.AppleThunderboltIP (4.0.3) 3543C318-C2D7-3D8F-918A-DC1F2399DE63 <104 54 18 7 6 3 1>  
133 1 0xffffffff7f95942000 0xc1fec 0xc1fec com.apple.vecLib.kext  
(1.2.0) FBD75DE4-1F47-36B8-A0B5-96434592F78F <13 9 8 7 6 3>  
134 1 0xffffffff7f9529c000 0x1dff0 0x1dff0  
com.apple.iokit.IOAudioFamily (500.4) 9565DE62-BA41-3397-A86C-67242C3DFCD4 <133 7 6 3 1>  
135 13 0xffffffff7f953a6000 0x2effa 0x2effa  
com.apple.iokit.IOGraphicsFamily (598) 5E698968-E66C-372A-9AE4-99934BAF7A10 <18 9 7 6 3 1>  
136 4 0xffffffff7f953fa000 0x8ffc 0x8ffc  
com.apple.iokit.IONDRVSupport (598) A3F6E306-CE73-345E-97D7-BFB0E11208C7 <135 18 9 7 6 3>  
137 0 0xffffffff7f947bc000 0x5f000 0x5f000  
com.apple.driver.AppleGFXHDA (300.1) 2526E249-BDCE-3EB4-BAE6-1D0D0356296A <136 135 134 18 9 8 7 6 3 1>  
140 0 0xffffffff7f9476c000 0x3000 0x3000  
com.apple.driver.AppleAVEBridge (6.1) D7169DE6-7E2B-38C7-B34A-4DE35C98C378 <76 7 6 3>  
141 0 0xffffffff7f95124000 0x9ffc 0x9ffc  
com.apple.driver.BridgeAudioCommunication (400.1)  
734843C6-7562-302F-8595-BB713DA14718 <76 9 7 6 3 1>  
142 4 0xffffffff7f95409000 0x3ffd 0x3ffd  
com.apple.driver.IOPlatformPluginFamily (6.0.0d8)  
94138D6B-84F3-32CC-94C1-D9739F20B0B8 <17 9 8 7 6 3>  
143 1 0xffffffff7f95436000 0x12ffa 0x12ffa  
com.apple.driver.X86PlatformPlugin (1.0.0)  
2E506ED9-5791-365A-8A4D-580CD926AD2C <142 30 19 17 9 8 7 6 3 1>  
148 1 0xffffffff8002888000 0x2ff5 0x2ff5  
com.apple.iokit.IOSlowAdaptiveClockingFamily (1.0.0)  
5149F2C3-4F68-3E21-9B58-7A2BD2CED484 <9 8 7 6 3 1>  
149 0 0xffffffff7f94f7d000 0xfff 0xfff  
com.apple.driver.AppleIntelSlowAdaptiveClocking (4.0.0)  
F1C609DC-0407-3D83-A000-45CFD02084D1 <148 6 3>  
150 5 0xffffffff7f9484d000 0x4000 0x4000  
com.apple.AppleGraphicsDeviceControl (8.1.9) D0372C4D-E33E-3899-9EA0-67FA180354E8 <135 18 9 8 7 6 3 1>  
151 0 0xffffffff7f94842000 0x6ff4 0x6ff4 com.apple.AppleGPUWrangler

(8.1.9) FC939D38-E15A-3475-AE2C-8DF136BE2AE8 <150 135 18 9 8 7 6 3 1>

152 0 0xffffffff7f94f76000 0x3000 0x3000  
com.apple.driver.AppleIntelPCHPMC (2.0.1) D9097257-9E3B-3CF6-B91D-DAFF8F591BB9 <142 19 18 17 6 3>

153 2 0xffffffff7f94f99000 0xffff 0xffff  
com.apple.driver.AppleOnboardSerial (1.0) B7466C2B-6516-33DF-A245-CE29042A128A <80 56 9 7 6 3 1>

154 1 0xffffffff7f94f59000 0x2000 0x2000  
com.apple.driver.AppleIntelLpssUARTCommon (3.0.60)  
8C0EC9EA-22C4-3202-8DF6-671A4F9B163A <153 80 18 17 9 7 6 3 1>

155 0 0xffffffff7f94f60000 0xff4 0xff4  
com.apple.driver.AppleIntelLpssUARTv1 (3.0.60) CD3BEB24-EFBF-3AD3-AAAF-05206A231D24 <154 153 80 18 17 9 7 6 3 1>

156 0 0xffffffff7f94fee000 0x1000 0x1000  
com.apple.driver.AppleSMBusPCI (1.0.14d1) 39845D9A-A618-31ED-98F9-5F906ACDCD75 <18 7 6 3>

157 1 0xffffffff7f95478000 0x7cffa 0x7cffa  
com.apple.plugin.IOGPTPlugin (1230.2) 8D4C28BC-C71D-37DE-BBD8-D51560A4FD0C <61 57 56 54 13 8 7 6 3 1>

158 1 0xffffffff7f94fe2000 0x6ffd 0x6ffd  
com.apple.driver.AppleSMBusController (1.0.18d1) D9AEBC0E-BAEA-3344-9F1D-5C1799D9577D <62 18 17 7 6 3>

159 0 0xffffffff7f94f84000 0xb000 0xb000  
com.apple.driver.AppleMCCSControl (1.17)  
10892A15-8F38-3BE6-8BE7-0CA51A80A44D <158 135 19 18 17 9 7 6 3 1>

160 1 0xffffffff7f94788000 0x2000 0x2000  
com.apple.driver.AppleBacklightExpert (1.1.0) E7E7F4F4-CB67-3EF6-A6FF-DBEF600DF9CF <136 135 19 18 7 6 3>

161 0 0xffffffff7f94782000 0x2ff3 0x2ff3  
com.apple.driver.AppleBacklight (180.9) CF04C057-EB8E-3189-AF12-396EEBAF60B5 <160 136 135 18 7 6 3>

163 0 0xffffffff7f94780000 0xffb 0xffb  
com.apple.driver.AppleAudioClockLibs (300.1) 3343FD63-D9E1-3F72-9D2F-73035619EE75 <9 7 6 3 1>

165 0 0xffffffff7f95132000 0x9ffc 0x9ffc  
com.apple.driver.AppleBridgeAudioController (400.1) C4B28760-240B-331F-A0DE-F9AFEC12F09 <18 9 8 7 6 3 1>

166 0 0xffffffff7f94ab7000 0x13ff4 0x13ff4 com.apple.driver.AppleHV (1)  
16E7E2EB-B32C-30CC-9420-D98AD713D6B7 <47 9 8 7 6 3 1>

167 0 0xffffffff7f94acf000 0x5000 0x5000  
com.apple.driver.AppleIPAppender (1.0) 17031F5E-A4D1-31A2-B986-A92D103105DD <56 54 9 8 7 6 3 1>

168 1 0xffffffff7f95455000 0x4000 0x4000

com.apple.iokit.IORSMFamily (1) 845C0DDB-C2A5-3A3D-B0F5-463C66D5A79B <7 6 3 1>  
169 0 0xffffffff7f94fd8000 0x4ffc 0x4ffc  
com.apple.driver.AppleRSMChannel (1)  
3DE0E184-4A45-319A-8B02-0668B152C80E <168 8 7 6 3 1>  
170 0 0xffffffff7f95027000 0x3ff4 0x3ff4 com.apple.driver.AppleSunrise  
(1) 2CDB2404-3159-3C8C-B5F4-AB1DF1D27AE0 <18 8 7 6 3 1>  
171 0 0xffffffff7f951a2000 0x13ff9 0x13ff9 com.apple.iokit.IOAVBFamily  
(1220.1) 59B3E872-457A-35C1-BACD-978B2517EFFB <157 57 54 8 7 6 3 1>  
172 1 0xffffffff7f9479c000 0x5ffa 0x5ffa  
com.apple.driver.AppleCallbackPowerSource (1) A99CEB81-  
C592-3847-86DD-ACCA3057DE85 <8 7 6 3 1>  
173 0 0xffffffff7f953ef000 0x6ff7 0x6ff7  
com.apple.driver.IOHIDPowerSource (1)  
9E5FAD61-89CD-3CA8-8A57-08BE1BE4EC7F <172 61 8 7 6 3 1>  
174 0 0xffffffff7f95533000 0x14ff4 0x14ff4  
com.apple.driver.usb.AppleUSBUserHCI (1)  
084A1816-16B8-3050-892F-79CD8742D54E <30 28 7 6 3 1>  
175 0 0xffffffff7f95555000 0x4fff 0x4fff com.apple.iokit.IOUserEthernet  
(1.0.1) 1348B2F7-15EA-315F-959A-4D55EDB3318A <54 8 7 6 3 1>  
176 2 0xffffffff7f95908000 0x3000 0x3000 com.apple.kext.triggers (1.0)  
4459A88C-D919-33BE-AC13-2F26F5CC9C31 <9 8 7 6 3 1>  
177 0 0xffffffff7f957b5000 0xa1000 0xa1000 com.apple.filesystems.nfs  
(1) 7CB93D9A-4A23-3F3B-B6FB-03D793E9A1FA <176 10 9 8 7 6 3 1>  
178 0 0xffffffff7f9585c000 0x9000 0x9000  
com.apple.driver.pmtelemetry (1)  
288630A0-8B27-328B-9B25-958D7BE10C94 <9 8 7 6 3 1>  
179 2 0xffffffff7f95216000 0x6affc 0x6affc  
com.apple.iokit.IOAcceleratorFamily2 (481.0.1) E9A83038-06B1-37D9-  
A1D5-079A67157081 <135 97 50 27 18 9 8 7 6 3 1>  
180 0 0xffffffff7f94e9f000 0xa3ff2 0xa3ff2  
com.apple.driver.AppleIntelKBLGraphicsFramebuffer (22.0.1)  
8F508B97-6253-3206-85C5-6444CFE35378 <179 150 135 50 18 17 9 8 7 6 3  
1>  
181 0 0xffffffff7f9483e000 0x2000 0x2000  
com.apple.AGDCPluginDisplayMetrics (8.1.9) 6B2E153F-86E7-3751-A881-  
EB28835DBF4A <150 9 8 7 6 3 1>  
183 1 0xffffffff7f94835000 0xfff 0xfff  
com.apple.driver.AppleGraphicsControl (8.1.9)  
33A942E7-9920-3635-8568-6DD95E7A0ED0 <9 7 6 3 1>  
184 0 0xffffffff7f94856000 0xd000 0xd000  
com.apple.driver.AppleGraphicsDevicePolicy (8.1.9)  
0CEA514B-80AF-3967-87BC-6BCFEF698B8 <183 150 135 18 17 9 8 7 6 3  
1>

185 0 0xfffff7f94da1000 0xbbff9 0xbbff9  
 com.apple.driver.AppleIntelKBLGraphics (22.0.1) 2F78E933-DB22-37DD-  
 BA50-E0A052B8EAFD <179 135 97 18 9 8 7 6 3 1>  
 186 0 0xfffff7f9510f000 0x3000 0x3000  
 com.apple.driver.AppleUpstreamUserClient (3.6.11) 2A3DC2E9-  
 AB65-3631-9635-04DBCCDCB810 <135 18 17 9 7 6 3 1>  
 187 0 0xfffff7f9576f000 0x8000 0x8000  
 com.apple.filesystems.autofs (3.0) 06A383DF-0DBA-34F8-828D-  
 E74CD8B45999 <176 9 8 7 6 3 2 1>  
 188 0 0xfffff7f94fd3000 0x1fff 0x1fff  
 com.apple.driver.ApplePlatformEnabler (2.7.0d0) F895DDC5-74C3-3EB6-  
 B8BF-BBB9397DF3BC <9 7 6 3>  
 189 1 0xfffff7f9544b000 0x6000 0x6000  
 com.apple.driver.X86PlatformShim (1.0.0)  
 CB3C7A91-75E8-389E-8D4D-2174AFE55282 <143 142 19 9 6 3>  
 190 0 0xfffff7f948b0000 0x1eff8 0x1eff8 com.apple.driver.AGPM (135)  
 1057F97E-837D-3266-86CB-2C06BF090702 <150 142 136 135 18 8 7 6 3  
 1>  
 191 2 0xfffff800196c000 0xfffd 0xfffd  
 com.apple.driver.AppleInputDeviceSupport (7410.1) 4F12CC21-1BBB-3629-  
 AE99-6E2932D66BBD <24 21 7 6 3 1>  
 192 2 0xfffff8001aea000 0x15ff9 0x15ff9  
 com.apple.driver.AppleMultitouchDriver (7430.5)  
 49F20502-6E0A-3F16-91AB-8FA6AF04D75E <191 61 50 9 8 7 6 3 1>  
 193 0 0xfffff800145a000 0x7ffb 0x7ffb  
 com.apple.driver.AppleActuatorDriver (7430.5) 1409BDA7-C6AA-39A7-  
 A5DF-0811B25D48B7 <192 191 61 50 9 8 7 6 3 1>  
 194 0 0xfffff80018f4000 0x4ff4 0x4ff4  
 com.apple.driver.AppleHIDKeyboard (7400.2) D3D8353E-9336-31FC-  
 A146-7997D7996392 <61 8 7 6 3>  
 195 1 0xfffff800239c000 0x13ff9 0x13ff9  
 com.apple.driver.IOBluetoothHIDDriver (9.0.0) E9BA1FE9-7DA8-3EFA-B051-  
 B69E50B67A1D <61 51 7 6 3>  
 196 1 0xfffff8001d58000 0x6ff4 0x6ff4  
 com.apple.driver.AppleHSBluetoothDriver (7430.5) D22D4453-C046-3F3C-  
 BE3E-207669933F31 <195 61 51 8 7 6 3 1>  
 197 0 0xfffff8001d63000 0x8ff3 0x8ff3  
 com.apple.driver.AppleTopCaseHIDEventDriver (7430.5)  
 42A2F962-1DE7-3876-8828-C18A6C261572 <196 192 61 8 7 6 3 1>  
 198 0 0xfffff80018f1000 0xffd 0xffd  
 com.apple.driver.AppleHIDALSService (1)  
 B676DBDF-6839-3132-98EE-66B03BCEF022 <30 6 3>

----FPS Report Legend:-----

Raw Instantaneous FPS:

30FPS delimiter: '|'

10FPS delimiter: '+'

1FPS delimiter: '-'

Defer+Work Instantaneous FPS: 'X'

Work Instantaneous FPS: '^'

Equal Work and Defer+Work Instantaneous FPS: '\*'

====Frame Rate Report:====

Frame Length [SampleRange]	WS Wait Length [SampleRange]	Defer Length [SampleRange]	WS Work Length [SampleRange]	Frame Rate
11.65 ms[ No samples]	0.00 ms[ No samples]	9.73 ms[ No samples]		85.83 FPS
23.44 ms[ No samples]	6.74 ms[ No samples]	7.94 ms[ No samples]		42.66 FPS
13.17 ms[ No samples]	0.31 ms[ No samples]	7.49 ms[ No samples]		75.94 FPS
30.72 ms[ 2 ]	2.90 ms[ No samples]	24.63 ms[ 2 ]		32.55 FPS
16.85 ms[ No samples]	2.99 ms[ No samples]	10.78 ms[ No samples]		59.34 FPS
16.88 ms[ No samples]	2.01 ms[ No samples]	11.53 ms[ No samples]		59.23 FPS
15.69 ms[ No samples]	3.38 ms[ No samples]	9.89 ms[ No samples]		63.72 FPS
17.00 ms[ No samples]	2.68 ms[ No samples]	11.54 ms[ No samples]		58.81 FPS
16.13 ms[ No samples]	2.45 ms[ No samples]	11.38 ms[ No samples]		61.98 FPS
16.69 ms[ 3 ]	2.99 ms[ No samples]	11.34 ms[ 3 ]		59.93 FPS
18.47 ms[ No samples]	3.59 ms[ No samples]	10.73 ms[ No samples]		

```

samples]      4.15 ms[ No samples]      54.13 FPS|-----+-----
+-----|-----+-----+----- *
      15.44 ms[ No samples]      3.08 ms[ No samples]      9.35 ms[ No
samples]      3.01 ms[ No samples]      64.75 FPS|-----+-----
+-----|-----+-----+-----*
      17.05 ms[ No samples]      2.40 ms[ No samples]      11.22 ms[ No
samples]      3.44 ms[ No samples]      58.64 FPS|-----+-----
+-----|-----+-----+-----*
      15.74 ms[ No samples]      3.46 ms[ No samples]      9.72 ms[ No
samples]      2.57 ms[ No samples]      63.52 FPS|-----+-----
+-----|-----+-----+-----*
      16.72 ms[ No samples]      2.43 ms[ No samples]      11.62 ms[ No
samples]      2.67 ms[ No samples]      59.80 FPS|-----+-----
+-----|-----+-----+-----*
      32.46 ms[  4  ]      1.87 ms[ No samples]      28.75 ms[  4  ]
1.83 ms[ No samples]      30.81 FPS|-----+-----+-----|- X
^
      33.51 ms[ No samples]      1.18 ms[ No samples]      30.23 ms[ No
samples]      2.10 ms[ No samples]      29.84 FPS|-----+-----
+-----|X              ^
      50.02 ms[  5  ]      11.46 ms[ No samples]      36.38 ms[  5  ]
2.19 ms[ No samples]      19.99 FPS|-----+-----+ X
^
      33.78 ms[ No samples]      21.80 ms[ No samples]      9.28 ms[ No
samples]      2.71 ms[ No samples]      29.60 FPS|-----+-----
+-----|              *
      50.24 ms[ No samples]      31.92 ms[ No samples]      15.34 ms[ No
samples]      2.99 ms[ No samples]      19.90 FPS|-----+-----+
X ^
      33.03 ms[  6  ]      19.23 ms[  6  ]      10.97 ms[ No samples]
2.83 ms[ No samples]      30.27 FPS|-----+-----+-----|
*
      32.95 ms[ No samples]      24.86 ms[ No samples]      5.57 ms[ No
samples]      2.51 ms[ No samples]      30.35 FPS|-----+-----
+-----|              *
|
WS Idle: 34.53ms
|
      49.33 ms[  7  ]      34.53 ms[ No samples]      12.89 ms[  7  ]
1.92 ms[ No samples]      20.27 FPS
      34.02 ms[ No samples]      21.48 ms[ No samples]      9.81 ms[ No
samples]      2.73 ms[ No samples]      29.39 FPS|-----+-----
+-----|              *
      31.88 ms[ No samples]      28.77 ms[ No samples]      1.59 ms[ No

```

```

samples]      1.51 ms[ No samples]      31.37 FPS|-----+-----
+-----|-
|
WS Idle: 39.28ms
|
    51.34 ms[  8  ]      39.28 ms[  8  ]      9.25 ms[ No samples]
2.81 ms[ No samples]      19.48 FPS
    31.81 ms[ No samples]      29.18 ms[ No samples]      1.13 ms[ No
samples]      1.50 ms[ No samples]      31.44 FPS|-----+-----
+-----|-
|
WS Idle: 35.75ms
|
    50.51 ms[  9  ]      35.75 ms[ No samples]      12.75 ms[  9  ]
2.00 ms[ No samples]      19.80 FPS
    34.14 ms[ No samples]      24.73 ms[ No samples]      6.49 ms[ No
samples]      2.92 ms[ No samples]      29.29 FPS|-----+-----
+-----
|
    50.56 ms[ No samples]      32.57 ms[ No samples]      14.45 ms[ No
samples]      3.53 ms[ No samples]      19.78 FPS|-----+-----+
X ^
    32.97 ms[ 10  ]      20.72 ms[ 10  ]      8.96 ms[ No samples]
3.29 ms[ No samples]      30.33 FPS|-----+-----+-----|
*
    31.48 ms[ No samples]      27.88 ms[ No samples]      2.01 ms[ No
samples]      1.59 ms[ No samples]      31.77 FPS|-----+-----
+-----|--
|
WS Idle: 36.50ms
|
    49.76 ms[ 11  ]      36.50 ms[ No samples]      11.73 ms[ 11  ]
1.53 ms[ No samples]      20.09 FPS
    33.46 ms[ No samples]      25.85 ms[ No samples]      5.86 ms[ No
samples]      1.75 ms[ No samples]      29.89 FPS|-----+-----
+-----|
|
WS Idle: 34.17ms
|
    51.30 ms[ No samples]      34.17 ms[ No samples]      14.13 ms[ No
samples]      3.00 ms[ No samples]      19.49 FPS
X ^
    31.85 ms[ 12  ]      21.71 ms[ 12  ]      8.40 ms[ No samples]
1.73 ms[ No samples]      31.40 FPS|-----+-----+-----|-
*

```

50.95 ms[ No samples] 31.71 ms[ No samples] 16.51 ms[ No samples]  
samples] 2.72 ms[ No samples] 19.63 FPS|-----+-----+  
X ^

33.11 ms[ 13 ] 19.64 ms[ No samples] 10.75 ms[ 13 ]  
2.72 ms[ No samples] 30.20 FPS|-----+-----+-----|  
\*

32.38 ms[ No samples] 24.71 ms[ No samples] 5.86 ms[ No samples]  
samples] 1.81 ms[ No samples] 30.88 FPS|-----+-----  
+-----|- \*  
|

WS Idle: 34.29ms  
|

51.29 ms[ No samples] 34.29 ms[ No samples] 13.85 ms[ No samples]  
samples] 3.15 ms[ No samples] 19.50 FPS  
X^

33.14 ms[ 14 ] 22.63 ms[ 14 ] 7.49 ms[ No samples]  
3.03 ms[ No samples] 30.17 FPS|-----+-----+-----|  
\*

49.56 ms[ No samples] 29.67 ms[ No samples] 17.17 ms[ No samples]  
samples] 2.71 ms[ No samples] 20.18 FPS|-----+-----+  
X ^

32.41 ms[ 15 ] 18.41 ms[ No samples] 12.04 ms[ 15 ]  
1.95 ms[ No samples] 30.86 FPS|-----+-----+-----|-  
\*

32.95 ms[ No samples] 26.54 ms[ No samples] 4.76 ms[ No samples]  
samples] 1.65 ms[ No samples] 30.35 FPS|-----+-----  
+-----|- \*  
|

WS Idle: 34.84ms  
|

50.70 ms[ No samples] 34.84 ms[ No samples] 13.47 ms[ No samples]  
samples] 2.39 ms[ No samples] 19.72 FPS  
\*

32.31 ms[ 16 ] 23.74 ms[ 16 ] 6.99 ms[ No samples]  
1.58 ms[ No samples] 30.95 FPS|-----+-----+-----|-  
\*

18.13 ms[ No samples] 3.52 ms[ No samples] 11.56 ms[ No samples]  
samples] 3.06 ms[ No samples] 55.14 FPS|-----+-----  
+-----|------+-----+----- \*  
|

15.02 ms[ No samples] 12.13 ms[ No samples] 1.37 ms[ No samples]  
samples] 1.52 ms[ No samples] 66.59 FPS|-----+-----  
+-----|------+-----+-----\*  
|

WS Idle: 38.77ms



|  
50.42 ms[ 17 ] 38.77 ms[ No samples] 9.73 ms[ 17 ]  
1.92 ms[ No samples] 19.83 FPS \*

32.63 ms[ No samples] 28.62 ms[ No samples] 2.61 ms[ No  
samples] 1.39 ms[ No samples] 30.65 FPS|-----+-----  
+-----|- \*  
|

WS Idle: 34.97ms

|  
50.19 ms[ No samples] 34.97 ms[ No samples] 13.63 ms[ No  
samples] 1.58 ms[ No samples] 19.93 FPS  
\*

35.81 ms[ 18 ] 17.97 ms[ 18 ] 13.63 ms[ No samples]  
4.22 ms[ No samples] 27.92 FPS|-----+-----+-----  
X ^

15.48 ms[ No samples] 3.50 ms[ No samples] 8.87 ms[ No  
samples] 3.11 ms[ No samples] 64.59 FPS|-----+-----  
+-----|------+-----+-----\*

16.18 ms[ No samples] 2.06 ms[ No samples] 11.44 ms[ No  
samples] 2.68 ms[ No samples] 61.82 FPS|-----+-----  
+-----|------+-----+-----\*

18.65 ms[ No samples] 2.70 ms[ No samples] 11.25 ms[ No  
samples] 4.71 ms[ No samples] 53.61 FPS|-----+-----  
+-----|------+-----+-----\*

15.19 ms[ No samples] 2.89 ms[ No samples] 9.11 ms[ No  
samples] 3.19 ms[ No samples] 65.82 FPS|-----+-----  
+-----|------+-----+-----\*

16.14 ms[ 19 ] 3.17 ms[ No samples] 10.21 ms[ 19 ]  
2.76 ms[ No samples] 61.95 FPS|-----+-----+-----|------  
+-----+-----\*

16.50 ms[ No samples] 2.48 ms[ No samples] 11.33 ms[ No  
samples] 2.69 ms[ No samples] 60.60 FPS|-----+-----  
+-----|------+-----+-----\*

16.46 ms[ No samples] 2.55 ms[ No samples] 11.36 ms[ No  
samples] 2.55 ms[ No samples] 60.77 FPS|-----+-----  
+-----|------+-----+-----\*

17.68 ms[ No samples] 2.78 ms[ No samples] 11.39 ms[ No  
samples] 3.50 ms[ No samples] 56.56 FPS|-----+-----  
+-----|------+-----+-----\*

17.16 ms[ No samples] 2.95 ms[ No samples] 10.16 ms[ No  
samples] 4.05 ms[ No samples] 58.27 FPS|-----+-----  
+-----|------+-----+-----\*

15.87 ms[ No samples] 0.23 ms[ No samples] 12.34 ms[ No  
samples] 3.30 ms[ No samples] 63.01 FPS|-----+-----

+-----|-----+-----+-----\*  
16.51 ms[ 20 ] 2.99 ms[ No samples] 10.35 ms[ 20 ]  
3.17 ms[ No samples] 60.58 FPS|-----+-----+-----|-----  
+-----+-----\*

16.02 ms[ No samples] 3.54 ms[ No samples] 9.86 ms[ No  
samples] 2.62 ms[ No samples] 62.43 FPS|-----+-----  
+-----|-----+-----+-----\*

18.83 ms[ No samples] 2.37 ms[ No samples] 11.73 ms[ No  
samples] 4.73 ms[ No samples] 53.10 FPS|-----+-----  
+-----|-----+-----+-----\*

15.99 ms[ No samples] 2.63 ms[ No samples] 9.16 ms[ No  
samples] 4.19 ms[ No samples] 62.55 FPS|-----+-----  
+-----|-----+-----+-----\*

14.06 ms[ No samples] 0.29 ms[ No samples] 12.12 ms[ No  
samples] 1.65 ms[ No samples] 71.13 FPS|-----+-----  
+-----|-----+-----+-----\*

18.51 ms[ No samples] 0.58 ms[ No samples] 14.47 ms[ No  
samples] 3.46 ms[ No samples] 54.03 FPS|-----+-----  
+-----|-----+-----+----- X ^

16.36 ms[ 21 ] 0.31 ms[ No samples] 13.20 ms[ 21 ]  
2.85 ms[ No samples] 61.12 FPS|-----+-----+-----|-----  
+-----+-----\*

15.52 ms[ No samples] 0.43 ms[ No samples] 13.84 ms[ No  
samples] 1.25 ms[ No samples] 64.44 FPS|-----+-----  
+-----|-----+-----+-----\*

15.87 ms[ No samples] 11.76 ms[ No samples] 2.69 ms[ No  
samples] 1.43 ms[ No samples] 63.00 FPS|-----+-----  
+-----|-----+-----+-----\*

|  
WS Idle: 35.70ms  
|

51.12 ms[ No samples] 35.70 ms[ No samples] 12.98 ms[ No  
samples] 2.44 ms[ No samples] 19.56 FPS  
\*

34.22 ms[ 22 ] 24.93 ms[ 22 ] 6.69 ms[ No samples]  
2.60 ms[ No samples] 29.22 FPS|-----+-----+-----  
\*

48.96 ms[ No samples] 31.42 ms[ No samples] 15.03 ms[ No  
samples] 2.50 ms[ No samples] 20.43 FPS|-----+-----+  
X ^

33.09 ms[ 23 ] 21.45 ms[ No samples] 9.72 ms[ 23 ]  
1.92 ms[ No samples] 30.22 FPS|-----+-----+-----|  
\*

32.12 ms[ No samples] 28.35 ms[ No samples] 2.41 ms[ No

samples] 1.36 ms[ No samples] 31.13 FPS|-----+-----  
+-----|- \*  
|

WS Idle: 36.74ms  
|

51.34 ms[ No samples] 36.74 ms[ No samples] 11.92 ms[ No  
samples] 2.68 ms[ No samples] 19.48 FPS  
\*

Model: MacBookAir8,1, BootROM 2020.80.5.0.1 (iBridge: 21.16.3049.0.0,0),  
2 processors, Dual-Core Intel Core i5, 1.6 GHz, 8 GB, SMC

Graphics: Intel UHD Graphics 617, Intel UHD Graphics 617, Built-In

Display: Color LCD, 2560 x 1600 Retina, Main, MirrorOff, Online

Memory Module: BANK 0/DIMM0, 4 GB, LPDDR3, 2133 MHz, 0x802C,  
0x4D5435324C3531324D3634443450512D3039

Memory Module: BANK 1/DIMM0, 4 GB, LPDDR3, 2133 MHz, 0x802C,  
0x4D5435324C3531324D3634443450512D3039

AirPort: spairport\_wireless\_card\_type\_wifi (0x14E4, 0x843), wl0: Jul 8 2023  
17:49:51 version 9.30.503.0.32.5.87 FWID 01-e74b9cb0

AirPort:

Bluetooth: Version (null), 0 services, 0 devices, 0 incoming serial ports

Network Service: Wi-Fi, AirPort, en0

USB Device: USB30Bus

USB Device: 4-Port USB 2.0 Hub

USB Device: SUSHI1A

USB Device: MPD218

USB Device: Billboard Device

USB Device: 4-Port USB 3.0 Hub

USB Device: T2Bus

USB Device: Apple Internal Keyboard / Trackpad

USB Device: Headset

USB Device: Ambient Light Sensor

USB Device: FaceTime HD Camera (Built-in)

USB Device: Apple T2 Controller

Thunderbolt Bus: MacBook Air, Apple Inc., 47.5